

## Syntax

Child: >

```
nav>ul>li
  <nav>
    <ul>
      <li></li>
    </ul>
  </nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

Multiplication: \*

```
ul>li*5
  <ul>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
  </ul>
```

Item numbering: \$

```
div+div>p>span+em^^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

```
(div>dl>(dt+dd)*3)+footer>p
  <div>
    <dl>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </dl>
  </div>
  <footer>
    <p></p>
  </footer>
```

```
ul>li.item$*5
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
</ul>
```

```
ul>li.item$@-*5
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>
```

ID and CLASS attributes

```
#header
<div id="header"></div>
```

```
p.class1.class2.class3
<p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
<p title="Hello world"></p>
```

Text: {}

```
a{Click me}
<a href="">Click me</a>
```

Implicit tag names

```
.class
<div class="class"></div>
```

```
table>.row>.col
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

Cheat Sheet

```
h${title=item${Header $}}*3
<h1 title="item1">Header 1</h1>
<h2 title="item2">Header 2</h2>
<h3 title="item3">Header 3</h3>
```

```
ul>li.item$@3*5
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>
```

```
.title
<div class="title"></div>
```

```
td[rowspan=2 colspan=3 title]
<td rowspan="2" colspan="3" title=""></td>
```

```
p>{Click }+a{here}+{ to continue}
<p>Click <a href="">here</a> to continue</p>
```

```
em>.class
<em><span class="class"></span></em>
```

```
ul>li.item$$$*5
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>
```

```
form#search.wide
<form id="search" class="wide"></form>
```

```
[a='value1' b="value2"]
<div a="value1" b="value2"></div>
```

```
ul>.class
<ul>
  <li class="class"></li>
</ul>
```

!

Alias of html:5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

bdo:l

```
<bdo dir="ltr">|</bdo>
```

link:css

```
<link rel="stylesheet" href="style.css" />
```

link:touch

```
<link rel="apple-touch-icon" href="favicon.png" />
```

link:import, link:im

```
<link rel="import" href="component.html" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible" content="IE=7" />
```

img:srcset, img:s

```

```

source, src

```
<source />
```

source:media, src:m

```
<source media="(min-width:|)" srcset="|" />
```

source:media:sizes, src:mz

```
<source media="(min-width:|)" sizes="|" srcset="|" />
```

Cheat Sheet

a

```
<a href="|" ">|</a>
```

a:mail

```
<a href="mailto:|" ">|</a>
```

acronym, acr

```
<acronym title="|" ">|</acronym>
```

basefont

```
<basefont />
```

frame

```
<frame />
```

bdo

```
<bdo dir="|" ">|</bdo>
```

col

```
<col />
```

link:print

```
<link rel="stylesheet" href="print.css" media="print" />
```

link:rss

```
<link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" />
```

meta

```
<meta />
```

meta:win

```
<meta http-equiv="Content-Type" content="text/html; charset=windows-1251" />
```

style

```
<style>|</style>
```

script:src

```
<script src="|" ">|</script>
```

img:sizes, img:z

```

```

source:src, src:sc

```
<source src="|" type="|" />
```

source:type, src:t

```
<source srcset="|" type="image/" />
```

source:sizes:type, src:zt

```
<source sizes="|" srcset="|" type="image/" />
```

a:link

```
<a href="http://|" ">|</a>
```

abbr

```
<abbr title="|" ">|</abbr>
```

base

```
<base href="|" />
```

br

```
<br />
```

hr

```
<hr />
```

bdo:r

```
<bdo dir="rtl">|</bdo>
```

link

```
<link rel="stylesheet" href="|" />
```

link:favicon

```
<link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />
```

link:atom

```
<link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />
```

meta:utf

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

meta:vp

```
<meta name="viewport" content="width=device-width, user-scalable=no,
initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" />
```

script

```
<script>|</script>
```

img

```

```

picture

```
<picture>|</picture>
```

source:srcset, src:s

```
<source srcset="|" />
```

source:sizes, src:z

```
<source sizes="|" srcset="|" />
```

source:media:type, src:mt

```
<source media="(min-width:|)" srcset="|" type="image/" />
```

iframe

```
<iframe src="|" frameborder="0">|</iframe>
```

embed

```
<embed src="|" type="|" />
```

object	<div>&lt;object data="" type=""&gt;&lt;/object&gt;</div>
area	<div>&lt;area shape="" coords="" href="" alt="" /&gt;</div>
area:r	<div>&lt;area shape="rect" coords="" href="" alt="" /&gt;</div>
form:get	<div>&lt;form action="" method="get"&gt;&lt;/form&gt;</div>
input	<div>&lt;input type="text" /&gt;</div>
input:text, input:t	<div><div>Alias of inp</div><div>&lt;input type="text" name="" id="" /&gt;</div></div>
input:datetime	<div><div>Alias of inp[type=datetime]</div><div>&lt;input type="datetime" name="" id="" /&gt;</div></div>
input:month	<div><div>Alias of inp[type=month]</div><div>&lt;input type="month" name="" id="" /&gt;</div></div>
input:tel	<div><div>Alias of inp[type=tel]</div><div>&lt;input type="tel" name="" id="" /&gt;</div></div>
input:checkbox, input:c	<div><div>Alias of inp[type=checkbox]</div><div>&lt;input type="checkbox" name="" id="" /&gt;</div></div>
input:file, input:f	<div><div>Alias of inp[type=file]</div><div>&lt;input type="file" name="" id="" /&gt;</div></div>
input:reset	<div><div>Alias of input.button[type=reset]</div><div>&lt;input type="reset" value="" /&gt;</div></div>

param	<div>&lt;param name="" value="" /&gt;</div>
area:d	<div>&lt;area shape="default" href="" alt="" /&gt;</div>
area:p	<div>&lt;area shape="poly" coords="" href="" alt="" /&gt;</div>
form:post	<div>&lt;form action="" method="post"&gt;&lt;/form&gt;</div>
inp	<div>&lt;input type="text" name="" id="" /&gt;</div>
input:search	<div><div>Alias of inp[type=search]</div><div>&lt;input type="search" name="" id="" /&gt;</div></div>
input:url	<div><div>Alias of inp[type=url]</div><div>&lt;input type="url" name="" id="" /&gt;</div></div>
input:date	<div><div>Alias of inp[type=date]</div><div>&lt;input type="date" name="" id="" /&gt;</div></div>
input:week	<div><div>Alias of inp[type=week]</div><div>&lt;input type="week" name="" id="" /&gt;</div></div>
input:number	<div><div>Alias of inp[type=number]</div><div>&lt;input type="number" name="" id="" /&gt;</div></div>
input:radio, input:r	<div><div>Alias of inp[type=radio]</div><div>&lt;input type="radio" name="" id="" /&gt;</div></div>
input:submit, input:s	<div>&lt;input type="submit" value="" /&gt;</div>
input:button, input:b	<div>&lt;input type="button" value="" /&gt;</div>
select	<div>&lt;select name="" id=""&gt;&lt;/select&gt;</div>

map	<div>&lt;map name=""&gt;&lt;/map&gt;</div>
area:c	<div>&lt;area shape="circle" coords="" href="" alt="" /&gt;</div>
form	<div>&lt;form action=""&gt;&lt;/form&gt;</div>
label	<div>&lt;label for=""&gt;&lt;/label&gt;</div>
input:hidden, input:h	<div><div>Alias of input[type=hidden name]</div><div>&lt;input type="hidden" name="" /&gt;</div></div>
input:email	<div><div>Alias of inp[type=email]</div><div>&lt;input type="email" name="" id="" /&gt;</div></div>
input:password, input:p	<div><div>Alias of inp[type=password]</div><div>&lt;input type="password" name="" id="" /&gt;</div></div>
input:datetime-local	<div><div>Alias of inp[type=datetime-local]</div><div>&lt;input type="datetime-local" name="" id="" /&gt;</div></div>
input:time	<div><div>Alias of inp[type=time]</div><div>&lt;input type="time" name="" id="" /&gt;</div></div>
input:color	<div><div>Alias of inp[type=color]</div><div>&lt;input type="color" name="" id="" /&gt;</div></div>
input:range	<div><div>Alias of inp[type=range]</div><div>&lt;input type="range" name="" id="" /&gt;</div></div>
input:image, input:i	<div>&lt;input type="image" src="" alt="" /&gt;</div>
isindex	<div>&lt;isindex /&gt;</div>
select:disabled, select:d	<div><div>Alias of select[disabled.]</div><div>&lt;select name="" id="" disabled="disabled"&gt;&lt;/select&gt;</div></div>

option, opt	<div>&lt;option value=" " /&gt; &lt;/option&gt;</div>
menu:context, menu:c	<div>Alias of menu[type=context]&gt; &lt;menu type="context"&gt; &lt;/menu&gt;</div>
menu:toolbar, menu:t	<div>Alias of menu[type=toolbar]&gt; &lt;menu type="toolbar"&gt; &lt;/menu&gt;</div>
command	<div>&lt;command /&gt;</div>
button:disabled, button:d, btn:d	<div>Alias of button[disabled.] &lt;button disabled="disabled"&gt; &lt;/button&gt;</div>
fig	<div>Alias of figure &lt;figure&gt; &lt;/figure&gt;</div>
ifr	<div>Alias of iframe &lt;iframe src=" " frameborder="0"&gt; &lt;/iframe&gt;</div>
cap	<div>Alias of caption &lt;caption&gt; &lt;/caption&gt;</div>
btn	<div>Alias of button &lt;button&gt; &lt;/button&gt;</div>
leg	<div>Alias of legend &lt;legend&gt; &lt;/legend&gt;</div>
hdr	<div>Alias of header &lt;header&gt; &lt;/header&gt;</div>
dlg	<div>Alias of dialog &lt;dialog&gt; &lt;/dialog&gt;</div>

textarea	<div>&lt;textarea name=" " id=" " cols="30" rows="10"&gt; &lt;/textarea&gt;</div>
video	<div>&lt;video src=" "&gt; &lt;/video&gt;</div>
html:xml	<div>&lt;html xmlns="http://www.w3.org/1999/xhtml"&gt; &lt;/html&gt;</div>
button:submit, button:s, btn:s	<div>Alias of button[type=submit] &lt;button type="submit"&gt; &lt;/button&gt;</div>
fieldset:disabled, fieldset:d, fset:d, fst:d	<div>Alias of fieldset[disabled.] &lt;fieldset disabled="disabled"&gt; &lt;/fieldset&gt;</div>
figc	<div>Alias of figcaption &lt;figcaption&gt; &lt;/figcaption&gt;</div>
emb	<div>Alias of embed &lt;embed src=" " type=" " /&gt;</div>
colg	<div>Alias of colgroup &lt;colgroup&gt; &lt;/colgroup&gt;</div>
optg	<div>Alias of optgroup &lt;optgroup&gt; &lt;/optgroup&gt;</div>
sect	<div>Alias of section &lt;section&gt; &lt;/section&gt;</div>
fttr	<div>Alias of footer &lt;footer&gt; &lt;/footer&gt;</div>
str	<div>Alias of strong &lt;strong&gt; &lt;/strong&gt;</div>

marquee	<div>&lt;marquee behavior=" " direction=" "&gt; &lt;/marquee&gt;</div>
menu:context, menu:c	<div>Alias of menu[type=context]&gt; &lt;menu type="context"&gt; &lt;/menu&gt;</div>
audio	<div>&lt;audio src=" "&gt; &lt;/audio&gt;</div>
keygen	<div>&lt;keygen /&gt;</div>
button:reset, button:r, btn:r	<div>Alias of button[type=reset] &lt;button type="reset"&gt; &lt;/button&gt;</div>
bq	<div>Alias of blockquote &lt;blockquote&gt; &lt;/blockquote&gt;</div>
pic	<div>Alias of picture &lt;picture&gt; &lt;/picture&gt;</div>
obj	<div>Alias of object &lt;object data=" " type=" "&gt; &lt;/object&gt;</div>
fst, fset	<div>Alias of fieldset &lt;fieldset&gt; &lt;/fieldset&gt;</div>
tarea	<div>Alias of textarea &lt;textarea name=" " id=" " cols="30" rows="10"&gt; &lt;/textarea&gt;</div>
art	<div>Alias of article &lt;article&gt; &lt;/article&gt;</div>
adr	<div>Alias of address &lt;address&gt; &lt;/address&gt;</div>
prog	<div>Alias of progress &lt;progress&gt; &lt;/progress&gt;</div>

mn	
	Alias of main
	<main> </main>
datal	
	Alias of datalist
	<datalist> </datalist>
det	
	Alias of details
	<details> </details>
doc4	
	Alias of html>(head>meta[http-equiv="Content-Type" content="text/html; charset=\${charset}"]+title{\${1:Document}})+body
	<html>
	<head>
	<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
	<title>Document</title>
	</head>
	<body>
	</body>
	</html>

tem	
	Alias of template
	<template> </template>
kg	
	Alias of keygen
	<keygen />
cmd	
	Alias of command
	<command />
ri:dpr, ri:d	
	Alias of img:s
ri:art, ri:a	
	Alias of pic>src:m+img
	<picture>
	<source media="{ min-width: " srcset=" " />
	</picture>
html:4t	
	Alias of !!!4t+doc4[lang=\${lang}]
	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
	<html lang="en">
	<head>
	<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
	<title>Document</title>
	</head>
	<body>
	</body>
	</html>

datag	
	Alias of datagrid
	<datagrid> </datagrid>
out	
	Alias of output
	<output> </output>
doc	
	Alias of html>
	(head>meta[charset=\${charset}]+title{\${1:Document}})+body
	<html>
	<head>
	<meta charset="UTF-8" />
	<title>Document</title>
	</head>
	<body>
	</body>
	</html>
ri:viewport, ri:v	
	Alias of img:z
ri:type, ri:t	
	Alias of pic>src:t+img
	<picture>
	<source srcset=" " type="image/" />
	</picture>
html:4s	
	Alias of !!!4s+doc4[lang=\${lang}]
	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
	<html lang="en">
	<head>
	<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
	<title>Document</title>
	</head>
	<body>
	</body>
	</html>

html:xt

```
Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:5

```
Alias of !!!+doc[lang=${lang}]

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

colgroup+, colg+

```
Alias of colgroup>col
<colgroup>
  <col />
</colgroup>
```

optgroup+, optg+

```
Alias of optgroup>option
<optgroup>
  <option value="|">|</option>
</optgroup>
```

html:xs

```
Alias of !!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ol+

```
Alias of ol>li

<ol>
  <li>|</li>
</ol>
```

dl+

```
Alias of dl>dt>dd

<dl>
  <dt>|</dt>
  <dd>|</dd>
</dl>
```

tr+

```
Alias of tr>td

<tr>
  <td>|</td>
</tr>
```

pic+

```
Alias of picture>source:srcset+img

<picture>
  <source srcset="|" />
  
</picture>
```

html:xxs

```
Alias of !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ul+

```
Alias of ul>li

<ul>
  <li>|</li>
</ul>
```

map+

```
Alias of map>area

<map name="|">
  <area shape="|" coords="|" href="|" alt="|" />
</map>
```

table+

```
Alias of table>tr>td

<table>
  <tr>
    <td>|</td>
  </tr>
</table>
```

select+

```
Alias of select>option

<select name="|" id="|">
  <option value="|">|</option>
</select>
```

!!!

```
<!DOCTYPE html>
```

!!!4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```



```
!!!4s
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">

!!!xss
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
```

```
cc:ie
<!--[if IE]>
    ${child}
<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.  
If abbreviation wasn't found, it is transformed into property name: `foo-bar → foo-bar;`  
You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `foo`

```
!!!xt
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

c
<!-- ${child} -->

cc:noie
<!--[if !IE]><!-->
    ${child}
<!--<![endif]-->
```

```
!!!xs
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

cc:ie6
<!--[if lte IE 6]>
    ${child}
<![endif]-->
```

Visual Formatting

pos	position: <div>relative</div> ;
t	top: <div>!</div> ;
r:a	right:auto;
l	left: <div>!</div> ;
z:a	z-index:auto;
fl:r	float:right;
cl:r	clear:right;
d:n	display:none;
d:if	display:inline-flex;
d:li	display:list-item;
d:tb	display:table;
d:tbcl	display:table-column;
d:tbfg	display:table-footer-group;
d:tbc	display:table-cell;
d:rbbg	display:ruby-base-group;
v	visibility: <div>hidden</div> ;
ov:v	overflow:visible;
ov:a	overflow:auto;
ovx:s	overflow-x:scroll;
ovy:v	overflow-y:visible;
ovy:a	overflow-y:auto;
ovs:p	overflow-style:panner;
zoo, zm	zoom:1;
cp:r	clip:rect( <div>top</div> <div>right</div> <div>bottom</div> <div>left</div> );

pos:s	position:static;
pos:r	position:relative;
t:a	top:auto;
b	bottom: <div>!</div> ;
l:a	left:auto;
fl	float: <div>left</div> ;
cl	clear: <div>both</div> ;
cl:b	clear:both;
d:b	display:block;
d:i	display:inline;
d:ri	display:run-in;
d:itb	display:inline-table;
d:tbclg	display:table-column-group;
d:tbr	display:table-row;
d:rb	display:ruby;
d:rbt	display:ruby-text;
v:v	visibility:visible;
v:c	visibility:collapse;
ov:h	overflow:hidden;
ovx	overflow-x: <div>hidden</div> ;
ovx:a	overflow-x:auto;
ovy:h	overflow-y:hidden;
ovs	overflow-style: <div>scrollbar</div> ;
ovs:m	overflow-style:move;
cp	clip: <div>!</div> ;
rsz	resize: <div>!</div> ;
rsz:b	resize:both;

pos:a	position:absolute;
pos:f	position:fixed;
r	right: <div>!</div> ;
b:a	bottom:auto;
z	z-index: <div>!</div> ;
fl:n	float:none;
fl:l	float:left;
cl:n	clear:none;
cl:l	clear:left;
d	display: <div>block</div> ;
d:f	display:flex;
d:ib	display:inline-block;
d:cp	display:compact;
d:tbcp	display:table-caption;
d:tbhg	display:table-header-group;
d:tbrg	display:table-row-group;
d:rbb	display:ruby-base;
d:rbtg	display:ruby-text-group;
v:h	visibility:hidden;
ov	overflow: <div>hidden</div> ;
ov:s	overflow:scroll;
ovx:v	overflow-x:visible;
ovx:h	overflow-x:hidden;
ovy	overflow-y: <div>hidden</div> ;
ovy:s	overflow-y:scroll;
ovs:a	overflow-style:auto;
ovs:s	overflow-style:scrollbar;
ovs:mq	overflow-style:marquee;
cp:a	clip:auto;
rsz:n	resize:none;
rsz:h	resize:horizontal;

rsz:v	resize:vertical;
cur:d	cursor:default;
cur:he	cursor:help;
cur:t	cursor:text;

cur	cursor:\${pointer};
cur:c	cursor:crosshair;
cur:m	cursor:move;

Cheat Sheet

cur:a	cursor:auto;
cur:ha	cursor:hand;
cur:p	cursor:pointer;

Margin & Padding

m	margin: <b>l</b> ;
mt:a	margin-top:auto;
mb	margin-bottom: <b>l</b> ;
ml:a	margin-left:auto;
pr	padding-right: <b>l</b> ;

Box Sizing

bxz	box-sizing: <b>border-box</b> ;
bxsh:ra	box-shadow: <b>inset</b> <b>h</b> <b>v</b> <b>blur</b> <b>spread</b> <b>rgba</b> ( <b>0</b> , <b>0</b> , <b>0</b> , <b>5</b> );
h:a	height:auto;
mah	max-height: <b>l</b> ;
mih	min-height: <b>l</b> ;

Font

f	font: <b>l</b> ;
fw:b	font-weight:bold;
fs	font-style:\${italic};
fs:o	font-style:oblique;
fv:sc	font-variant:small-caps;
fza:n	font-size-adjust:none;
ff:ss	font-family:sans-serif;
ff:m	font-family:monospace;
ff:v	font-family: Verdana, Geneva, sans-serif;
fef:eg	font-effect:engrave;
fem	font-emphasize: <b>l</b> ;
femp:a	font-emphasize-position:after;
fems:ac	font-emphasize-style:accent;
fems:ds	font-emphasize-style:disc;
fsm:n	font-smooth:never;

m:a	margin:auto;
mr	margin-right: <b>l</b> ;
mb:a	margin-bottom:auto;
p	padding: <b>l</b> ;
pb	padding-bottom: <b>l</b> ;

bxz:cb	box-sizing:content-box;
bxsh	box-shadow: <b>inset</b> <b>hoff</b> <b>voff</b> <b>blur</b> <b>color</b> ;
bxsh:n	box-shadow:none;
w:a	width:auto;
maw	max-width: <b>l</b> ;
mah:n	max-height:none;

f+	font: <b>1em</b> <b>Arial,sans-serif</b> ;
fw:br	font-weight:bolder;
fs:n	font-style:normal;
fv	font-variant: <b>l</b> ;
fz	font-size: <b>l</b> ;
ff	font-family: <b>l</b> ;
ff:c	font-family:cursive;
ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;
fef	font-effect: <b>l</b> ;
fef:eb	font-effect:emboss;
femp	font-emphasize-position: <b>l</b> ;
fems	font-emphasize-style: <b>l</b> ;
fems:dt	font-emphasize-style:dot;
fsm	font-smooth: <b>l</b> ;
fsm:aw	font-smooth:always;

mt	margin-top: <b>l</b> ;
mr:a	margin-right:auto;
ml	margin-left: <b>l</b> ;
pt	padding-top: <b>l</b> ;
pl	padding-left: <b>l</b> ;

bxz:bb	box-sizing:border-box;
bxsh:r	box-shadow: <b>inset</b> <b>hoff</b> <b>voff</b> <b>blur</b> <b>spread</b> <b>rgb</b> ( <b>0</b> , <b>0</b> , <b>0</b> );
w	width: <b>l</b> ;
h	height: <b>l</b> ;
maw:n	max-width:none;
miw	min-width: <b>l</b> ;

fw	font-weight: <b>l</b> ;
fw:n	font-weight:normal;
fw:lr	font-weight:lighter;
fs:i	font-style:italic;
fv:n	font-variant:normal;
fza	font-size-adjust: <b>l</b> ;
ff:s	font-family:serif;
ff:f	font-family:fantasy;
ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
fef:n	font-effect:none;
fef:o	font-effect:outline;
femp:b	font-emphasize-position:before;
fems:n	font-emphasize-style:none;
fems:c	font-emphasize-style:circle;
fsm:a	font-smooth:auto;
fst	font-stretch: <b>l</b> ;

fst:n	font-stretch:normal;	fst:uc	font-stretch:ultra-condensed;	fst:ec	font-stretch:extra-condensed;
fst:c	font-stretch:condensed;	fst:sc	font-stretch:semi-condensed;	fst:se	font-stretch:semi-expanded;
fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;	fst:ue	font-stretch:ultra-expanded;

## Text

va	vertical-align: <input type="text" value="top"/> ;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: <input type="text" value="left"/> ;	ta:l	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: <input type="text" value="left"/> ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: <input type="text" value="none"/> ;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:l	text-decoration:line-through;	te	text-emphasis: <input type="text" value="left"/> ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: <input type="text" value="left"/> ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: <input type="text" value="left"/> ;	ti:-	text-indent:-9999px;	tj	text-justify: <input type="text" value="left"/> ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: <input type="text" value="left"/> ;	to+	text-outline: <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="#000"/> ;
to:n	text-outline:none;	tr	text-replace: <input type="text" value="left"/> ;	tr:n	text-replace:none;
tt	text-transform: <input type="text" value="uppercase"/> ;	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:l	text-transform:lowercase;
tw	text-wrap: <input type="text" value="left"/> ;	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: <input type="text" value="hoff"/> <input type="text" value="voff"/> <input type="text" value="blur"/> <input type="text" value="#000"/> ;
tsh:r	text-shadow: <input type="text" value="h"/> <input type="text" value="v"/> <input type="text" value="blur"/> <input type="text" value="rgb(0,0,0)"/> ;	tsh:ra	text-shadow: <input type="text" value="h"/> <input type="text" value="v"/> <input type="text" value="blur"/> <input type="text" value="rgba(0,0,0,.5)"/> );	tsh+	text-shadow: <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="#000"/> ;
				tsh:n	text-shadow:none;
lh	line-height: <input type="text" value="left"/> ;	lts	letter-spacing: <input type="text" value="left"/> ;	lts-n	letter-spacing:normal;
whs	white-space: <input type="text" value="left"/> ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse: <input type="text" value="left"/> ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:l	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;
wob	word-break: <input type="text" value="left"/> ;	wob:n	word-break:normal;	wob:k	word-break:keep-all;

wob:ba word-break:break-all;  
wow:nm word-wrap:normal;  
wow:s word-wrap:suppress;

wos word-spacing: | ;  
wow:n word-wrap:none;  
wow:b word-wrap:break-word;

Cheat Sheet

wow word-wrap: | ;  
wow:u word-wrap:unrestricted;

Background

bg	background:#000;
bgt	background-color:transparent;
bgr	background-repeat:;
bgr:y	background-repeat:repeat-y;
bga	background-attachment:;
bgp	background-position:00;
bgbk:eb	background-break:each-box;
bgcp:bb	background-clip:border-box;
bgcp:nc	background-clip:no-clip;
bgo:bb	background-origin:border-box;
bgsz:a	background-size:auto;

Color

c	color:#000;
op	opacity:;

Generated content

cnt	content:'';
cnt:noq, ct:noq	content:no-open-quote;
cnt:a, ct:a	content:attr( );
ct	content:;
q:ru	quotes:"00AB" "00BB" "201E" "201C";
cor	counter-reset:;

Outline

ol	outline:;
olw	outline-width:;
olw:tc	outline-width:thick;
ols:dt	outline-style:dotted;
ols:db	outline-style:double;
ols:i	outline-style:inset;
olc:i	outline-color:invert;

Tables

bg+	background:(#fff url( ))00no-repeat;
bgi	background-image:url( );
bgr:n	background-repeat:no-repeat;
bgr:sp	background-repeat:space;
bga:f	background-attachment:fixed;
bgpx	background-position-x:;
bgbk	background-break:;
bgbk:c	background-break:continuous;
bgcp:pb	background-clip:padding-box;
bgo	background-origin:;
bgo:cb	background-origin:content-box;
bgsz:ct	background-size:contain;

c:r	color:rgb(0,0,0);
-----	-------------------

cnt:n, ct:n	content:normal;
cnt:cq, ct:cq	content:close-quote;
cnt:c, ct:c	content:counter( );
q	quotes:;
q:en	quotes:"201C" "201D" "2018" "2019";

ol:n	outline:none;
olw:tn	outline-width:thin;
ols	outline-style:;
ols:ds	outline-style:dashed;
ols:g	outline-style:groove;
ols:o	outline-style:outset;

bg:n	background:none;
bgc	background-color:(#fff);
bgi:n	background-image:none;
bgr:x	background-repeat:repeat-x;
bgr:rd	background-repeat:round;
bga:s	background-attachment:scroll;
bgpy	background-position-y:;
bgbk:bb	background-break:bounding-box;
bgcp	background-clip:(padding-box);
bgcp:cb	background-clip:content-box;
bgo:pb	background-origin:padding-box;
bgsz	background-size:;
bgsz:cv	background-size:cover;

c:ra	color:rgba(0,0,0,.5);
------	-----------------------

cnt:oq, ct:oq	content:open-quote;
cnt:ncq, ct:ncq	content:no-close-quote;
cnt:cs, ct:cs	content:counters( );
q:n	quotes:none;
coi	counter-increment:;

olo	outline-offset:;
olw:m	outline-width:medium;
ols:n	outline-style:none;
ols:s	outline-style:solid;
ols:r	outline-style:ridge;
olc	outline-color:(#000);



tbl                   table-layout: **l**;

cps                   caption-side: **l**;

ec                    empty-cells: **l**;

tbl:a                table-layout:auto;

cps:t                caption-side:top;

ec:s                empty-cells:show;

Cheat Sheet

tbl:f                table-layout:fixed;

cps:b                caption-side:bottom;

ec:h                empty-cells:hide;

**Border**

bd	border: <b>l</b> ;	bd+	border: <b>1px</b> <b>solid</b> <b>#000</b> ;	bd:n	border:none;
				bdbk	border-break: <b>close</b> ;
bdbk:c	border-break:close;	bdcl	border-collapse: <b>l</b> ;	bdcl:c	border-collapse:collapse;
bdcl:s	border-collapse:separate;	bdc	border-color:# <b>000</b> ;	bdc:t	border-color:transparent;
				bdi	border-image:url( <b>l</b> );
bdi:n	border-image:none;	bdti	border-top-image:url( <b>l</b> );	bdti:n	border-top-image:none;
bdri	border-right-image:url( <b>l</b> );	bdri:n	border-right-image:none;	bdbi	border-bottom-image:url( <b>l</b> );
bdbi:n	border-bottom-image:none;	bdli	border-left-image:url( <b>l</b> );	bdli:n	border-left-image:none;
bdci	border-corner-image:url( <b>l</b> );	bdci:n	border-corner-image:none;	bdci:c	border-corner-image:continue;
bdtli	border-top-left-image:url( <b>l</b> );	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	border-top-right-image:url( <b>l</b> );	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	border-bottom-right-image:url( <b>l</b> );	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	border-bottom-left-image:url( <b>l</b> );	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;
bdf	border-fit: <b>repeat</b> ;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
		bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length: <b>l</b> ;	bdlen:a	border-length:auto;	bdsp	border-spacing: <b>l</b> ;
bds	border-style: <b>l</b> ;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dtlds	border-style:dot-dash;	bds:dtlds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width: <b>l</b> ;
bdt, bt	border-top: <b>l</b> ;	bdt+	border-top: <b>1px</b> <b>solid</b> <b>#000</b> ;	bdt:n	border-top:none;
				bdtw	border-top-width: <b>l</b> ;
bds	border-top-style: <b>l</b> ;	bds:n	border-top-style:none;	bdtc	border-top-color:# <b>000</b> ;
bdtc:t	border-top-color:transparent;	bdr, br	border-right: <b>l</b> ;	bdr+	border-right: <b>1px</b> <b>solid</b> <b>#000</b> ;
bdr:n	border-right:none;	bdrw	border-right-width: <b>l</b> ;	bdrst	border-right-style: <b>l</b> ;
bdrst:n	border-right-style:none;	bdrcl	border-right-color:# <b>000</b> ;	bdrcl:t	border-right-color:transparent;
				bdb, bb	border-bottom: <b>l</b> ;
bdb+	border-bottom: <b>1px</b> <b>solid</b> <b>#000</b> ;	bdb:n	border-bottom:none;	bdbw	border-bottom-width: <b>l</b> ;
		bdbb	border-bottom-style: <b>l</b> ;	bdbb:n	border-bottom-style:none;

bdbc border-bottom-color:#000;

bdl border-left-style:;

bdlc:t border-left-color:transparent;

bdtlrs border-top-left-radius:;

bdbc:t border-bottom-color:transparent;

bdl+ border-left:1px solid #000;

bdl:n border-left-style:none;

bdrs border-radius:;

bdbrrs border-bottom-right-radius:;

bdl, bl border-left:;

bdl:n border-left:none;

bdlw border-left-width:;

bdlc border-left-color:#000;

bdtrrs border-top-right-radius:;

bdbllrs border-bottom-left-radius:;

**Lists**

lis	list-style: <b>l</b> ;
lisp:i	list-style-position:inside;
list:n	list-style-type:none;
list:s	list-style-type:square;
list:lr	list-style-type:lower-roman;
lisi:n	list-style-image:none;

**Print**

pgbb	page-break-before: <b>l</b> ;
pgbb:l	page-break-before:left;
pgbi:au	page-break-inside:auto;
pgba:au	page-break-after:auto;
pgba:r	page-break-after:right;

**Others**

!	!important
---	------------

@i, @import	@import url( <b>l</b> );
-------------	--------------------------

lis:n	list-style:none;
lisp:o	list-style-position:outside;
list:d	list-style-type:disc;
list:dc	list-style-type:decimal;
list:ur	list-style-type:upper-roman;

pgbb:au	page-break-before:auto;
pgbb:r	page-break-before:right;
pgbi:av	page-break-inside:avoid;
pgba:al	page-break-after:always;
orp	orphans: <b>l</b> ;

@f	@font-face { font-family: <b>l</b> ; src:url( <b>l</b> ); }
----	--

@kf	@-webkit-keyframes <b>identifier</b> { <b>from</b> { <b>l</b> } <b>to</b> { <b>l</b> } } @-o-keyframes <b>identifier</b> { <b>from</b> { <b>l</b> } <b>to</b> { <b>l</b> } } @-moz-keyframes <b>identifier</b> { <b>from</b> { <b>l</b> } <b>to</b> { <b>l</b> } } @keyframes <b>identifier</b> { <b>from</b> { <b>l</b> } <b>to</b> { <b>l</b> } }
-----	--

lisp	list-style-position: <b>l</b> ;
list	list-style-type: <b>l</b> ;
list:c	list-style-type:circle;
list:dclz	list-style-type:decimal-leading-zero;
lisi	list-style-image: <b>l</b> ;

pgbb:al	page-break-before:always;
pgbi	page-break-inside: <b>l</b> ;
pgba	page-break-after: <b>l</b> ;
pgba:l	page-break-after:left;
wid	widows: <b>l</b> ;

@f+	@font-face { font-family: <b>FontName</b> ; src: url( <b>FileName</b> .eot); src: url( <b>FileName</b> .eot?#iefix) format('embedded-opentype'), url( <b>FileName</b> .woff) format('woff'), url( <b>FileName</b> .ttf) format('truetype'), url( <b>FileName</b> .svg# <b>FontName</b> ) format('svg'); font-style: <b>normal</b> ; font-weight: <b>normal</b> ; }
-----	---

@m, @media	@media <b>screen</b> { <b>l</b> }
ac	align-content: <b>l</b> ;
ac:c	align-content:center;
ac:fe	align-content:flex-end;
ac:fs	align-content:flex-start;
ac:s	align-content:stretch;
ac:sa	align-content:space-around;
ac:sb	align-content:space-between;
ai	align-items: <b>l</b> ;
ai:b	align-items:baseline;

23/09/2023, 08:49

## Cheat Sheet

ai:c	align-items:center;	ai:fe	align-items:flex-end;	ai:fs	align-items:flex-start;
ai:s	align-items:stretch;	anim	animation: ! ;	anim-	animation: name duration timing-function delay iteration-count direction fill-mode ;
animdel	animation-delay: time ;	animdir	animation-direction: normal ;	animdir:a	animation-direction:alternate;
animdir:n	animation-direction:normal;	animdir:r	animation-direction:reverse;	animdir:ar	animation-direction:alternate-reverse;
animfm	animation-fill-mode: both ;	animfm:b	animation-fill-mode:backwards;	animdur	animation-duration: 0 s;
		animfm:f	animation-fill-mode:forwards;	animfm:bt, animfm:bh	animation-fill-mode:both;
animic:i	animation-iteration-count:infinite;	animn	animation-name: none ;	animic	animation-iteration-count: 1 ;
animps:p	animation-play-state:paused;	animps:r	animation-play-state:running;	animps	animation-play-state: running ;
animtf:cb	animation-timing-function:cubic-bezier( 0.1 , 0.7 , 1.0 , 0.1 );	animtf:e	animation-timing-function:ease;	animtf	animation-timing-function: linear ;
animtf:l	animation-timing-function:linear;	animtf:eio	animation-timing-function:ease-in-out;	animtf:ei	animation-timing-function:ease-in;
as:a	align-self:auto;	ap	appearance:\${ none };	animtf:eo	animation-timing-function:ease-out;
as:fe	align-self:flex-end;	as:b	align-self:baseline;	as	align-self: ! ;
bfv	backface-visibility: ! ;	as:fs	align-self:flex-start;	as:c	align-self:center;
bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src=' x .png',sizingMethod=' crop ');	bfv:h	backface-visibility:hidden;	as:s	align-self:stretch;
colmg	column-gap: ! ;	cm	/* ! \${child} */	bfv:v	backface-visibility:visible;
colmr	column-rule-style: ! ;	colmc	column-count: ! ;	colm	columns: ! ;
colmw	column-width: ! ;	colmr	column-rule: ! ;	colmf	column-fill: ! ;
		colmrw	column-rule-width: ! ;	colmrc	column-rule-color: ! ;
		d:ib+	display: inline-block; *display: inline; *zoom: 1;	colms	column-span: ! ;
				fx	flex: ! ;
fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxb	flex-basis: ! ;
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: ! ;	fxd	flex-direction: ! ;
fxsh	flex-shrink: ! ;	fxw	flex-wrap: ! ;	fxd:r	flex-direction:row;
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	fxg	flex-grow: ! ;
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	fxw:n	flex-wrap:nowrap;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	jc	justify-content: ! ;
mir	min-resolution: res ;	op+	opacity: ! ; filter: alpha(opacity= ! );	jc:fs	justify-content:flex-start;
				mar	max-resolution: res ;
				op:ie	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);

op:ms	-ms- filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';
tov:e	text-overflow:ellipsis;
trf:rx	transform: rotateX( <span>angle</span> );
trf:sc	transform: scale( <span>x</span> , <span>y</span> );
trf:scy	transform: scaleY( <span>y</span> );
trf:sky	transform: skewY( <span>angle</span> );
trf:tx	transform: translateX( <span>x</span> );
trfo	transform-origin: <span>l</span> ;
trsde	transition-delay: <span>time</span> ;
trstf	transition-timing-function: <span>tfunc</span> ;
wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-antialiased;
wm:lrb	writing-mode:lr-bt;
wm:rlt	writing-mode:rl-tb;

XSL

tmatch, tm	<xsl:template match=" <span>l</span> " mode=" <span>l</span> "> <span>l</span> </xsl:template>
ap	<xsl:apply-templates select=" <span>l</span> " mode=" <span>l</span> " />
inc	<xsl:include href=" <span>l</span> " />
ot	<xsl:otherwise> <span>l</span> </xsl:otherwise>
pare	<xsl:param name=" <span>l</span> " select=" <span>l</span> " />
wp	<xsl:with-param name=" <span>l</span> " select=" <span>l</span> " />
attr	<xsl:attribute name=" <span>l</span> "> <span>l</span> </xsl:attribute>
co	<xsl:copy-of select=" <span>l</span> " />

Cheat Sheet

ord	order: <span>l</span> ;
ori:l	orientation:landscape;
to	text-overflow: \${ellipsis};
trf	transform: <span>l</span> ;
trf:ry	transform: rotateY( <span>angle</span> );
trf:sc3	transform: scale3d( <span>x</span> , <span>y</span> , <span>z</span> );
trf:scz	transform: scaleZ( <span>z</span> );
trf:t	transform: translate( <span>x</span> , <span>y</span> );
trf:ty	transform: translateY( <span>y</span> );
trfs	transform-style: <span>preserve-3d</span> ;
trsdu	transition-duration: <span>time</span> ;
us	user-select: \${none};
wfsm:a	-webkit-font-smoothing:antialiased;
wm	writing-mode: <span>lr-tb</span> ;
wm:lrt	writing-mode:lr-tb;
wm:tbl	writing-mode:tb-lr;

tname, tn	<xsl:template name=" <span>l</span> "> <span>l</span> </xsl:template>
api	<xsl:apply-imports />
ch	<xsl:choose> <span>l</span> </xsl:choose>
if	<xsl:if test=" <span>l</span> "> <span>l</span> </xsl:if>
var	<xsl:variable name=" <span>l</span> "> <span>l</span> </xsl:variable>
key	<xsl:key name=" <span>l</span> " match=" <span>l</span> " use=" <span>l</span> " />
attrs	<xsl:attribute-set name=" <span>l</span> "> <span>l</span> </xsl:attribute-set>
val	<xsl:value-of select=" <span>l</span> " />

ori	orientation: <span>l</span> ;
ori:p	orientation:portrait;
to	text-overflow:clip;
trf:r	transform: rotate( <span>angle</span> );
trf:rz	transform: rotateZ( <span>angle</span> );
trf:scx	transform: scaleX( <span>x</span> );
trf:skx	transform: skewX( <span>angle</span> );
trf:t3	transform: translate3d( <span>tx</span> , <span>ty</span> , <span>tz</span> );
trf:tz	transform: translateZ( <span>z</span> );
trs	transition: <span>prop</span> <span>time</span> ;
trsp	transition-property: <span>prop</span> ;
wfsm	-webkit-font-smoothing: \${antialiased};
wfsm:n	-webkit-font-smoothing:none;
wm:bt	writing-mode:bt-lr;
wm:btr	writing-mode:bt-rl;
wm:rlb	writing-mode:rl-bt;
wm:tbr	writing-mode:tb-rl;

call	<xsl:call-template name=" <span>l</span> " />
imp	<xsl:import href=" <span>l</span> " />
xsl:when, wh	<xsl:when test=" <span>l</span> "> <span>l</span> </xsl:when>
par	<xsl:param name=" <span>l</span> "> <span>l</span> </xsl:param>
vare	<xsl:variable name=" <span>l</span> " select=" <span>l</span> " />
elem	<xsl:element name=" <span>l</span> "> <span>l</span> </xsl:element>
cp	<xsl:copy select=" <span>l</span> " />
each, for	<xsl:for-each select=" <span>l</span> "> <span>l</span> </xsl:for-each>

tex

```
<xsl:text> | </xsl:text>
```

fall

```
<xsl:fallback> | </xsl:fallback>
```

pres

```
<xsl:preserve-space elements=" | " />
```

sort

```
<xsl:sort select=" | " order=" | " />
```

!!!

```
<?xml version="1.0" encoding="UTF-8"?>
```

Cheat Sheet

com

```
<xsl:comment> | </xsl:comment>
```

num

```
<xsl:number value=" | " />
```

strip

```
<xsl:strip-space elements=" | " />
```

choose+

Alias of xsl:choose>xsl:when+xsl:otherwise

```
<xsl:choose>
  <xsl:when test=" | "> | </xsl:when>
  <xsl:otherwise> | </xsl:otherwise>
</xsl:choose>
```

msg

```
<xsl:message terminate="no"> | </xsl:message>
```

nam

```
<namespace-alias stylesheet-prefix=" | " result-prefix=" | " />
```

proc

```
<xsl:processing-instruction name=" | "> | </xsl:processing-instruction>
```

xsl

```
Alias of !!!+xsl:stylesheet[version=1.0
xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>{
}

<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform"> | </xsl:stylesheet>
```