# JS/JQUERY QUESTIONS **QUIZ COMPETITION**

Q.1) JQUERY IS A FRAMEWORK OF
i. ASP.NET MVC
ii. LARAVEL
iii. JAVASCRIPT

iv. PYTHON

#### Q.2) Which built-in method returns the character at the specified index?

- A-characterAt()
- B-getCharAt()
- C charAt()
- D None of the above.

## Q.3) Which of the following jQuery method returns true if the specified class is present on at least one of the set of matched elements?

- A hasCSSClass(class)
- B-hasStyleClass(class)
- C-hasClass(class)
- D None of the above.

### Q.4) Which of the following jQuery method adds the previous selection to the current selection?

- A-add(selector)
- B-andSelf()
- C append(selector)
- D None of the above.

Q.5) Which of the following jQuery method gets the current offset of the first matched element, in pixels, relative to the document?

<u>A - offset()</u>

B-offsetParent()

C-position()

D - None of the above.

Q.6) jQuery \_\_\_\_is used to set/return arbitrary data to/from an element

<u>A. .data()</u>

B. .item()

C. .all

D. All of these

Q.7) Which of the following method is used to hide the selected elements?

A. visible(false)

B. hidden()

C. display(none)

<u>D. hide()</u>

Q.8) What is the file size of minified version of jQuery.x.x.x-min.js?

A. 178KB

B. 76.7 KB

C. 180 KB

Q.9) How many ways are there to change the width of the element in jquery.

A. Two

B. Three

C. Four

- Q.10) What does .size() method of jquery returns?
- <u>A. No. of element in object</u>
- B. No. of variable in object
- C. Both a and b
- D. None of these

Q.11) CDN stands for\_ B. Common Distribution Network C. Collective Distribution Network D. None of these

Q.12) To deal with cookies in jQuery we have to use \_\_\_\_ cookie plugin

A. Dough

B. Session

C. Dazzler

Q.13) Using \_\_\_\_ function, we can hold or release the execution of jQuery's ready event.

<u>A. jQuery.holdReady()</u>

B. jQuery.ready().

C. jQuery.hold()

D. jQuery.holdready().

Q.14) For coping the element \_\_\_\_ method is used.

<u>A. .copy()</u>.

B..clone()\_

C..coping()

Q.15) The .each method is the more convenient form of \_\_\_\_ loop.

A. do while

B. for

C. for each

Q.16) jquery has \_\_\_\_ method for inserting element before other element.

A. 1

B. 2

C. 3

D. 4

Q.17) Which method is provided by the jquery to create our own custom animation with fine-grained control.

A. .animation()

B. stopPropagation()

C..toggle().

<u>D..animate()</u>

Q.18) The \_\_\_\_\_ method works for accepting an array of DOM elements and pushes them into a stack..

A. push().

<u>B. pop()</u>

<u>C. pushStack()</u>

D. popStack()

#### Q.19) Highlight page element under mouse cursor by using \_\_\_\_\_

A..hover()

B. stopPropagation()

C. toggle()

D. trigger()

## Q.20) Which of the following is a single global function defined in the jQuery library?

- a.j<u>Query()</u>
- b.\$()
- c. Queryanalysis()
- d. None of the mentioned

### Q.21) Look at the following jQuery selector: \$("div#intro .head"). What does it select?

- a. The first element with id="head" inside any div element with class="intro"
- b. All elements with class="head" inside the first div element with id="intro"
- c. All div elements with id="intro" or class="head"
- d. None

#### Q.22) \_\_\_\_ selects DOM element by id. A.\$(['id'])

B.\$('id')

C .\$('#id').

D.\$('\*id')

#### Q.23) \$(this) selects\_\_\_\_\_

- A. Window object
- B. Current html element
- C.Current calling object
- D.DOM

### Q.24) Which of the following jQuery method add/remove CSS classes from the selected elements?

- A.addClass()
- B.removeClass()
- C. toggleClass()
- D.css()