

Aptech Garden

Q1. By default, Hyperlinks are displayed with an underline. How do you remove the underline from all hyperlinks by using CSS code?

- ☐ A `a {text: no-underline;}`
- ☐ B `a {text-decoration:none;}`
- ☐ C `a {text-style: no-underline;}`
- ☐ D `a {text-decoration: no-underline;}`

Answer: B

Q2. How will you make all paragraph elements 'RED' in color?

- ☐ A `p.all {color: red;}`
- ☐ B `p.all {color: #990000;}`
- ☐ C `all.p {color: #998877;}`
- ☐ D `p {color: red;}`

Answer: D

Q3. The default value of "position" attribute is _____.

- ☐ A fixed
- ☐ B absolute
- ☐ C inherit
- ☐ D Relative

Answer: D

Q4. Which CSS property is used to control the text size of an element?

- ☐ A font-style
- ☐ B text-size
- ☐ C font-size
- ☐ D text-style

Answer: C

Q5. Which CSS property you will use if you want to add some margin between a DIV's border and its inner text?

- ☐ A spacing
- ☐ B margin
- ☐ C padding
- ☐ D inner-margin

Answer: C

Q6. How can we write comment along with CSS code?

- ☐ A `/* a comment */`
- ☐ B `// a comment //`
- ☐ C `/ a comment /`
- ☐ D `<' a comment'>`

Answer: A

Q7. When we write , what "img.png" inside double quote implies?

- ☐ A element
- ☐ B attribute
- ☐ C value
- ☐ D operator

Answer: C

Q8. Which attribute can be added to many HTML / XHTML elements to identify them as a member of a specific group?

- ☐ A Id
- ☐ B div
- ☐ C class
- ☐ D span

Answer: C

Q9. Which element is used in the <HEAD> section on an HTML / XHTMLpage, if we want to use an external style sheet file to decorate the page?

- ☐ A <src>
- ☐ B <link>
- ☐ C <style>
- ☐ D <css>

Answer: B

Q10. What should be the table width, so that the width of a table adjusts to the current width of the browser window?

- ☐ A 640 pixels
- ☐ B 100%
- ☐ C full-screen
- ☐ D 1024 px

Answer: B

Q11. Which of the following properties will we use to display border around a cell without any content?

- ☐ A empty-cell
- ☐ B blank-cell
- ☐ C noncontent-cell
- ☐ D void-cell

Answer: A

Q12. If we want to use a nice looking green dotted border around an image, which css property will we use?

- ☐ A border-color
- ☐ B border-decoration
- ☐ C border-style
- ☐ D border-line

Answer: C

Q13. If we want to show an Arrow as cursor, then which value we will use?

- ☐ A pointer
- ☐ B default
- ☐ C arrow
- ☐ D arr

Answer: B

Q14. Is it possible to declare font-weight, font-face & font-size by using ONLY ONE css properly?

- ☐ A Yes, it's possible
- ☐ B No, not possible

Answer: A

Q15. Can we define the text direction via css property?

- ☐ A Yes, we can
- ☐ B No, we can't

Answer: A

Q16. If we want to wrap a block of text around an image, which css property will we use?

- ☐ A wrap
- ☐ B push
- ☐ C float
- ☐ D align

Answer: C

Q17. Can we align a Block element by setting the left and right margins?

- ☐ A Yes, we can
- ☐ B Not Possible

Answer: B

Q18. Suppose we want to arrange five no's. of DIVs so that DIV4 is placed above DIV1. Now, which css property will we use to control the order of stack?

- ☐ A d-index
- ☐ B s-index
- ☐ C x-index
- ☐ D z-index

Answer: D

Q19. If we don't want to allow a floating div to the left side of an element, which css property will we use?

- ☐ A margin
- ☐ B clear
- ☐ C float
- ☐ D padding

Answer: B

Q20. If we want define style for a unique element, then which css selector will we use?

- ☐ A Id
- ☐ B text
- ☐ C class
- ☐ D name

Answer: A

Q21. What does CSS stand for?

- ☐ A Computer Style Sheets
- ☐ B Creative Style Sheets
- ☐ C Cascading Style Sheets
- ☐ D Colorful Style Sheets

Answer: C

Q22. What is the correct HTML for referring to an external style sheets?

- ☐ A <style src="xyz.css">
- ☐ B <link rel="stylesheet" type="text/css" href="xyz.css">
- ☐ C <stylesheet>xyz.css</stylesheet>

Answer: B

Q23. Where in an HTML document is the correct place to refer to an external style sheet?

- ☐ A in the <head> section
- ☐ B in the <body> section
- ☐ C At the end of the document

Answer: A

Q24. Which HTML tag is used to define an internal style sheet?

- ☐ A <css>
- ☐ B <style>
- ☐ C <script>

Answer: B

Q25. Which HTML attribute is used to define inline styles?

- ☐ A styles
- ☐ B style
- ☐ C class
- ☐ D font

Answer: B

Q26. Which is the correct CSS syntax?

- ☐ A {body;color:black;}
- ☐ B {body:color=black;}
- ☐ C body {color:black;}
- ☐ D body:color=black;

Answer: C

Q27. Which property is used to change the background color?

- ☐ A bgcolor
- ☐ B color
- ☐ C background-color

Answer: C

Q28. How do you add a background color for all <h1> elements?

- ☐ A h1 {background-color:#FFFFFF;}
- ☐ B all.h1 {background-color:#FFFFFF;}
- ☐ C h1.all {background-color:#FFFFFF}

Answer: A

Q29. Which CSS property is used to change the text color of an element?

- ☐ A fgcolor
- ☐ B text- color
- ☐ C color

Answer: C

Q30. Which CSS property controls the text size?

- ☐ A text-style
- ☐ B text-size
- ☐ C font-size
- ☐ D font-style

Answer: C

Q31. What is the correct CSS syntax for making all the <p> elements bold?

- ☐ A <p style="text-size:bold;">
- ☐ B p {text-size:bold;}
- ☐ C <p style="font-size:bold;">
- ☐ D p {font-weight:bold;}

Answer: D

Q32. How do you display hyperlinks without an underline?

- ☐ A a{text-decoration:no-underline;}
- ☐ B a{decoration:no-underline}
- ☐ C a{text-decoration: none}
- ☐ D a{underline:none}

Answer: C

Q33. How do you make each word in a text start with a capital letter?

- ☐ A you can't do that with CSS
- ☐ B text-transformation:capitalize
- ☐ C transform:capitalize
- ☐ D text-style:capitalize

Answer: B

Q34. Which property is used to change the font of an element?

- ☐ A font-style
- ☐ B font-weight
- ☐ C font-family

Answer:C

Q35. How do you make the text bold?

- ☐ A font:bold;
- ☐ B font-weight:bold;
- ☐ C style:bold;

Answer: B

Q36. How do you display a border like this:

The top border = 10 pixels

The bottom border = 5 pixels

The left border = 20 pixels

The right border = 1pixel?

- ☐ A border-width:10px 5px 20px 1px;
- ☐ B border-width:5px 20px 10px 1px;
- ☐ C border-width:10px 1px 5px 20px;
- ☐ D border-width:10px 20px 5px 1px;

Answer: C

Q37. Which property is used to change the left margin of an element?

- ☐ A padding-left
- ☐ B margin-left
- ☐ C indent

Answer: B

Q38. When using the padding property; are you allowed to use negative values?

- ☐ A Yes
- ☐ B No

Answer:

Q39. How do you make a list that lists its items with squares?

- ☐ A list-style-type:square;
- ☐ B list:square;
- ☐ C list-type:square;

Answer: A

Q40. How do you select an element with id 'demo'?

- ☐ A #demo
- ☐ B .demo
- ☐ C demo
- ☐ D *demo

Answer: A

Q41. How do you select elements with class name 'test'?

- ☐ A .test
- ☐ B *test
- ☐ C #test
- ☐ D test

Answer: A

Q42. How do you select all p elements inside a div element?

- ☐ A div p
- ☐ B div.p
- ☐ C div+p

Answer: A

Q43. How do you group selectors?

- ☐ A Separate each selector with a comma
- ☐ B Separate each selector with a space
- ☐ C Separate each selector with a plus sign

Answer: A

Q44. What is the default value of the position property?

- ☐ A relative
- ☐ B static
- ☐ C absolute
- ☐ D fixed

Answer: B

Q45. Which is the best way to apply CSS on HTML page?

- ☐ A Inline CSS
- ☐ B Internal CSS
- ☐ C External CSS

Answer: C

Q46. How can you have created rounded corners using CSS3?

- ☐ A border[round]: 30px;
- ☐ B corner-effect: round;
- ☐ C border-radius: 30px;
- ☐ D alpha-effect: round-corner;

Answer: C

Q47. How do you add shadow to elements in CSS3?

- ☐ A box-shadow: 10px 10px 5px grey;
- ☐ B shadow-right: 10px shadow-bottom: 10px;
- ☐ C shadow-color: grey;
- ☐ D alpha-effect[shadow]: 10px 10px 5px grey;

Answer: A

Q48. How to you modify a border image using CSS3?

- ☐ A border: url(image.png);
- ☐ B border-variable: image url(image.png);
- ☐ C border-image: url(border.png) 30 30 round;
- ☐ D None

Answer: C

Q49. How to resize a background image using CSS3?

- ☐ A background-size: 80px 60px;
- ☐ B bg-dimensions: 80px 60px;
- ☐ C background-proportion: 80px 60px;
- ☐ D alpha-effect: bg-resize 80px 60px;

Answer: A

Q50. How to force a word wrap using CSS3?

- ☐ A word-wrap: break-word;
- ☐ B text-wrap: break-word;
- ☐ C text-wrap: force;
- ☐ D text-width: set;

Answer: A