

Waves and Oscillation

Course- PHY 2105 / PHY 105

Lecture 1,2,3

Md Shafqat Amin Inan

Course- Physics

Part 1

Simple harmonic oscillators
Damped oscillators
Driven oscillators
Properties of Wave

Part II

Electric Field
Electric Potential
Electric Circuitry
Magnetism

Part III

Quantum Theory
Properties of Light
Quantum Mechanics
Nuclear Physics

Assessment

Assessment Types	No.	Marks
Attendance	24	5%
Assignments	4	5%
Class Tests	4 (best 3)	20%
Mid Term	1	30%
Final Exam	1	40%

Letter Grade	Marks %	Grade Point	Letter Grade	Marks %	Grade Point
A (Plain)	90-100	4.00	C+ (Plus)	70-73	2.33
A- (Minus)	86-89	3.67	C (Plain)	66-69	2.00
B+ (Plus)	82-85	3.33	C- (Minus)	62-65	1.67
B (Plain)	78-81	3.00	D+ (Plus)	58-61	1.33
B- (Minus)	74-77	2.67	D (Plain)	55-57	1.00
			F (Fail)	<55	0.00


Reference Texts

- ☐ *University Physics (13th Edition)*,
Hugh D Young, Roger A Freedman
- ☐ *Physics [Volume One] (5th Edition)*,
Robert Resnick, David Halliday, Kenneth Krane
- ☐ *Fundamentals of Physics (10th Edition)*,
Resnick and Halliday




What to do in this course

1. Read the relevant sections in the textbook ...
the course notes will guide you.
2. Do all homework and problem sets.
3. Get help early ... from Course Teacher.
4. There are no shortcuts ... put effort in to understand things.

The world of Motion



The science of movement



Uniform Circular Motion



Oscillatory Motion (Simple Pendulum)



Oscillatory Motion
(Spring Mass)

Periodic Motion

A motion that repeats itself after an equal interval of time.



Examples:

- the Earth in its orbit
- analog clock
- a rocking chair
- a bouncing ball
- a vibrating tuning fork
- a swing in motion
- a water wave


Oscillatory Motion

Motion of an object that moves on either side of the equilibrium (or) mean position is an oscillatory motion.

Examples:

- Power line oscillates when the wind blows past it
- Earthquake oscillations move buildings
- Block attached to a spring
- Motion of a swing
- Motion of a pendulum
- Vibrations on a stringed musical instrument
- Back and forth motion of a piston
- Vibrations of a Quartz crystal

A kind of periodic motion bounded between two extreme points




Differences

Periodic Motion

- There is no equilibrium position.
- There is no restoring force

An oscillatory motion is always periodic. A periodic motion may or may not be oscillatory



Oscillatory Motion


- There will be a restoring force directed towards the stable equilibrium position (or) mean position

Simple Harmonic Motion

The simplest kind of oscillation occurs when the **restoring** force F_x is directly proportional to the displacement from the equilibrium x , given by equation

$$F_x = -kx$$

This oscillation is called a Simple Harmonic Motion(SHM).




Can a motion be oscillatory, but not simple harmonic?

When a ball is dropped from a height on a perfectly elastic plane surface, the motion of ball is oscillatory but not simple harmonic as restoring force $F=mg=$ constant and not $F \propto -y$



Definitions

tutorix



Amplitude, A

The amplitude of the motion, denoted by A , is the maximum magnitude of displacement from the equilibrium position. It is always positive

Period, T

The period T , is the time required for one complete oscillation, or a cycle.

Frequency, f

The frequency, f , is the number of cycles completed in a unit time.

Formulae

For displacement x , velocity v , acceleration a , frequency f , time t , oscillation period T and angular frequency ω


$$v = \frac{dx}{dt}$$

$$a = \frac{dv}{dt} = \frac{d}{dt} \left(\frac{dx}{dt} \right) = \frac{d^2x}{dt^2}$$

$$f = \frac{1}{T}$$

$$\omega = 2\pi f = \frac{2\pi}{T}$$


BE MINDFUL
OF THE
UNITS




$$F = ma = -kx$$

Check Your Understanding

A 0.42-kg block is attached to the end of a horizontal ideal spring and rests on a frictionless surface. The block is pulled so that the spring stretches by 2.1 cm relative to its unstrained length. When the block is released, it moves with an acceleration of 9.0 m/s^2 . What is the spring constant of the spring?



180 N/m



$$kx = ma$$

$$k \times \frac{2.1}{100} = 0.42 \times 9.0 \text{ m/s}^2$$

$$k = \frac{0.42 \times 9.0}{2.1} \times 100 = 180 \text{ N/m}$$

