Reading Log Files

Parsing Log Files

Reading Log File

- Made LogEntry class

  - Need to parse line to create instances

  - Split String into fields

    - Many indexOf and substring

  - Time: turn String into Date

    - Built in, but complicated interface

- We gave you code to do this

  - WebLogParser.parseEntry

LogAnalyzer Class

```java
public class LogAnalyzer {
    private ArrayList<LogEntry> records;
    public LogAnalyzer() {
        //For you to write
    }
    public void readFile(String filename) {
        //For you to write
    }
}
```

Duke
UNIVERSITY

LogAnalyzer Class

```java
public class LogAnalyzer {
    private ArrayList<LogEntry> records;
    public LogAnalyzer() {
        //For you to write

    }
    public void readFile() {
        //For you to write

    }
```

Duke
UNIVERSITY

LogAnalyzer Class

```java
public class LogAnalyzer {

    private ArrayList<LogEntry> records;

    public LogAnalyzer() {

        //For you to write

    }

    public void readFile() {

        //For you to write

    }
```

Initialize `records` to an empty ArrayList

LogAnalyzer Class

```java
public class LogAnalyzer {
    private ArrayList<LogEntry> records;
    public LogAnalyzer() {
        //For you to write

    }
    public void readFile(String filename) {
        //For you to write

    }
```

LogAnalyzer Class

```java
public class LogAnalyzer {
    private ArrayList<LogEntry> records;
    public LogAnalyzer() {
        //For you to write

    }
    public void readFile(String filename) {

        //For you to write

    }
```

Create a `FileResource` for `filename`

LogAnalyzer Class

```java
public class LogAnalyzer {

    private ArrayList<LogEntry> records;

    public LogAnalyzer() {

        //For you to write

    }

    public void readFile(String filename) {

        //For you to write

    }
```

Create a `FileResource` for `filename`
Iterate over its lines for each one,

LogAnalyzer Class

```
public class LogAnalyzer {

    private ArrayList<LogEntry> records;

    public LogAnalyzer() {

        //For you to write

    }

    public void readFile(String filename) {

        //For you to write

    }
```

Create a `FileResource` for `filename`
Iterate over its lines for each one,
    Use `WebLogParser.parseEntry`

LogAnalyzer Class

```
public class LogAnalyzer {

    private ArrayList<LogEntry> records;

    public LogAnalyzer() {

        //For you to write

    }

    public void readFile(String filename) {

        //For you to write

    }
```

Create a `FileResource` for `filename`
Iterate over its lines for each one,
    Use `WebLogParser.parseEntry`
Add the resulting `LogEntry` to `records`

LogAnalyzer Class

```
public void printAll() {
    for (LogEntry le : records) {
        System.out.println(le);
    }
}
```

Provided `printAll()` to help you test your code
- Implicitly uses `.toString()` in `LogEntry`