Breaking the Caesar Cipher

Summary



Arrays: Indexed Collections

- String[], int[], StorageResource[] or
 - One variable represents ...many values
 - Indexed collection of elements





```
String[] names = new String[100];
int[] counters = new int[2048];
names[5] = "Zeus";
counters[123] = counters[123] + 1;
```



```
String[] names = new String[100];
int[] counters = new int[2048];
names[5] = "Zeus";
counters[123] = counters[123] + 1;
```



```
String[] names = new String[100];
int[] counters = new int[2048];
names[5] = "Zeus";
counters[123] = counters[123] + 1;
```



```
String[] names = new String[100];
int[] counters = new int[2048];
names[5] = "Zeus";
counters[123] = counters[123] + 1;
```



Indexing Array Elements

- Typically use for-loops with indexes
 - Sometimes build methods to solve problems

```
public int indexOf(String[] list, String word) {
    for(int k=0; k < list.length; k++){
        if (list[k].equals(word)) {
            return k;
        }
    }
    return -1;
}</pre>
```



Cracking Codes

- You used arrays to crack a Caesar cipher
 - Counting frequencies, using indexing
 - Both encrypt and decrypt used indexing
- Internet encryption is more secure





Cracking Codes

- You used arrays to crack a Caesar cipher
 - Counting frequencies, using indexing
 - Both encrypt and decrypt used indexing
- Internet encryption is more secure
 - Be careful!



