Team review 2

Wednesday, November 9, 2022 9:09 PM

Backlog Grooming

- Backlog grooming should be placed in sprint folders
- Make columns larger so it's easier to read for backlog grooming
- Should contain work for milestone 3 since we are already aware of it

Sprint Planning

- Call specific document sprint planning
- Carryovers should have sprint owners assigned to them
 - Don't need to reference older documents
 - All story names and descriptions must be the same
 - Effort is only what is leftover
- Should clarify a new term for uncommitted
 - Overcapacity would be a better term

Burndown Chart

- Kevin in sprint 7 did nothing for 3 days
 - Put N/A for hours in the graph to show that there was a planned outage
- Bryan's graph is TOO perfect

Missing from project plan:

Task breakdown is done, but no part with initial effort + adding up subtask becomes over the initial effort

Need to explain whether or not the extra hours are pushed back/bring in a new work item/do capacity that we are able to commit

Be more explicit about how we handle the effort not equaling the capacity

Action items for sprint retrospective

- "Be more conservative with sprint planning capacity"
 - No way to verify whether or not it was completed. Action item is UNQUANTIFIABLE
 - a. Ex: make sure to complete work ahead of time.
 - b. Ex: pick a metric: 5% more hours, 20% more hours, create a scale, be QUANTIFIABLE
 - If everything is not working out we can take the quantifiable value and adjust it

LOGGING CODE REVIEW

Running code portion

- Integration tests because we are testing from interface to database
- Logging with levels
 - Category is enumeration
 - Set view to 0. 0 should be unknown or none
 - Enumerations should start at 0 for unknown values
 - Category is passed into logger
 - Running code with category = -1
 - Doesn't build
 - Running code with business
 - Go into log
 - "Is this really a validation for the requirement?"
 - Copy and paste error
 - o Ctrl + F12
 - Change categories to -1
 - Run it
 - Failed for a different one than the intended failure
 - □ Breakpoint for 5 seconds
 - Rerun
 - ☐ Should've failed the other case
 - Data store itself is allowing values outside the allowable range
 - ☐ If someone manipulates the database directly, the application will encounter a value that there is no enumeration for
 - Restraint on data access layer and on data store itself
 - ☐ More important for restricted set of values and data store has no restrictions on what values it can contain
 - When dealing with enumerations, you are saying that this is the only valid range
 - Must check at all layers if the valid range is followed
 - □ It is important for the default value to be unknown as a result of this

Questions

- Grading registration layer later, will only get 200/300 later
- When are we starting ASP.NET
 - That is up to the team to decide
- Project plan: We can say we will complete the core components next semester
 - We could MAGICALLY complete the core components in winter through some magic
- Can create an abstract class based on the interface
 - Define static member in abstract class and then inherit from the abstract class