# 14_Demographics_tables

Anne Gaule

2026-02-12

## Contents

1) All data for demographics table . . . . . 2
1) Age: . . . . . 2
2) Conduct Problems (CASI): . . . . . 2
3) CU traits (ICU) . . . . . 2
4) School type: . . . . . 2
5) Eligibility for Free School Meals (FSM 1 = yes, 2 = no, 3 = IDK, NA/4 = missing) . . . . 2
6)Pupil premium (see above) . . . . . 2
7) Has EAL - 1 = yes, 2 = no, 3 IDK . . . . . 3
8) Ethnicity . . . . . 3
9) Pubertal Stage (PDS) . . . . . 3
10) Alcohol Use (AUDIT) . . . . . 3
11) Drug Use (DUDIT) . . . . . 3
2) Data for other tables in main paper . . . . . 4
1) Participant rated Antisocial behaviour . . . . . 4
2) Participant rated Prosocial behaviour . . . . . 4
3) Teacher rated Antisocial and prosocial behaviour . . . . . 4
4) TSRI conflict . . . . . 4
5) Mean balance point - Session 1 . . . . . 5
6) Mean balance point - Session 2 . . . . . 5
3) Tables in Appendices . . . . . 6
1) Missed training sessions . . . . . 6
2) Adherence to protocol: Number of training sessions attended by group . . . . . 7

## 1) All data for demographics table

Child demographics Table Information

**1) Age:**

| n | Mean_age | sd_age | max_age | min_age |
|---|---|---|---|---|
| 127 | 13.52866 | 1.030798 | 15.74 | 11.26 |

**2) Conduct Problems (CASI):**

| n | Mean_casi | sd_casi | max_casi | min_casi |
|---|---|---|---|---|
| 127 | 8.535433 | 4.414614 | 25 | 3 |

**3) CU traits (ICU)**

| n | Mean_icu | sd_icu | max_icu | min_icu |
|---|---|---|---|---|
| 127 | 45.10236 | 10.90277 | 70 | 21 |

**4) School type:**

| school_type | n |
|---|---|
| AP | 26 |
| Mainstream | 101 |

**5) Eligibility for Free School Meals (FSM 1 = yes, 2 = no, 3 = IDK, NA/4 = missing)**

| FSM_eligibility | n |
|---|---|
| 1 | 67 |
| 2 | 48 |
| 3 | 7 |
| NA | 5 |

**6)Pupil premium (see above)**

| pupil_premium_eligibility | n |
|---|---|
| 1 | 69 |
| 2 | 45 |
| 3 | 8 |
| NA | 5 |

**7) Has EAL - 1 = yes, 2 = no, 3 IDK**

| has_EAL | n |
|---|---|
| 1 | 19 |
| 2 | 98 |
| 3 | 5 |
| NA | 5 |

**8) Ethnicity**

| cEthnicity | n |
|---|---|
| Asian | 14 |
| Black | 19 |
| Mixed | 18 |
| Other | 11 |
| White | 65 |

**9) Pubertal Stage (PDS)**

| PDS_Stage | n |
|---|---|
| early pubertal | 8 |
| late pubertal | 42 |
| midpubertal | 48 |
| missing | 26 |
| prepubertal | 3 |

**10) Alcohol Use (AUDIT)**

| AUDIT_risk | n |
|---|---|
| Low risk | 122 |
| Risky or hazardous level | 4 |
| missing | 1 |

**11) Drug Use (DUDIT)**

| DUDIT_risk | n |
|---|---|
| Low risk | 123 |
| Possible drug problems | 3 |
| missing | 1 |

## 2) Data for other tables in main paper

### 1) Participant rated Antisocial behaviour

| Training_Condition | diaryTP | Group_N_ABD | Mean_child_rated_ABD | se_child_rated_ABD |
|---|---|---|---|---|
| CONTROL | 1 | 44 | 22.44136 | 3.683062 |
| CONTROL | 2 | 44 | 19.86500 | 3.385871 |
| CONTROL | 3 | 39 | 19.11974 | 3.676211 |
| TRAIN | 1 | 38 | 22.56789 | 3.895477 |
| TRAIN | 2 | 38 | 20.28500 | 3.571241 |
| TRAIN | 3 | 33 | 17.15364 | 3.847701 |

### 2) Participant rated Prosocial behaviour

| Training_Condition | diaryTP | Group_N_PBD | Mean_child_rated_PBD | se_child_rated_PBD |
|---|---|---|---|---|
| CONTROL | 1 | 44 | 53.33727 | 2.914552 |
| CONTROL | 2 | 44 | 52.67523 | 3.508730 |
| CONTROL | 3 | 40 | 48.41450 | 3.674205 |
| TRAIN | 1 | 39 | 46.57179 | 3.722657 |
| TRAIN | 2 | 39 | 52.32154 | 5.011166 |
| TRAIN | 3 | 34 | 46.41941 | 4.607512 |

### 3) Teacher rated Antisocial and prosocial behaviour

| Training_Condition | diaryTP | Group_N | Mean_ABD | se_ABD | Mean_PBD | se_PBD |
|---|---|---|---|---|---|---|
| CONTROL | 1 | 53 | 15.75 | 2.41 | 29.80 | 3.04 |
| CONTROL | 2 | 53 | 18.06 | 2.35 | 30.84 | 2.83 |
| CONTROL | 3 | 51 | 15.87 | 1.90 | 32.32 | 2.95 |
| TRAIN | 1 | 49 | 21.76 | 2.84 | 34.24 | 3.01 |
| TRAIN | 2 | 49 | 19.75 | 2.21 | 34.79 | 3.03 |
| TRAIN | 3 | 44 | 25.35 | 2.73 | 27.75 | 3.24 |

### 4) TSRI conflict

| diaryTP | Training_Condition | n | M_tsri_H | SE_tsri_H | M_tsri_s | SE_tsri_s | M_tsri_c | SE_tsri_c |
|---|---|---|---|---|---|---|---|---|
| 1 | CONTROL | 46 | 13.91304 | 0.8044719 | 17.06522 | 0.6523108 | 9.869565 | 0.5433913 |
| 2 | CONTROL | 46 | 13.43478 | 0.7750033 | 18.41304 | 0.4871053 | 8.260870 | 0.5045061 |
| 1 | TRAIN | 45 | 12.68889 | 0.8237769 | 17.13333 | 0.5950978 | 11.377778 | 0.6057710 |
| 2 | TRAIN | 45 | 13.77778 | 0.8461970 | 19.02222 | 0.4918414 | 8.511111 | 0.5390060 |

**5) Mean balance point - Session 1**

Note, in analysis we are only including ppts with both Session 1 and Session 2 data, but here reporting for everyone.

| Training_Condition | n | mean_bp | sd_bp |
|---|---|---|---|
| CONTROL | 65 | 7.89 | 1.29 |
| TRAIN | 62 | 8.03 | 1.75 |

**6) Mean balance point - Session 2**

| Training_Condition | n | mean_bp | sd_bp |
|---|---|---|---|
| CONTROL | 53 | 7.55 | 2.56 |
| TRAIN | 56 | 10.18 | 2.70 |

## 3) Tables in Appendices

### 1) Missed training sessions

For more detail see copy of missed training data .... ahg .csv

1 refused 2 no show 4 missing 3 Suspended/excluded 5 dropped out 6 reason outside of ppt control 7 Session terminated by researcher due to behaivour 8 permanently excluded/dropped out

Note - two participants who had reasons not specified were actually absent (confirmed in participant database)

Reasons for missed sessions:

**2) Adherence to protocol: Number of training sessions attended by group**

1) Including participants who did a baseline session:

| training_group | n | mean_train_sessions | median_train | max_train | min_train | iqr_train |
|---|---|---|---|---|---|---|
| CONTROL | 65 | 4.800000 | 6.0 | 6 | 0 | 2 |
| TRAIN | 62 | 4.709677 | 5.5 | 6 | 0 | 2 |

Now not including these participants:

| training_group | n | mean_train_sessions | median_train | max_train | min_train | iqr_train |
|---|---|---|---|---|---|---|
| CONTROL | 61 | 5.114754 | 6 | 6 | 1 | 2 |
| TRAIN | 57 | 5.122807 | 6 | 6 | 1 | 1 |