GENERAL NOTES - OVERALL PLAN

A	REFER TO GI003-GI004 FOR ABBREVIATIONS, AND I-001 FOR GENERAL NOTES AND SYMBOLS



A1 OVERALL SIGNAGE PLAN - LEVEL 1

SCALE 1/16" = 1'-0"

TRUE NORTH



OVERALL
KEY PLAN

16 12 8 4 0 16 32
SCALE: 1/16"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGUR 12922 STATE OF TEXAS
12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SIZE: ANSI D
FILE NAME: YTPR140018-IN115

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Wells Fargo Center, SUITE 2000
777 Main Street, Fort Worth, TX 76102
www.jacobs.com

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

OVERALL SIGNAGE PLAN - LEVEL 1

SHEET ID
IN115

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL



A1 PARTIAL SIGNAGE PLAN - LEVEL 1 - AREA C

SCALE 1/8" = 1'-0"



A5 PARTIAL SIGNAGE PLAN - LEVEL 1 - AREA D

SCALE 1/8" = 1'-0"

GENERAL NOTES - SIGNAGE PLANS

A.	ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.
B.	COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
C.	ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
D.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
E.	NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.

SIGNAGE KEY

S1 BB2B — INDICATES SIGN MOUNTED ON WALL. REFER TO I-510, I-511, & I-601



AREAS C&D

KEY PLAN

TRUE NORTH

8 6 4 2 0 8 16

SCALE: 1/8"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGUR 12922 STATE OF TEXAS

12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SIZE: ANSI D
FILE NAME: YTPM140018-IN116

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Texas Registered Engineering Firm F-2580
777 Main Street, Fort Worth, TX 76102
www.jacobs.com

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

PARTIAL SIGNAGE PLAN - LEVEL 1 - AREAS C AND D

SHEET ID

IN116

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL



D1 PARTIAL SIGNAGE PLAN - LEVEL 1 - AREA G

SCALE 1/8" = 1'-0"



A1 PARTIAL SIGNAGE PLAN - LEVEL 1 - AREA H

SCALE 1/8" = 1'-0"

GENERAL NOTES - SIGNAGE PLANS

A.	ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.
B.	COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
C.	ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
D.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
E.	NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.

SIGNAGE KEY

S1 BB2B — INDICATES SIGN MOUNTED ON WALL. REFER TO I-510, I-511, & I-601



AREAS G&H

KEY PLAN

TRUE NORTH

SCALE: 1/8"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGURI 12922 STATE OF TEXAS 12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SIRONI
SIZE: ANSI D
FILE NAME: YTPM14001B-IN117

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Texas Registered Architect Firm F-2089
777 Main Street, Fort Worth, TX 76102
(817) 334-7135 (TBAE)

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

PARTIAL SIGNAGE PLAN - LEVEL 1 - AREAS G AND H

SHEET ID

IN117

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL

GENERAL NOTES - OVERALL PLAN

A	REFER TO GI003-GI004 FOR ABBREVIATIONS, AND I-001 FOR GENERAL NOTES AND SYMBOLS



A1 OVERALL SIGNAGE PLAN - LEVEL 2

SCALE 1/16" = 1'-0"



OVERALL
KEY PLAN

TRUE NORTH

16 12 8 4 0 16 32
SCALE: 1/16"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER
VICTORIA TYE SIGUR
1292
STATE OF TEXAS
12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SIZE: ANSI D
FILE NAME: YTPM140018-IN118

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Fort Worth Government Services Group
777 Main Street, Fort Worth, TX 76102
(Jacobs Tx License #10029)

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

OVERALL SIGNAGE PLAN - LEVEL 2

SHEET ID
IN118

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL



D1 PARTIAL SIGNAGE PLAN - LEVEL 2 - AREA G

SCALE 1/8" = 1'-0"



A1 PARTIAL SIGNAGE PLAN - LEVEL 2 - AREA H

SCALE 1/8" = 1'-0"

GENERAL NOTES - SIGNAGE PLANS

A.	ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.
B.	COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
C.	ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
D.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
E.	NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.

SIGNAGE KEY

S1 BB2B — INDICATES SIGN MOUNTED ON WALL. REFER TO I-510, I-511, & I-601



AREAS G&H

KEY PLAN

TRUE NORTH

SCALE: 1/8"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGURI 12922 STATE OF TEXAS

12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SIZE: ANSI D
FILE NAME: YTPM140018-IN119

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Texas Registered Architectural Firm F-2089
777 Main Street, Fort Worth, TX 76102
www.jacobs.com

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

PARTIAL SIGNAGE PLAN - LEVEL 2 - AREAS G AND H

SHEET ID

IN119

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL



SIGNS TO BE MOUNTED 6" FROM LATCH SIDE OF DOOR JAMB UON.
IN LOCATIONS WHERE TWO SIGN TYPES ARE SCHEDULED, SIGNS TO BE PLACES NEXT TO EACH OTHER HORIZONTALLY, MOUNT SAME HEIGHT

F1 TYPICAL SIGNAGE MOUNTING DIAGRAM

SCALE 1/2" = 1'-0"



SERVICE NAME: UPPER CASE HELVETICA MEDIUM, 5/8" CAPITAL LETTER HEIGHT, CENTERED, ACCOMPANIED BY GRADE TWO BRAILLE, WHITE LETTERS AND SYMBOL ON COLORED BACKGROUND TO MATCH EXTERIOR BUILDING COLORS.

E4 REGULATORY SIGN DD1

SCALE 3" = 1'-0"



TEXT: HELVETICA NEUE 55 ROMAN, 3/4" INCH CAPITAL LETTER HEIGHT, CENTERED, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE. WHITE LETTERS ON COLORED BACKGROUND.

E6 EXIT DOOR TACTILE IDENTIFICATION SIGN BB4

SCALE 3" = 1'-0"

GENERAL NOTES - SIGNAGE DETAILS

A.	ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.
B.	COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
C.	ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
D.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
E.	NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.
F.	INTERIOR SIGNAGE BACKGROUND COLOR TO MATCH SHERWIN WILLIAMS SW2803 ROOKWOOD TERRA COTTA UON. TEXT TO BE WHITE.
G.	PROVIDE SIGNS OF INDICATED HEIGHT AND WIDTH WITH GRAPHICS AND FEATURES AS INDICATED, INCLUDING CLEAR PROTECTORS TO ACCOMODATE LASER PRINTED MESSAGE CARDS.
H.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
I.	EXTERIOR SIGNAGE BACKGROUND COLOR TO MATCH BASE STANDARD TOBACCO BROWN. TEXT TO BE WHITE.



ROOM NUMBER: HELVETICA NEUE 55 ROMAN, 1 1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE. WHITE LETTERS ON COLORED BACKGROUND.

ROOM NAME: PRINTED PAPER INSERT WITH ROOM DESCRIPTION. UPPER AND LOWER CASE HELVETICA NEUE 55 ROMAN, 3/4" CAPITAL LETTER HEIGHT, FLUSH LEFT.

INSERT MUST BE REMOVABLE FROM THE TOP OF THE SIGN.

C1 ROOM IDENTIFICATION SIGN BB2B

SCALE 3" = 1'-0"



ROOM NUMBER: HELVETICA NEUE 55 ROMAN, 1-1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE

ROOM NAME: HELVETICA NEUE 55 ROMAN, 3/4" CAPITAL LETTER HEIGHT, FLUSH LEFT. TACTILE ROOM NAME WITH GRADE TWO BRAILLE.

SIGN MUST HAVE REMOVABLE END CAPS (1/4") EACH SIDE
WHITE LETTERS ON COLORED BACKGROUND.

C3 PERMANENT ROOM IDENTIFICATION SIGN BB2A

SCALE 3" = 1'-0"



MOUNT SIGN CENTERED 3" ABOVE DOOR FRAME
PROVIDE POWER AND DATA AS REQUIRED

D7 PROGRAMMABLE LED SIGN

SCALE 3" = 1'-0"



STAIR LETTER & FLOOR NUMBER: HELVETICA MEDIUM NEUE, 38 (1 1/2") CAPITAL LETTER HEIGHT, FLUSH LEFT, ACCOMPANIED BY GRADE TWO BRAILLE. WHITE LETTERS ON COLORED BACKGROUND.

TWO BRAILLE BODY TEXT: UPPER AND LOWER CASE HELVETICA MEDIUM NEUE, 13 (1/2") CAPITAL LETTER HEIGHT, FLUSH LEFT.

A1 STAIRWELL SIGN BB3

SCALE 3" = 1'-0"



STAIR DESIGNATION: UPPER CASE HELVETICA NEUE 55 ROMAN, 1-1/2" CAPITAL LETTER HEIGHT, CENTERED, ACCOMPANIED BY GRADE TWO BRAILLE.

TEXT: UPPER CASE HELVETICA NEUE 55 ROMAN, 1" CAPITAL LETTER HEIGHT, CENTERED, ACCOMPANIED BY GRADE TWO BRAILLE.

SYMBOLS: 6" BLACK SYMBOLS ON WHITE BACK GROUND.

WHITE LETTERS ON COLORED BACKGROUND.

A3 STAIR IDENTIFICATION SIGN SS1A

SCALE 3" = 1'-0"



ROOM NUMBER: (OPTIONAL) UPPER CASE HELVETICA NEUE 55 ROMAN, 1 1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT, ACCOMPANIED BY GRADE TWO BRAILLE. WHITE LETTERS ON COLORED BACKGROUND.

ROOM NAME: UPPER CASE HELVETICA NEUE 55 ROMAN, 1" CAPITAL LETTER HEIGHT, FLUSH LEFT, ACCOMPANIED BY GRADE TWO BRAILLE. WHITE LETTERS ON COLORED BACKGROUND.

SYMBOLS: 6" BLACK SYMBOLS ON WHITE BACKGROUND.

A7 RESTROOM IDENTIFICATION SIGN

SCALE 3" = 1'-0"

6" 4 2 0 6"
SCALE: 3"=1'-0"
2 1 0 2 4
SCALE: 1/2"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGUR 12922 STATE OF TEXAS
12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024
DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SIZE: ANSI D
FILE NAME: VTPM140018-I-510

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Hartfield Operations Center, Building 2000
777 Main Street, Fort Worth, TX 76102
Jacobs.com/government

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE F2: 573027
AF PROJECT: YTPM 24-0015

SIGNAGE DETAILS

SHEET ID
I-510

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL



ROOM NUMBER: HELVETICA NEUE 55 ROMAN, 1-1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE

ROOM NAME: HELVETICA NEUE 55 ROMAN, 3/4" CAPITAL LETTER HEIGHT, FLUSH LEFT. TACTILE ROOM NAME WITH GRADE TWO BRAILLE.

E1 CONFERENCE IDENTIFICATION SIGN BB2C

SCALE 3" = 1'-0"



TEXT: HELVETICA NEUE 55 ROMAN, 5/8" CAPITAL LETTER HEIGHT, CENTERED

INSERT: REPLACABLE EVACUATION MAP. SIGN CONTRACTOR MUST UTILIZE LIFE SAFETY DRAWINGS SHEETS 01-G-045 & 01-G-046 TO DEVELOP ARTWORK FOR EVACUATION MAPS FOR EVERY OCCUPIED ROOM.

E4 EMERGENCY EGRESS SIGN BB2E

SCALE 3" = 1'-0"



ROOM NUMBER: HELVETICA NEUE 85 HEAVY

ROOM NAME: HELVETICA NEUE 75 BOLD

FACILITY NAME: HELVETICA NEUE 65 MEDIUM

E6 EXTERIOR BUILDING ENTRY SIGN BB5

SCALE NTS

GENERAL NOTES - SIGNAGE DETAILS

A.	ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.
B.	COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
C.	ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
D.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
E.	NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.
F.	INTERIOR SIGNAGE BACKGROUND COLOR TO MATCH SHERWIN WILLIAMS SW2803 ROOKWOOD TERRA COTTA UON. TEXT TO BE WHITE.
G.	PROVIDE SIGNS OF INDICATED HEIGHT AND WIDTH WITH GRAPHICS AND FEATURES AS INDICATED, INCLUDING CLEAR PROTECTORS TO ACCOMODATE LASER PRINTED MESSAGE CARDS.
H.	MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.
I.	EXTERIOR SIGNAGE BACKGROUND COLOR TO MATCH BASE STANDARD TOBACCO BROWN. TEXT TO BE WHITE.



BUILDING DIRECTORY SIGN

HEADING: HELVETICA MEDIUM, 2" CAPITAL LETTER HEIGHT, FLUSH LEFT,
WHITE LETTERS ON COLORED BACKGROUND

SECONDARY: HELVETICA REGULAR, 1-1/4" CAPITAL LETTER HEIGHT, FLUSH LEFT,
WHITE LETTERS ON COLORED BACKGROUND

CHANGEABLE INSERT: HELVETICA MEDIUM, 1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT,
BLACK LETTERS ON WHITE BACKGROUND

A1 BUILDING DIRECTORY AA1

SCALE 1 1/2" = 1'-0"



FLOOR NUMBER: HELVETICA MEDIUM, 1" TACTILE LETTER HEIGHT, FLUSH LEFT

CHANGEABLE INSERT: UPPER AND LOWER CASE HELVETICA MEDIUM, 3/8" CAPITAL LETTER HEIGHT, FLUSH LEFT

A4 FLOOR DIRECTORY AA2 - LEVEL 01

SCALE 3" = 1'-0"



FLOOR NUMBER: HELVETICA MEDIUM, 1" TACTILE LETTER HEIGHT, FLUSH LEFT

CHANGEABLE INSERT: UPPER AND LOWER CASE HELVETICA MEDIUM, 3/8" CAPITAL LETTER HEIGHT, FLUSH LEFT

A6 FLOOR DIRECTORY AA3 - LEVEL 2

SCALE 3" = 1'-0"



OCCUPANCY: HELVETICA NEUE 55 ROMAN, 3/4" CAPITAL LETTER HEIGHT, CENTERED, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE

OCCUPANCY NUMBER: HELVETICA NEUE 55 ROMAN, 1-1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT. TACTILE ROOM NAME WITH GRADE TWO BRAILLE.

B8 OCCUPANCY SIGN BB2D

SCALE 3" = 1'-0"

SCALE: 1 1/2"=1'-0"

SCALE: 3"=1'-0"

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGUR 12922 STATE OF TEXAS
12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
A/E FILE NAME: ANSI D
FILE NAME: YTPM140018-I511

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Fort Worth Government Services Center
777 Main Street, Fort Worth, TX 76102
www.jacobs.com

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

SIGNAGE DETAILS

SHEET ID
I-511

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL

SIGNAGE SCHEDULE

SIGN	ROOM NUMBER	ROOM NAME	VERBAGE	TYPE	DETAIL	INTERIOR / EXTERIOR
S1	1101	UCC/COMP RM	UCC/COMP ROOM	BB2B	C1/I-510	INTERIOR
S2	1106	SERE	SERE	BB2B	C1/I-510	INTERIOR
S3	1107	TACTICS OFFICE	TACTICS OFFICE	BB2B	C1/I-510	INTERIOR
S4	1102	337TH ADMIN	337TH ADMIN	BB2B	C1/I-510	INTERIOR
S6	1103	337TH DO	337TH DO	BB2B	C1/I-510	INTERIOR
S7	1100	CORRIDOR	HANGAR 1	BB2A	C3/I-510	EXTERIOR
S8	1105	MEN'S	MEN'S	BB7A	A7/I-510	INTERIOR
S9	1109	INTEL OFFICE	INTEL OFFICE	BB2A	C3/I-510	INTERIOR
S10	1117	JAN	JANITOR	BB2A	C3/I-510	INTERIOR
S11	1114	FIRE EQUIP	FIRE EQUIPMENT	BB2A	C3/I-510	INTERIOR
S12	1108	TACTICS TESTING	TACTICS OFFICE	BB2A	C3/I-510	INTERIOR
S13	1110	INTEL WORK AREA	INTEL WORK AREA	BB2A	C3/I-510	INTERIOR
S14	1111	INTEL SECURE OFFICE	INTEL SECURE OFFICE	BB2A	C3/I-510	INTERIOR
S15	1112	INTEL STORAGE	INTEL STORAGE	BB2A	C3/I-510	INTERIOR
S16	1113	STORAGE	STORAGE	BB2A	C3/I-510	INTERIOR
S17	1113.1	A/V	AUDIO VISUAL	BB2A	C3/I-510	INTERIOR
S18	1100	CORRIDOR	AUDITORIUM	BB2A	C3/I-510	INTERIOR
S19	1120	BREAK	BREAK ROOM	BB2A	C3/I-510	INTERIOR
S20	1123.1	STAN EVAL TESTING	STAN EVALUATION TESTING	BB2B	C1/I-510	INTERIOR
S21	1123	STAN EVAL	STAN EVALUATION	BB2B	C1/I-510	INTERIOR
S22	1220	MEN'S	MEN'S RESTROOM	BB7A	A7/I-510	INTERIOR
S23	1119	AUDITORIUM	AUDIITORIUM	BB2A	C3/I-510	INTERIOR
S24	1124	CURRENT OPS/OSS TRAINING	CURRENT OPS, OSS TRAINING	BB2A	C3/I-510	INTERIOR
S25	1128	CLASSROOM 1	CLASSROOM 1	BB2A	C3/I-510	INTERIOR
S26	1125	CAREER ADVISOR	CAREER ADVISOR	BB2B	C1/I-510	INTERIOR
S27	1127	OSS/OG ADMIN CSS ORDERLY	OSS, OG ADMIN, CSS ORDERLY	BB2A	C3/I-510	INTERIOR
S28	1128	CLASSROOM 1	CLASSROOM 1	BB2A	C3/I-510	INTERIOR
S29	1129	CLASSROOM 2	CLASSROOM 2	BB2A	C3/I-510	INTERIOR
S30	1129	CLASSROOM 2	CLASSROOM 2	BB2A	C3/I-510	INTERIOR
S31	1122	439TH 1ST SGT	439TH 1ST SGT	BB2B	C1/I-510	INTERIOR
S32	1130	HALL	COMMAND SUITE	BB2A	C3/I-510	INTERIOR
S33	1132	439TH DO	439TH DO	BB2B	C1/I-510	INTERIOR
S34	1133	439TH OSS CC	439TH OSS CC	BB2B	C1/I-510	INTERIOR
S35	1131	ELECTRICAL	ELECTRICAL ROOM	BB2A	C3/I-510	INTERIOR
S36	1202	HALL	VTRAT & FLIGHT SAFETY MAIN SUPR.	BB2A	C3/I-510	INTERIOR
S37	1203	FLT SAFETY MAIN SUPR.	FLIGHT SAFETY MAIN SUPR.	BB2B	C1/I-510	INTERIOR
S38	1204	VTRAT	VTRAT	BB2B	C1/I-510	INTERIOR
S39	1205	COMM	COMMUNICATIONS ROOM	BB2A	C3/I-510	INTERIOR
S40	1206	FLT SAFETY TECH	FLIGHT SAFETY TECH	BB2B	C1/I-510	INTERIOR
S41	1207	C5 SIMULATOR PARTS STORAGE	C5 SIMULATOR PARTS STORAGE	BB2B	C1/I-510	INTERIOR
S42	1208	AES STAN EVAL CLASSROOM	AES STAN EVALUATION CLASSROOM	BB2B	C1/I-510	INTERIOR
S43	1210	COMSEC	COMMUNICATIONS SECURITY	BB2B	C1/I-510	INTERIOR
S44	1209	SIM LAB	SIMULATION LAB	BB2B	C1/I-510	INTERIOR
S45	1211	AIRCREW TRAINING	AIRCREW TRAINING	BB2B	C1/I-510	INTERIOR
S46	1212	BREAK	BREAK ROOM	BB2A	C3/I-510	INTERIOR
S47	1215	CHIEF NURSE OFC	CHIEF NURSE OFFICE	BB2B	C1/I-510	INTERIOR
S48	1214	OPS MGMT/MED READINESS TRAINING/ CHIEF NURSE	OPS MANAGEMENT, MED READINESS TRAINING, CHIEF NURSE SUITE	BB2A	C3/I-510	INTERIOR
S49	1216	SARM/ UTM	SARM/UTM	BB2A	C3/I-510	INTERIOR
S50	1217	WELLNESS	WELLNESS ROOM	BB2A	C3/I-510	INTERIOR
S51	1218	WOMEN'S	WOMEN'S ROOM	BB7B	A7/I-510	INTERIOR
S52	1219	JAN	JANITOR	BB2A	C3/I-510	INTERIOR
S53	1115	VEST	NO SMOKING - REFER TO DETAIL	DD1	E4/I-510	EXTERIOR
S54	1222	CLINICAL SERVICES	CLINICAL SERVICES	BB2B	C1/I-510	INTERIOR
S55	1200	STAIR 1	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S56	1200	STAIR 1	STAIR 1 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR
S57	1213	STAIR 2	STAIR 2 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR
S58	1213	STAIR 2	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S59	1176	STAIR 3	STAIR 3 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR
S60	1176	STAIR 3	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S61	2135	ELEC	ELECTRICAL ROOM	BB2A	C3/I-510	INTERIOR
S62	2102	CBT RM 1	CBT ROOM 1	BB2B	C1/I-510	INTERIOR
S63	2166	STORAGE	STORAGE	BB2A	C3/I-510	INTERIOR
S64	2100	STAIR 1	STAIR 1 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR
S65	2100	STAIR 1	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S66	2133	CBT RM 2	CBT ROOM 2	BB2B	C1/I-510	INTERIOR
S67	2106	COMM	COMMUNICATIONS ROOM	BB2A	C3/I-510	INTERIOR
S68	2134	BREAK	BREAK ROOM	BB2A	C3/I-510	INTERIOR
S69	2108	CLASSRM 1	CLASSROOM 1	BB2B	C1/I-510	INTERIOR
S70	2109	CLASSRM 2	CLASSROOM 2	BB2B	C1/I-510	INTERIOR
S71	2110	CLASSRM 3	CLASSROOM 3	BB2B	C1/I-510	INTERIOR
S72	2111	CLASSRM 4	CLASSROOM 4	BB2B	C1/I-510	INTERIOR
S73	2167	HALL	CLASSROOMS & TRAINING ADMIN SUITE	BB2A	C3/I-510	INTERIOR
S74	2112	CLASSRM 5	CLASSROOM 5	BB2B	C1/I-510	INTERIOR
S75	2155	SITE MGR	SITE MANAGER	BB2B	C1/I-510	INTERIOR
S76	2113	CLASSRM 6	CLASSROOM 6	BB2B	C1/I-510	INTERIOR
S77	2116	STAIR 2	STAIR 2 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR

SIGNAGE SCHEDULE

SIGN	ROOM NUMBER	ROOM NAME	VERBAGE	TYPE	DETAIL	INTERIOR / EXTERIOR
S78	2116	STAIR 2	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S79	2120	AES 1ST SGT	AES 1ST SGT	BB2B	C1/I-510	INTERIOR
S80	2123	439TH AES CC	439TH AES CC	BB2B	C1/I-510	INTERIOR
S81	2154	AES FULL TIME	AES FULL TIME	BB2B	C1/I-510	INTERIOR
S82	2122	AES DO	AES DO	BB2B	C1/I-510	INTERIOR
S83	2121	AES ADMIN/ ORDERLY ROOM	AES SUITE	BB2B	C1/I-510	INTERIOR
S84	2125	CONF	CONFERENCE ROOM	BB2C	E1/I-511	INTERIOR
S85	1116	LOBBY	EXIT	BB4	E6/I-510	INTERIOR
S86	2127	WOMEN'S	WOMEN'S RESTROOM	BB7B	A7/I-510	INTERIOR
S87	2128	JAN	JANITOR	BB2A	C3/I-510	INTERIOR
S88	2129	STAIR 3	STAIR 3 - REFER TO DETAIL	SS1A	A3/I-510	INTERIOR
S89	2130	BREAK	BREAK ROOM	BB2A	C3/I-510	INTERIOR
S90	2129	STAIR 3	STAIRWELL - REFER TO DETAIL	BB3	A1/I-510	INTERIOR
S91	2131	AES TESTING	AES TESTING	BB2A	C3/I-510	INTERIOR
S92	1100	CORRIDOR	NO SMOKING - REFER TO DETAIL	DD1	E4/I-510	EXTERIOR
S93	1119	AUDITORIUM	CUSTOMIZABLE LED SIGN	LED	D7/I-510	INTERIOR
S94	1119	AUDITORIUM	CUSTOMIZABLE LED SIGN	LED	D7/I-510	INTERIOR
S95	1100	CORRIDOR	DIRECTORY - REFER TO DETAIL	AA1	A1/I-511	INTERIOR
S96	1118	FIRE PUMP	FIRE PUMP	BB2A	C3/I-510	EXTERIOR
S97	1500	STORAGE	STORAGE	BB2A	C3/I-510	EXTERIOR
S98	1131	ELECTRICAL	ELECTRICAL ROOM	BB2A	C3/I-510	EXTERIOR
S99	1223	MECHANICAL	MECHANICAL	BB2A	C3/I-510	EXTERIOR
S100	1223	MECHANICAL	MECHANICAL	BB2A	C3/I-510	EXTERIOR
S101	2126	MEN'S	MEN'S RESTROOM	BB7A	A7/I-510	INTERIOR
S102	1104	WOMEN'S	WOMEN'S RESTROOM	BB7B	A7/I-510	INTERIOR
S103	2129	STAIR 3	DIRECTORY - REFER TO DETAIL	AA3	A6/I-511	INTERIOR
S104	2116	STAIR 2	DIRECTORY - REFER TO DETAIL	AA3	A6/I-511	INTERIOR
S105	2100	STAIR 1	DIRECTORY - REFER TO DETAIL	AA3	A6/I-511	INTERIOR
S106	1200	STAIR 1	DIRECTORY - REFER TO DETAIL	AA2	A4/I-511	INTERIOR
S107	1213	STAIR 2	DIRECTORY - REFER TO DETAIL	AA2	A4/I-511	INTERIOR
S108	1176	STAIR 3	DIRECTORY - REFER TO DETAIL	AA2	A4/I-511	INTERIOR
S109	1100	CORRIDOR	NO SMOKING - REFER TO DETAIL	DD1	E4/I-510	EXTERIOR
S110	2134	BREAK	BREAK ROOM	BB2A	C3/I-510	INTERIOR
S111	1100	CORRIDOR	EXIT	BB4	E6/I-510	INTERIOR
S112	1212A	UTILITY	UTILITY	BB2A	C3/I-510	INTERIOR
S113	1213	STAIR 2	EXIT	BB4	E6/I-510	INTERIOR
S114	1176	STAIR 3	EXIT	BB4	E6/I-510	INTERIOR
S115	1119	AUDITORIUM	MAX. OCCUPANCY - REFER TO DETAIL	BB2D	B8/I-511	INTERIOR
S116	1119	AUDITORIUM	EMERGENCY EGRESS - REFER TO DETAIL	BB2E	E4/I-511	INTERIOR
S117	1200	STAIR 1	EXIT	BB4	E6/I-510	INTERIOR
S118	1325.2	AES STORAGE	AES STORAGE	BB2A	C3/I-510	INTERIOR
S119	1100	CORRIDOR	EXIT	BB4	E6/I-510	INTERIOR
S120	1325.1	PROTOCOL STORAGE	PROTOCOL STORAGE	BB2A	C3/I-510	INTERIOR
S121	1100	CORRIDOR	BUILDING ENTRY SIGNAGE	BB5	E6/I-511	EXTERIOR
S122	1119	AUDITORIUM	EMERGENCY EGRESS - REFER TO DETAIL	BB2E	E4/I-511	INTERIOR
S123	1119	AUDITORIUM	MAX. OCCUPANCY - REFER TO DETAIL	BB2D	B8/I-511	INTERIOR

GENERAL NOTES - SIGNAGE DETAILS

A. ALL SIGNAGE MUST COMPLY WITH ABA & UFC 3 120 01 CRITERIA.

B. COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.

C. ENSURE THAT ALL SIGN INERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES/SIDELIGHTS TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.

D. MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.

E. NEW SIGNAGE MUST MATCH EXISTING SIGNAGE IN PREVIOUS PHASES.

F. INTERIOR SIGNAGE BACKGROUND COLOR TO MATCH SHERWIN WILLIAMS SW2803 ROOKWOOD TERRA COTTA UON. TEXT TO BE WHITE.

G. PROVIDE SIGNS OF INDICATED HEIGHT AND WIDTH WITH GRAPHICS AND FEATURES AS INDICATED, INCLUDING CLEAR PROTECTORS TO ACCOMODATE LASER PRINTED MESSAGE CARDS.

H. MOUNT ALL LIKE-SIGNS AT SAME HEIGHT.

I. EXTERIOR SIGNAGE BACKGROUND COLOR TO MATCH BASE STANDARD TOBACCO BROWN. TEXT TO BE WHITE.

US Army Corps of Engineers ®

REGISTERED INTERIOR DESIGNER VICTORIA TYE SIGUR 1292 STATE OF TEXAS

12/02/2024

MARK	DESCRIPTION	DATE

ISSUE DATE: 02 DEC 2024

DESIGNED BY: T. SIGUR
DRAWN BY: T. SIGUR
CHECKED BY: M. CERVANTES
SUBMITTED BY: V. SARONI
SCALE: ANSI D
FILE NAME: YTPM140018-I-601

US ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT
LOUISVILLE, KENTUCKY

Jacobs
JACOBS GOVERNMENT SERVICES CO.
Texas Registered Architectural Firm F-2966
777 Main Street, Fort Worth, TX 76102
www.jacobs.com

REPAIR SQUADRON OPERATIONS BLDG 7087 (HANGAR 1)
WESTOVER ARB MA
USACE P2: 573027
AF PROJECT: YTPM 24-0015

SIGNAGE SCHEDULE

SHEET ID
I-601

W912QR26BA001_Plans-0000

RRS-A: 200A Disposition: Maintain for 15 yrs after construction.

CERTIFIED FINAL