Cucumber Report

Start : Oct 24, 5:09:23.569 pm

End : Oct 24, 5:09:46.275 pm

Duration : 22.706 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 9
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 24

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Test Automation for Adactin loginpage	*22.706 s*	*1*	*0*	*1*	*0*	*34*	*9*	*1*	*24*

#	Feature Name	Scenario Name
1	*Test Automation for Adactin loginpage*	*login should pass and navigate to next*

#	Feature Name	T	P	F	S	Duration
1	Test Automation for Adactin loginpage	1	0	1	0	22.706 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Automation for Adactin loginpage	login should pass and navigate to next	34	9	1	24	22.701 s

Test Automation for Adactin loginpage

FAILED	DURATION - 22.706 s	Scenarios		Steps	
/ 5:09:23.569 pm // 5:09:46.275 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 34 Pass - 9 Fail - 1 Skip - 24	34

login should pass and navigate to next

FAILED	DURATION - 22.701 s		Steps	
/ 5:09:23.574 pm // 5:09:46.275 pm /			Total - 34	
Test Automation for Adactin loginpage			Pass - 9 Fail - 1 Skip - 24	34

#	Step / Hook Details	Status	Duration
1	Given user enter the userName as "rupeshdevendran"	PASSED	0.433 s
2	And user enter the Password as "rupesh123456789"	PASSED	0.332 s
3	When user click the login button	PASSED	1.382 s
4	Then user login should pass navigate to search hotel page	PASSED	0.067 s
5	And user should Select the location of the Hotel	PASSED	0.338 s
6	And user Should select the Hotel	PASSED	0.270 s
7	And user should Select Room type Required to stay	PASSED	0.274 s
8	And user should select Number of Rooms Required	PASSED	0.293 s
9	And user select the check In Date	PASSED	0.136 s
10	And user select the check out Date	FAILED	1.565 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.23.1', revision: '656257d8e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1743dc10800eaa93327c40c6ad56af25, sendKeysToElement [id, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.69, chrome: {chromedriverVersion: 130.0.6723.69 (3ec172b971b9..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53572}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration
	se:cdp: ws://localhost:53572/devtoo..., se:cdpVersion: 130.0.6723.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1743dc10800eaa93327c40c6ad56af25)] -> id: datepick_out] Session ID: 1743dc10800eaa93327c40c6ad56af25		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)		
	at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy25.sendKeys(Unknown Source)		
	at org.Base.Baseclass.insert(Baseclass.java:52)		
	at org.Step_Definition.Step_definition.userSelectTheCheckOutDate(Step_definition.java:76)		
	at ?.user select the check out Date(file:///D:/Java%20Selenium%20practice/Selenium%20Intergration/Adactin_HotelApp/src/test/java/Feature/login.feature:13)		
	Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:458)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)		
	at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy25.sendKeys(Unknown Source)		
	at org.Base.Baseclass.insert(Baseclass.java:52)		
	at org.Step_Definition.Step_definition.userSelectTheCheckOutDate(Step_definition.java:76)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:86)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:38)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:538)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:760)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:460)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:206)		
	Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:440)		
	at java.net.http/jdk.internal.net.http.Http1Response$HeadersReader.onReadError(Http1Response.java:590)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)		
	at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$LockingRestartableTask.run(SequentialScheduler.java:182)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$CompleteRestartableTask.run(SequentialScheduler.java:149)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.SocketException: Connection reset		
	at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:403)		
	at java.base/sun.nio.ch.SocketChannelImpl.implRead(SocketChannelImpl.java:435)		
	at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:493)		
	at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1178)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.read(SocketTube.java:841)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowTask.run(SocketTube.java:181)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler$SchedulableTask.run(SequentialScheduler.java:207)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)		
	at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$InternalReadSubscription.signalReadable(SocketTube.java:782)		
	at java.net.http/jdk.internal.net.http.SocketTube$InternalReadPublisher$ReadEvent.signalEvent(SocketTube.java:965)		
	at java.net.http/jdk.internal.net.http.SocketTube$SocketFlowEvent.handle(SocketTube.java:253)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.handleEvent(HttpClientImpl.java:1476)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.lambda$run$3(HttpClientImpl.java:1421)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1597)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$SelectorManager.run(HttpClientImpl.java:1421)		
	* Not displayable characters are replaced by '?'.		
11	And user select Number of Adults per Room	SKIPPED	0.003 s
12	And user select Number of children per Room	SKIPPED	0.001 s
13	When user clicks the Search button	SKIPPED	0.001 s
14	Then user should navigate to SelectHotel page	SKIPPED	0.001 s
15	And user should select the selecthotel radiobtn	SKIPPED	0.002 s
16	When user click the continue button	SKIPPED	0.001 s
17	Then user should navigate to Book a Hotel page	SKIPPED	0.001 s
18	And user should enter the Firstname	SKIPPED	0.000 s
19	And user enters the lastname	SKIPPED	0.001 s
20	And user fills the Billing Address	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
21	And user enters the Credit Card Number	SKIPPED	0.001 s
22	And user Selects the Credit Card type	SKIPPED	0.001 s
23	And user selects the Expiry date	SKIPPED	0.001 s
24	And User Selects the Expiry Month	SKIPPED	0.002 s
25	And user enters the CVV Number	SKIPPED	0.002 s
26	When user Clicks the Book Now button	SKIPPED	0.001 s
27	Then user Should navigate to Booking confirmation page	SKIPPED	0.001 s
28	And user should get oderid for Booking Confirmation	SKIPPED	0.001 s
29	When user should click the My Itinerary button	SKIPPED	0.001 s
30	Then user should navigate to Booked Itinerary page	SKIPPED	0.000 s
31	And user Selects the oder id	SKIPPED	0.001 s
32	When user clicks the cancel selected button	SKIPPED	0.001 s
33	And user select the logout button to exit	SKIPPED	0.000 s
34	Then user navigate to loggedout page to confirm	SKIPPED	0.002 s