

Experiment - 04


 Create a new Maven Project with a Java Class and push the code to GitHub.




· Download the Git Plugin for Jenkins.



 We create a new Jenkins Job and Trigger the build using the Poll SCM Option (* * * * *) for every minute.



· We then build the project.



• Then after making a change in the code, the updated files are pulled from Github and the second scheduled build is performed.

```
Started by an SCH change

Bunning as SYSTEM
Building in workspace //Berd/sarthak/.jenkins/workspace/EBM_Labd_2021

Building in workspace //Berd/sarthak/.jenkins/workspace/EBM_Labd_2021

District in workspace //Berd/sarthak/.jenkins/workspace/EBM_Labd_2021

J git rev-parse --is-inside-work-tree # timout=10

Ptching updames from the remote Git repository

J git config romote.origin.wiz https://github.com/Sarthakl306/BBM_Labd_2021.git # timeout=10

Ptching updames changes from the remote bits://github.com/Sarthakl306/BBM_Labd_2021.git

J git rev-parse refs/remotes/crigin/master/commits/ # timeout=10

J git rev-parse refs/remotes/crigin/master/commits/ # timeout=10

J git rev-parse refs/remotes/crigin/master/commits/ # timeout=10

J git config core.apparesobackout # timeout=10

J git config core.apparesobackout # timeout=10

J git rev-lust -mon-walk GeddeSabdSynabisfS30009(Discld1203136216)

J git rev-lust -mon-walk GeddeSabdSynabisfS30009(Discld12003146)

J git rev-lust -m
```