

Student 5 **Deveswar A** 192512152RC

4 / 4 submitted

Level 1 — 10 marks/question

L1-Q1. (E) Square-Cube

P

CODE

```
n = float(input())
sq = n*n
cu = n*n*n
print ("Square Number:",sq)
print ("Cube Number:",cu)
```

INPUT

0.6

OUTPUT

```
Square Number: 0.36
Cube Number: 0.216
```

L1-Q2. (E) +Ve and -Ve

P

CODE

```
arr = list(map(int,input().split()))
av=0
avg=0
c=0
b=0
for i in arr:
    if i<0:
        av = av+i
        c=c+1
    elif i≥0:
        avg = avg+i
        b=b+1
avge = av//c
avgse = avg/b
print ("the avg of negative number:",avge)
print ("the avg of positive number:",avgse)
```

INPUT

7 -2 9 -8 -6 -4 10 -1

OUTPUT

```
the avg of negative number: -5
the avg of positive number: 8.666666666666666
```

L1-Q3. (E) First Letters

P

CODE

```
n = str(input(""))
for ch in n:
    if ch == " ":
        print (n.uppercase(ch+1))
```

INPUT

this is a cat

OUTPUT

```
Traceback (most recent call last):
  File "C:\Windows\TEMP\sandbox_192512152RC_6a6447724803a5.86536127\main.py", line 4, in <module>
    print (n.uppercase(ch+1))
    ^^^^^^^^^^^^^
AttributeError: 'str' object has no attribute 'uppercase'
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO2_AT1_Level1 • Student Submissions Report
L1-Q4. (E) RT-Pattern

P

CODE

```
n = int(input())
for i in range (1,n+1):
    for j in range (i):
        print ("+ ",end="")
    print()
```

INPUT

5

OUTPUT

```
+
+ +
+ + +
+ + + +
+ + + + +
```