

Online Python Compiler (Interp... +

Ask Gemini

programiz.com/python-programming/online-compiler/

☆

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz

Python Online Compiler



Adobe

Creative Cloud Pro

Level up your college work with pro apps.

Now ₹399/mo for Students

Learn more

First year only. Annual plan, billed monthly. New subscribers only.

Programiz PRO >

main.py

Visualize

Run

```
1 import numpy as np
2 a = np.array([35,45,80,90,60])
3 print ("Average =",np.mean(a))
4 print ("Maximum =",np.max(a))
5 print ("Minimum =",np.min(a))
```

Output

Average = 62.0
Maximum = 90
Minimum = 35

=== Code Execution Successful ===

Rain coming
9:42 am

Search



ENG
IN

09:35

18-08-2026

Online Python Compiler (Interp... +

Ask Gemini

programiz.com/python-programming/online-compiler/

☆

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz

Python Online Compiler

One platform.

Infinite possibilities.

bluehost • VPS

Start Now

Programiz PRO >

main.py

Visualize

Run

```
1 import numpy as np
2 temperature = np.array([25, -3, 28, -10, 30, 22, -5, 27])
3 temperature[temperature < 0] = 0
4 print(temperature)
```

Output

[25 0 28 0 30 22 0 27]

=== Code Execution Successful ===

Hot days ahead
32°C

Search

ENG
IN

09:43
18-08-2026

Online Python Compiler (Interp... +

Ask Gemini

programiz.com/python-programming/online-compiler/

☆

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz

Python Online Compiler

 **Amplify Your Forex Trades**

Leverage up to 1:5000

Trade Now

Trading derivatives involves high risk to your capital.

Programiz PRO >

main.py

Visualize

Run

```
1 import numpy as np
2 matrix = np.array([
3     [1, 2, 3],
4     [4, 5, 6],
5     [7, 8, 9]
6 ])
7
8 print("Sum of each row:", np.sum(matrix, 1))
9 print("Sum of each column:", np.sum(matrix, 0))
```

Output

Sum of each row: [6 15 24]

Sum of each column: [12 15 18]

--- Code Execution Successful ---

Heavy rain Today

Search



ENG IN

10:00

18-08-2026

Online Python Compiler (Interp...

Ask Gemini

programiz.com/python-programming/online-compiler/

Stop copy pasting code you don't actually understand
Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz
Python Online Compiler

Programiz PRO >

main.py

Visualize

Run

```
1 import numpy as np
2 rainfall = np.array([120, 80, 150, 200, 175, 90, 170, 160, 210, 180,
3 95, 130])
4 total = np.sum(rainfall)
5 average = np.mean(rainfall)
6 months = np.where(rainfall > average)[0] + 1
7 print("Total rainfall =", total)
8 print("Average rainfall =", average)
9 print("Months having rainfall above average =", months)
```

Output

Total rainfall = 1760
Average rainfall = 146.66666666666666
Months having rainfall above average = [3 4 5 7 8 9 10]

=== Code Execution Successful ===

33°C
Partly sunny

Search

ENG
IN

10:11
18-08-2026

Online Python Compiler (Interp...

Ask Gemini

programiz.com/python-programming/online-compiler/

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz

Python Online Compiler

MTIC

Your Trading Edge

Amplify Your Forex Trades

Leverage up to 1:5000

Trade Now

Trading derivatives involves high risk to your capital.

CHOICES

GO

Programiz PRO >

main.py

Visualize

Run

```
1 import numpy as np
2 marks = np.array([
3     [45, 50],
4     [60, 55],
5     [70, 75],
6     [80, 78],
7     [55, 65]
8 ])
9 students = np.where(marks[:, 1] > marks[:, 0])[0] + 1
10 print("Students whose 2nd test marks are higher:", students)
```

Output

Students whose 2nd test marks are higher: [1 3 5]

=== Code Execution Successful ===

1 cm of rain
in 4 hours

Search

ENG
IN

10:18
18-08-2026