Two Way (EQ)
with One Screen

Node 1

Node 1 Uplink

LAN

Node 1
HDMI Input 2

Role: First

HDMI Distribution
Amplifier W/Loop

Primary HDMI
Input 2

Node 1 Ports

Two Way (EQ) with One Screen

Primary

Primary Uplink

LAN

Primary HDMI Input 2

Node 1
HDMI Input 2

HDMI Distribution Amplifier W/Loop

Role: First

Primary Ports

Two Way (Pro)
with One Screen

Node 1

LAN

Node 1 Uplink

Role: First

Role:
Second

Node 1
HDMI Input 3

HDMI Distribution
Amplifier W/Loop

Primary
HDMI Input 3

Node 1 Ports

Two Way (Pro)
with One Screen

Primary

LAN

Primary
HDMI Input 3

Primary Uplink

Node 1
HDMI Input 3

HDMI Distribution
Amplifier W/Loop

Role: First

Primary Ports

Two Way (Pro)
with Two Screens

Node 1

LAN

Node 1 Uplink

Role: First

Role: Second

Node 1
HDMI Input 4

Node 1
HDMI Input 3

HDMI Distribution
Amplifier W/Loop

Primary
HDMI Input 3

Node 1 Ports

Two Way (Pro) with Two Screens

Primary

LAN

Primary HDMI Input 3

Primary Uplink

Node 1 HDMI Input 3

HDMI Distribution Amplifier W/Loop

HDMI Distribution Amplifier W/Loop

Node 1 HDMI Input 4

Role: First

Role: Second

Primary Ports

Switch Configurations

8 Port

Primary Ports	Node 1 Ports
4	8

C9200CX-8P-2X2G

Primary Uplink

Node 1 Uplink

12 Port

Primary Ports	Node 1 Ports
6	12

C9200CX-12P-2X2G

Primary Uplink

Node 1 Uplink

24 Port

Primary Ports	Node 1 Ports
12	24

Primary Uplink

Node 1 Uplink