
CASE STUDY – Order Revenue Data Exploration

Dataset Used: Case Study Order Revenue Dataset


1. Case Study – Statistical Functions:

- **Mean [Average]:**
  =AVERAGE(Revenue_DB[Units Sold])




	A	B	C
1		CASE STUDY - STATISTICAL FUNCTIONS	
2			
3			
4	No.	Question	Output
5	1	Calculate the average number of units sold per order.	26.14

- **Median:**
  =MEDIAN(Revenue_DB[Unit Price ($)])



	A	B	C
1		CASE STUDY - STATISTICAL FUNCTIONS	
2			
3			
4	No.	Question	Output
5	1	Calculate the average number of units sold per order.	26.14
6	2	Find the median unit price.	49.99


- **Mode [Single]:**
  =MODE.SNGL(Revenue_DB[Units Sold])



C7 =MODE.SNGL(Revenue_DB[Units Sold])

	A	B	C
1			
2		CASE STUDY - STATISTICAL FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the average number of units sold per order.	26.14
6	2	Find the median unit price.	49.99
7	3	Find the most frequently occurring number of units sold.	15

- **Mode [Multiple]:**
  =MODE.MULT(Revenue_DB[Units Sold])




C8 {=MODE.MULT(Revenue_DB[Units Sold])}

	A	B	C
1			
2		CASE STUDY - STATISTICAL FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the average number of units sold per order.	26.14
6	2	Find the median unit price.	49.99
7	3	Find the most frequently occurring number of units sold.	15
8	4	Find all modes in the Units Sold column.	15
9			18
10			39
11			25
12			4

---

2. Case Study – Mathematical & Aggregate Functions:


- **SUM:**
  =SUM(Revenue_DB[Units Sold])



C5 | =SUM(Revenue_DB[Units Sold])

	A	B	C
1			
2		CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the total number of units sold.	1307


- **SUMIF:**
  =SUMIF(Revenue_DB[Units Sold],">30",Revenue_DB[Total Revenue ($)])



C6 | =SUMIF(Revenue_DB[Units Sold],">30",Revenue_DB[Total Revenue ($)])

	A	B	C
1			
2		CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the total number of units sold.	1307
6	2	Calculate total revenue from orders where more than 30 units were sold.	162653.47


- **MIN:**
  =MIN(Revenue_DB[Unit Price ($)])



C7 | =MIN(Revenue_DB[Unit Price ($)])

	A	B	C
1			
2		CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the total number of units sold.	1307
6	2	Calculate total revenue from orders where more than 30 units were sold.	162653.47
7	3	Find the minimum unit price.	9.99


- **MAX:**
  =MAX(Revenue_DB[Unit Price ($)])



C8 =MAX(Revenue_DB[Unit Price ($)])

	A	B	C
1			
2		**CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS**	
3			
4	**No.**	**Question**	**Output**
5	1	Calculate the total number of units sold.	**1307**
6	2	Calculate total revenue from orders where more than 30 units were sold.	**162653.47**
7	3	Find the minimum unit price.	**9.99**
8	4	Find the maximum unit price.	**1299.99**


- **COUNT:**
  =COUNT(Revenue_DB[Units Sold])



C9 =COUNT(Revenue_DB[Units Sold])

	A	B	C
1			
2		**CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS**	
3			
4	**No.**	**Question**	**Output**
5	1	Calculate the total number of units sold.	**1307**
6	2	Calculate total revenue from orders where more than 30 units were sold.	**162653.47**
7	3	Find the minimum unit price.	**9.99**
8	4	Find the maximum unit price.	**1299.99**
9	5	Count the numerical entries in the Units Sold column.	**50**


- **COUNTBLANK:**
  =COUNTBLANK(Revenue_DB[Product])



C10 =COUNTBLANK(Revenue_DB[Product])

	A	B	C
1			
2		**CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS**	
3			
4	**No.**	**Question**	**Output**
5	1	Calculate the total number of units sold.	**1307**
6	2	Calculate total revenue from orders where more than 30 units were sold.	**162653.47**
7	3	Find the minimum unit price.	**9.99**
8	4	Find the maximum unit price.	**1299.99**
9	5	Count the numerical entries in the Units Sold column.	**50**
10	6	Count blank cells in the Product column.	**0**


- **COUNTIF:**
  =COUNTIF(Revenue_DB[Discount (%)],">=10")



C11 =COUNTIF(Revenue_DB[Discount (%)],">=10")

	A	B	C
1			
2		CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the total number of units sold.	1307
6	2	Calculate total revenue from orders where more than 30 units were sold.	162653.47
7	3	Find the minimum unit price.	9.99
8	4	Find the maximum unit price.	1299.99
9	5	Count the numerical entries in the Units Sold column.	50
10	6	Count blank cells in the Product column.	0
11	7	Count orders with a discount greater than or equal to 10%.	31


- **AVERAGEIF:**
  =AVERAGEIF(Revenue_DB[Discount (%)],">10",Revenue_DB[Total Revenue ($)])



C12 =AVERAGEIF(Revenue_DB[Discount (%)],">10",Revenue_DB[Total Revenue ($)])

	A	B	C
1			
2		CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS	
3			
4	No.	Question	Output
5	1	Calculate the total number of units sold.	1307
6	2	Calculate total revenue from orders where more than 30 units were sold.	162653.47
7	3	Find the minimum unit price.	9.99
8	4	Find the maximum unit price.	1299.99
9	5	Count the numerical entries in the Units Sold column.	50
10	6	Count blank cells in the Product column.	0
11	7	Count orders with a discount greater than or equal to 10%.	31
12	8	Calculate average revenue for orders with a discount greater than 10%.	5603.593333

- **AVERAGEIFS:**
  =AVERAGEIFS(Revenue_DB[Total Revenue ($)],Revenue_DB[Category],"Electronics",Revenue_DB[Discount (%)],">=10")



C13 =AVERAGEIFS(Revenue_DB[Total Revenue ($)],Revenue_DB[Category],"Electronics",Revenue_DB[Discount (%)],">=10")

	A	B	C
1			
2		**CASE STUDY - MATHEMATICAL & AGGREGATE FUNCTIONS**	
3			
4	**No.**	**Question**	**Output**
5	1	Calculate the total number of units sold.	**1307**
6	2	Calculate total revenue from orders where more than 30 units were sold.	**162653.47**
7	3	Find the minimum unit price.	**9.99**
8	4	Find the maximum unit price.	**1299.99**
9	5	Count the numerical entries in the Units Sold column.	**50**
10	6	Count blank cells in the Product column.	**0**
11	7	Count orders with a discount greater than or equal to 10%.	**31**
12	8	Calculate average revenue for orders with a discount greater than 10%.	**5603.593333**
13	9	Calculate average revenue for Electronics orders with a discount of at least 10%.	**11602.89462**

---


3. Case Study – Logical Functions:

- **IF:**
  =IF([@[Units Sold]]>30,"High Sales","Low Sales")




IF
Low Sales
High Sales
Low Sales
High Sales
Low Sales
Low Sales
Low Sales
High Sales
High Sales
Low Sales
Low Sales
Low Sales

- **AND:**
  =AND([@[Units Sold]]>20,[@[Discount (%)]]>=10)



AND [Unit Sold] [Discoun
FALSE
TRUE
FALSE
TRUE
FALSE
FALSE
FALSE
TRUE
TRUE

- **OR:**
  =OR([@Region]="North",[@Region]="South")




OR [Region]
TRUE
FALSE
TRUE
FALSE
FALSE
FALSE
TRUE

- **NOT:**
  =NOT([@[Discount (%)]]=0)

  or

  =NOT([@[Discount (%)]]<>0)



NOT [Discount]
TRUE
TRUE
TRUE
TRUE
FALSE
TRUE
TRUE
TRUE
TRUE
FALSE
FALSE

---

4. **Case Study – Text Functions:**

- **RIGHT:**
  =RIGHT([@[Order ID]],4)



RIGHT [Order ID]
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010

- **LEFT:**
  =LEFT([@[Order ID]],3)




LEFT [Order ID]
ORD
ORD
ORD
ORD
ORD
ORD

- **MID:**
  =MID([@[Order ID]],5,4)




MID [Order ID]
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010


- **UPPER:**
  =UPPER([@Region])



- **LOWER:**
  =LOWER([@Product])



- **PROPER:**
  =PROPER([@[LOWER '[Product']]])



- **LEN:**
  =LEN([@Product])

