

```
import pandas as pd
import seaborn as sns
df=pd.read_csv("Churn_Modelling.csv")
df
```

Out[]:

	RowN umbe r	Custo merI d	Surn ame	Credi tScor e	Geog raph y	Ge nd er	A g e	Te nur e	Bala nce	NumOf Product s	HasC rCar d	IsActive Membe r	Estimat edSalar y	Exi te d
0	1	1563 4602	Harg rave	619	Franc e	Fe mal e	4 2	2	0.00	1	1	1	101348. 88	1
1	2	1564 7311	Hill	608	Spain	Fe mal e	4 1	1	8380 7.86	1	0	1	112542. 58	0
2	3	1561 9304	Onio	502	Franc e	Fe mal e	4 2	8	1596 60.8 0	3	1	0	113931. 57	1
3	4	1570 1354	Boni	699	Franc e	Fe mal e	3 9	1	0.00	2	0	0	93826.6 3	0
4	5	1573 7888	Mitc hell	850	Spain	Fe mal e	4 3	2	1255 10.8 2	1	1	1	79084.1 0	0
...
9 9 9 5	9996	1560 6229	Obiji aku	771	Franc e	Ma le	3 9	5	0.00	2	1	0	96270.6 4	0
9 9 9 6	9997	1556 9892	John ston e	516	Franc e	Ma le	3 5	10	5736 9.61	1	1	1	101699. 77	0

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
9997	9998	15584532	Liu	709	France	Female	36	7	0.00	1	0	1	42085.58	1
9998	9999	15682355	Sabbatini	772	Germany	Male	42	3	75075.31	2	1	0	92888.52	1
9999	10000	15628319	Walker	792	France	Female	28	4	130142.79	1	1	0	38190.78	0

10000 rows × 14 columns

In []:

```
df.shape
```

Out[]:

(10000, 14)

In []:

```
df.info()
RangeIndex: 10000 entries, 0 to 9999
Data columns (total 14 columns):
#   Column                Non-Null Count  Dtype
---  -
0   RowNumber              10000 non-null  int64
1   CustomerId             10000 non-null  int64
2   Surname                10000 non-null  object
3   CreditScore            10000 non-null  int64
4   Geography              10000 non-null  object
5   Gender                 10000 non-null  object
6   Age                    10000 non-null  int64
7   Tenure                 10000 non-null  int64
8   Balance                10000 non-null  float64
9   NumOfProducts          10000 non-null  int64
10  HasCrCard              10000 non-null  int64
11  IsActiveMember         10000 non-null  int64
12  EstimatedSalary        10000 non-null  float64
13  Exited                 10000 non-null  int64
dtypes: float64(2), int64(9), object(3)
```

memory usage: 1.1+ MB

In []:

```
df.describe()
```

Out[]:

	RowN umber	Custo merId	CreditS core	Age	Tenure	Balance	NumOf Product s	HasCr Card	IsActive Member	Estimat edSalar y	Exited
count	10000 .0000 0	1.0000 00e+04	10000. 000000	10000. 000000	10000. 000000	10000.0 00000	10000.0 00000	10000. 00000	10000.0 00000	10000.0 00000	10000. 000000
mean	5000. 50000	1.5690 94e+07	650.52 8800	38.921 800	5.0128 00	76485.8 89288	1.53020 0	0.7055 0	0.51510 0	100090. 239881	0.2037 00
std	2886. 89568	7.1936 19e+04	96.653 299	10.487 806	2.8921 74	62397.4 05202	0.58165 4	0.4558 4	0.49979 7	57510.4 92818	0.4027 69
min	1.000 00	1.5565 70e+07	350.00 0000	18.000 000	0.0000 00	0.00000 0	1.00000 0	0.0000 0	0.00000 0	11.5800 00	0.0000 00
25%	2500. 75000	1.5628 53e+07	584.00 0000	32.000 000	3.0000 00	0.00000 0	1.00000 0	0.0000 0	0.00000 0	51002.1 10000	0.0000 00
50%	5000. 50000	1.5690 74e+07	652.00 0000	37.000 000	5.0000 00	97198.5 40000	1.00000 0	1.0000 0	1.00000 0	100193. 915000	0.0000 00
75%	7500. 25000	1.5753 23e+07	718.00 0000	44.000 000	7.0000 00	127644. 240000	2.00000 0	1.0000 0	1.00000 0	149388. 247500	0.0000 00
max	10000 .0000 0	1.5815 69e+07	850.00 0000	92.000 000	10.000 000	250898. 090000	4.00000 0	1.0000 0	1.00000 0	199992. 480000	1.0000 00

null value replacement

In []:

```
df['Tenure'].fillna(df['Tenure'].mean(),inplace=True)
```

In []:

df

Out[]:

	RowN umbe r	Custo merI d	Surn ame	Credi tScor e	Geog raph y	Ge nd er	A g e	Te nur e	Bala nce	NumOf Product s	HasC rCar d	IsActive Membe r	Estimat edSalar y	Exi te d
0	1	1563 4602	Harg rave	619	Franc e	Fe mal e	4 2	2	0.00	1	1	1	101348. 88	1
1	2	1564 7311	Hill	608	Spain	Fe mal e	4 1	1	8380 7.86	1	0	1	112542. 58	0
2	3	1561 9304	Onio	502	Franc e	Fe mal e	4 2	8	1596 60.8 0	3	1	0	113931. 57	1
3	4	1570 1354	Boni	699	Franc e	Fe mal e	3 9	1	0.00	2	0	0	93826.6 3	0
4	5	1573 7888	Mitc hell	850	Spain	Fe mal e	4 3	2	1255 10.8 2	1	1	1	79084.1 0	0
...
9 9 9 5	9996	1560 6229	Obiji aku	771	Franc e	Ma le	3 9	5	0.00	2	1	0	96270.6 4	0
9 9 9 6	9997	1556 9892	John ston e	516	Franc e	Ma le	3 5	10	5736 9.61	1	1	1	101699. 77	0
9 9 9 7	9998	1558 4532	Liu	709	Franc e	Fe mal e	3 6	7	0.00	1	0	1	42085.5 8	1

Row Number	Customer Id	Surname	Credit Score	Geography	Gender	Age	Tenure	Balance	NumOf Products	Has Car	IsActive Member	Estimated Salary	Exited
99998	9999	Sabbatini	772	Germany	Male	42	3	75075.31	2	1	0	92888.52	1
99999	10000	Walker	792	France	Female	28	4	130142.79	1	1	0	38190.78	0

10000 rows × 14 columns

outlier


In []:

```
sns.boxplot(df.Balance)
```

D:\website\anacondapy\lib\site-packages\seaborn_decorators.py:36: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```

Out[]:



outlier removal using percentile


In []:

```
sns.boxplot(df.Age)
```

D:\website\anacondapy\lib\site-packages\seaborn_decorators.py:36: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```

Out[]:



In []: