

Rajalakshmi Engineering College

Name: DEVISHREE J
Email: 240701702@rajalakshmi.edu.in
Roll no: 240701702
Phone: 7397766309
Branch: REC
Department: I CSE FF
Batch: 2028
Degree: B.E - CSE

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_CY

Attempt : 1
Total Mark : 40
Marks Obtained : 40

Section 1 : Coding

1. Problem Statement

Write a program to obtain the start time and end time for the stage event show. If the user enters a different format other than specified, an exception occurs and the program is interrupted. To avoid that, handle the exception and prompt the user to enter the right format as specified.

Start time and end time should be in the format 'YYYY-MM-DD HH:MM:SS'. If the input is in the above format, print the start time and end time. If the input does not follow the above format, print "Event time is not in the format "

Input Format

The first line of input consists of the start time of the event.

The second line of the input consists of the end time of the event.

Output Format

If the input is in the given format, print the start time and end time.

If the input does not follow the given format, print "Event time is not in the format".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2022-01-12 06:10:00

2022-02-12 10:10:12

Output: 2022-01-12 06:10:00

2022-02-12 10:10:12

Answer

```
# You are using Python
from datetime import datetime
starttime=input()
endtime=input()
timeformat="%Y-%m-%d %H:%M:%S"
try:
    datetime.strptime(starttime,timeformat)
    datetime.strptime(endtime,timeformat)
    print(starttime)
    print(endtime)
except ValueError:
    print("Event time is not in the format")
```

Status : Correct

Marks : 10/10

2. Problem Statement

Implement a program that checks whether a set of three input values can form the sides of a valid triangle. The program defines a function `is_valid_triangle` that takes three side lengths as arguments and raises a `ValueError` if any side length is not a positive value. It then checks whether the sum of any two sides is greater than the third side to determine the

validity of the triangle.

Input Format

The first line of input consists of an integer A, representing side1.

The second line of input consists of an integer B, representing side2.

The third line of input consists of an integer C, representing side3.

Output Format

The output prints either "It's a valid triangle" if the input side lengths form a valid triangle,

or "It's not a valid triangle" if they do not.

If there is a ValueError, it should print "ValueError: <error_message>".

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 3

4

5

Output: It's a valid triangle

Answer

```
# You are using Python
```

```
def isvalidtriangle(a,b,c):
```

```
    if a<=0 or b<=0 or c<=0:
```

```
        raise ValueError("Side lengths must be positive")
```

```
    if a+b>c and b+c>a and a+c>b:
```

```
        return True
```

```
    else:
```

```
        return False
```

```
a=int(input())
```

```
b=int(input())
```

```
c=int(input())
```

```
try:
```

```
if isvalidtriangle(a,b,c):  
    print("It's a valid triangle")  
else:  
    print("It's not a valid triangle")  
except ValueError as e:  
    print(f"ValueError: {e}")
```

Status : Correct

Marks : 10/10

3. Problem Statement

A shopkeeper is recording the daily sales of an item for N days, where the price of the item remains the same for all days. Write a program to calculate the total sales for each day and save them in a file named sales.txt that can store the data for a maximum of 30 days. Then, read the file and display the total earnings for each day.

Note: Total Earnings for each day = Number of Items sold in that day × Price of the item.

Input Format

The first line of input consists of an integer N, representing the number of days.

The second line of input consists of N space-separated integers representing the number of items sold each day.

The third line of input consists of an integer M, representing the price of the item that is common for all N days.

Output Format

If the number of days entered exceeds 30 ($N > 30$), the output prints "Exceeding limit!" and terminates.

Otherwise, the code reads the contents of the file and displays the total earnings for each day on separate lines.

Contents of the file: The total earnings for N days, with each day's earnings

appearing on a separate line.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 4

5 10 5 0

20

Output: 100

200

100

0

Answer

You are using Python

```
n=int(input())
```

```
if n>30:
```

```
    print("Exceeding limit!")
```

```
else:
```

```
    itemssold=list(map(int,input().split()))
```

```
    m=int(input())
```

```
    with open("sales.txt","w") as file:
```

```
        for sold in itemssold:
```

```
            earnings=sold*m
```

```
            file.write(str(earnings)+"\n")
```

```
    with open("sales.txt","r") as file:
```

```
        for line in file:
```

```
            print(line.strip())
```

Status : Correct

Marks : 10/10

4. Problem Statement

Alex is creating an account and needs to set up a password. The program prompts Alex to enter their name, mobile number, chosen username, and

desired password. Password validation criteria include:

Length between 10 and 20 characters. At least one digit. At least one special character from !@#\$%^&* set. Display "Valid Password" if criteria are met; otherwise, raise an exception with an appropriate error message.

Input Format

The first line of the input consists of the name as a string.

The second line of the input consists of the mobile number as a string.

The third line of the input consists of the username as a string.

The fourth line of the input consists of the password as a string.

Output Format

If the password is valid (meets all the criteria), it will print "Valid Password"

If the password is weak (fails any one or more criteria), it will print an error message accordingly.

Refer to the sample outputs for the formatting specifications.

Sample Test Case

Input: John
9874563210

john
john1#nhøj

Output: Valid Password

Answer

```
# You are using Python
name=input()
mobile=input()
username=input()
password=input()
```

```
def validate_password(password):
    special_characters="!@#$%^&*"

    if len(password)<10 or len(password)>20:
        raise ValueError("Should be a minimum of 10 characters and a maximum of
        20 characters")

    if not any(char.isdigit() for char in password):
        raise ValueError("Should contain at least one digit")

    if not any(char in special_characters for char in password):
        raise ValueError("It should contain at least one special character")

    return True

try:
    if validate_password(password):
        print("Valid Password")
except ValueError as e:
    print(e)
```

Status : Correct

Marks : 10/10