



Report from Jul 6, 2026, 4:38:36 PM

<https://www.leafletdigital.com/>

Analyze



Discover what your real users are experiencing

[No Data](#)



Mobile



Desktop



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO

1/2

Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)




0-49



50-89



90-100



METRICS

[Collapse view](#)

First Contentful Paint

0.3 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric.](#)



Largest Contentful Paint

1.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](#)



Total Blocking Time

14,370 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric.](#)



Cumulative Layout Shift

0

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)




Speed Index

3.6 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric.](#)

146.0.7680.177 with lr



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 70 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP Unscored

URL	Transfer Size	Duration
leafletdigital.com 1st Party	22.8 KiB	160 ms
...chunks/1hvfnn75t4ilz.css (www.leafletdigital.com)	21.5 KiB	160 ms
...chunks/2uky92nztzyuw.css (www.leafletdigital.com)	1.3 KiB	

▲ Legacy JavaScript — Est savings of 14 KiB


Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

URL	Wasted bytes
leafletdigital.com 1st Party	13.7 KiB
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	13.7 KiB
...chunks/1_864o2edv2p4.js:1:5472 (www.leafletdigital.com)	Array.prototype.at
...chunks/1_864o2edv2p4.js:1:4860 (www.leafletdigital.com)	Array.prototype.flat
...chunks/1_864o2edv2p4.js:1:4973 (www.leafletdigital.com)	Array.prototype.flatMap
...chunks/1_864o2edv2p4.js:1:5349 (www.leafletdigital.com)	Object.fromEntries
...chunks/1_864o2edv2p4.js:1:5607 (www.leafletdigital.com)	Object.hasOwn
...chunks/1_864o2edv2p4.js:1:4602 (www.leafletdigital.com)	String.prototype.trimEnd

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	10 ms
Element render delay	2,680 ms



Leaflet Digital Solutions is a remote-first software development company helpin...
`<p data-split="true" class="mx-auto text-left mt-6 pl-2 max-w-[640px] font-normal text-[var(--text)] t..." aria-label="Leaflet Digital Solutions is a remote-first software development company h...">`

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call	Total reflow time
...chunks/1_864o2edv2p4.js:2:7462 (www.leafletdigital.com)	494 ms

Source	Total reflow time
[unattributed]	56 ms
...chunks/2m66-cndaro0r.js:1:54030 (www.leafletdigital.com)	614 ms
...chunks/2m66-cndaro0r.js:1:59315 (www.leafletdigital.com)	3 ms
...chunks/2m66-cndaro0r.js:1:122032 (www.leafletdigital.com)	12 ms
...chunks/2m66-cndaro0r.js:1:125233 (www.leafletdigital.com)	3 ms
...chunks/2m66-cndaro0r.js:1:125402 (www.leafletdigital.com)	6 ms
...chunks/2m66-cndaro0r.js:1:71506 (www.leafletdigital.com)	44 ms
...chunks/1mlvqp6fmr9gt.js:1:59681 (www.leafletdigital.com)	8 ms
...chunks/2m66-cndaro0r.js:1:56421 (www.leafletdigital.com)	15 ms
...chunks/2m66-cndaro0r.js:1:56659 (www.leafletdigital.com)	14 ms
...chunks/2tq8wy3iydly.js:1:6167 (www.leafletdigital.com)	2 ms

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,073 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates


Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

○ Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Unscored

Element	Layout shift score
Total	0.000
 Schedule a call	0.000
<pre><div class="mt-10 flex w-full flex-col items-start gap-3 sm:w-auto sm:flex-row sm:gap-3"></pre>	

Total

0.000



2024

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```


0.000



2024

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```

0.000



10+

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="10" data-stat-suffix="+" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```

0.000



50+

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="50" data-stat-suffix="+" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```

0.000

Element

Layout shift score

Total


0.000



2024

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```

0.000



10+

```
<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="10" data-stat-suffix="+" data-stat-decimals="0" style="font-variant-numeric:tabular-nums">
```

0.000



2024

<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-

variant-numeric:tabular-nums">

0.000



2024

<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-

variant-numeric:tabular-nums">

0.000



2024

<p class="font-heading font-semibold text-[var(--text)] text-[32px] leading-none tra..." data-stat-value="true" data-stat-end="2024" data-stat-suffix="" data-stat-decimals="0" style="font-

variant-numeric:tabular-nums">

0.000

☐ Optimize DOM size

^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		1,488
DOM depth	div.flex > div.flex > svg.lucide > path <path d="m21 21-4.34-4.34">	20
Most children	 body.min-h-full <body class="min-h-full overflow-x-clip text-[var(--text)] bg-[var(--background)]">	21

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 Minimize main-thread work — 33.9 s

^



Category	Time Spent
Other	30,071 ms
Script Evaluation	2,012 ms
Style & Layout	1,044 ms
Script Parsing & Compilation	340 ms
Rendering	259 ms
Garbage Collection	109 ms
Parse HTML & CSS	23 ms

▲ Reduce JavaScript execution time — 2.1 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
leafletdigital.com 1st Party	33,314 ms	1,939 ms	99 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	27,767 ms	685 ms	13 ms
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	4,506 ms	888 ms	21 ms
https://www.leafletdigital.com	376 ms	4 ms	4 ms
...chunks/36pjbi-sz5wlv.js (www.leafletdigital.com)	342 ms	120 ms	2 ms
...chunks/0un0lor_ysw9d.js (www.leafletdigital.com)	141 ms	107 ms	11 ms
...chunks/43o3jd2bpka5r.js (www.leafletdigital.com)	94 ms	49 ms	45 ms
...chunks/2_l7rl5h9g27m.js (www.leafletdigital.com)	89 ms	86 ms	2 ms
Unattributable	246 ms	38 ms	0 ms
Unattributable	246 ms	38 ms	0 ms

■ Reduce unused JavaScript — Est savings of 625 KiB





URL	Transfer Size	Est Savings
leafletdigital.com 1st Party	756.1 KiB	624.9 KiB
...chunks/20f7u9kg8hz_9.js (www.leafletdigital.com)	162.0 KiB	161.9 KiB
...chunks/3k4vdi8ogd7ld.js (www.leafletdigital.com)	162.0 KiB	161.8 KiB
...chunks/07iicusylwaws.js (www.leafletdigital.com)	161.5 KiB	161.4 KiB
...chunks/43o3jd2bpka5r.js (www.leafletdigital.com)	133.0 KiB	51.4 KiB
...chunks/23w59roeot7lv.js (www.leafletdigital.com)	23.1 KiB	23.0 KiB
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	71.9 KiB	22.9 KiB
...chunks/3lf7sxy6d-90l.js (www.leafletdigital.com)	21.7 KiB	21.7 KiB
...chunks/25m177huj5vof.js (www.leafletdigital.com)	20.9 KiB	20.9 KiB

■ Avoid enormous network payloads — Total size was 3,084 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

URL	Transfer Size
leafletdigital.com 1st Party	2,440.8 KiB
/textures/earth-blue-marble.jpg (www.leafletdigital.com)	1,428.2 KiB
...chunks/20f7u9kg8hz_9.js (www.leafletdigital.com)	167.5 KiB
...chunks/3k4vdi8ogd7ld.js (www.leafletdigital.com)	167.5 KiB
...chunks/07iicusylwaws.js (www.leafletdigital.com)	167.0 KiB
/textures/earth-blue-marble.webp (www.leafletdigital.com)	151.4 KiB
...chunks/43o3jd2bpka5r.js (www.leafletdigital.com)	133.6 KiB
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	72.5 KiB
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	52.1 KiB



...media/GeneralSa...p.22yv6z4stvf-9.ttf (www.leafletdigital.com)

49.0 KIB

☐ Avoid long main-thread tasks — 20 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT Unscored

URL	Start Time	Duration
leafletdigital.com 1st Party		3,223 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	1,816 ms	636 ms
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	975 ms	485 ms
...chunks/1_864o2edv2p4.js (www.leafletdigital.com)	798 ms	177 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	7,368 ms	154 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	6,135 ms	129 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	25,372 ms	120 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	3,583 ms	113 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	21,467 ms	113 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	4,567 ms	110 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	5,616 ms	110 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	5,726 ms	110 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	25,591 ms	110 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	11,185 ms	109 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	7,717 ms	108 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	22,138 ms	108 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	10,981 ms	107 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	1,499 ms	106 ms



...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	25,806 ms	106 ms
...chunks/2m66-cndaro0r.js (www.leafletdigital.com)	25,912 ms	106 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (15)

[Show](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.


ARIA

▲ Elements use prohibited ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles](#).

Failing Elements



Leaflet Digital Solutions is a remote-first software development company helpin...
<p data-split="true" class="mx-auto text-left mt-6 pl-2 max-w-[640px] font-normal text-[var(--text)] t..." aria-label="Leaflet

n...">

We work with teams that need practical, reliable digital solutions — systems th...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="We work with teams that need practical, reliable digital solutions – syste..." data-split-done="true" style="visibility: visible;">
```

A complete toolkit for modern digital growth.

```
<span data-heading="true" aria-label="A complete toolkit formodern digital growth." data-split-done="true" class="split-ready" style="visibility: visible;">
```

From interface design to launch, we deliver the technical infrastructure that l...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="From interface design to launch, we deliver the technical infrastructure t..." data-split-done="true" style="visibility: visible;">
```

Projects we've shipped recently.

```
<span data-heading="true" aria-label="Projects we'veshipped recently." data-split-done="true" class="split-ready" style="visibility: visible;">
```

A selection of recent builds — platforms, mobile apps, and internal systems shi...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="A selection of recent builds – platforms, mobile apps, and internal system..." data-split-done="true" style="visibility: visible;">
```

A modern studio model — engineered for clarity, speed, and the kind of work tha...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="A modern studio model – engineered for clarity, speed, and the kind of wor..." data-split-done="true" style="visibility: visible;">
```

Clear communication, structured delivery, and production-ready execution — buil...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="Clear communication, structured delivery, and production-ready execution –..." data-split-done="true" style="visibility: visible;">
```

We work with agencies as a reliable white-label development team, delivering we...

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="We work with agencies as a reliable white-label development team, deliveri..." data-split-done="true" style="visibility: visible;">
```

Essays, playbooks, and lessons from shipping software with distributed teams.

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="Essays, playbooks, and lessons from shipping software with distributed tea..." data-split-done="true" style="visibility: visible;">
```

From pricing to process — answers to the questions we hear most often.

```
<p data-subtitle="true" data-split="true" class="max-w-md text-[15px] leading-[1.6] text-[var(--text-muted)] md:text-right ..." aria-label="From pricing to process – answers to the
```




These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^


Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements




Build with us

```
<a class="group/button shrink-0 justify-center border border-transparent bg-clip-pad..." href="/contact">
```




Schedule a call

```
<span>
```



Schedule a call

```
<button type="button" tabindex="0" data-slot="button" aria-label="Schedule a call" class="group/button shrink-0 justify-center border border-transparent bg-clip-pad...">
```



Accept all

```
<button type="button" class="inline-flex h-9 items-center justify-center rounded-full px-4 text-[13px] ...">
```

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Hide](#)

☐ Interactive controls are keyboard focusable





○ The page has a logical tab order

○ Visual order on the page follows DOM order

○ User focus is not accidentally trapped in a region

○ The user's focus is directed to new content added to the page

○ HTML5 landmark elements are used to improve navigation

○ Offscreen content is hidden from assistive technology

○ Custom controls have associated labels

○ Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (25)

Hide

● [\[aria-*\]](#) attributes match their roles

● [\[aria-hidden="true"\]](#) is not present on the document `<body>`

● [\[role\]](#)s have all required [\[aria-*\]](#) attributes

● [\[role\]](#) values are valid

● [\[aria-*\]](#) attributes have valid values

● [\[aria-*\]](#) attributes are valid and not misspelled

● Buttons have an accessible name

● Image elements have [\[alt\]](#) attributes

● [\[user-scalable="no"\]](#) is not used in the `<meta name="viewport">` element and the [\[maximum-scale\]](#) attribute is not less than 5.

● ARIA attributes are used as specified for the element's role



[aria-hidden="true"] elements do not contain accessible descendants

Document has a `<title>` element

`<html>` element has a `[lang]` attribute

`<html>` element has a valid value for its `[lang]` attribute

Links are distinguishable without relying on color.

Links have a discernible name

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

No element has a `[tabindex]` value greater than 0

Touch targets have sufficient size and spacing.

Heading elements appear in a sequentially-descending order

Document has a main landmark.

Deprecated ARIA roles were not used

Elements with `role="none"` or `role="presentation"` do not have conflicts

NOT APPLICABLE (36)

[Hide](#)

`[accesskey]` values are unique

`button`, `link`, and `menuitem` elements have accessible names

ARIA input fields have accessible names

ARIA `meter` elements have accessible names

ARIA `progressbar` elements have accessible names



- ☐ `[role]`s are contained by their required parent element ▼
- ☐ Elements with the `role=text` attribute do not have focusable descendents. ▼
- ☐ ARIA toggle fields have accessible names ▼
- ☐ ARIA `tooltip` elements have accessible names ▼
- ☐ ARIA `treeitem` elements have accessible names ▼
- ☐ The page contains a heading, skip link, or landmark region ▼
- ☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ▼
- ☐ Definition list items are wrapped in `<dl>` elements ▼
- ☐ ARIA IDs are unique ▼
- ☐ No form fields have multiple labels ▼
- ☐ `<frame>` or `<iframe>` elements have a title ▼
- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ▼
- ☐ Input buttons have discernible text. ▼
- ☐ `<input type="image">` elements have `[alt]` text ▼
- ☐ Form elements have associated labels ▼
- ☐ The document does not use `<meta http-equiv="refresh">` ▼
- ☐ `<object>` elements have alternate text ▼
- ☐ Select elements have associated label elements. ▼
- ☐ Skip links are focusable. ▼
- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▼
- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼



- ☐ [autocomplete](#) attributes are used correctly
- ☐ SVG elements with an [img](#) role have an accessible text alternative
- ☐ Tables have different content in the summary attribute and [<caption>](#).
- ☐ All heading elements contain content.
- ☐ Uses ARIA roles only on compatible elements
- ☐ Image elements do not have [\[alt\]](#) attributes that are redundant text.
- ☐ Identical links have the same purpose.



Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks
- ☐ Use a strong HSTS policy
- ☐ Ensure proper origin isolation with COOP
- ☐ Mitigate clickjacking with XFO or CSP
- ☐ Mitigate DOM-based XSS with Trusted Types



GENERAL

 Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

URL	Map URL
leafletdigital.com 1st Party	
...chunks/43o3jd2bpka5r.js (www.leafletdigital.com)	Large JavaScript file is missing a source map
...chunks/3k4vdi8ogd7ld.js (www.leafletdigital.com)	Large JavaScript file is missing a source map
...chunks/20f7u9kg8hz_9.js (www.leafletdigital.com)	Large JavaScript file is missing a source map
...chunks/07iicusylwaws.js (www.leafletdigital.com)	Large JavaScript file is missing a source map

PASSED AUDITS (12)

[Show](#)

NOT APPLICABLE (2)

[Show](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Hide](#)

- ☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

[Show](#)

1/2

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.


AGENT ACCESSIBILITY

- Accessibility tree is not well-formed



A well-formed [accessibility tree](#) helps AI agents to navigate and interact with the page.

Elements must only use permitted ARIA attributes



```
<p data-split="true" class="mx-auto text-left mt-6 pl-2 max-w-[640px] font-normal text-[var(--text)] t..." aria-label="Leaflet Digital Solutions is a remote-first software development company h...">
```

Leaflet Digital Solutions is a remote-first software development company helpin...

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (1)

[Hide](#)

 Cumulative Layout Shift — 0



NOT APPLICABLE (4)

[Hide](#)

☐ WebMCP form coverage



☐ WebMCP tools registered



☐ WebMCP schemas are valid



☐ llms.txt follows recommendations



More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

Connect

[Twitter](#)

[Youtube](#)



[Google](#) for Developers[Chrome](#)[Firebase](#)[All products](#)

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).