Dockerfile for nodejs project with yarn :

```
FROM ubuntu
WORKDIR /home/cloudpanel/prod/ubuy_mono_repo
RUN apt update -y && \
    apt install curl -y && \
    curl -sL https://deb.nodesource.com/setup_18.x -o
/tmp/nodesource_setup.sh &&\
    bash /tmp/nodesource_setup.sh && \
    apt install -y nodejs build-essential git && \
    curl -sS https://dl.yarnpkg.com/debian/pubkey.gpg | apt-key
add - && \
    echo "deb https://dl.yarnpkg.com/debian/ stable main" | tee
/etc/apt/sources.list.d/yarn.list && \
    apt-get update && \
    apt-get install -y yarn
ARG GITHUB_TOKEN
ARG GITHUB_USERNAME
ARG BRANCH_NAME
RUN git clone
https://${GITHUB_USERNAME}:${GITHUB_TOKEN}@github.com/ubuy-llc/u
buy_mono_repo.git . && \
    git checkout ${BRANCH_NAME}
RUN npm install pm2 -g
COPY .env /home/cloudpanel/prod/ubuy_mono_repo/.env
COPY ecosystem.config.js
/home/cloudpanel/prod/ubuy_mono_repo/ecosystem.config.js
EXPOSE 4000 4001 4002 4003 3000
COPY entrypoint.sh /usr/local/bin/
RUN chmod +x /usr/local/bin/entrypoint.sh
ENTRYPOINT ["entrypoint.sh"]
```

Entrypoint.sh :
With yarn :

```bash
#!/bin/bash
set -e

case "$1" in
  web)
    yarn
    yarn start-web
    pm2 logs
    ;;
  api)
    yarn
    yarn start-api
    pm2 logs
    ;;
  listapi)
    yarn
    yarn start-list
    pm2 logs
    ;;
  detailapi)
    yarn
    yarn start-detail
    pm2 logs
    ;;
  productratingapi)
    yarn
    yarn start-productrating
    pm2 logs
    ;;
  *)
    echo "Unknown service identifier: $1"
    exit 1
    ;;
Esac
```

With pm2

```bash
#!/bin/bash
set -e

case "$1" in
  web)
    pm2 start   ecosystem.config.js --only web
    pm2 logs -name web
    ;;
  api)
    pm2 start   ecosystem.config.js --only api
    pm2 logs -name api
    ;;
  listapi)
    pm2 start   ecosystem.config.js --only listapi
    pm2 logs -name listapi
```

```
    ;;
  detailapi)
    pm2 start   ecosystem.config.js --only detailapi
    pm2 logs -name detailapi
    ;;
  productratingapi)
    pm2 start   ecosystem.config.js --only productratingapi
    pm2 logs -name productratingapi
    ;;
  *)
    echo "Unknown service identifier: $1"
    exit 1
    ;;
esac
```