SQL - Having Clause

The **HAVING Clause** enables you to specify conditions that filter which group results appear in the results.

The WHERE clause places conditions on the selected columns, whereas the HAVING clause places conditions on groups created by the GROUP BY clause.

Syntax

The following code block shows the position of the HAVING Clause in a query.

```
SELECT
FROM
WHERE
GROUP BY
HAVING
ORDER BY
```

The HAVING clause must follow the GROUP BY clause in a query and must also precede the ORDER BY clause if used. The following code block has the syntax of the SELECT statement including the HAVING clause –

```
SELECT column1, column2
FROM table1, table2
WHERE [ conditions ]
GROUP BY column1, column2
HAVING [ conditions ]
ORDER BY column1, column2
```

Example

Consider the CUSTOMERS table having the following records.

+	<u> </u>		<u> </u>	+
ID	NAME	AGE	ADDRESS	SALARY
1 2 3	Ramesh Khilan kaushik	32 25 23	Ahmedabad Delhi Kota Mumbai	2000.00 1500.00 2000.00

Following is an example, which would display a record for a similar age count that would be more than or equal to 2.

```
SQL > SELECT ID, NAME, AGE, ADDRESS, SALARY
FROM CUSTOMERS
GROUP BY age
HAVING COUNT(age) >= 2;
```

This would produce the following result -