Lawgikalai Auth API Endpoints

Signup (POST)

```
URL: https://lawgikalai-auth-api.onrender.com/api/auth/signup
Body:
{
  "fullName": "Test User",
  "identifier": "testuser@email.com",
  "password": "testpassword"
}
Sample Response:
  "message": "Signup successful. OTP sent to email.",
  "user_id": "<user_id>",
  "requires_verification": true
}
Login (POST)
URL: https://lawgikalai-auth-api.onrender.com/api/auth/login
Body:
{
  "identifier": "testuser@email.com",
  "password": "testpassword"
}
Sample Response:
{
  "message": "Login successful.",
  "token": "<jwt_token>",
  "user": {
     "id": "<user_id>",
     "name": "Test User",
     "email": "testuser@email.com"
  }
}
```

Forgot Password (POST)

URL: https://lawgikalai-auth-api.onrender.com/api/auth/forgot-password Body:

```
{
  "identifier": "testuser@email.com"
}
Sample Response:
{
  "message": "OTP sent to email.",
  "user_id": "<user_id>"
}
Verify OTP (POST)
URL: https://lawgikalai-auth-api.onrender.com/api/auth/verify-otp
Body:
{
  "user_id": "<user_id>",
  "otp": "123456"
}
Sample Response:
  "message": "OTP verified successfully.",
  "token": "<jwt_token>",
  "user": {
     "id": "<user_id>",
    "name": "Test User",
    "email": "testuser@email.com"
  }
}
Resend OTP (POST)
URL: https://lawgikalai-auth-api.onrender.com/api/auth/resend-otp
Body:
{
  "user_id": "<user_id>"
}
Sample Response:
  "message": "OTP resent to email."
```

}

```
Get Profile (GET)
URL: https://lawgikalai-auth-api.onrender.com/api/auth/profile
Headers: Authorization: Bearer <jwt_token>
Sample Response:
{
  "id": "<user_id>",
  "name": "Test User",
  "email": "testuser@email.com"
}
Update Profile (PUT)
URL: https://lawgikalai-auth-api.onrender.com/api/auth/profile
Headers: Authorization: Bearer <jwt_token>
Body:
{
  "fullName": "Updated Name",
  "identifier": "newemail@email.com"
}
Sample Response:
  "message": "Profile updated",
  "user": {
     "id": "<user_id>",
     "name": "Updated Name",
```

Delete Profile (DELETE)

}

}

"email": "newemail@email.com"

```
URL: https://lawgikalai-auth-api.onrender.com/api/auth/profile
Headers: Authorization: Bearer <jwt_token>
Sample Response:
{
  "message": "Profile deleted"
}
```