Department of Computer Science & Engineering, SDMCET, Dharwad-2



AOOP Assignment Submission Report

[Submitted as part of CTA Assignment No-1]


Course:	Advanced Object-Oriented Programming	Course Code:	18UCSE508
Semester:	V	Division:	A

Submitted by:

USN: 2SD20CS037	Name:	DEVRAJ SHARMA
-----------------	-------	---------------

A	OOP Assignment Submission Report
1	. Problem Definition:
	Write a Java program to generate and handle any three built-in exceptions and display appropriate error messages.

```
import java.util.Scanner;
//class creation
class animal{
     String type; //instance variable
     String food;
     void ChangeFood(String food) { //method declaration
             this.food=food;
public class TestDemo {
     public static void main(String[] args){
             Scanner sc = new Scanner(System.in);
            //try catch block
            try {
                    System.out.println("Enter value of a and b:");
                    int a = sc.nextInt();
                    int b = sc.nextInt();
                    int divi = a/b;
                    int[] intarray = new int[4];
                    intarray [0]=1;
                    intarray [1]=2;
                    intarray [2]=3;
                    intarray [3]=4;
                    intarray [4]=5;
```



2.Problem Definition:			
number	Java program to read an integer and check whether the number is prime or not. If negat is entered, throw an exception NegativeNumberNotAllowedException and if entered is not prime, then throw NumberNotPrimeException.	ive	

```
import java.util.*;
class NegativeNumberNotAllowedException extends Exception{
    public String toString() {
            return "NegativeNumberNotAllowedException[Negative Number]";
}
class NumberNotPrimeException extends Exception{
    public String toString() {
           return "NumberNotPrimeException[Number not prime]";
public class Main {
    public static void main(String[] args) throws Exception{
            int num,i;
    boolean temp=false;
    Scanner sc=new Scanner(System.in);
    //input an integer number
    System.out.print("Enter any integer number: ");
    num= sc.nextInt();
    //check prime
    for(i=2; i <= (num/2); i++)
       if(num\%i==0)
         temp=true;
         break;
       }
    if(num<0) {
            throw new NegativeNumberNotAllowedException();
```

```
- ø ×
      public static void main(String[] args) throws Exception[]
  int num,i;
  boolean temp=false;
                                                                                 Scanner sc-new Scanner (System.in);
                                                                                                                                                                                                                                                                                 w. Lotton x | 2: redizers | D Deskip Stell |

- Lorentzated - Main () | Dava Application | C./hogram Filer/Levilyd-18.0.1.Tubin/javaneze (11-Sep-2022.94659 pm - 94702 pm) [pist 15512]


- Dava - Stell - Main | Dava - Stell - Main - Stell - Main - Stell - Stell - Main - Main - Main - Stell - Main - Ma
                                     //input an integer number
System.out.print("Enter any integer number: ");
num= sc.nextInt();
                                                                                 //check prime
for(i=2: i<=(num/2): i++)
                                                                                           if(num%i==0)
                                                                                          temp-true;
break;
                                                                    )
if(num<0) {
    throw new NegativeNumberNotAllowedException();
                                                                                       else if(temp==true) {
    throw new NumberNotPrimeException();
                                                                                        else (
    System.out.println(num + " is a prime number.");
                                                                                                                                                                                                                                                                                                                             Scanner sc-new Scanner(System.in);
                                                                              //input an integer number
System.out.print("Enter any integer number: ");
num= sc.nextInt();
                                                                              //check prime
for(i=2; i<=(num/2); i++)
                                                                                         if(num%i==0)
                                                                                      else if(temp==true) {
    throw new NumberNotPrimeException();
                                                                                     else {
    System.out.println(num + " is a prime number.");
                                                         © Comole × 🛣 Problems (D Debug Shell stemmands) Man (1) Java Application (1) O'Royan Fileshwalds 180.11 binijwaw.ee (12-Sp-2022.40224 pm - 40229 pm (pid 23468) 
Baception in thread "Pain" Namber (NOCP) rimeBaception (Number not prime) 
at Main.main (Main.java.142)
```

3.Problem Definition:

Write a Java program to perform the following operations:

- a) Read a line of text
- b) Search for a sub-string SDMCET (case insensitive search)
- c) If found, then print success message
- d) Otherwise throw an exception SubStringNotFoundException with appropriate message

```
import java.util.Scanner;
class Main {
 public static void main(String[] args) throws Exception{
      Scanner sc=new Scanner (System.in);
      System.out.println("Enter the line of text");
      String txt=sc.next();
  // create a string
  //String txt = "This is Programiz";
  String str1 = "SDMCET";
  //String str2 = "Programming";
  // check if name is present in txt
  // using contains()
  int result= txt.compareToIgnoreCase(str1);
  //boolean result = txt.contains(str1);
  if(result==0) {
   System.out.println(str1 + " is present in the string.");
  else {
   throw new SubstringNotFoundException();
class SubstringNotFoundException extends Exception{
     public String toString() {
                    return "Substring not found";
```



Exception in thread "main" Substring not found at Main.main(Main.java:22)

4.Problem Definition:

Write a Java program to perform the following operations:

- a) Create a file named Alphabets.txt and insert appropriate data into it
- b) Read the file and copy all the consonants into another file named Consonants.txt
- c) If vowel is encountered, throw an exception VowelNotAllowedException and continue until end of file

```
import java.util.Scanner;
import java.io.*;
class a1q4 {
  public static void main(String[] args)throws Exception {
       FileWriter w = new FileWriter("Alphabets.txt");
       Scanner sc = new Scanner(System.in);
       System.out.print("Enter the data to write in the file:");
       String str = sc.nextLine();
       w.write(str);
       w.close();
       File file = new File("Alphabets.txt");
       Scanner reader = new Scanner(file);
       StringBuilder s = new StringBuilder();
       FileWriter write = new FileWriter("Consonant.txt");
       while(reader.hasNext()){
          String data = reader.next();
          for (int i = 0; i < data.length(); i++) {
            if(isVowel(data.charAt(i))){
               throw new VowelNotAllowedException();
            }else{
               s.append(data.charAt(i));
          write.write(s.toString());
       write.close();
}
```

```
static boolean isVowel(char c) {
    if(c == 'a' || c == 'e' || c == 'i' || c == 'o' || c == 'u' || c == 'A' || c == 'E' || c == 'I' || c == 'U') {
        return true;
    } else {
        return false;
    }
}
```

```
- o ×
 50 }

51 class VowelNotAllowedException extends Exception[
   -53# public String toString() {
    return "Vowel Not allowed";
                                                                                                                                                                                                                                                                                                                                                                                                 Console × 2 Problems 3 Debug Shell
ministeds 149(lips Application (Cybrogram Files/Linskylds 18.0.1.1.bin/javaw.ene (12.5ep.2022.610.09 pm - 610.17 pm) [pid 13140]
test the data to virtie in the file :asisted
ception in thread Paint Vivoel Scc allowed
at aid; main(a)d=1, javaz/lds.
                                                                                                                                                                                                                                                                                                                                                                                                                                                | a| m = > 0 | 0
- a ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                            0 8 4 6
                                                          s.append(data.charAt(i));
                                 )
)
write.write(s.toString());
)
                                     write.close();
               static boolean isvowel(char c) {
    if (c == 'a' || c =='e' || c =='i' || c =='o' || c =='u' || c =='A' || c =='E' || c =='I' || c =='U')}
                         return true;
)else(
return false;
                1
| 195 | 1 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 
g Countle v ₹ Problems ② Debug Shell
citeminates - ate (Inva Application) C/Pognam Files/bavajds-18.0.11\bin\javaw.exe (12-Sep-2022, 607-52 pm - 607-59 pm) [pid 2336]
Eater the data to virte in the file = s]g()
                                                                                                                                                                                                                                                                                                                                                                                                  = X % | $ 2 9 9 5 2 0 - 1 - 0 0
                                                                                                                                                                                                           Writable Smart Insert 58:1:1494
   Alphabets.txt - Notepad
                                                                                                                                                                                                                                                                                                                                                                                                                                                - 🗆 X
   File Edit View
   sjgj
     Ln 1, Col 1
                                                                                                                                                                                                                                                                                              100% Windows (CRLF) UTF-8
```

5.Problem Definition:

Write a Java program to implement the following scenario:

- a) Create a file named Integers.txt and insert n-random integers into it
- b) Create three threads T1, T2 and T3 that read n/3 integers in sequence of occurrence of numbers from the file and sort the read n/3 integers
- c) Thread T4 waits for all the threads T1, T2 and T3 to complete sorting, then sorts and outputs the entire list of sorted numbers to another file named SortedIntegers.txt

```
import java.io.File;
import java.io.FileNotFoundException;
import java.io.FileWriter;
import java.io.IOException;
import java.util.Arrays;
import java.util.Scanner;
class a1q5 {
  private static int arr[];
  public static void main(String[] args) throws FileNotFoundException, InterruptedException,
IOException {
     File inputFile = new File("Integers.txt");
     File outputFile = new File("SortedIntegers.txt");
     FileWriter opWriter = new FileWriter(outputFile);
     Scanner sc = new Scanner(inputFile);
     int size = sc.nextInt();
     arr = new int[size];
     int i = 0;
     while (sc.hasNext()) {
       arr[i++] = sc.nextInt();
     sc.close();
     Thread T1 = new Thread() {
       public void run() {
          ThreadSorting(arr, 0, (size / 3) - 1);
     };
    Thread T2 = new Thread()  {
       public void run() {
          ThreadSorting(arr, (size / 3), ((size / 3) * 2) - 1);
     };
```

```
Thread T3 = new Thread() {
     public void run() {
        ThreadSorting(arr, ((size / 3) * 2), (size - 1));
  };
  Thread T4 = new Thread()  {
     public void run() {
       ThreadSorting(arr, 0, size - 1);
  };
  T1.start();
  T1.join();
  T2.start();
  T2.join();
  T3.start();
  T3.join();
  T4.start();
  T4.join();
  for (int num: arr) {
     opWriter.append(String.valueOf(num) + " ");
  opWriter.close();
}
public static void ThreadSorting(int arr[], int start, int end) {
  int tempArr[] = new int[end - start + 1];
  int tempIndex = 0;
  for (int i = \text{start}; i \le \text{end}; i++) {
     tempArr[tempIndex++] = arr[i];
  Arrays.sort(tempArr);
  int index = start;
  for (int n : tempArr) {
     arr[index++] = n;
```



