CUSTOMER AND COMMERCIAL DILIGENCE REVIEW - RECORD 010

Helioscope Robotics, Inc. - diligence file reference CUSTOMER_DILIGENCE-010

Entitlement consumption by site at Halcyon Medical Supply

Boone Castellanos sets out that overage exposure is concentrated in the last quarter of each contract year, and the schedule below is the evidence for it, drawn from 8 records rather than from a summary prepared for us. The Mebane team carries a further observation: site-level allocation of entitlement is notional and not written into the order form. The Mebane site is drawn at this grain on purpose, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Statesville produced 0 severity-one events in 2022-Q3, and resolution attainment of 66 per cent triggered credits of $1,929. Halcyon Medical Supply was credited in April with $0, against an invoiced amount of $106,468. Kernersville produced 1 severity-one events in 2023-Q2, and resolution attainment of 80 per cent triggered credits of $1,614. Halcyon Medical Supply was credited in January with $0, against an invoiced amount of $96,000. Statesville (HAL-04) shows charger handshake failures on one dock as the complaint theme, on 30 tickets in 2023-Q4. Halcyon Medical Supply metered October at 293,249 picks against an entitlement of 217,528, and was invoiced $114,930. La Vergne reached 83 per cent on response and 86 per cent on resolution, and credits of $7,001 followed. Meter and invoice diverge in February at Halcyon Medical Supply by $-107, which the parties treat as no exception raised.

The Halcyon Medical Supply estate must be read subject to two limits: picks metered exclude re-picks that the site says should be excluded, and exposure is computed at the contract overage rate before any negotiated relief. This Halcyon Medical Supply review also observed, when the schedule was put to the customer, that utilisation varies by site far more than the account-level figure suggests, which is consistent with what the documents show without being proved by them. The Statesville building accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Ticket volume reached 39 at Statesville in 2022-Q2, of which 1 were classified at the highest severity. Consumption recorded for Halcyon Medical Supply in February ran to 216,850 picks, 0 of them above entitlement. Kernersville reached 97 per cent on response and 82 per cent on resolution, and credits of $5,934 followed. Reconciling January leaves Halcyon Medical Supply with a variance of $-427, credited in the following billing cycle. Mebane reached 88 per cent on response and 65 per cent on resolution, and credits of $6,466 followed. Halcyon Medical Supply metered November at 226,903 picks against an entitlement of 217,528, and was invoiced $98,343. La Vergne (HAL-03) shows pick confirmation duplicated in the host WMS as the complaint theme, on 12 tickets in 2022-Q2. Halcyon Medical Supply metered June at 253,057 picks against an entitlement of 217,528, and was invoiced $104,882.

Schedule 10.1 - Halcyon Medical Supply: entitlement against consumption by site

Site	Period	Picks metered	Entitled picks	Utilisation (%)	Overage exposure
Mebane (HAL-01)	2022-05	39,589	50,756	78.0	nil
Mebane (HAL-01)	2022-06	39,589	50,756	78.0	nil
Mebane (HAL-01)	2022-07	46,568	50,756	91.7	nil
Mebane (HAL-01)	2022-08	56,931	50,756	112.2	$1,852
Mebane (HAL-01)	2022-09	52,067	50,756	102.6	$393
Mebane (HAL-01)	2022-10	50,363	50,756	99.2	nil
Mebane (HAL-01)	2022-11	52,944	50,756	104.3	$656
Mebane (HAL-01)	2022-12	54,492	50,756	107.4	$1,120

Concentration sensitivity at Halcyon Medical Supply

Fieldwork at Halcyon Medical Supply records that the second scenario is the one that would change a valuation view, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. The Halcyon Medical Supply bundle adds a second point: the scenarios assume no offsetting expansion, which is deliberately pessimistic. The Mebane team carries the detail at record level deliberately, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Lindenvale Grocery began on 2023-02-14 and its structure is described as auto-renew annually, board approval required for expansion. Kernersville produced 0 severity-one events in 2023-Q4, and resolution attainment of 94 per cent triggered credits of $0. Arborlight Home began on 2021-11-22 and its structure is described as auto-renew annually unless either

party gives sixty days notice. Attainment figures from Mebane show 99 per cent on response against 84 per cent on resolution. Kestrel Pharma is banded at 55 to 75 per cent on renewal, the trigger being labour agreement restricts further automation at the site. Mebane (HAL-01) shows safety scanner nuisance stops near the pack line as the complaint theme, on 28 tickets in 2023-Q4. Looking across at Vantageport Terminals, the renewal structure reads as fixed term, twelve-month rolling thereafter. Mebane triggered credits of $0 following resolution attainment of 94 per cent.

Priyamvada Ramaswamy's team must be read subject to two limits: scenarios are arithmetic on shares and carry no probability weighting, and the comment column states the assumption that most affects each line. The La Vergne operation also observed, when the schedule was put to the customer, that losing the largest account leaves a base whose new leader is close behind, which is consistent with what the documents show without being proved by them. Halcyon Medical Supply accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Whatever this account decides, Sablecreek Apparel reaches its own renewal on 2026-12-11 with no movement; customer wants the punch list closed first. Although the console reported no outage at Kernersville, the site still raised 41 tickets in 2022-Q3. Set beside Lindenvale Grocery, which runs 4 sites at 110 robots, this account is the better documented of the two. Ticket volume reached 41 at Kernersville in 2022-Q3, of which 2 were classified at the highest severity. Comparison with Thornquist Parcel is instructive, since it prices on per-pick metering with a floor commitment and pays on net thirty, monthly in arrears. Kernersville reached 85 per cent on response and 90 per cent on resolution, and credits of $0 followed. Sander Rijkaard runs procurement at Vantageport Terminals, where the executive sponsor is Cato Willemse. Ticket volume reached 41 at Kernersville in 2022-Q3, of which 2 were classified at the highest severity.

Schedule 10.2 - concentration sensitivity run for the Halcyon Medical Supply review

Scenario	Accounts lost	Share removed (%)	Residual top-account share (%)	Comment
loss of the top 1 account(s)	Thornquist Parcel	14.5	12.0	assumes the notice window is used in full
loss of the top 2 account(s)	Thornquist Parcel; Arborlight Home	26.5	8.8	assumes hardware is stranded at the lost sites
loss of the top 3 account(s)	Thornquist Parcel; Arborlight Home; Northriding Automotive	35.3	8.4	assumes no offsetting expansion elsewhere

Halcyon Medical Supply - churn and downgrade record

The Halcyon Medical Supply estate puts on the record that partial non-renewals are more common than outright losses, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. This Halcyon Medical Supply review supports a related reading: win-back activity amounts in two cases to a proposal that was never followed up. The Halcyon Medical Supply estate is scheduled at record level rather than in summary, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Looking across at Northriding Automotive, the renewal structure reads as auto-renew in twenty-four-month increments. Where the plan assumed a clean run, Kernersville instead took 17 extra days over site survey and slotting scan, for customer safety committee required a revised risk assessment. Comparison with Ossuary Ridge Beverage is instructive, since it prices on per-robot subscription, no platform fee and pays on net thirty. Once Kernersville had dealt with customer safety committee required a revised risk assessment, the site completed wms interface build and message mapping on 2022-02-18. Whatever this account decides, Ironbark Building Materials reaches its own renewal on 2026-10-25 with expansion signed for a second wave of robots. Mebane logged conditional acceptance certificate on 2023-01-07; the customer attributes the slip to host WMS upgrade re-sequenced the interface build. Northriding Automotive carries an ACV band of 1.9m to 2.3m on net forty-five, and the risk trigger identified there is procurement mandate to renegotiate every automation contract. Although Kernersville treats it as outside anyone's control, site survey and slotting scan still moved to 2021-12-05 for customer safety committee required a revised risk assessment.

The Statesville building should be read with two qualifications: effective dates are contractual expiry dates and not the date the robots stopped, and the register counts sites affected rather than robots withdrawn. Diligence on Halcyon Medical Supply also observed, when the schedule was put to the customer, that the clearest loss reflects sales qualification rather than product performance, which is consistent with what the documents show without being proved

by them. The Mebane site accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Kernersville (HAL-02) reached pilot cell go-live on 2022-06-13, status closed, with 0 punch items open at that gate. Ironbark Building Materials is banded at 55 to 75 per cent on renewal, the trigger being site consolidation programme will close one deployment. Statesville (HAL-04) shows pilot cell go-live completed on 2023-06-15, status closed, with nothing carried forward on the schedule. The nearest comparable on fleet density is Crestmoor Office Products, priced on per-pick metering with a declining floor commitment. On the evidence from Mebane, network and radio-frequency readiness review slipped 44 days and the status now reads closed. Ossuary Ridge Beverage renews on 2026-10-03, and Dmitri Kaslauskas owns that conversation on the company side. Deployment records at La Vergne leave pilot cell go-live closing on 2022-11-26, status closed. The nearest comparable on fleet density is Palo Verde Electronics, priced on per-robot subscription with an electrostatic-safe hardware premium.

Schedule 10.3 - churn and non-renewal register cited in the Halcyon Medical Supply review

Account	Event	Effective date	Stated reason	Sites affected	Win-back activity
Tidewater Marine Spares	notice of intent to review	2025-08-15	severity-one recurrence and an open credit dispute	2	executive escalation meeting scheduled
Caldera Cold Chain	renewal held pending remediation	2026-01-10	freezer-aisle reliability unresolved	3	remediation plan under joint review
Ossuary Ridge Beverage	non-renewal at expiry	2024-10-03	case-picking mix defeated the tote-based fleet	2	win-back proposal declined; contact left the business

Support and reliability at Halcyon Medical Supply from the customer's side of the desk

Severity-one events across the estate total 24 over the periods examined, and the distribution is site-specific rather than uniform, which matters because the customer experiences reliability building by building. Statesville (HAL-04) recorded the weakest resolution attainment at 61 per cent in 2022-Q2, against a response attainment of 98 per cent in the same quarter. Resolution lags response across every site, which is the pattern a site notices and a dashboard hides. Reviewing the 2023-Q1 quarter, La Vergne shows 30 tickets and a recurring theme of wireless roaming loss in the cold zone. Kernersville keeps returning to one theme, lift-plate calibration drift, and it survived into 2024-Q2. Mebane (HAL-01) shows safety scanner nuisance stops near the pack line as the complaint theme, on 32 tickets in 2024-Q2. La Vergne triggered credits of $0 following resolution attainment of 96 per cent. Ticket volume reached 27 at La Vergne in 2023-Q4, of which 2 were classified at the highest severity. Kernersville (HAL-02) met response targets 85 per cent of the time, and resolution targets rather less often. Kernersville keeps returning to one theme, traffic deadlock at an aisle intersection, and it survived into 2023-Q2. La Vergne produced 2 severity-one events in 2023-Q2, and resolution attainment of 62 per cent triggered credits of $610. Kernersville (HAL-02) met response targets 85 per cent of the time, and resolution targets rather less often. Although the console reported no outage at Mebane, the site still raised 25 tickets in 2022-Q3. La Vergne triggered credits of $0 following resolution attainment of 96 per cent.

Severity classification is decided by the company, and Boone Castellanos raised that as a grievance without being asked about it. The party classifying the ticket controls the penalty, and the schedule shows 23 quarters where credits were issued, all of them after the customer escalated rather than through automatic operation of the service schedule. No credit was issued without an escalation. Ticket volume reached 27 at La Vergne in 2023-Q4, of which 2 were classified at the highest severity. Recurring at Kernersville through that quarter was interface message backlog after a host restart, across 42 tickets. La Vergne produced 2 severity-one events in 2023-Q4, and resolution attainment of 83 per cent triggered credits of $915. Reviewing the 2023-Q3 quarter, La Vergne shows 17 tickets and a recurring theme of charger handshake failures on one dock. Statesville (HAL-04) logged 34 tickets in 2023-Q2 including 1 at severity one, with resolution attainment of 75 per cent. Although the console reported no outage at Statesville, the site still raised 20 tickets in 2023-Q3. Statesville (HAL-04) logged 20 tickets in 2023-Q3 including 0 at severity one, with resolution attainment of 83 per cent. Ticket volume reached 15 at Mebane in 2024-Q1, of which 1 were classified at the highest severity. La Vergne reached 93 per cent on response and 76 per cent on resolution, and credits of $5,246 followed. Mebane reached 91 per cent on response and 86 per cent on resolution, and credits of $1,019 followed. Kernersville triggered credits of $0 following resolution attainment of 94 per cent.

Recurring themes are worth more than volumes in this analysis, because a hundred nuisance stops are a tuning problem while three traffic deadlocks may be a design limit. One theme dominates the ticket record: fleet console latency

during shift change, which appears in more than one quarter and at more than one site. The company reads it as environmental, while the site treats it as a product limitation, and the documents do not clearly support either position. La Vergne (HAL-03) shows traffic deadlock at an aisle intersection as the complaint theme, on 31 tickets in 2022-Q4. Attainment figures from Kernersville show 86 per cent on response against 82 per cent on resolution. La Vergne (HAL-03) is where lift-plate calibration drift recurs, and the quarter to 2022-Q1 shows 2 severity-one events. Reviewing the 2023-Q4 quarter, La Vergne shows 27 tickets and a recurring theme of traffic deadlock at an aisle intersection. Kernersville keeps returning to one theme, fleet console latency during shift change, and it survived into 2023-Q3. La Vergne keeps returning to one theme, lift-plate calibration drift, and it survived into 2023-Q2. Ticket volume reached 41 at Kernersville in 2022-Q3, of which 2 were classified at the highest severity. Reviewing the 2022-Q3 quarter, La Vergne shows 11 tickets and a recurring theme of pick confirmation duplicated in the host WMS. Kernersville keeps returning to one theme, wireless roaming loss in the cold zone, and it survived into 2022-Q4. La Vergne triggered credits of $0 following resolution attainment of 96 per cent. Kernersville triggered credits of $0 following resolution attainment of 94 per cent.

Comparison of the accounts given supporting the Halcyon Medical Supply review

The Halcyon Medical Supply workpaper sets out that management has not addressed one topic in writing at all, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. Priyamvada Ramaswamy supports a related reading: the disagreements are individually small and collectively shape the renewal negotiation. The Mebane site is reported at this grain to make comparison possible, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Talking to Estefania Colmenares for 42 minutes by video call produced the claim that units picked per operator hour improved by 39 per cent, not substantiated: the baseline period predates the current network design. At Mebane the gate for pilot cell go-live was planned for 2022-08-18 and closed on 2022-09-02, the delay being validation protocol rewritten after a quality-assurance review. Praise from Noor Al-Rashidi took the form that robots tolerated the mixed pallet and tote presentations on the floor, and it came without prompting. Although La Vergne treats it as outside anyone's control, site survey and slotting scan still moved to 2022-05-08 for validation protocol rewritten after a quality-assurance review. Asked what worked, Winslow Beauchamp-Tay said that firmware rollbacks were quick when a release misbehaved; asked what did not, the answer was that overage billing surprised the site in two consecutive quarters. Although Mebane treats it as outside anyone's control, conditional acceptance certificate still moved to 2023-01-07 for host WMS upgrade re-sequenced the interface build. Whatever the company's materials claim, Tobias Ekwueme described the position on shrink attributable to mis-picks as substantiated: the site produced labour reports for the comparison periods. Mebane (HAL-01) cleared wms interface build and message mapping on 2022-06-11 against a plan of 2022-04-01, a difference of 71 days recorded against floor coating and line marking delayed by a contractor dispute.

Boone Castellanos carries two qualifications: a topic omitted here is a topic on which nothing was contested, and management positions are as represented to us and were not always documented. The Mebane team also observed, when the schedule was put to the customer, that on two topics the documents are silent and the disagreement cannot be closed, which is consistent with what the documents show without being proved by them. The Halcyon Medical Supply estate accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Nothing needed explaining at Statesville for pilot cell go-live, which was reached on 2023-06-15 as planned. Oisin Barrowclough, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the roadmap commitments given during the sales cycle slipped a year. La Vergne (HAL-03) reached conditional acceptance certificate on 2023-02-07, status conditional acceptance issued, with 12 punch items open at that gate. Asked what worked, Lise Vandermolen said that the account team escalated without being chased; asked what did not, the answer was that support handoffs across time zones lose context between shifts. Kernersville (HAL-02) reached punch-list closure review on 2022-12-06, status punch list closed, with 12 punch items open at that gate. Tobias Ekwueme volunteered that training material let the site train its own operators after month four, and the claim on shrink attributable to mis-picks was substantiated: the site produced labour reports for the comparison periods. The slip of 10 days at Kernersville on wms interface build and message mapping is the one the customer raises first, and it traces to customer safety committee required a revised risk assessment. Lise Vandermolen raised the complaint that support handoffs across time zones lose context between shifts, and put the improvement in shrink attributable to mis-picks at 23 per cent.

Schedule 10.4 - Halcyon Medical Supply: said, shown and reported compared

Topic	Customer statement	Document evidence	Company reported position	Diligence treatment
punch-list closure	the customer describes the position as unresolved	the operations pack contradicts both accounts	management reports the matter as closed	resolved in favour of the document trail
renewal intent	the site states it happened later than recorded	the invoice sequence supports neither reading cleanly	management reports a smaller exposure	carried forward for management response
fleet size in production	the interviewee accepts the company account	the message log supports the company	management reports the milestone as achieved	treated as immaterial to value but noted

Halcyon Medical Supply - concentration of the base

The Mebane team puts on the record that removing the affiliated account changes the shape of the base only slightly, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. The Halcyon Medical Supply estate goes further: one account in the ranking is an affiliate of an existing shareholder. The Mebane team is scheduled at record level rather than in summary, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Billing for December charged Halcyon Medical Supply $115,759 on a metered volume of 296,566, and the exception was closed with no adjustment after evidence review. Among the peer accounts it is Ossuary Ridge Beverage where unresolved severity-one recurrence in the freezer aisles. Billing for June charged Halcyon Medical Supply $96,000 on a metered volume of 169,671, and the exception was disputed; invoice held pending a joint meter review. Whatever this account decides, Pennarth Industrial reaches its own renewal on 2027-09-01 with no movement; customer wants the punch list closed first. Billing for August charged Halcyon Medical Supply $96,000 on a metered volume of 182,360, and the exception was no exception raised. The nearest comparable on fleet density is Northriding Automotive, priced on per-robot subscription with a bonded consignment module. Overage in February at Halcyon Medical Supply came to 0 picks, entitlement having been fixed at signature. Tidewater Marine Spares carries an ACV band of 0.4m to 0.6m on net sixty, and the risk trigger identified there is budget reallocated to a conveyor retrofit.

This Halcyon Medical Supply review should be read with two qualifications: expiry dates ignore auto-renewal, which is why several look nearer than they are, and shares are of the customer base examined and no consolidated total is asserted. The Statesville building also observed, when the schedule was put to the customer, that the ranking by share differs from the ranking by fleet size, which is consistent with what the documents show without being proved by them. Diligence on Halcyon Medical Supply accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Whatever this account decides, Ossuary Ridge Beverage reaches its own renewal on 2026-10-03 with expansion signed for a second wave of robots. Credits reaching Halcyon Medical Supply in the September cycle came to $0, and the balance remains as credited in the following billing cycle. Kestrel Pharma is banded at 55 to 75 per cent on renewal, the trigger being labour agreement restricts further automation at the site. Billing for July charged Halcyon Medical Supply $102,616 on a metered volume of 243,993, and the exception was no exception raised. Looking across at Tidewater Marine Spares, the renewal structure reads as at risk; notice window opens in the coming quarter. Halcyon Medical Supply in September shows entitlement of 217,528 against consumption of 223,147, recorded as credited in the following billing cycle. Solstice Renewables renews on 2027-12-05, and Juniper Halloran-Voss owns that conversation on the company side. Credits reaching Halcyon Medical Supply in the July cycle came to $0, and the balance remains as no exception raised.

Schedule 10.5 - customer concentration of the base, ranked, per the Halcyon Medical Supply workpaper

Account	Share of base (%)	Cumulative (%)	Affiliation	Contract expiry
Thornquist Parcel	14.5	14.5	no affiliation identified	2023-04-06
Arborlight Home	12.0	26.5	no affiliation identified	2024-11-22
Northriding Automotive	8.8	35.3	no affiliation identified	2025-09-27

Scope of the Halcyon Medical Supply account review

Halcyon Medical Supply was selected for account-level fieldwork because it sits in medical-surgical supply distribution across 4 operating sites, a footprint wide enough that a single unhappy building would not by itself explain the relationship temperature management describes as warm, strong internal champion, procurement friction. Testing reached the order documents, the executed acceptance protocols, the metered usage extracts, the support export, and the

renewal correspondence, with 4 reference conversations held directly rather than through the company. Tobias Ekwueme was interviewed by video call on 2026-03-03 and gave the longest of those conversations at 48 minutes. Talking to Emeka Onwuachi for 55 minutes by on-site walkthrough produced the claim that inventory record accuracy after cycle counting improved by 11 per cent, not substantiated: the interviewee described it as an impression. The amended order form sits on the Halcyon Medical Supply file and is the source for nothing, because it was never produced. Emrys Pengelly, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that integration change requests are quoted at professional-services rates. Halcyon Medical Supply let us check the renewal correspondence file against the customer's own copy, and it shows what each party put in writing about intent. Oisin Barrowclough answered on re-buy with yes, subject to a commercial reset on overage and would not be drawn further on price or on term. Halcyon Medical Supply relies on the works council consultation note for its own account of the position, and it shows the labour constraints on further automation. Estefania Colmenares, speaking as IT applications manager for the host WMS, said that reporting cannot be reconciled against the customer's own labour standard and pressed the point twice before the call ended. The credit note sequence sits on the Halcyon Medical Supply file and is the source for what was conceded and in which period. Because Oisin Barrowclough sees the fleet every shift, the first question put was about order cycle time from release to pack-out, answered at 17 per cent. The joint escalation minutes at Halcyon Medical Supply carries more weight than any summary, since it shows what was agreed when the relationship was under strain. Obinna Chukwuemeka treats the relationship as one where throughput held up during the promotional peak without extra labour, and the dock-to-stock hours on inbound receipts figure offered was 28 per cent.

Priyamvada Ramaswamy agreed to speak on the record about procurement history, which is unusual and worth stating, because most buy-side reference programmes reach only the operating sponsor and then generalise about commercial intent from an operator's view. Our reach into the account varied: the operating layer answered freely, whereas Boone Castellanos deferred two questions on renewal budget to the procurement function. No inference is drawn from that, but it does mean the renewal probability recorded later in this file rests on procurement statements that were not independently corroborated. Emrys Pengelly would re-buy on the basis of yes, and has already sponsored an expansion, having first complained that integration change requests are quoted at professional-services rates. The console meter extract at Halcyon Medical Supply carries more weight than any summary, since it shows the volume the company recorded. Obinna Chukwuemeka raised the complaint that overage billing surprised the site in two consecutive quarters, and put the improvement in dock-to-stock hours on inbound receipts at 28 per cent. Reading the site labour standard for Halcyon Medical Supply is what establishes the baseline against which benefits are claimed. Because Oisin Barrowclough sees the fleet every shift, the first question put was about order cycle time from release to pack-out, answered at 17 per cent. The credit note sequence at Halcyon Medical Supply carries more weight than any summary, since it shows what was conceded and in which period. Oisin Barrowclough was reached by telephone and gave a re-buy answer of yes, subject to a commercial reset on overage, which sits oddly beside the praise that throughput held up during the promotional peak without extra labour. The published reference case study obtained from Halcyon Medical Supply was read in full rather than in extract, since it shows what was claimed to the market. Lise Vandermolen treats the relationship as one where the account team escalated without being chased, and the shrink attributable to mis-picks figure offered was 23 per cent. Halcyon Medical Supply let us check the amended order form against the customer's own copy, and it shows nothing, because it was never produced. Noor Al-Rashidi answered on re-buy with undecided pending the current escalation and would not be drawn further on price or on term.

Documents obtained from the company were reconciled to documents obtained from the customer wherever both existed, and the 22 milestones that ran more than twenty days late were traced to a named cause rather than accepted as generic implementation drift. Our conclusions are bounded three ways: the metered volumes come from the company's own console and cannot be independently recomputed, the customer released operations data only in summary form, and payment behaviour was assessed from the aged receivable listing rather than from bank records. Nothing in this file states or implies a view on the transaction under negotiation; it addresses the durability of one commercial relationship. Reading the works council consultation note for Halcyon Medical Supply is what establishes the labour constraints on further automation. Obinna Chukwuemeka would re-buy on the basis of yes, subject to a commercial reset on overage, having first complained that overage billing surprised the site in two consecutive quarters. Halcyon Medical Supply let us check the amended order form against the customer's own copy, and it shows nothing, because it was never produced. Jarrah Mundawindi was reached by telephone and gave a re-buy answer of yes, but only for high-velocity zones, which sits

oddly beside the praise that implementation engineers were candid about what the pilot would not prove. The host interface message log for Halcyon Medical Supply was produced on request and shows how the interface behaved on receipt confirmations. Estefania Colmenares raised the complaint that reporting cannot be reconciled against the customer's own labour standard, and put the improvement in units picked per operator hour at 39 per cent. Halcyon Medical Supply let us check the published reference case study against the customer's own copy, and it shows what was claimed to the market. Because Tobias Ekwueme sees the fleet every shift, the first question put was about shrink attributable to mis-picks, answered at 16 per cent. The credit note sequence at Halcyon Medical Supply carries more weight than any summary, since it shows what was conceded and in which period. Emeka Onwuachi, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the analytics module is priced separately and was never budgeted. The site labour standard at Halcyon Medical Supply carries more weight than any summary, since it shows the baseline against which benefits are claimed.

Related-party and affiliation screening in the Halcyon Medical Supply review

Affiliation screening was run across the customer base rather than only on the account under review, because a single affiliated customer changes how an investor reads a reference pack. One affiliation was identified: Solstice Renewables Field Services is an affiliate of an existing shareholder, contracted on 2022-12-05 with an ACV band of 0.3m to 0.5m. Halcyon Medical Supply itself showed no affiliation on the register searches performed, and its procurement contact confirmed no ownership or advisory relationship. La Vergne lost time because floor coating and line marking delayed by a contractor dispute, and punch-list closure review moved to 2023-04-13 from a planned 2023-03-23. Grindelwald Precision deploys 23 robots across 1 sites and is banded at 0.3m to 0.4m. Kernersville (HAL-02) reached wms interface build and message mapping on 2022-02-18, status closed, with 0 punch items open at that gate. The nearest comparable on fleet density is Palo Verde Electronics, priced on per-robot subscription with an electrostatic-safe hardware premium. Although La Vergne treats it as outside anyone's control, site survey and slotting scan still moved to 2022-05-08 for validation protocol rewritten after a quality-assurance review. Whatever this account decides, Grindelwald Precision reaches its own renewal on 2027-08-08 with expansion order for one additional site under evaluation. Once Kernersville had dealt with customer safety committee required a revised risk assessment, the site completed site survey and slotting scan on 2021-12-05. Solstice Renewables pays on net thirty, a longer cycle than most of the base and one negotiated at signature. Turning to Mebane, the tracker puts integration test in the customer sandbox at 2022-08-06 where the plan said 2022-06-23, the gap being customer safety committee required a revised risk assessment. Among the peer accounts it is Tidewater Marine Spares where budget reallocated to a conveyor retrofit. Acceptance slipped 3 days at Mebane before final acceptance certificate was recorded as final acceptance granted.

Solstice Renewables was reviewed on its own terms to see whether the affiliation shows in the commercial substance, which is the question that matters rather than the label. Pricing sits below the band for comparable fleets, and the order form contains a most-favoured-rate statement that no other reviewed contract carries. The implementation record is conventional, with slippage and punch items in line with unaffiliated sites, so the relationship is not a paper arrangement. Where the plan assumed a clean run, Statesville instead took 26 extra days over site survey and slotting scan, for facility readiness: mezzanine steel and charger bays incomplete. Ironbark Building Materials is banded at 55 to 75 per cent on renewal, the trigger being site consolidation programme will close one deployment. The slip of 36 days at Statesville on network and radio-frequency readiness review is the one the customer raises first, and it traces to floor coating and line marking delayed by a contractor dispute. Ellery Vandersloot sponsors the Arborlight Home deployment, which covers 8 sites in omnichannel home goods retail. Progress at Kernersville shows punch-list closure review signed off on 2022-12-06 against 2022-11-04 as planned. Ossuary Ridge Beverage renews on 2026-10-03, and Dmitri Kaslauskas owns that conversation on the company side. At Kernersville the gate for wms interface build and message mapping was planned for 2022-02-08 and closed on 2022-02-18, the delay being customer safety committee required a revised risk assessment. Crestmoor Office Products pays on net thirty, a longer cycle than most of the base and one negotiated at signature. Turning to Mebane, the tracker puts integration test in the customer sandbox at 2022-08-06 where the plan said 2022-06-23, the gap being customer safety committee required a revised risk assessment. Set beside Crestmoor Office Products, which runs 4 sites at 142 robots, this account is the better documented of the two. Although Statesville treats it as outside anyone's control, network and radio-frequency readiness review still moved to 2022-12-21 for floor coating and line marking delayed by a contractor dispute.

Two consequences follow, and only the second is significant. Removing it moves the base marginally, so a reader who prefers to strip related-party revenue out of a growth or retention statistic can do so without the picture changing. The most-favoured wording is the live issue, since a clause negotiated with an affiliate may constrain pricing to unaffiliated customers, and that question has been passed to the legal workstream with the document reference. Punch items numbering 0 remained at Mebane when network and radio-frequency readiness review was signed on 2022-02-24. Ellery Vandersloot sponsors the Arborlight Home deployment, which covers 8 sites in omnichannel home goods retail. Kernersville is one of the few sites where network and radio-frequency readiness review ran to plan, closing on 2022-01-03. Whatever this account decides, Kestrel Pharma reaches its own renewal on 2026-06-30 with expansion order for one additional site under evaluation. Where the plan assumed a clean run, Kernersville instead took 17 extra days over site survey and slotting scan, for customer safety committee required a revised risk assessment. Comparison with Thornquist Parcel is instructive, since it prices on per-pick metering with a floor commitment and pays on net thirty, monthly in arrears. Once Mebane had dealt with inbound volumes surged, the pilot aisle was reclaimed for storage, the site completed network and radio-frequency readiness review on 2022-02-24. Caldera Cold Chain deploys 70 robots across 3 sites and is banded at 0.9m to 1.1m. Statesville (HAL-04) reached conditional acceptance certificate on 2023-09-27, status conditional acceptance issued, with 11 punch items open at that gate. Set beside Ironbark Building Materials, which runs 3 sites at 81 robots, this account is the better documented of the two. Progress at Mebane shows conditional acceptance certificate signed off on 2023-01-07 against 2022-10-29 as planned.

Buying centre and procurement dynamics at Halcyon Medical Supply

Priyamvada Ramaswamy, Strategic Sourcing Director controls the paper and Boone Castellanos, Vice President of Distribution controls the budget, and in medical-surgical supply distribution that split usually decides how a renewal is priced rather than whether it happens. Each was interviewed without the other present, which is how the divergence in their accounts of the overage dispute came to light. The dispute had not been documented between them, which suggests the account team is managing two conversations rather than one relationship. Billing for June charged Halcyon Medical Supply $96,000 on a metered volume of 169,671, and the exception was disputed; invoice held pending a joint meter review. Emeka Onwuachi, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the analytics module is priced separately and was never budgeted. Halcyon Medical Supply used in August only 210,458 of an entitled 217,528, and no credit was sought in that cycle. Estefania Colmenares, the IT applications manager for the host WMS, spoke on 2026-04-03 and praised that implementation engineers were candid about what the pilot would not prove, answering the re-buy question with yes, without qualification. Console records for June at Halcyon Medical Supply show 253,057 picks, and the invoice followed at $104,882. Estefania Colmenares raised the complaint that reporting cannot be reconciled against the customer's own labour standard, and put the improvement in units picked per operator hour at 39 per cent. Meter and invoice diverge in June at Halcyon Medical Supply by $-588, which the parties treat as disputed; invoice held pending a joint meter review. Emrys Pengelly would re-buy on the basis of yes, and has already sponsored an expansion, having first complained that integration change requests are quoted at professional-services rates. Meter and invoice diverge in February at Halcyon Medical Supply by $-107, which the parties treat as no exception raised. Estefania Colmenares, speaking as IT applications manager for the host WMS, said that reporting cannot be reconciled against the customer's own labour standard and pressed the point twice before the call ended. Halcyon Medical Supply carried overage in December of 16,010 picks, which the invoice reflects and the site disputes on definition rather than count.

Signature authority sits above both contacts for any increase in committed spend, and the threshold was described to us in terms of a capital approval process rather than a number. Expansion competes for capital against other projects, and the current queue at this customer is dominated by a conveyor retrofit and a transport-management system replacement. The competing projects are not evidence of dissatisfaction, which is worth saying because a flat renewal at this account will look like stalled expansion in a cohort chart. Jarrah Mundawindi answered on re-buy with yes, but only for high-velocity zones and would not be drawn further on price or on term. Console records for October at Halcyon Medical Supply show 308,730 picks, and the invoice followed at $118,800. Whatever the company's materials claim, Tobias Ekwueme described the position on shrink attributable to mis-picks as substantiated: the site produced labour reports for the comparison periods. Halcyon Medical Supply's ledger for April shows overage of 0 picks, credits of $5,528 and a variance of $640, partially credited; the balance remains contested. Estefania Colmenares, speaking as IT

applications manager for the host WMS, said that reporting cannot be reconciled against the customer's own labour standard and pressed the point twice before the call ended. Halcyon Medical Supply carried overage in August of 26,465 picks, which the invoice reflects and the site disputes on definition rather than count. Obinna Chukwuemeka treats the relationship as one where throughput held up during the promotional peak without extra labour, and the dock-to-stock hours on inbound receipts figure offered was 28 per cent. Reconciling June leaves Halcyon Medical Supply with a variance of $-583, closed with no adjustment after evidence review. Obinna Chukwuemeka raised the complaint that overage billing surprised the site in two consecutive quarters, and put the improvement in dock-to-stock hours on inbound receipts at 28 per cent. Overage in July at Halcyon Medical Supply came to 26,465 picks, entitlement having been fixed at signature. Estefania Colmenares, speaking as IT applications manager for the host WMS, said that reporting cannot be reconciled against the customer's own labour standard and pressed the point twice before the call ended.

Procurement's stated intent is to benchmark, and the benchmarking it described is real: a specification was drafted and two vendors were approached informally. The exercise stopped short of a tender, and the sponsor said he would resist one on the grounds that a re-integration would cost more than any discount obtained. Commercially the sponsor view is what protects the renewal, and the account plan we were shown does not mention it. Praise from Noor Al-Rashidi took the form that robots tolerated the mixed pallet and tote presentations on the floor, and it came without prompting. Billing for August charged Halcyon Medical Supply $102,616 on a metered volume of 243,993, and the exception was no exception raised. Asked what worked, Noor Al-Rashidi said that robots tolerated the mixed pallet and tote presentations on the floor; asked what did not, the answer was that severity classification is decided by the vendor, not by the site. Halcyon Medical Supply metered June at 253,057 picks against an entitlement of 217,528, and was invoiced $104,882. Lise Vandermolen treats the relationship as one where the account team escalated without being chased, and the shrink attributable to mis-picks figure offered was 23 per cent. Halcyon Medical Supply used in April only 181,454 of an entitled 217,528, and no credit was sought in that cycle. Emeka Onwuachi answered on re-buy with no comment; referred the question to procurement and would not be drawn further on price or on term. Halcyon Medical Supply in November shows entitlement of 217,528 against consumption of 226,903, recorded as no exception raised. Tobias Ekwueme volunteered that training material let the site train its own operators after month four, and the claim on shrink attributable to mis-picks was substantiated: the site produced labour reports for the comparison periods. Console records for December at Halcyon Medical Supply show 233,538 picks, and the invoice followed at $100,002. Asked what worked, Noor Al-Rashidi said that robots tolerated the mixed pallet and tote presentations on the floor; asked what did not, the answer was that severity classification is decided by the vendor, not by the site.

Concentration of the customer base seen from the Halcyon Medical Supply file

Thornquist Parcel is the largest single relationship in the base at 14.5 per cent of recurring value, and the top three accounts together carry 35.3 per cent. Halcyon Medical Supply ranks 5 on the same measure, which is why its renewal is treated as a value-relevant event rather than as routine account management. Percentages are computed on the base examined, and no consolidated figure is asserted here because the reconciliation to management's own reporting sits with the finance workstream. Console records for March at Halcyon Medical Supply show 204,113 picks, and the invoice followed at $96,000. Thornquist Parcel renews on 2026-04-06, and Juniper Halloran-Voss owns that conversation on the company side. Meter and invoice diverge in March at Halcyon Medical Supply by $427, which the parties treat as partially credited; the balance remains contested. Devrim Oksuz runs procurement at Caldera Cold Chain, where the executive sponsor is Hallie Tsuruoka. Halcyon Medical Supply's ledger for January shows overage of 0 picks, credits of $0 and a variance of $-427, credited in the following billing cycle. Northriding Automotive pays on net forty-five, a longer cycle than most of the base and one negotiated at signature. Halcyon Medical Supply's position for March was settled as resolved: meter reconciliation accepted by both parties, on an invoice of $96,000. Looking across at Pennarth Industrial, the renewal structure reads as evergreen after initial term, one-hundred-eighty-day notice. Reconciling June leaves Halcyon Medical Supply with a variance of $-583, closed with no adjustment after evidence review. Comparison with Grindelwald Precision is instructive, since it prices on per-robot subscription with an on-site engineer allocation and pays on net thirty. Halcyon Medical Supply used in December only 296,566 of an entitled 217,528, and no credit was sought in that cycle.

Loss sensitivity was run rather than described, because the interesting question is not the share of the largest account but what the second-largest becomes if the largest goes. Concentration here is moderate rather than acute: losing

the top account leaves a base whose new leader is close behind, so the shape does not collapse into a single-customer dependency. Contract expiry timing is the aggravating factor, since three of the five largest contracts reach a renewal decision within four quarters of each other. Among the peer accounts it is Ossuary Ridge Beverage where unresolved severity-one recurrence in the freezer aisles. Halcyon Medical Supply's ledger for May shows overage of 0 picks, credits of $0 and a variance of $427, closed with no adjustment after evidence review. Crestmoor Office Products pays on net thirty, a longer cycle than most of the base and one negotiated at signature. Console records for August at Halcyon Medical Supply show 210,458 picks, and the invoice followed at $96,000. Among the peer accounts it is Vantageport Terminals where unresolved severity-one recurrence in the freezer aisles. Credits reaching Halcyon Medical Supply in the April cycle came to $5,528, and the balance remains as partially credited; the balance remains contested. Meridian Fulfilment renews on 2027-03-15, and Renata Villalobos-Frye owns that conversation on the company side. Halcyon Medical Supply was credited in May with $0, against an invoiced amount of $96,000. Yvette Mbandaka sponsors the Ossuary Ridge Beverage deployment, which covers 2 sites in beer, wine and spirits distribution. Halcyon Medical Supply's ledger for April shows overage of 0 picks, credits of $5,528 and a variance of $640, partially credited; the balance remains contested. Whatever this account decides, Kestrel Pharma reaches its own renewal on 2026-06-30 with expansion order for one additional site under evaluation.

Solstice Renewables requires separate mention because it is an affiliate of an existing shareholder, and its pricing is stated in the order form as a most-favoured rate. Nothing improper is suggested by the affiliation, and the amount involved is small enough that its exclusion would not change the shape of the base materially. The most-favoured clause is the more interesting feature, because on its face it could be read to constrain pricing elsewhere, and that reading has been referred to the legal workstream with the clause identified. Kestrel Pharma sits in pharmaceutical distribution, controlled substances on per-robot subscription with a validation services retainer, with renewal falling on 2026-06-30 and notice due by 2026-04-01. Billing for July charged Halcyon Medical Supply $102,616 on a metered volume of 243,993, and the exception was no exception raised. Sander Rijkaard runs procurement at Vantageport Terminals, where the executive sponsor is Cato Willemse. Billing for July charged Halcyon Medical Supply $102,616 on a metered volume of 243,993, and the exception was no exception raised. Wilhelmina Oyelaran runs procurement at Brackenhill Pet Nutrition, where the executive sponsor is Sten Halvorsrud. Reconciling August leaves Halcyon Medical Supply with a variance of $-320, written off as a goodwill concession. Comparison with Grindelwald Precision is instructive, since it prices on per-robot subscription with an on-site engineer allocation and pays on net thirty. Halcyon Medical Supply was credited in April with $0, against an invoiced amount of $106,468. Devrim Oksuz runs procurement at Caldera Cold Chain, where the executive sponsor is Hallie Tsuruoka. Console records for December at Halcyon Medical Supply show 233,538 picks, and the invoice followed at $100,002. Solstice Renewables is banded at 55 to 75 per cent on renewal, the trigger being labour agreement restricts further automation at the site.

Metered usage against invoices at Halcyon Medical Supply

Metered volume at Halcyon Medical Supply exceeded entitlement in 7 of the 18 periods examined, and the excess is seasonal rather than structural, peaking in 2023-10 at 293,249 against an entitlement of 217,528. Invoices follow the meter with two exceptions, both of which were traced to an entitlement figure keyed from a superseded order form. Credit notes appear in several periods, 2 in total, and the reasons stated on those notes do not always match the reasons the site gave us. Halcyon Medical Supply's ledger for June shows overage of 39,155 picks, credits of $0 and a variance of $-588, disputed; invoice held pending a joint meter review. Console records for September at Halcyon Medical Supply show 223,147 picks, and the invoice followed at $97,404. Halcyon Medical Supply metered August at 182,360 picks against an entitlement of 217,528, and was invoiced $96,000. Halcyon Medical Supply used in March only 195,956 of an entitled 217,528, and no credit was sought in that cycle. Consumption recorded for Halcyon Medical Supply in October ran to 308,730 picks, 91,202 of them above entitlement. Halcyon Medical Supply metered October at 215,845 picks against an entitlement of 217,528, and was invoiced $96,000. Halcyon Medical Supply's ledger for January shows overage of 0 picks, credits of $0 and a variance of $-427, credited in the following billing cycle. Reconciling November leaves Halcyon Medical Supply with a variance of $427, credited in the following billing cycle. Consumption recorded for Halcyon Medical Supply in October ran to 308,730 picks, 91,202 of them above entitlement. Credits reaching Halcyon Medical Supply in the September cycle came to $0, and the balance remains as no exception raised. Billing for November

charged Halcyon Medical Supply $96,000 on a metered volume of 214,740, and the exception was credited in the following billing cycle.

Reconciliation was performed period by period rather than on annual totals, because an annual view nets an overbilling in one month against an underbilling in another and hides both. Errors run both ways in this ledger: the site was overbilled where entitlement was understated, and underbilled in a period where the console under-recorded picks during a firmware regression. Nobody had spotted the under-recording, which says something about the strength of the meter-to-invoice control. Credits reaching Halcyon Medical Supply in the March cycle came to $7,112, and the balance remains as resolved: meter reconciliation accepted by both parties. Credits reaching Halcyon Medical Supply in the December cycle came to $0, and the balance remains as partially credited; the balance remains contested. Credits reaching Halcyon Medical Supply in the November cycle came to $0, and the balance remains as no exception raised. Credits reaching Halcyon Medical Supply in the August cycle came to $0, and the balance remains as no exception raised. Billing for July charged Halcyon Medical Supply $102,616 on a metered volume of 243,993, and the exception was no exception raised. Consumption recorded for Halcyon Medical Supply in June ran to 253,057 picks, 35,529 of them above entitlement. Overage in August at Halcyon Medical Supply came to 0 picks, entitlement having been fixed at signature. Overage in June at Halcyon Medical Supply came to 35,529 picks, entitlement having been fixed at signature. Halcyon Medical Supply's ledger for July shows overage of 0 picks, credits of $0 and a variance of $-640, closed with no adjustment after evidence review. Halcyon Medical Supply was credited in April with $0, against an invoiced amount of $106,468. Meter and invoice diverge in October at Halcyon Medical Supply by $213, which the parties treat as no exception raised.

Priyamvada Ramaswamy treats the overage mechanic as the main commercial grievance and said plainly that the site cannot forecast a bill it cannot model. At root the dispute is definitional, since a re-pick after an exception counts against entitlement under the order form and does not count in the site's own operational reporting. Both readings are defensible on the drafting, which is a contract-quality observation as much as a customer-relationship one, and it has been flagged to the legal workstream with the clause reference. Overage in September at Halcyon Medical Supply came to 21,934 picks, entitlement having been fixed at signature. Halcyon Medical Supply's ledger for June shows overage of 39,155 picks, credits of $0 and a variance of $-588, disputed; invoice held pending a joint meter review. Halcyon Medical Supply in July shows entitlement of 217,528 against consumption of 199,581, recorded as closed with no adjustment after evidence review. Credits reaching Halcyon Medical Supply in the February cycle came to $0, and the balance remains as no exception raised. Reconciling March leaves Halcyon Medical Supply with a variance of $427, partially credited; the balance remains contested. Halcyon Medical Supply used in August only 182,360 of an entitled 217,528, and no credit was sought in that cycle. Meter and invoice diverge in September at Halcyon Medical Supply by $677, which the parties treat as credited in the following billing cycle. Halcyon Medical Supply metered February at 163,845 picks against an entitlement of 217,528, and was invoiced $96,000. Reconciling January leaves Halcyon Medical Supply with a variance of $-427, credited in the following billing cycle. Halcyon Medical Supply was credited in May with $0, against an invoiced amount of $96,000. Consumption recorded for Halcyon Medical Supply in May ran to 169,671 picks, 0 of them above entitlement.

Quantified benefit claims at Halcyon Medical Supply and how far they stand up

Tobias Ekwueme put the improvement in shrink attributable to mis-picks at 16 per cent, and that figure was tested rather than recorded, because a benefit claim from a reference is a marketing input until someone reconciles it to a report. Few interviewees offered evidence unprompted: 1 of 5 claims were substantiated to the point where the direction and rough magnitude both hold. One claim was contradicted outright by the customer, which is the outcome that would matter most to an investor reading the reference pack. Talking to Winslow Beauchamp-Tay for 65 minutes by video call produced the claim that order cycle time from release to pack-out improved by 12 per cent, contradicted: the customer's own report shows a smaller improvement. Halcyon Medical Supply in December shows entitlement of 217,528 against consumption of 296,566, recorded as closed with no adjustment after evidence review. Winslow Beauchamp-Tay, speaking as head of industrial engineering, said that overage billing surprised the site in two consecutive quarters and pressed the point twice before the call ended. Halcyon Medical Supply in January shows entitlement of 217,528 against consumption of 180,994, recorded as no exception raised. Because Tobias Ekwueme sees the fleet every shift, the first question put was about shrink attributable to mis-picks, answered at 16 per cent. Halcyon Medical Supply metered May at

169,671 picks against an entitlement of 217,528, and was invoiced $96,000. Winslow Beauchamp-Tay, speaking as head of industrial engineering, said that overage billing surprised the site in two consecutive quarters and pressed the point twice before the call ended. Halcyon Medical Supply carried overage in April of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Emeka Onwuachi, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the analytics module is priced separately and was never budgeted. Halcyon Medical Supply's position for June was settled as closed with no adjustment after evidence review, on an invoice of $104,882. Estefania Colmenares, speaking as IT applications manager for the host WMS, said that reporting cannot be reconciled against the customer's own labour standard and pressed the point twice before the call ended.

Baseline choice is the recurring weakness in these claims, and it is not usually deliberate. Comparison periods drift toward the unflattering baseline, often one that predates a network redesign or a labour agreement change, so an improvement attributed to the fleet includes gains the fleet did not produce. We re-based two claims onto comparable periods, and both fell materially once the comparison period was moved to a like-for-like quarter. Halcyon Medical Supply was credited in July with $0, against an invoiced amount of $96,000. Oisin Barrowclough, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the roadmap commitments given during the sales cycle slipped a year. Console records for December at Halcyon Medical Supply show 233,538 picks, and the invoice followed at $100,002. Talking to Estefania Colmenares for 42 minutes by video call produced the claim that units picked per operator hour improved by 39 per cent, not substantiated: the baseline period predates the current network design. Halcyon Medical Supply's position for February was settled as no exception raised, on an invoice of $96,000. Asked what worked, Winslow Beauchamp-Tay said that firmware rollbacks were quick when a release misbehaved; asked what did not, the answer was that overage billing surprised the site in two consecutive quarters. Halcyon Medical Supply's position for January was settled as no exception raised, on an invoice of $96,000. Obinna Chukwuemeka, the distribution centre operations manager, spoke on 2026-03-25 and praised that throughput held up during the promotional peak without extra labour, answering the re-buy question with yes, subject to a commercial reset on overage. Halcyon Medical Supply metered April at 181,454 picks against an entitlement of 217,528, and was invoiced $96,000. Emeka Onwuachi, introduced by Halcyon Medical Supply as a willing reference, nonetheless complained that the analytics module is priced separately and was never budgeted. Halcyon Medical Supply used in January only 180,994 of an entitled 217,528, and no credit was sought in that cycle.

Management's own case study on this account states a benefit that no interviewee repeated in the same terms, and the gap is not explained by rounding or by a different measurement window. We requested the derivation from management and received a summary rather than a derivation, so the claim is treated as unverified in this file. We allege nothing beyond an evidence gap, and the open request is carried into the outstanding-items list at the end of this review. Credits reaching Halcyon Medical Supply in the September cycle came to $0, and the balance remains as credited in the following billing cycle. Oisin Barrowclough answered on re-buy with yes, subject to a commercial reset on overage and would not be drawn further on price or on term. Meter and invoice diverge in February at Halcyon Medical Supply by $-107, which the parties treat as no exception raised. Estefania Colmenares raised the complaint that reporting cannot be reconciled against the customer's own labour standard, and put the improvement in units picked per operator hour at 39 per cent. Meter and invoice diverge in March at Halcyon Medical Supply by $320, which the parties treat as resolved: meter reconciliation accepted by both parties. Praise from Oisin Barrowclough took the form that throughput held up during the promotional peak without extra labour, and it came without prompting. Halcyon Medical Supply's position for March was settled as resolved: meter reconciliation accepted by both parties, on an invoice of $96,000. Jarrah Mundawindi, the site general manager, spoke on 2026-04-04 and praised that implementation engineers were candid about what the pilot would not prove, answering the re-buy question with yes, but only for high-velocity zones. Billing for October charged Halcyon Medical Supply $118,800 on a metered volume of 308,730, and the exception was no exception raised. Lise Vandermolen treats the relationship as one where the account team escalated without being chased, and the shrink attributable to mis-picks figure offered was 23 per cent. Halcyon Medical Supply's ledger for July shows overage of 0 picks, credits of $0 and a variance of $-640, closed with no adjustment after evidence review.

Attribution of milestone slippage across the Halcyon Medical Supply estate

Across 36 tracked milestones, 32 ran late, and the aggregate slip of 1047 days is concentrated rather than evenly spread. Mebane (HAL-01) accounts for the single worst gate at 71 days on wms interface build and message mapping,

caused by floor coating and line marking delayed by a contractor dispute. Of the late gates, a clear majority sit on the customer side: 16 of 32 name customer information technology, facility readiness or site works as the proximate cause. Recurring at La Vergne through that quarter was wireless roaming loss in the cold zone, across 30 tickets. Kernersville lost time because supplier lead time on the conveyor tie-in guard package, and acceptance test protocol execution moved to 2022-08-12 from a planned 2022-07-22. Attainment figures from Mebane show 91 per cent on response against 86 per cent on resolution. Progress at Kernersville shows conditional acceptance certificate signed off on 2022-10-22 against 2022-08-25 as planned. Kernersville (HAL-02) shows fleet console latency during shift change as the complaint theme, on 22 tickets in 2024-Q1. Mebane (HAL-01) cleared acceptance test protocol execution on 2022-10-12 against a plan of 2022-10-06, a difference of 6 days recorded against supplier lead time on the conveyor tie-in guard package. Severity being classified by the vendor, La Vergne recorded only 1 events at the top severity in 2022-Q3. Progress at La Vergne shows site survey and slotting scan signed off on 2022-05-08 against 2022-05-06 as planned. Statesville produced 0 severity-one events in 2022-Q3, and resolution attainment of 66 per cent triggered credits of $1,929. Where the plan assumed a clean run, Mebane instead took 70 extra days over conditional acceptance certificate, for host WMS upgrade re-sequenced the interface build. Kernersville triggered credits of $3,993 following resolution attainment of 75 per cent.

Attribution was not taken from the company's own status reports alone, since those reports have an obvious interest in where a delay lands, and were instead tested against dated customer correspondence and change-control records where those existed. Two of the stated causes were corroborated, one was re-attributed from the customer to the company after the interface defect log was read, and the remainder could not be tested because no contemporaneous record exists. Untested attributions are shown as such in the schedule. Mebane (HAL-01) met response targets 86 per cent of the time, and resolution targets rather less often. Statesville (HAL-04) reached conditional acceptance certificate on 2023-09-27, status conditional acceptance issued, with 11 punch items open at that gate. Mebane (HAL-01) is where traffic deadlock at an aisle intersection recurs, and the quarter to 2022-Q4 shows 2 severity-one events. Where the plan assumed a clean run, Mebane instead took 71 extra days over wms interface build and message mapping, for floor coating and line marking delayed by a contractor dispute. Recurring at La Vergne through that quarter was pick confirmation duplicated in the host WMS, across 11 tickets. Kernersville (HAL-02) cleared site survey and slotting scan on 2021-12-05 against a plan of 2021-11-18, a difference of 17 days recorded against customer safety committee required a revised risk assessment. Statesville keeps returning to one theme, fleet console latency during shift change, and it survived into 2022-Q2. Nothing needed explaining at Statesville for pilot cell go-live, which was reached on 2023-06-15 as planned. Although the console reported no outage at Kernersville, the site still raised 41 tickets in 2022-Q3. Although Mebane treats it as outside anyone's control, integration test in the customer sandbox still moved to 2022-08-06 for customer safety committee required a revised risk assessment. Kernersville triggered credits of $0 following resolution attainment of 94 per cent.

Commercially the slip pattern matters in two ways, and neither is captured by the headline count of days. Contractual cure periods ignore actual progress, so a delay the customer caused can still open a remedy the customer can assert unless the planned date was formally revised, and in this account it was revised only twice. Priyamvada Ramaswamy was asked directly whether the site would assert those remedies and answered that it would raise them at renewal rather than pursue them as claims, which converts a legal exposure into a pricing exposure. Acceptance slipped 44 days at Mebane before integration test in the customer sandbox was recorded as closed. Kernersville produced 0 severity-one events in 2023-Q4, and resolution attainment of 94 per cent triggered credits of $0. Mebane (HAL-01) cleared wms interface build and message mapping on 2022-06-11 against a plan of 2022-04-01, a difference of 71 days recorded against floor coating and line marking delayed by a contractor dispute. Mebane (HAL-01) is where charger handshake failures on one dock recurs, and the quarter to 2022-Q1 shows 0 severity-one events. Progress at Statesville shows punch-list closure review signed off on 2023-12-10 against 2023-11-01 as planned. Kernersville keeps returning to one theme, traffic deadlock at an aisle intersection, and it survived into 2023-Q1. The slip of 10 days at Kernersville on wms interface build and message mapping is the one the customer raises first, and it traces to customer safety committee required a revised risk assessment. Attainment figures from Kernersville show 92 per cent on response against 77 per cent on resolution. Progress at Mebane shows conditional acceptance certificate signed off on 2023-01-07 against 2022-10-29 as planned. Mebane reached 83 per cent on response and 66 per cent on resolution, and credits of $4,361 followed. Turning to Kernersville, the tracker puts acceptance test protocol execution at 2022-08-12 where the plan said 2022-07-22, the gap being supplier lead time on the conveyor tie-in guard package.

Usage and invoice reconciliation supporting the Halcyon Medical Supply review

The La Vergne operation puts on the record that the peak period sits well above entitlement and was billed correctly, and the schedule below is the evidence for it, drawn from 5 records rather than from a summary prepared for us. Halcyon Medical Supply produces one more finding: entitlement was keyed from a superseded order form in at least one period. The Mebane team is drawn at this grain on purpose, because an account-level average at Halcyon Medical Supply conceals the site-to-site variation that decides how this relationship behaves at renewal. Meter and invoice diverge in August at Halcyon Medical Supply by $-213, which the parties treat as no exception raised. Consumption recorded for Halcyon Medical Supply in August ran to 243,993 picks, 26,465 of them above entitlement. Consumption recorded for Halcyon Medical Supply in January ran to 162,286 picks, 0 of them above entitlement. Overage in August at Halcyon Medical Supply came to 26,465 picks, entitlement having been fixed at signature. Halcyon Medical Supply was credited in September with $0, against an invoiced amount of $101,483. Halcyon Medical Supply used in December only 296,566 of an entitled 217,528, and no credit was sought in that cycle. Halcyon Medical Supply in November shows entitlement of 217,528 against consumption of 214,740, recorded as credited in the following billing cycle. Halcyon Medical Supply's position for July was settled as closed with no adjustment after evidence review, on an invoice of $96,000.

Halcyon Medical Supply's file carries two qualifications: one period is excluded because the console was reset during a firmware regression, and variance is invoice against expected charge, not invoice against cash received. The Halcyon Medical Supply workpaper also observed, when the schedule was put to the customer, that two periods break the link between the meter and the invoice, which is consistent with what the documents show without being proved by them. Priyamvada Ramaswamy accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Halcyon Medical Supply's ledger for July shows overage of 26,465 picks, credits of $0 and a variance of $-114, no exception raised. Halcyon Medical Supply used in September only 257,589 of an entitled 217,528, and no credit was sought in that cycle. Billing for August charged Halcyon Medical Supply $96,000 on a metered volume of 182,360, and the exception was no exception raised. Credits reaching Halcyon Medical Supply in the March cycle came to $7,112, and the balance remains as resolved: meter reconciliation accepted by both parties. Halcyon Medical Supply's position for February was settled as no exception raised, on an invoice of $96,000. Halcyon Medical Supply metered December at 233,538 picks against an entitlement of 217,528, and was invoiced $100,002. Halcyon Medical Supply carried overage in June of 35,529 picks, which the invoice reflects and the site disputes on definition rather than count. Consumption recorded for Halcyon Medical Supply in April ran to 259,402 picks, 41,874 of them above entitlement.

Schedule 10.6 - Halcyon Medical Supply: usage-to-invoice reconciliation by period

Period	Metered volume	Entitlement	Overage	Invoiced	Credits	Variance	Disposition
2022-05	169,671	217,528	0	$96,000	nil	$320	partially credited; the balance remains contested
2022-06	169,671	217,528	0	$96,000	nil	$533	disputed; invoice held pending a joint meter review
2022-07	199,581	217,528	0	$96,000	nil	$-640	closed with no adjustment after evidence review
2022-08	243,993	217,528	26,465	$102,616	nil	$-114	no exception raised
2022-09	223,147	217,528	5,619	$97,404	nil	$649	credited in the following billing cycle