CUSTOMER AND COMMERCIAL DILIGENCE REVIEW - RECORD 020

Helioscope Robotics, Inc. - diligence file reference CUSTOMER_DILIGENCE-020

Entitlement consumption by site supporting the Solstice Renewables review

The Solstice Renewables workpaper makes clear that overage exposure is concentrated in the last quarter of each contract year, and the schedule below is the evidence for it, drawn from 7 records rather than from a summary prepared for us. Ephraim Lindqvist-Bass goes further: utilisation varies by site far more than the account-level figure suggests. Solstice Renewables management carries the detail at record level deliberately, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves at renewal. Meter and invoice diverge in November at Solstice Renewables by $0, which the parties treat as credited in the following billing cycle. Reviewing the 2025-Q3 quarter, Belen shows 5 tickets and a recurring theme of pick confirmation duplicated in the host WMS. Overage in January at Solstice Renewables came to 1,282 picks, entitlement having been fixed at signature. Pueblo West (SOL-01) met response targets 90 per cent of the time, and resolution targets rather less often. Solstice Renewables carried overage in December of 4,001 picks, which the invoice reflects and the site disputes on definition rather than count. Pueblo West reached 85 per cent on response and 64 per cent on resolution, and credits of $1,538 followed. Solstice Renewables used in April only 69,401 of an entitled 58,402, and no credit was sought in that cycle. Severity being classified by the vendor, Pueblo West recorded only 0 events at the top severity in 2025-Q3.

Rosalind Achebe-Moor must be read subject to two limits: site allocation of a fleet-level entitlement is our apportionment, not a contractual split, and exposure is computed at the contract overage rate before any negotiated relief. The Pueblo West team also observed, when the schedule was put to the customer, that site-level allocation of entitlement is notional and not written into the order form, which is consistent with what the documents show without being proved by them. The Solstice Renewables estate accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Solstice Renewables was credited in February with $0, against an invoiced amount of $25,600. Pueblo West (SOL-01) is where traffic deadlock at an aisle intersection recurs, and the quarter to 2023-Q4 shows 1 severity-one events. Consumption recorded for Solstice Renewables in July ran to 54,313 picks, 0 of them above entitlement. Severity being classified by the vendor, Pueblo West recorded only 0 events at the top severity in 2025-Q3. Solstice Renewables was credited in August with $5,112, against an invoiced amount of $25,600. Although the console reported no outage at Belen, the site still raised 5 tickets in 2025-Q3. Console records for March at Solstice Renewables show 65,020 picks, and the invoice followed at $28,114. Recurring at Pueblo West through that quarter was interface message backlog after a host restart, across 30 tickets.

Schedule 20.1 - Solstice Renewables: entitlement against consumption by site

Site	Period	Picks metered	Entitled picks	Utilisation (%)	Overage exposure
Pueblo West (SOL-01)	2023-12	38,866	35,041	110.9	$1,147
Pueblo West (SOL-01)	2024-01	34,680	35,041	99.0	nil
Pueblo West (SOL-01)	2024-02	34,053	35,041	97.2	nil
Pueblo West (SOL-01)	2024-03	39,012	35,041	111.3	$1,191
Pueblo West (SOL-01)	2024-04	41,640	35,041	118.8	$1,979
Pueblo West (SOL-01)	2024-05	30,982	35,041	88.4	nil
Pueblo West (SOL-01)	2024-06	37,844	35,041	108.0	$840

Evidence and reliance register: Solstice Renewables

The Pueblo West site puts on the record that one document was prepared for this exercise rather than in the ordinary course, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. Solstice Renewables management carries a further observation: two sources were not relied upon because provenance could not be established. Ephraim Lindqvist-Bass carries the detail at record level deliberately, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves

at renewal. Solstice Renewables was asked for the joint escalation minutes precisely because it bears on what was agreed when the relationship was under strain. Kwesi Boateng-Marsh, speaking as IT applications manager for the host WMS, said that support handoffs across time zones lose context between shifts and pressed the point twice before the call ended. Solstice Renewables let us check the aged receivable listing against the customer's own copy, and it shows how promptly this customer actually pays. Talking to Corentin Blaisdell for 55 minutes by video call with a follow-up email produced the claim that order cycle time from release to pack-out improved by 9 per cent, substantiated: the site produced labour reports for the comparison periods. Solstice Renewables let us check the support ticket export against the customer's own copy, and it shows how each incident was classified for severity. Corentin Blaisdell raised the complaint that support handoffs across time zones lose context between shifts, and put the improvement in order cycle time from release to pack-out at 9 per cent. Solstice Renewables let us check the credit note sequence against the customer's own copy, and it shows what was conceded and in which period. Halvard Sigurdsson volunteered that implementation engineers were candid about what the pilot would not prove, and the claim on units picked per operator hour was not substantiated: the interviewee described it as an impression.

Fieldwork at Solstice Renewables needs two caveats stated: the register lists what was used, not everything that was requested, and dates are document dates and not the dates on which they were provided. The Solstice Renewables bundle also observed, when the schedule was put to the customer, that the executed protocol and the certificates carry most of the analytical weight, which is consistent with what the documents show without being proved by them. Ephraim Lindqvist-Bass's team accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Solstice Renewables let us check the support ticket export against the customer's own copy, and it shows how each incident was classified for severity. Silas Trumbauer gave 40 minutes on 2026-04-27 and made one quantified claim, on order cycle time from release to pack-out, of 23 per cent. The pilot charter held by Solstice Renewables is the document that decides the point, relied upon for what the parties agreed the pilot had to prove. Notes taken on 2026-05-02 record Kwesi Boateng-Marsh praising that the account team escalated without being chased beside the complaint that support handoffs across time zones lose context between shifts. Solstice Renewables relies on the conditional acceptance certificate for its own account of the position, and it shows which items were carried forward as punch. Fenwick Aduroja, the vice president of distribution, spoke on 2026-03-11 and praised that the account team escalated without being chased, answering the re-buy question with yes, without qualification. The credit note sequence obtained from Solstice Renewables was read in full rather than in extract, since it shows what was conceded and in which period. Winslow Beauchamp-Tay answered on re-buy with yes, and has already sponsored an expansion and would not be drawn further on price or on term.

Schedule 20.2 - evidence relied upon in the Solstice Renewables account review

Document or source	Provided by	Date	What it shows	Reliance
monthly invoices and credit notes	company finance	2026-04-30	what was billed and credited	not relied upon; provenance unclear
meter extract from the fleet console	company support	2026-02-15	what volume was recorded	not relied upon; provenance unclear
support ticket export by severity	company support	2026-01-31	how incidents were classified	relied upon after recalculation

Solstice Renewables - buying-centre coverage

The Belen operation records that coverage of the buying centre is good on operations and thin on finance, and the schedule below is the evidence for it, drawn from 3 records rather than from a summary prepared for us. Solstice Renewables reads the same way: no single contact could describe the whole commercial position accurately. The Belen building carries the detail at record level deliberately, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves at renewal. Belen (SOL-02) reached pilot cell go-live on 2024-06-02, status closed, with 0 punch items open at that gate. Rustam Yesilova answered on re-buy with yes, and has already sponsored an expansion and would not be drawn further on price or on term. Belen (SOL-02) met integration test in the customer sandbox on 2024-02-19 without a variation to plan. Fenwick Aduroja, introduced by Solstice Renewables as a willing reference, nonetheless complained that support handoffs across time zones lose context between shifts. On the evidence from Pueblo West, wms interface build and message mapping slipped 47 days and the status now reads closed. Rustam Yesilova was reached by video call and gave a re-buy answer of yes, and has already sponsored an expansion, which sits oddly beside the praise that throughput held up during the promotional peak without extra labour.

Belen (SOL-02) cleared wms interface build and message mapping on 2024-02-06 against a plan of 2024-01-30, a difference of 7 days recorded against validation protocol rewritten after a quality-assurance review. Praise from Dashiell Okonjo took the form that the account team escalated without being chased, and it came without prompting.

Solstice Renewables's file must be read subject to two limits: the map covers the sites reviewed and not the customer's whole organisation, and a contact shown as not interviewed was approached and did not respond. The Solstice Renewables workpaper also observed, when the schedule was put to the customer, that several daily users of the fleet console have more influence on renewal than their titles suggest, which is consistent with what the documents show without being proved by them. Ephraim Lindqvist-Bass accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Winslow Beauchamp-Tay, speaking as warehouse systems manager, said that the pilot success criteria were written loosely and then argued over and pressed the point twice before the call ended. Punch items numbering 3 remained at Belen when final acceptance certificate was signed on 2024-11-21. Halvard Sigurdsson volunteered that implementation engineers were candid about what the pilot would not prove, and the claim on units picked per operator hour was not substantiated: the interviewee described it as an impression. Timing at Belen held for integration test in the customer sandbox, which closed on 2024-02-19 as scheduled. Notes taken on 2026-02-23 record Della Fontanez-Ruck praising that firmware rollbacks were quick when a release misbehaved beside the complaint that support handoffs across time zones lose context between shifts. Although Belen treats it as outside anyone's control, final acceptance certificate still moved to 2024-11-21 for validation protocol rewritten after a quality-assurance review. Winslow Beauchamp-Tay, speaking as warehouse systems manager, said that the pilot success criteria were written loosely and then argued over and pressed the point twice before the call ended. The slip of 2 days at Belen on conditional acceptance certificate is the one the customer raises first, and it traces to supplier lead time on the conveyor tie-in guard package.

Schedule 20.3 - Solstice Renewables: relationship map and coverage of contacts

Contact	Role	Function	Interviewed	Influence on renewal
Ephraim Lindqvist-Bass	Procurement Analyst	procurement	yes	chairs the steering review
Rosalind Achebe-Moor	Director of Field Logistics	executive sponsor	yes	signs the order form
Hamish Callowhill	IT applications manager for the host WMS	engineering	no	raises most of the tickets

Renewal mechanics and probability at Solstice Renewables

Renewal at Solstice Renewables turns on 2027-12-05 under a structure described in the order form as auto-renew annually; affiliate of an existing shareholder, so the operative deadline is the notice date of 2027-09-06 rather than the renewal date itself. Probability sits in the range 55 to 75 per cent, and the movement expected alongside renewal is no movement; customer wants the punch list closed first. Risk here has one identifiable trigger: labour agreement restricts further automation at the site. Caldera Cold Chain renews on 2028-01-10, and Aleksy Wisniewski owns that conversation on the company side. Winslow Beauchamp-Tay, speaking as warehouse systems manager, said that the pilot success criteria were written loosely and then argued over and pressed the point twice before the call ended. Caldera Cold Chain pays on net sixty, annual in advance, a longer cycle than most of the base and one negotiated at signature. Corentin Blaisdell raised the complaint that support handoffs across time zones lose context between shifts, and put the improvement in order cycle time from release to pack-out at 9 per cent. Bethel Odendaal runs procurement at Lindenvale Grocery, where the executive sponsor is Jussi Kaukonen. Silas Trumbauer gave 40 minutes on 2026-04-27 and made one quantified claim, on order cycle time from release to pack-out, of 23 per cent. Ironbark Building Materials sits in building materials wholesale on hardware purchase plus software subscription, with renewal falling on 2026-10-25 and notice due by 2026-07-27. Because Fenwick Aduroja sees the fleet every shift, the first question put was about inventory record accuracy after cycle counting, answered at 16 per cent. Thornquist Parcel began on 2020-04-06 and its structure is described as renewed twice; currently in a twenty-four-month extension. Praise from Oisin Barrowclough took the form that training material let the site train its own operators after month four, and it came without prompting. Dr. Ferran Casasnovas sponsors the Kestrel Pharma deployment, which covers 2 sites in pharmaceutical distribution, controlled substances.

Ephraim Lindqvist-Bass would not commit to a renewal position and was explicit that procurement intends to test the market before the notice window closes, which is a normal posture and not by itself a warning sign. Credibility of the threat is the real question, and here it partly is: two competitors can serve this building profile, though neither has a

reference at comparable fleet density in renewable energy field service parts staging. Integration work is the main barrier to switching rather than in the hardware, which is a weaker moat than the company's materials imply. Sablecreek Apparel renews on 2026-12-11, and Marcus Adeyinka-Blau owns that conversation on the company side. Notes taken on 2026-02-23 record Della Fontanez-Ruck praising that firmware rollbacks were quick when a release misbehaved beside the complaint that support handoffs across time zones lose context between shifts. Terrence Aboagye-Whitlock runs procurement at Crestmoor Office Products, where the executive sponsor is Marguerite Delacroix-Ohm. Notes taken on 2026-04-28 record Winslow Beauchamp-Tay praising that training material let the site train its own operators after month four beside the complaint that the pilot success criteria were written loosely and then argued over. Ilse Brandvold runs procurement at Meridian Fulfilment, where the executive sponsor is Rowan Achterberg. Whatever the company's materials claim, Dashiell Okonjo described the position on order cycle time from release to pack-out as substantiated: figures tie to the customer's own weekly operations pack. Lorcan Feathersby runs procurement at Ossuary Ridge Beverage, where the executive sponsor is Yvette Mbandaka. Della Fontanez-Ruck, speaking as inventory control supervisor, said that support handoffs across time zones lose context between shifts and pressed the point twice before the call ended. The nearest comparable on fleet density is Ironbark Building Materials, priced on hardware purchase plus software subscription. Corentin Blaisdell raised the complaint that support handoffs across time zones lose context between shifts, and put the improvement in order cycle time from release to pack-out at 9 per cent. Tidewater Marine Spares is banded at 20 to 40 per cent on renewal, the trigger being budget reallocated to a conveyor retrofit.

Notice discipline on the company side was tested by asking when the renewal conversation actually opens, and the answer given was inside the last quarter before notice falls due. A late start weakens the negotiating position, particularly where a punch list or a credit dispute is still open, because the customer then holds two levers at once. Juniper Halloran-Voss, Head of Customer Success owns the renewal and has a written plan for it, which several other accounts in this pack do not, so the process weakness here is timing rather than ownership. The nearest comparable on fleet density is Vantageport Terminals, priced on hardware plus software, with a spares pool subscription. Talking to Kwesi Boateng-Marsh for 48 minutes by on-site walkthrough produced the claim that reduction in temporary labour headcount at peak improved by 30 per cent, substantiated: figures tie to the customer's own weekly operations pack. Rowan Achterberg sponsors the Meridian Fulfilment deployment, which covers 6 sites in third-party logistics, apparel and softlines. Della Fontanez-Ruck was reached by video call and gave a re-buy answer of probably, with a shorter initial term, which sits oddly beside the praise that firmware rollbacks were quick when a release misbehaved. Comparison with Pennarth Industrial is instructive, since it prices on per-robot subscription, tiered by shift coverage and pays on net thirty. Corentin Blaisdell raised the complaint that support handoffs across time zones lose context between shifts, and put the improvement in order cycle time from release to pack-out at 9 per cent. Halcyon Medical Supply is banded at 55 to 75 per cent on renewal, the trigger being overage dispute unresolved through two escalation levels. Notes taken on 2026-05-02 record Kwesi Boateng-Marsh praising that the account team escalated without being chased beside the complaint that support handoffs across time zones lose context between shifts. Crestmoor Office Products sits in business supplies distribution on per-pick metering with a declining floor commitment, with renewal falling on 2026-06-29 and notice due by 2026-03-31. Winslow Beauchamp-Tay, speaking as warehouse systems manager, said that the pilot success criteria were written loosely and then argued over and pressed the point twice before the call ended. Ironbark Building Materials began on 2021-10-25 and its structure is described as auto-renew annually; one site non-renewed.

Disputed invoices and service-level credits at Solstice Renewables

Billing exceptions at this account number 4 across the period examined, of which 0 were still unresolved when fieldwork closed. Dispute value is small against account size, but the pattern is the point: the same exception type recurs, which means the control that should have caught it the first time did not change. Penalty credits form a second stream and are triggered by resolution attainment rather than by billing accuracy. The site labour standard at Solstice Renewables carries more weight than any summary, since it shows the baseline against which benefits are claimed. Overage in April at Solstice Renewables came to 10,269 picks, entitlement having been fixed at signature. The console meter extract obtained from Solstice Renewables was read in full rather than in extract, since it shows the volume the company recorded. Credits reaching Solstice Renewables in the March cycle came to $7,780, and the balance remains as credited in the following billing cycle. Solstice Renewables relies on the renewal correspondence file for its own account of the position, and it shows what each party put in writing about intent. Solstice Renewables metered June at 55,043 picks

against an entitlement of 58,402, and was invoiced $25,600. The published reference case study for Solstice Renewables was produced on request and shows what was claimed to the market. Overage in September at Solstice Renewables came to 0 picks, entitlement having been fixed at signature. The console meter extract sits on the Solstice Renewables file and is the source for the volume the company recorded. Reconciling September leaves Solstice Renewables with a variance of $-142, no exception raised. Solstice Renewables was asked for the joint escalation minutes precisely because it bears on what was agreed when the relationship was under strain.

Rosalind Achebe-Moor said the site had stopped raising small billing errors because the effort of the dispute exceeded the amount recovered, and that statement is consistent with the pattern in the ledger. Suppressed disputes understate the real error rate, so the exception count in the schedule should be read as a floor rather than as a measure. A sample was tested against that assertion and found two unraised discrepancies in the three periods examined. Credits reaching Solstice Renewables in the August cycle came to $0, and the balance remains as no exception raised. The joint escalation minutes sits on the Solstice Renewables file and is the source for what was agreed when the relationship was under strain. Solstice Renewables's position for March was settled as no exception raised, on an invoice of $25,600. The console meter extract in the Solstice Renewables bundle is cited throughout this review as the evidence for the volume the company recorded. Solstice Renewables's ledger for June shows overage of 0 picks, credits of $8,972 and a variance of $85, credited in the following billing cycle. The aged receivable listing obtained from Solstice Renewables was read in full rather than in extract, since it shows how promptly this customer actually pays. Billing for March charged Solstice Renewables $28,114 on a metered volume of 65,020, and the exception was no exception raised. The aged receivable listing held by Solstice Renewables is the document that decides the point, relied upon for how promptly this customer actually pays. Solstice Renewables was credited in January with $0, against an invoiced amount of $26,087. The site labour standard in the Solstice Renewables bundle is cited throughout this review as the evidence for the baseline against which benefits are claimed. Meter and invoice diverge in September at Solstice Renewables by $28, which the parties treat as no exception raised.

Dispute handling on the company side is not documented in a single system, and evidence had to be assembled from credit notes, support tickets and the account executive's email. The absence of one record is a finding, because a buyer cannot size an accrued credit exposure from records that live in three places and reconcile to none of them. The point was accepted by management and described a consolidation project that had not started at the date of this review. Solstice Renewables's position for June was settled as no exception raised, on an invoice of $27,375. The renewal correspondence file sits on the Solstice Renewables file and is the source for what each party put in writing about intent. Credits reaching Solstice Renewables in the October cycle came to $9,716, and the balance remains as credited in the following billing cycle. The amended order form sits on the Solstice Renewables file and is the source for nothing, because it was never produced. Solstice Renewables's ledger for April shows overage of 10,999 picks, credits of $0 and a variance of $-99, no exception raised. The published reference case study in the Solstice Renewables bundle is cited throughout this review as the evidence for what was claimed to the market. Credits reaching Solstice Renewables in the December cycle came to $0, and the balance remains as no exception raised. The site labour standard in the Solstice Renewables bundle is cited throughout this review as the evidence for the baseline against which benefits are claimed. Solstice Renewables's ledger for May shows overage of 0 picks, credits of $592 and a variance of $-142, disputed; invoice held pending a joint meter review. The credit note sequence sits on the Solstice Renewables file and is the source for what was conceded and in which period. Billing for September charged Solstice Renewables $25,600 on a metered volume of 47,013, and the exception was no exception raised.

Support and reliability at Solstice Renewables from the customer's side of the desk

Severity-one events across the estate total 9 over the periods examined, and the distribution is site-specific rather than uniform, which matters because the customer experiences reliability building by building. Pueblo West (SOL-01) recorded the weakest resolution attainment at 62 per cent in 2023-Q4, against a response attainment of 85 per cent in the same quarter. Resolution lags response across every site, which is the pattern a site notices and a dashboard hides. Although the console reported no outage at Belen, the site still raised 11 tickets in 2025-Q4. Reviewing the 2024-Q3 quarter, Pueblo West shows 22 tickets and a recurring theme of traffic deadlock at an aisle intersection. Belen (SOL-02) is where charger handshake failures on one dock recurs, and the quarter to 2024-Q2 shows 1 severity-one events. Pueblo West (SOL-01) is where lift-plate calibration drift recurs, and the quarter to 2024-Q1 shows 0 severity-one events.

Severity being classified by the vendor, Belen recorded only 0 events at the top severity in 2023-Q3. Belen triggered credits of $1,440 following resolution attainment of 75 per cent. Belen (SOL-02) logged 12 tickets in 2024-Q2 including 1 at severity one, with resolution attainment of 80 per cent. Belen reached 96 per cent on response and 75 per cent on resolution, and credits of $1,440 followed. Pueblo West triggered credits of $1,538 following resolution attainment of 64 per cent. Although the console reported no outage at Pueblo West, the site still raised 28 tickets in 2025-Q4. Attainment figures from Belen show 89 per cent on response against 92 per cent on resolution.

Severity classification is decided by the company, and Rosalind Achebe-Moor raised that as a grievance without being asked about it. The party classifying the ticket controls the penalty, and the schedule shows 13 quarters where credits were issued, all of them after the customer escalated rather than through automatic operation of the service schedule. Credits require escalation in every observed case. Belen (SOL-02) logged 19 tickets in 2025-Q1 including 1 at severity one, with resolution attainment of 96 per cent. Belen keeps returning to one theme, fleet console latency during shift change, and it survived into 2025-Q2. Pueblo West produced 1 severity-one events in 2023-Q4, and resolution attainment of 62 per cent triggered credits of $495. Reviewing the 2025-Q1 quarter, Pueblo West shows 30 tickets and a recurring theme of interface message backlog after a host restart. Pueblo West triggered credits of $495 following resolution attainment of 62 per cent. Belen (SOL-02) shows interface message backlog after a host restart as the complaint theme, on 3 tickets in 2024-Q1. Although the console reported no outage at Pueblo West, the site still raised 20 tickets in 2025-Q3. Pueblo West (SOL-01) is where traffic deadlock at an aisle intersection recurs, and the quarter to 2023-Q4 shows 1 severity-one events. Pueblo West (SOL-01) shows interface message backlog after a host restart as the complaint theme, on 20 tickets in 2023-Q3. Belen (SOL-02) logged 22 tickets in 2025-Q2 including 0 at severity one, with resolution attainment of 92 per cent. Pueblo West keeps returning to one theme, interface message backlog after a host restart, and it survived into 2023-Q3.

Recurring themes are worth more than volumes in this analysis, because a hundred nuisance stops are a tuning problem while three traffic deadlocks may be a design limit. Most recurrence traces to one theme: traffic deadlock at an aisle intersection, which appears in more than one quarter and at more than one site. Engineering attributes it to the site environment, while the site treats it as a product limitation, and the documents do not clearly support either position. Reviewing the 2025-Q1 quarter, Belen shows 19 tickets and a recurring theme of charger handshake failures on one dock. Belen keeps returning to one theme, interface message backlog after a host restart, and it survived into 2024-Q1. Reviewing the 2024-Q3 quarter, Belen shows 16 tickets and a recurring theme of interface message backlog after a host restart. Although the console reported no outage at Pueblo West, the site still raised 20 tickets in 2023-Q3. Belen reached 90 per cent on response and 80 per cent on resolution, and credits of $6,590 followed. Pueblo West (SOL-01) met response targets 94 per cent of the time, and resolution targets rather less often. Severity being classified by the vendor, Pueblo West recorded only 0 events at the top severity in 2024-Q3. Pueblo West reached 85 per cent on response and 64 per cent on resolution, and credits of $1,538 followed. Although the console reported no outage at Belen, the site still raised 11 tickets in 2025-Q4. Although the console reported no outage at Belen, the site still raised 19 tickets in 2025-Q1. Pueblo West (SOL-01) shows interface message backlog after a host restart as the complaint theme, on 20 tickets in 2023-Q3.

Outstanding requests and unresolved questions on Solstice Renewables

Four requests remain outstanding with management on this account, and none of them is cosmetic. The supporting calculation has not arrived, the console meter definition of an entitled pick has not been confirmed in writing, the credit accrual for open disputes has not been quantified, and the amended order form referenced in correspondence has not been produced. Every item was chased once. Solstice Renewables used in March only 54,070 of an entitled 58,402, and no credit was sought in that cycle. The site labour standard held by Solstice Renewables is the document that decides the point, relied upon for the baseline against which benefits are claimed. Solstice Renewables carried overage in December of 4,001 picks, which the invoice reflects and the site disputes on definition rather than count. Solstice Renewables was asked for the joint escalation minutes precisely because it bears on what was agreed when the relationship was under strain. Solstice Renewables in January shows entitlement of 58,402 against consumption of 51,732, recorded as no exception raised. The support ticket export held by Solstice Renewables is the document that decides the point, relied upon for how each incident was classified for severity. Solstice Renewables metered April at 69,401 picks against an entitlement of 58,402, and was invoiced $29,779. Solstice Renewables was asked for the credit note sequence precisely

because it bears on what was conceded and in which period. Solstice Renewables in October shows entitlement of 58,402 against consumption of 76,653, recorded as no exception raised. The conditional acceptance certificate at Solstice Renewables carries more weight than any summary, since it shows which items were carried forward as punch. Solstice Renewables was credited in February with $0, against an invoiced amount of $25,600.

Halvard Sigurdsson raised a point that could not be tested at all within the timetable, namely whether the recurring theme at that site was disclosed to other prospects as a known limitation. Testing it would require access we do not have, and it is recorded because an investor may want it put to management directly rather than through the diligence team. We infer nothing from being unable to test it. Reconciling March leaves Solstice Renewables with a variance of $28, credited in the following billing cycle. The published reference case study in the Solstice Renewables bundle is cited throughout this review as the evidence for what was claimed to the market. Console records for September at Solstice Renewables show 51,637 picks, and the invoice followed at $25,600. The renewal correspondence file obtained from Solstice Renewables was read in full rather than in extract, since it shows what each party put in writing about intent. Solstice Renewables carried overage in May of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Solstice Renewables relies on the executed acceptance test protocol for its own account of the position, and it shows the tested criteria and the signatures on them. Solstice Renewables's position for July was settled as disputed; invoice held pending a joint meter review, on an invoice of $27,930. The renewal correspondence file obtained from Solstice Renewables was read in full rather than in extract, since it shows what each party put in writing about intent. Solstice Renewables in January shows entitlement of 58,402 against consumption of 59,684, recorded as no exception raised. Reading the support ticket export for Solstice Renewables is what establishes how each incident was classified for severity. Solstice Renewables used in April only 69,401 of an entitled 58,402, and no credit was sought in that cycle.

Timing is the practical risk on this file rather than any single unresolved item, because the notice date of 2027-09-06 falls before the point at which these requests would realistically be answered. Decide before that date what evidence is essential, and on our reading only the entitlement definition and the credit accrual would change a valuation view. The remaining two are matters of comfort, and are listed so that nothing appears to have been quietly dropped. Solstice Renewables relies on the support ticket export for its own account of the position, and it shows how each incident was classified for severity. Reconciling September leaves Solstice Renewables with a variance of $-142, no exception raised. The host interface message log sits on the Solstice Renewables file and is the source for how the interface behaved on receipt confirmations. Solstice Renewables's ledger for June shows overage of 0 picks, credits of $8,972 and a variance of $85, credited in the following billing cycle. The executed acceptance test protocol at Solstice Renewables carries more weight than any summary, since it shows the tested criteria and the signatures on them. Solstice Renewables's ledger for January shows overage of 0 picks, credits of $0 and a variance of $171, no exception raised. Solstice Renewables let us check the console meter extract against the customer's own copy, and it shows the volume the company recorded. Solstice Renewables metered February at 57,382 picks against an entitlement of 58,402, and was invoiced $25,600. Solstice Renewables relies on the support ticket export for its own account of the position, and it shows how each incident was classified for severity. Billing for August charged Solstice Renewables $25,600 on a metered volume of 47,256, and the exception was re-invoiced after the entitlement was corrected. The amended order form obtained from Solstice Renewables was read in full rather than in extract, since it shows nothing, because it was never produced.

Said, shown and reported: how the Solstice Renewables evidence was handled

Three categories of statement are kept apart throughout this file, and the separation is not pedantry: what a customer said, what a document shows, and what the company reported are different kinds of evidence with different reliability. Statements are attributed to a named person, documents are cited by name and date, and management representations are labelled as such rather than absorbed into narrative. Where the three agree the point is closed. The conditional acceptance certificate at Solstice Renewables carries more weight than any summary, since it shows which items were carried forward as punch. Silas Trumbauer gave 40 minutes on 2026-04-27 and made one quantified claim, on order cycle time from release to pack-out, of 23 per cent. The renewal correspondence file obtained from Solstice Renewables was read in full rather than in extract, since it shows what each party put in writing about intent. Kwesi Boateng-Marsh, introduced by Solstice Renewables as a willing reference, nonetheless complained that support handoffs across time zones lose context between shifts. The published reference case study at Solstice Renewables carries more weight than any summary, since it shows what was claimed to the market. Fenwick Aduroja treats the relationship as one

where the account team escalated without being chased, and the inventory record accuracy after cycle counting figure offered was 16 per cent. The renewal correspondence file sits on the Solstice Renewables file and is the source for what each party put in writing about intent. Whatever the company's materials claim, Dashiell Okonjo described the position on order cycle time from release to pack-out as substantiated: figures tie to the customer's own weekly operations pack. Solstice Renewables relies on the conditional acceptance certificate for its own account of the position, and it shows which items were carried forward as punch. Corentin Blaisdell volunteered that the account team escalated without being chased, and the claim on order cycle time from release to pack-out was substantiated: the site produced labour reports for the comparison periods. Solstice Renewables relies on the host interface message log for its own account of the position, and it shows how the interface behaved on receipt confirmations.

Disagreement is the useful case, and it was resolved in favour of the document only where the document is contemporaneous and unambiguous. Otherwise the disagreement is preserved, because a diligence file that resolves every conflict has usually resolved them by preferring whichever source was easiest to obtain. Ephraim Lindqvist-Bass and the company's account owner disagree on at least two matters of fact in this account, and both versions appear in the comparison schedule with the documentary position beside them. Reading the conditional acceptance certificate for Solstice Renewables is what establishes which items were carried forward as punch. Winslow Beauchamp-Tay would re-buy on the basis of yes, and has already sponsored an expansion, having first complained that the pilot success criteria were written loosely and then argued over. Reading the published reference case study for Solstice Renewables is what establishes what was claimed to the market. Whatever the company's materials claim, Dashiell Okonjo described the position on order cycle time from release to pack-out as substantiated: figures tie to the customer's own weekly operations pack. The site labour standard for Solstice Renewables was produced on request and shows the baseline against which benefits are claimed. Dashiell Okonjo gave 41 minutes on 2026-03-02 and made one quantified claim, on order cycle time from release to pack-out, of 24 per cent. The site labour standard at Solstice Renewables carries more weight than any summary, since it shows the baseline against which benefits are claimed. Asked what worked, Fenwick Aduroja said that the account team escalated without being chased; asked what did not, the answer was that support handoffs across time zones lose context between shifts. Solstice Renewables relies on the amended order form for its own account of the position, and it shows nothing, because it was never produced. Silas Trumbauer would re-buy on the basis of yes, subject to a commercial reset on overage, having first complained that integration change requests are quoted at professional-services rates. The credit note sequence sits on the Solstice Renewables file and is the source for what was conceded and in which period.

Reliance is stated for every source used, since an investor reading this file needs to know which conclusions would move if one document turned out to be unreliable. Two sources were not relied upon at all, in both cases because provenance could not be established: an undated extract and a summary prepared for us rather than in the ordinary course. Summaries prepared for diligence are weak evidence, and that is a general principle rather than a comment on anyone's good faith. Oisin Barrowclough answered on re-buy with probably, with a shorter initial term and would not be drawn further on price or on term. The site labour standard at Solstice Renewables carries more weight than any summary, since it shows the baseline against which benefits are claimed. Della Fontanez-Ruck, introduced by Solstice Renewables as a willing reference, nonetheless complained that support handoffs across time zones lose context between shifts. Solstice Renewables relies on the renewal correspondence file for its own account of the position, and it shows what each party put in writing about intent. Halvard Sigurdsson was reached by video call with a follow-up email and gave a re-buy answer of no, would run a competitive process first, which sits oddly beside the praise that implementation engineers were candid about what the pilot would not prove. Solstice Renewables was asked for the host interface message log precisely because it bears on how the interface behaved on receipt confirmations. Della Fontanez-Ruck answered on re-buy with probably, with a shorter initial term and would not be drawn further on price or on term. Solstice Renewables was asked for the credit note sequence precisely because it bears on what was conceded and in which period. Fenwick Aduroja would re-buy on the basis of yes, without qualification, having first complained that support handoffs across time zones lose context between shifts. Solstice Renewables let us check the credit note sequence against the customer's own copy, and it shows what was conceded and in which period. Kwesi Boateng-Marsh gave 48 minutes on 2026-05-02 and made one quantified claim, on reduction in temporary labour headcount at peak, of 30 per cent.

Commercial terms in context supporting the Solstice Renewables review

Fieldwork at Solstice Renewables records that the hybrid models are the hardest to forecast and the fastest growing part of the base, and the schedule below is the evidence for it, drawn from 6 records rather than from a summary prepared for us. The Solstice Renewables bundle supports a related reading: escalator wording is inconsistent between contracts signed in the same year. Rosalind Achebe-Moor is reported at this grain to make comparison possible, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves at renewal. Console records for February at Solstice Renewables show 57,382 picks, and the invoice followed at $25,600. Whatever this account decides, Caldera Cold Chain reaches its own renewal on 2028-01-10 with downgrade under discussion to a single-shift tier. Solstice Renewables in January shows entitlement of 58,402 against consumption of 51,732, recorded as no exception raised. Vantageport Terminals carries an ACV band of 1.2m to 1.5m on net sixty, and the risk trigger identified there is unresolved severity-one recurrence in the freezer aisles. Overage in November at Solstice Renewables came to 10,532 picks, entitlement having been fixed at signature. Ossuary Ridge Beverage is banded at nil - already lapsed on renewal, the trigger being unresolved severity-one recurrence in the freezer aisles. Reconciling May leaves Solstice Renewables with a variance of $-114, no exception raised. Among the peer accounts it is Zephyrine Beauty Brands where volumes running below the floor commitment for three quarters.

Ephraim Lindqvist-Bass's team is qualified in two respects: one order form was superseded by an amendment we have not been given, and escalator descriptions are paraphrased from the clause rather than quoted. The Belen operation also observed, when the schedule was put to the customer, that pricing models differ enough across the base that a single revenue-quality statement would mislead, which is consistent with what the documents show without being proved by them. Solstice Renewables accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Kwabena Asiedu-Nkrumah sponsors the Zephyrine Beauty Brands deployment, which covers 2 sites in cosmetics direct-to-consumer fulfilment. Solstice Renewables carried overage in June of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Among the peer accounts it is Vantageport Terminals where unresolved severity-one recurrence in the freezer aisles. Credits reaching Solstice Renewables in the April cycle came to $0, and the balance remains as no exception raised. Lucrecia Barrantes-Foy runs procurement at Zephyrine Beauty Brands, where the executive sponsor is Kwabena Asiedu-Nkrumah. Solstice Renewables in October shows entitlement of 58,402 against consumption of 76,653, recorded as no exception raised. Kestrel Pharma carries an ACV band of 0.6m to 0.8m on net ninety, and the risk trigger identified there is labour agreement restricts further automation at the site. Reconciling March leaves Solstice Renewables with a variance of $-94, no exception raised.

Schedule 20.4 - commercial terms benchmarked around Solstice Renewables

Account	Pricing model	ACV band	Payment terms	Term (months)	Index or escalator
Solstice Renewables	per-robot subscription at a stated most-favoured rate	0.3m to 0.5m	net thirty	36	no escalator; repricing by amendment
Meridian Fulfilment	per-robot subscription with a fleet-orchestration platform fee	1.8m to 2.2m	net forty-five, quarterly in advance	36	fixed price for the initial term
Caldera Cold Chain	hardware purchase plus annual software and support	0.9m to 1.1m	net sixty, annual in advance	48	consumer price index, capped at four per cent
Pennarth Industrial	per-robot subscription, tiered by shift coverage	0.7m to 0.9m	net thirty	60	consumer price index, capped at four per cent
Arborlight Home	hybrid: base subscription plus per-pick metering above entitlement	2.6m to 3.1m	net forty-five with a two percent early-payment discount	36	no escalator; repricing by amendment
Kestrel Pharma	per-robot subscription with a validation services retainer	0.6m to 0.8m	net ninety	48	no escalator; repricing by amendment

Escalation chronology: Solstice Renewables

Diligence on Solstice Renewables puts on the record that the chronology shows disputes ageing rather than escalating further, and the schedule below is the evidence for it, drawn from 7 records rather than from a summary prepared for us. The Pueblo West site carries a further observation: one escalation was deferred into the renewal negotiation rather than closed. The Belen operation is drawn at this grain on purpose, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves at renewal. Solstice Renewables carried overage in August of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Belen triggered credits of $978 following resolution attainment of 68 per cent. Billing for September charged Solstice Renewables $25,600 on a metered volume of 47,013, and the exception was no exception raised. Belen reached 94 per cent on response and 73 per cent on resolution, and credits of $433 followed. Solstice Renewables's position for February was settled as no exception raised, on an invoice of $25,600. Although the console reported no outage at Belen, the site still raised 16 tickets in 2024-Q3. Solstice Renewables carried overage in February of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Belen reached 93 per cent on response and 80 per cent on resolution, and credits of $7,463 followed.

Solstice Renewables management needs two caveats stated: an item shown as still open was open at fieldwork close, and outcomes are as recorded at the time, not as characterised later. Fieldwork at Solstice Renewables also observed, when the schedule was put to the customer, that the contractual hook is missing from more escalations than it is present in, which is consistent with what the documents show without being proved by them. The Solstice Renewables bundle accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Although the console reported no outage at Belen, the site still raised 16 tickets in 2024-Q3. Solstice Renewables used in August only 47,013 of an entitled 58,402, and no credit was sought in that cycle. Pueblo West keeps returning to one theme, traffic deadlock at an aisle intersection, and it survived into 2024-Q3. Solstice Renewables's ledger for March shows overage of 6,618 picks, credits of $0 and a variance of $-94, no exception raised. Reviewing the 2025-Q1 quarter, Belen shows 19 tickets and a recurring theme of charger handshake failures on one dock. Solstice Renewables's ledger for October shows overage of 20,329 picks, credits of $9,716 and a variance of $74, credited in the following billing cycle. Recurring at Pueblo West through that quarter was pick confirmation duplicated in the host WMS, across 28 tickets. Reconciling February leaves Solstice Renewables with a variance of $114, no exception raised.

Schedule 20.5 - Solstice Renewables: escalation chronology and contractual hooks

Date	Event	Raised with	Contractual hook	Outcome
2024-02-05	notice of failure to meet a service level	the company vice president of services	no contractual hook cited	closed with a credit
2024-03-17	remediation plan issued by the company	Ephraim Lindqvist-Bass	order form, entitlement definition	closed with a credit
2024-03-31	severity-one raised: fleet halted on one floor	the company vice president of services	service level schedule, clause on resolution credits	deferred to the renewal negotiation
2024-04-18	credit request submitted by the site	Rosalind Achebe-Moor	no contractual hook cited	closed after a firmware release
2024-05-31	customer wrote to dispute an invoice	Rosalind Achebe-Moor	acceptance schedule, cure period	still open
2024-06-08	remediation plan issued by the company	Rosalind Achebe-Moor	acceptance schedule, cure period	still open
2024-06-28	credit request submitted by the site	the customer success director	acceptance schedule, cure period	closed without adjustment

Attribution of milestone slippage across the Solstice Renewables estate

Across 18 tracked milestones, 16 ran late, and the aggregate slip of 724 days is concentrated rather than evenly spread. Pueblo West (SOL-01) accounts for the single worst gate at 72 days on final acceptance certificate, caused by customer master-data cleanup for slot dimensions ran long. The larger share of delay is customer-caused: 6 of 16 name customer information technology, facility readiness or site works as the proximate cause. At Belen the gate for wms interface build and message mapping was planned for 2024-01-30 and closed on 2024-02-06, the delay being validation protocol rewritten after a quality-assurance review. Pueblo West (SOL-01) met response targets 90 per cent of the time, and resolution targets rather less often. Timing at Belen held for integration test in the customer sandbox, which closed on 2024-02-19 as scheduled. Belen triggered credits of $1,440 following resolution attainment of 75 per cent. Progress at

Belen shows acceptance test protocol execution signed off on 2024-08-22 against 2024-06-29 as planned. Belen produced 0 severity-one events in 2023-Q4, and resolution attainment of 68 per cent triggered credits of $978. On the evidence from Pueblo West, network and radio-frequency readiness review slipped 59 days and the status now reads closed. Severity being classified by the vendor, Belen recorded only 0 events at the top severity in 2023-Q3. Acceptance slipped 26 days at Pueblo West before integration test in the customer sandbox was recorded as closed. Belen (SOL-02) met response targets 93 per cent of the time, and resolution targets rather less often. Belen (SOL-02) cleared acceptance test protocol execution on 2024-08-22 against a plan of 2024-06-29, a difference of 54 days recorded against floor coating and line marking delayed by a contractor dispute.

Attribution was not taken from the company's own status reports alone, since those reports have an obvious interest in where a delay lands, and were instead tested against dated customer correspondence and change-control records where those existed. Two attributions held up unchanged, one was re-attributed from the customer to the company after the interface defect log was read, and the remainder could not be tested because no contemporaneous record exists. Where nothing could be tested the schedule says so. The slip of 41 days at Pueblo West on pilot cell go-live is the one the customer raises first, and it traces to customer IT change-freeze extended by two sprint cycles. Belen (SOL-02) met response targets 94 per cent of the time, and resolution targets rather less often. Certificates held at Belen put conditional acceptance certificate on 2024-09-07 and explain the 2 days by supplier lead time on the conveyor tie-in guard package. Ticket volume reached 26 at Pueblo West in 2025-Q2, of which 0 were classified at the highest severity. Turning to Belen, the tracker puts site survey and slotting scan at 2023-09-26 where the plan said 2023-09-06, the gap being customer master-data cleanup for slot dimensions ran long. Reviewing the 2024-Q3 quarter, Belen shows 16 tickets and a recurring theme of interface message backlog after a host restart. Punch items numbering 0 remained at Belen when pilot cell go-live was signed on 2024-06-02. Belen triggered credits of $4,016 following resolution attainment of 65 per cent. Belen (SOL-02) met integration test in the customer sandbox on 2024-02-19 without a variation to plan. Belen (SOL-02) is where charger handshake failures on one dock recurs, and the quarter to 2024-Q2 shows 1 severity-one events. At Pueblo West the gate for site survey and slotting scan was planned for 2023-05-07 and closed on 2023-05-31, the delay being labour agreement consultation with the site works council.

Commercially the slip pattern matters in two ways, and neither is captured by the headline count of days. Cure periods run from contractual dates, not actual ones, so a delay the customer caused can still open a remedy the customer can assert unless the planned date was formally revised, and in this account it was revised only twice. Ephraim Lindqvist-Bass was asked directly whether the site would assert those remedies and answered that it would raise them at renewal rather than pursue them as claims, which converts a legal exposure into a pricing exposure. Pueblo West triggered credits of $1,538 following resolution attainment of 64 per cent. On the evidence from Pueblo West, wms interface build and message mapping slipped 47 days and the status now reads closed. Reviewing the 2025-Q3 quarter, Belen shows 5 tickets and a recurring theme of pick confirmation duplicated in the host WMS. Pueblo West (SOL-01) reached acceptance test protocol execution on 2024-05-28, status closed, with 0 punch items open at that gate. Reviewing the 2025-Q1 quarter, Belen shows 19 tickets and a recurring theme of charger handshake failures on one dock. Deployment records at Pueblo West leave pilot cell go-live closing on 2024-02-24, status closed. Belen (SOL-02) is where pick confirmation duplicated in the host WMS recurs, and the quarter to 2025-Q3 shows 0 severity-one events. Punch items numbering 0 remained at Belen when network and radio-frequency readiness review was signed on 2024-01-12. Belen reached 94 per cent on response and 73 per cent on resolution, and credits of $433 followed. Pueblo West logged pilot cell go-live on 2024-02-24; the customer attributes the slip to customer IT change-freeze extended by two sprint cycles. Belen produced 1 severity-one events in 2025-Q1, and resolution attainment of 96 per cent triggered credits of $0.

Metered usage against invoices at Solstice Renewables

Metered volume at Solstice Renewables exceeded entitlement in 9 of the 18 periods examined, and the excess is seasonal rather than structural, peaking in 2024-10 at 78,731 against an entitlement of 58,402. The invoice line follows the meter, twice excepted, both of which were traced to an entitlement figure keyed from a superseded order form. Several periods carry credit notes, 4 in total, and the reasons stated on those notes do not always match the reasons the site gave us. Solstice Renewables was credited in August with $5,112, against an invoiced amount of $25,600. Meter and invoice diverge in May at Solstice Renewables by $-114, which the parties treat as no exception raised. Solstice Renewables carried overage in August of 0 picks, which the invoice reflects and the site disputes on definition rather than

count. Solstice Renewables in October shows entitlement of 58,402 against consumption of 76,653, recorded as no exception raised. Solstice Renewables used in September only 47,013 of an entitled 58,402, and no credit was sought in that cycle. Solstice Renewables was credited in January with $0, against an invoiced amount of $25,600. Reconciling December leaves Solstice Renewables with a variance of $-125, no exception raised. Solstice Renewables carried overage in March of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Solstice Renewables used in July only 64,534 of an entitled 58,402, and no credit was sought in that cycle. Solstice Renewables was credited in January with $0, against an invoiced amount of $25,600. Solstice Renewables carried overage in March of 0 picks, which the invoice reflects and the site disputes on definition rather than count.

Reconciliation was performed period by period rather than on annual totals, because an annual view nets an overbilling in one month against an underbilling in another and hides both. Two directional errors were found: the site was overbilled where entitlement was understated, and underbilled in a period where the console under-recorded picks during a firmware regression. The second error had gone unnoticed by both sides, which says something about the strength of the meter-to-invoice control. Solstice Renewables metered February at 57,382 picks against an entitlement of 58,402, and was invoiced $25,600. Billing for August charged Solstice Renewables $25,600 on a metered volume of 47,013, and the exception was no exception raised. Meter and invoice diverge in March at Solstice Renewables by $85, which the parties treat as no exception raised. Billing for April charged Solstice Renewables $29,502 on a metered volume of 68,671, and the exception was no exception raised. Solstice Renewables's position for June was settled as no exception raised, on an invoice of $27,375. Solstice Renewables metered April at 69,401 picks against an entitlement of 58,402, and was invoiced $29,779. Solstice Renewables metered October at 78,731 picks against an entitlement of 58,402, and was invoiced $33,325. Solstice Renewables's ledger for March shows overage of 6,618 picks, credits of $0 and a variance of $-94, no exception raised. Credits reaching Solstice Renewables in the November cycle came to $2,560, and the balance remains as credited in the following billing cycle. Solstice Renewables was credited in January with $0, against an invoiced amount of $25,600. Solstice Renewables's position for February was settled as no exception raised, on an invoice of $25,600.

Ephraim Lindqvist-Bass treats the overage mechanic as the main commercial grievance and said plainly that the site cannot forecast a bill it cannot model. That complaint traces to the entitlement definition, since a re-pick after an exception counts against entitlement under the order form and does not count in the site's own operational reporting. Either interpretation survives the drafting, which is a contract-quality observation as much as a customer-relationship one, and it has been flagged to the legal workstream with the clause reference. Solstice Renewables carried overage in December of 4,001 picks, which the invoice reflects and the site disputes on definition rather than count. Solstice Renewables carried overage in June of 0 picks, which the invoice reflects and the site disputes on definition rather than count. Solstice Renewables was credited in December with $0, against an invoiced amount of $31,745. Solstice Renewables's position for February was settled as no exception raised, on an invoice of $25,600. Credits reaching Solstice Renewables in the December cycle came to $0, and the balance remains as no exception raised. Consumption recorded for Solstice Renewables in March ran to 58,207 picks, 0 of them above entitlement. Solstice Renewables's ledger for September shows overage of 0 picks, credits of $0 and a variance of $28, no exception raised. Overage in December at Solstice Renewables came to 16,173 picks, entitlement having been fixed at signature. Solstice Renewables's ledger for April shows overage of 10,269 picks, credits of $0 and a variance of $66, no exception raised. Overage in June at Solstice Renewables came to 4,672 picks, entitlement having been fixed at signature. Billing for January charged Solstice Renewables $25,600 on a metered volume of 57,801, and the exception was no exception raised.

Concentration of the base supporting the Solstice Renewables review

Ephraim Lindqvist-Bass sets out that the largest relationship is material without being dominant, and the schedule below is the evidence for it, drawn from 6 records rather than from a summary prepared for us. Rosalind Achebe-Moor goes further: the top three accounts together carry a share that would concern a lender more than an equity buyer. The Pueblo West site settled on this level of detail for a reason, because an account-level average at Solstice Renewables conceals the site-to-site variation that decides how this relationship behaves at renewal. Comparison with Ossuary Ridge Beverage is instructive, since it prices on per-robot subscription, no platform fee and pays on net thirty. Solstice Renewables's position for July was settled as disputed; invoice held pending a joint meter review, on an invoice of $27,930. Whatever this account decides, Ironbark Building Materials reaches its own renewal on 2026-10-25 with

expansion signed for a second wave of robots. Solstice Renewables used in December only 64,778 of an entitled 58,402, and no credit was sought in that cycle. Lindenvale Grocery renews on 2028-02-14, and Aleksy Wisniewski owns that conversation on the company side. Solstice Renewables metered November at 58,544 picks against an entitlement of 58,402, and was invoiced $25,653. Marisol Quintanilla-Reyes runs procurement at Arborlight Home, where the executive sponsor is Ellery Vandersloot. Solstice Renewables in July shows entitlement of 58,402 against consumption of 64,534, recorded as disputed; invoice held pending a joint meter review.

The Pueblo West team is qualified in two respects: shares are of the customer base examined and no consolidated total is asserted, and expiry dates ignore auto-renewal, which is why several look nearer than they are. The Solstice Renewables estate also observed, when the schedule was put to the customer, that removing the affiliated account changes the shape of the base only slightly, which is consistent with what the documents show without being proved by them. This Solstice Renewables review accepted the schedule as a fair summary of the underlying records, subject to those qualifications and to the open items listed in this review. Meridian Fulfilment pays on net forty-five, quarterly in advance, a longer cycle than most of the base and one negotiated at signature. Meter and invoice diverge in April at Solstice Renewables by $66, which the parties treat as no exception raised. Caldera Cold Chain renews on 2028-01-10, and Aleksy Wisniewski owns that conversation on the company side. Solstice Renewables was credited in June with $8,972, against an invoiced amount of $25,600. Lucrecia Barrantes-Foy runs procurement at Zephyrine Beauty Brands, where the executive sponsor is Kwabena Asiedu-Nkrumah. Console records for September at Solstice Renewables show 51,637 picks, and the invoice followed at $25,600. Among the peer accounts it is Zephyrine Beauty Brands where volumes running below the floor commitment for three quarters. Solstice Renewables was credited in February with $0, against an invoiced amount of $25,600.

Schedule 20.6 - customer concentration of the base, ranked, per the Solstice Renewables workpaper

Account	Share of base (%)	Cumulative (%)	Affiliation	Contract expiry
Thornquist Parcel	14.5	14.5	no affiliation identified	2023-04-06
Arborlight Home	12.0	26.5	no affiliation identified	2024-11-22
Northriding Automotive	8.8	35.3	no affiliation identified	2025-09-27
Meridian Fulfilment	8.4	43.7	no affiliation identified	2024-03-15
Halcyon Medical Supply	6.5	50.2	no affiliation identified	2024-05-24
Vantageport Terminals	5.7	55.9	no affiliation identified	2025-07-19

Reference conversations held on Solstice Renewables

Fenwick Aduroja, the vice president of distribution, spoke for 65 minutes on 2026-03-11 and praised that the account team escalated without being chased. Winslow Beauchamp-Tay was less generous and led with the complaint that the pilot success criteria were written loosely and then argued over, a point raised without prompting and repeated later in the call. Intent to re-buy came out mixed: 4 of 5 interviewees said yes in some form, and the qualifications attached to those yes answers are where the useful information sits. Because Corentin Blaisdell sees the fleet every shift, the first question put was about order cycle time from release to pack-out, answered at 9 per cent. Silas Trumbauer gave 40 minutes on 2026-04-27 and made one quantified claim, on order cycle time from release to pack-out, of 23 per cent. Notes taken on 2026-03-01 record Halvard Sigurdsson praising that implementation engineers were candid about what the pilot would not prove beside the complaint that reporting cannot be reconciled against the customer's own labour standard. Rustam Yesilova answered on re-buy with yes, and has already sponsored an expansion and would not be drawn further on price or on term. Winslow Beauchamp-Tay raised the complaint that the pilot success criteria were written loosely and then argued over, and put the improvement in dock-to-stock hours on inbound receipts at 37 per cent. Oisin Barrowclough, speaking as continuous improvement lead, said that battery swap procedure is awkward for the night crew and pressed the point twice before the call ended. Della Fontanez-Ruck answered on re-buy with probably, with a shorter initial term and would not be drawn further on price or on term. Praise from Halvard Sigurdsson took the form that implementation engineers were candid about what the pilot would not prove, and it came without prompting. Dashiell Okonjo gave 41 minutes on 2026-03-02 and made one quantified claim, on order cycle time from release to pack-out, of 24 per cent. Talking to Kwesi Boateng-Marsh for 48 minutes by on-site walkthrough produced the claim that reduction in temporary labour headcount at peak improved by 30 per cent, substantiated: figures tie to the customer's own weekly operations pack. Because Fenwick Aduroja sees the fleet every shift, the first question put was about inventory record accuracy after cycle counting, answered at 16 per cent.

Silas Trumbauer gave the answer that most complicates the company's reference narrative, stating on re-buy that the position is yes, subject to a commercial reset on overage while simultaneously praising that throughput held up during the promotional peak without extra labour. Warmth does not predict intent in this account, and in this account they diverge along the operations-procurement line rather than by site. The criticism recurs across interviewees, namely that the pilot success criteria were written loosely and then argued over, which no interviewee described as resolved. Notes taken on 2026-05-02 record Kwesi Boateng-Marsh praising that the account team escalated without being chased beside the complaint that support handoffs across time zones lose context between shifts. Della Fontanez-Ruck was reached by video call and gave a re-buy answer of probably, with a shorter initial term, which sits oddly beside the praise that firmware rollbacks were quick when a release misbehaved. Whatever the company's materials claim, Dashiell Okonjo described the position on order cycle time from release to pack-out as substantiated: figures tie to the customer's own weekly operations pack. Praise from Dashiell Okonjo took the form that the account team escalated without being chased, and it came without prompting. Della Fontanez-Ruck answered on re-buy with probably, with a shorter initial term and would not be drawn further on price or on term. Because Silas Trumbauer sees the fleet every shift, the first question put was about order cycle time from release to pack-out, answered at 23 per cent. Dashiell Okonjo raised the complaint that integration change requests are quoted at professional-services rates, and put the improvement in order cycle time from release to pack-out at 24 per cent. Talking to Kwesi Boateng-Marsh for 48 minutes by on-site walkthrough produced the claim that reduction in temporary labour headcount at peak improved by 30 per cent, substantiated: figures tie to the customer's own weekly operations pack. Winslow Beauchamp-Tay, speaking as warehouse systems manager, said that the pilot success criteria were written loosely and then argued over and pressed the point twice before the call ended. Because Silas Trumbauer sees the fleet every shift, the first question put was about order cycle time from release to pack-out, answered at 23 per cent. Winslow Beauchamp-Tay answered on re-buy with yes, and has already sponsored an expansion and would not be drawn further on price or on term.

Conversations were conducted from a fixed question set so that answers stay comparable between accounts, with follow-up questions asked only where an answer conflicted with a document already in hand. Interviewees saw none of the vendor material, which is why a contradiction with the published case study counts as evidence rather than as a prompted reaction. Two unprompted contradictions were recorded, and both are set out in the register below together with the material they contradict. Praise from Dashiell Okonjo took the form that the account team escalated without being chased, and it came without prompting. Whatever the company's materials claim, Rustam Yesilova described the position on overtime hours in the outbound department as substantiated: figures tie to the customer's own weekly operations pack. Silas Trumbauer, the shift superintendent, outbound, spoke on 2026-04-27 and praised that throughput held up during the promotional peak without extra labour, answering the re-buy question with yes, subject to a commercial reset on overage. Winslow Beauchamp-Tay would re-buy on the basis of yes, and has already sponsored an expansion, having first complained that the pilot success criteria were written loosely and then argued over. Corentin Blaisdell volunteered that the account team escalated without being chased, and the claim on order cycle time from release to pack-out was substantiated: the site produced labour reports for the comparison periods. Notes taken on 2026-05-02 record Kwesi Boateng-Marsh praising that the account team escalated without being chased beside the complaint that support handoffs across time zones lose context between shifts. Winslow Beauchamp-Tay would re-buy on the basis of yes, and has already sponsored an expansion, having first complained that the pilot success criteria were written loosely and then argued over. Dashiell Okonjo raised the complaint that integration change requests are quoted at professional-services rates, and put the improvement in order cycle time from release to pack-out at 24 per cent. Fenwick Aduroja treats the relationship as one where the account team escalated without being chased, and the inventory record accuracy after cycle counting figure offered was 16 per cent. Dashiell Okonjo gave 41 minutes on 2026-03-02 and made one quantified claim, on order cycle time from release to pack-out, of 24 per cent. Fenwick Aduroja treats the relationship as one where the account team escalated without being chased, and the inventory record accuracy after cycle counting figure offered was 16 per cent.