01 What changed

A consistent Apple-inspired design across the existing Performance Management application.

Performance Management now uses one visual system for its existing employee, manager and HR workflows. The delivery changes presentation and navigation accessibility while preserving product permissions and data contracts.

68	12	5
existing route templates	reviewed story packages	reusable team role skills

- One shared palette feeds server-rendered CSS, Tailwind and Material UI. System typography replaces competing remote fonts.
- Sign-in, dashboard, appraisals, reports and conversation surfaces use quieter layouts and solid semantic actions.
- Keyboard navigation, mobile focus containment, resize recovery and accessibility preference fallbacks are implemented.
- Twelve story packages, per-story architecture and UX handoffs, paired reviews and reusable role skills document the work.


Delivery pipeline

Stories > Architecture > Design > Paired build > QA + release


Four concurrent Codex agents rotated roles within the six-worker ceiling. Two product analysts handed off work incrementally; two implementation lanes used separate file ownership and retained product/architecture reviewers.

02 Dashboard: before and after

The work takes priority: quieter help, a shorter header, readable metrics and balanced task destinations.




BEFORE - actual local application with controlled synthetic data.



FINAL - equal 1440 x 1000 viewport and matching synthetic records; existing task destinations are preserved.

03 Concept and final choices

The proposed image is a reference; the final UI is reviewed against real tasks.




DESIRED CONCEPT - generated proposal, not a product screenshot.

- Dashboard: three task destinations fit one desktop row. System type and secondary help reduce competing emphasis.
- People: mobile identity, metrics and actions occupy separate rows; the scheduling shortcut moves into page actions to avoid the Guide.
- Competency: an underline identifies the current section. Readable responsive cards preserve real actions; numeric versions appear only when the existing API provides them.


Every route has an explicit comparison verdict. A populated after screen is never treated as a design improvement over an unrelated authentication or recovery state. The comparison documents retain the actual images and source revisions.

04 Core performance workflows


Goals, appraisals, reviews, cycle administration, people and analytics share the same visual rules.



Appraisals - actual local application using controlled synthetic records.



BEFORE - actual mobile member card.




FINAL - readable identity, metrics and actions.


Implemented: consistent headings and fields, readable people cards, clear status and task actions. Existing drafts, submissions, finalization and print contracts stay intact.

05 Growth and competency

Growth, talent, competency and AI screens share the same design system.



Feedback - actual implementation, with synthetic records and existing audience controls.




Role library - actual populated implementation. Real aggregate fields are used; numeric role versions are not invented.


Preserved: audience and anonymity rules, recording consent, optional AI, human assessment outcomes, versioned definitions and role-based access. Provider execution is a separate verification layer.

06 Mobile, dark mode and access

The design adapts to the device and user preferences without changing the task.



Actual final mobile goal dialog, dark mode; controlled synthetic data.



Authenticated production manager view, dark mode; existing QA account on deployed 8ce5e4b4.

- Visible focus and skip-to-content.
- Arrow keys, Home/End, Escape and native Tab dismissal.
- Mobile dialog focus containment, safe resize and readable keyboard-scrollable tables.
- Immediate press feedback; release away cancels.
- Reduced motion, solid materials and high-contrast edges.
- Consistent light/dark inputs and portal surfaces.

Keyboard menus, focus restoration, mobile resize recovery, theme persistence, press cancellation, reduced motion and solid-material fallbacks are verified by behavior checks. Automated checks are not a blanket accessibility certification.

07 Evidence and quality gates

Exact checks and their results; no pass is inferred from a screenshot or a healthy process.

PASS TypeScript validation

npx tsc --noEmit completed successfully after foundation and screen changes.

PASS Scoped code checks

Foundation ESLint passed; screen pair reported zero introduced lint findings against the existing baseline.

PASS Independent partner browser review

14 behavior checks passed: navigation, focus, themes, resize, preferences and goal dialogs; no uncaught page errors.

PASS Focused interaction and recovery suite

Nine focused design/recovery/metadata checks and four People readability, scoping and action checks passed on the final combined source.

PASS Existing workflow regression

105 existing workflow cases: 104 passed in the initial run; the single mobile tab defect was fixed and its unchanged regression passed on the production candidate. Initial failures and replays are retained.

PASS Final combined browser, API and backend checks

Both default builds, 25 browser checks and nine backend checks passed. Of 20 real-API journeys, 19 passed initially; the HR selection case then passed three unchanged replays. Its cause is not established.

PASS All-page matched visual review

68/68 templates have matched before/final captures and independent verdicts: 29 visible hierarchy/readability gains, 39 modest refinements. Mobile People and conversation findings are closed.

Coverage boundary

All 68 page templates have fresh matched pre-redesign/final captures. Independent per-route reviews distinguish visible improvements from modest refinements and deliberate concept adaptations. Synthetic screenshots, real-API tests and authenticated production checks each retain their own evidence boundary.

08 Release and exact outcome

Source, test, CI, deployed revision and authenticated browser proof remain separate records.

Tested revision

Exact combined source tree 7eb9c096330d19b1a854c0f45fa15d0583f09c13; both default production builds passed. Concurrent committed AI assessment work is preserved.

Published main revision

main: 8ce5e4b447d2b070870bdf75154b46abde6b18a7. Seven follow-up paths; 41 unique programme paths across both source commits. Documentation is published separately.

Verified live revision

Both Performance containers run 8ce5e4b447d2b070870bdf75154b46abde6b18a7. Frontend HTTP 200; API health 200/ok. Prior healthy d1 remains available for rollback.

Deployment View release run

Run 39524124932 succeeded on the exact tested source. The existing core workflow also rebuilt other suite services.

Identity and role smoke

OIDC 302 to Seemplify Identity; manager, HR and employee authentication passed. Nineteen live captures passed with no browser errors, failed API reads or overflow; mobile menu Escape passed for all three roles.

Repository protection

Normal push was blocked. The authorized organization-admin bypass was applied narrowly, then the original ruleset was restored and verified immediately. Classic protection stayed unchanged; no force-push.

Remaining limits

- The existing whole-app lint backlog remains; scoped checks passed with no introduced feature findings. Automated checks are not a blanket WCAG certification.
- AI, calendar, recording, LMS and other provider actions need their genuine configured-account prerequisites; synthetic screenshots do not establish provider success.

09 Handover and design provenance

Organized documents and evidence help the next team continue consistently.

Plan and stories

DELIVERY-PLAN.md; product-01.md; product-02.md. Source mappings distinguish the available competency PRD from the broader redesign brief.

Architecture and design

architecture-01.md; DESIGN.md; DESIGN-02.md; QA-PLAN.md; RELEASE-PLAN.md. Every story has a concrete handoff.


Reviews and evidence

VISUAL-COMPARISON.html and per-route reviews; SCREEN-COVERAGE.md; evidence/comparison-baseline and final-comparison; REVIEW-LOG.md and QA receipts.

Reusable skills

Product, architecture/release, UI/UX, QA and paired development skills are validated and installed locally. Emil Kowalski's Apple design skill is installed separately and available on the next turn.

Reference concept - not an implementation screenshot



Generated UX proposal. Actual application screenshots appear on pages 2, 4, 5 and 6.

Design reference: github.com/emilkowalski/skills, apple-design/SKILL.md. Research: Scrum Guide; C4 model; W3C WCAG 2.2; Playwright; official Codex subagent and skill documentation. Exact source links and decisions are in research-product.md and research-design-qa.md.