### Question 1:

```
[nadasamir@SYSADMIN ~]$ systemctl mask iptables
Unit iptables.service does not exist, proceeding anyway.
Created symlink /etc/systemd/system/iptables.service → /dev/null.
[nadasamir@SYSADMIN ~]$ systemctl mask ip6tables
Unit ip6tables.service does not exist, proceeding anyway.
Created symlink /etc/systemd/system/ip6tables.service → /dev/null.
[nadasamir@SYSADMIN ~]$
```

### Question 2:

### Question 3:

```
[nadasamir@SYSADMIN ~]$ firewall-cmd --get-default-zone
public
[nadasamir@SYSADMIN ~]$
```

# Question 4:

```
[nadasamir@SYSADMIN ~]$ firewall-cmd --list-all --zone=public
public (active)
  target: default
  icmp-block-inversion: no
  interfaces: ens33
  sources:
  services: cockpit dhcpv6-client ssh
  ports:
  protocols:
  forward: yes
  masquerade: no
  forward-ports:
  source-ports:
  icmp-blocks:
  rich rules:
```

## Question 5:

```
ricn rules:
[nadasamir@SYSADMIN ~]$ firewall-cmd --permanent --zone=public --add-port=8680/tcp
success
[nadasamir@SYSADMIN ~]$
```

#### Question 6:

```
[nadasamir@SYSADMIN ~]$ sudo firewall-cmd --reload
[sudo] password for nadasamir:
success
[nadasamir@SYSADMIN ~]$
```

# Question 7:

[nadasamir@SYSADMIN ~]\$ sudo firewall-cmd --permanent --zone=public --add-rich-rule= 'rule family="ipv4" source address="192.168.110.0/24" service name="ssh" accept' success

# Question 8:

[nadasamir@SYSADMIN ~]\$ sudo firewall-cmd --permanent --zone=public --add-rich-rule= 'rule family="ipv4" source address="192.168.110.100" service name="ssh" accept' success