

1- Booting after 8 sec

```
root@192:~  
GNU nano 5.6.1 /etc/default/grub Modified  
#GRUB_TIMEOUT=5  
GRUB_TIMEOUT=8  
GRUB_DISTRIBUTOR="$(sed 's, release .*$,,g' /etc/system-release)"  
GRUB_DEFAULT=saved  
GRUB_DISABLE_SUBMENU=true  
GRUB_TERMINAL_OUTPUT="console"  
GRUB_CMDLINE_LINUX="crashkernel=1G-4G:192M,4G-64G:256M,64G-:512M resume=UUID=35df8398-d8ea-  
GRUB_DISABLE_RECOVERY="true"  
GRUB_ENABLE_BLSCFG=true  
  
[root@192 ~]# grub2-mkconfig -o /boot/grub2/grub.cfg  
Generating grub configuration file ...  
File descriptor 3 (pipe:[44001]) leaked on vgs invocation. Parent PID 4276: grub2-probe  
File descriptor 9 (pipe:[45038]) leaked on vgs invocation. Parent PID 4276: grub2-probe  
File descriptor 3 (pipe:[44001]) leaked on vgs invocation. Parent PID 4276: grub2-probe  
File descriptor 9 (pipe:[45038]) leaked on vgs invocation. Parent PID 4276: grub2-probe  
File descriptor 3 (pipe:[44001]) leaked on vgs invocation. Parent PID 4357: grub2-probe  
File descriptor 9 (pipe:[45038]) leaked on vgs invocation. Parent PID 4357: grub2-probe  
File descriptor 3 (pipe:[44001]) leaked on vgs invocation. Parent PID 4357: grub2-probe  
File descriptor 9 (pipe:[45038]) leaked on vgs invocation. Parent PID 4357: grub2-probe  
Adding boot menu entry for UEFI Firmware Settings ...  
done  
[root@192 ~]#
```