SAMPLE QUERIES:

```
-- 1. Fetch all students who live in Calamba City.
SELECT * FROM student WHERE city = 'CALAMBA';
```

oeces_database-# \	SELECT * FROM studen WHERE city = 'CALAMB first_name	Altres and a second	last_name g	gender	omail	birthday	contact_number	barangay	city	section_id
2811-86148-TS-8 2821-86461-TS-8 2821-88462-TS-9 (3 rows)		Ĭ	ACOSTA ALERGE ADARAGON			2662-01-29	8929 884 3362 8981 742 8561 8921 398 3478	LA MESA	CALAMBA	5

-- 2. Fetch all second year students.
SELECT * FROM student s
JOIN section ON s.section id = section.id;

student_id	first_name	middle_initial	Last_name	gender-	tenil.	birthday	contact_number	harwigay	city	section_id	id	section_name
921-88149-75-8	ALLEN GERALD		BALELA		allenhalela862@gmail.com	2003-18-13	8997 927 8395	SOME:1	TALESAY	1	1	2-1
012-00141-75-0	JOY MAZSZE	1 (4)	ADDGO	*	lysjeyce252@gmail.com	2003-02-16	8938 2827 723	SANTIAGO	STO, YOMAS	3	3	2-1
921-89105-TS-8	HAURENCE	1.6	ABAHA		abelamarklaurence522@gmail.com	3003-11-22	8295 BB0 8542	MARTHI	TALISAY	1 31	3	2-1
021-00843-TS-0	36	I W	ABEJA.		javeabejuel528gmail.com	2885-88-11	8977 428 9561	STA. MARIA	STO, TORAS		- 1	2-1
921-69H15-T5-8	JEAN	1.0	ALCANTARA	F	alcantarajeannamari52@gmail.com	2002-10-13	8965 277 9298	MARIENT	TANAGAN	1 1		3-1
911-86148-TS-0	CHRISTIAN PATRICK	1 1	ACOSTA		acceta.christlanjasotz@geall.com	2002-12-03	8929 884 3362	SAIRSIN	CALAMBA	1 4	4	3-1
921-88862-TS-B	MERIET	100	ADARAGON	F	meriellee252#gmail.com	2001-03-24	8921 298 3498	PARTAN	CALAMBA	5	5	9-1
0021-00481-TS-8	DISTANCE	1 *	ALERSE		alegrejhe528gmail.com	2002-81-20	8981 742 8561	LA RESA	CALARBA	5		M-I

-- 3. Display student_id and (contact_number of their guardian AS in_case_of_emergency_call).

SELECT s.student_id, COALESCE(g.contact_number, 'NO CONTACT') AS incase_of_emergency_call

FROM student s

FULL JOIN student_guardian sg ON sg.student_id = s.student_id

FULL JOIN guardian g ON sg.guardian_id = g.id;

```
proces_dstabaser# SELECT s.student_1d, COMLESCE(g.costact_sumber, 'Mo CONTACT') AS incase_of_emergency_call

orces_dstabaser# FROM student s

arces_dstabaser# FROM student_puscrian mg ON mg, student_3d = m.student_id

arces_dstabaser# FROM_DONS quarefining of ms mg ON mg, student_id = g.id;

student_id | incase_of_emergency_call

apz_-mpma_Ts=6 | mms_se_of_emergency_call

apz_-mms_Ts=6 | mms
```

-- 4. Fetch all students without suborganization membership.
SELECT s.first_name, s.last_name FROM student s
LEFT JOIN student_suborganization so ON so.student_id = s.student_id
WHERE so.student_id IS NULL;

```
-- 5. Fetch all students that is a member of more than 1 suborganization.
SELECT s.first_name, s.last_name, COUNT(so.student_id) AS suborg_count
FROM student s
INNER JOIN student_suborganization so ON so.student_id = s.student_id
GROUP BY s.first_name, s.last_name HAVING COUNT(so.student_id) > 1;
```

```
caccs_database=# SELECT s.first_name, s.last_name, COUNT(so.student_id) A5 suborg_count
caccs_database=# FROM student_suborg_anization so ON so.student_id = s.student_id
caccs_database=# GROUP BY s.first_name, s.last_name HAVING COUNT(so.student_id) > 1;
first_name | last_name | suborg_count

ALLEY GERALD | BALELA | 2
(1 row)
```

```
-- 6. Display each student full name and guardian full name and their relationship.

SELECT

CONCAT(s.first_name, ' ', s.last_name) AS student,

CONCAT(g.first_name, g.last_name) AS guardian,

COALESCE(gt.relationship, 'NO GUARDIAN PROVIDED')

FROM student s

FULL JOIN student_guardian sg

ON sg.student_id = s.student_id

FULL JOIN guardian g

ON sg.guardian_id = g.id

FULL JOIN guardian_type gt

ON sg.guardian_type_id = gt.id

WHERE s.student_id IS NOT NULL;
```

```
6. Display each student full name and guardian full name and their relationship
oeces_database=# SELECT
                                 CONCAT(s.first_name, ' .s.last_name) AS student,
CONCAT(g.first_name, g.last_name) AS guardian,
COALESCE(gt.relationship, 'MO GUARDIAN PROVIDED')
 oeces_database-#
oeces_database-#
occes_database=# FROM student s

occes_database=# FULL JOIN student_guardian sg

occes_database=# DN sg.student_id = s.student_id
oeces_database=# FULL_JOIN guardian g
oeces_database=# FULL_JOIN guardian g
oeces_database=# FULL_JOIN guardian_id = g,id
oeces_database=# FULL_JOIN guardian_type_gt
oeces_database=# FULL_JOIN guardian_type_id = gt.id
oeces_database=# WHERE s.student_id IS NOT NULL;
               student
                                               guardian
                                                                                              coalesce
 JV ABEJA
MAURENCE ABAKA
                                                  | MARYABEJA
| EDNA ABAKA
                                                                                  MOTHER
                                                                                   MOTHER
 JOY MAISIE AGOGO
ALLEN GERALD BALELA
JEAN ALCANTARA
                                                  | JOJOAGOGU | HOTHER | MARIABARRION | MOTHER |
                                                     JOJOAGOGO
                                                                                 NO GUARDIAN PROVIDED
                                                                                NO GUARDIAN PROVIDED
NO GUARDIAN PROVIDED
  CHRISTIAN PATRICK ACOSTA
 MERIET ADARAGON
JHENNY ALERGE
```

```
-- 7. Fetch all students without email address.
SELECT first_name, last_name FROM student
WHERE email IS NULL;
```

```
oeces_database=# SELECT first_name, last_name FROM student
oeces_database=# WHERE email IS NULL;
first_name | last_name
(0 rows)
```

```
-- 8. Fetch all guardian email addresses and display: 'NO EMAIL PROVIDED' when null. SELECT first_name, last_name, COALESCE(email, 'NO EMAIL PROVIDED')
FROM guardian;
```

```
-- 9. Count the number of members for each suborganization.
SELECT so.suborganization_name, COUNT(ss.suborganization_id)
FROM student_suborganization ss
JOIN suborganization so
    ON so.id = ss.suborganization_id
GROUP BY so.suborganization_name;
```

```
-- 10. Fetch all October babies.

SELECT * FROM student

WHERE EXTRACT(MONTH FROM birthday)= 10;
```

```
Expanded display is on.
oeces_database=# -- I0. Fetch all december babies.
oeces_database=# SELECT * FROM student
oeces_database=# WHERE EXTRACT(MONTH FROM birthday)= 18;
-[ RECORD 1 ]--+
student_id |
                         2821-88149-TS-8
first_name
middle_initial
                         ALLEN GERALD
Last_name
                         BALELA
gender
                         allenbalela952@gmail.com
liese
                        2883-18-11
8997 927 8395
birthday
contact_number
barangay
city
section_id
                         TALISAY
student_id
first_name
                         2821-88415-TS-8
                         JEAN
middle_initial
                         ALCANTARA
last_name
gender
                         alcantarajeannamari52@gmail.com
2882-18-13
fiame
birthday
contact_number
                        8965 277 9298
MASINI
barangay
section_id
```