INFORMATION SHEET

$$X = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{b}{2a}$$

$$y = \frac{4ac - b^2}{4a}$$

$$a^{X} = b \Leftrightarrow x = \log_{a} b$$
, $a > 0$, $a \ne 1$ and $b > 0$

$$A = P(1 + ni)$$

$$A = P(1 - ni)$$

$$A = P(1+i)^n$$

$$A = P(1+ni)$$
 $A = P(1-ni)$ $A = P(1+i)^n$ $A = P(1-i)^n$

$$i_{\text{eff}} = \left(1 + \frac{i^m}{m}\right)^m - 1$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$\int \frac{1}{x} dx = \ln(x) + C, \quad x > 0$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + C \quad , \quad n \neq -1$$

$$\int a^X dx = \frac{a^X}{\ln a} + C \quad , \quad a > 0$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$M\left(\frac{x_1+x_2}{2};\frac{y_1+y_2}{2}\right)$$

$$y = mx + c$$

$$y-y_1=m(x-x_1)$$

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$m = \tan \theta$$

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

In ∆*ABC*:

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc.\cos A$$

area
$$\triangle$$
 ABC = $\frac{1}{2}ab.\sin C$

$$\sin^2 \theta + \cos^2 \theta = 1$$

$$1 + \tan^2 \theta = \sec^2 \theta$$

$$\cot^2 \theta + 1 = \csc^2 \theta$$

 $\pi rad = 180^{\circ}$

Angular velocity = $\omega = 2\pi n = 360^{\circ}n$ where n = rotation frequency

Circumferencial velocity = $v = \pi Dn$ where D = diameter and n = rotation frequency

 $s = r\theta$ where r = radius and $\theta = central$ angle in radians

Area of a sector =
$$\frac{rs}{2} = \frac{r^2\theta}{2}$$
 where $r = \text{radius}, \ s = \text{arc length and}$ $\theta = \text{central angle in radians}$

$$4h^2 - 4dh + x^2 = 0$$
 where $h =$ height of segment,
 $d =$ diameter of circle and
 $x =$ length of chord

$$\mathsf{A}_\mathsf{T} = a \bigg(\frac{o_1 + o_n}{2} + o_2 + o_3 + o_4 + \ldots + o_{n-1} \bigg) \qquad \text{where} \quad a = \text{equal parts},$$

$$\mathsf{o}_i = i^{th} \text{ ordinate and }$$

$$n = \text{number of ordinates}$$

OR

$$A_T = a (m_1 + m_2 + m_3 + \ldots + m_n)$$
 where $a =$ equal parts, $m_1 = \frac{o_1 + o_2}{2}$ and $n =$ number of ordinates