



Model dimensions

Front, back and side views from the supplied Amara49 model, with the updated prongs.



Head	9.04 W x 9.34 H x 5.58 D mm
Stone reference	6.00 W x 6.00 H x 3.55 D mm; CZ mesh
Post proposal	0.80 mm shaft; 10.50 mm exposed
CAD post envelope	0.92 mm maximum across the rounded tip

Head and total depth are measured from the uncoated CAD model. Final dimensions and post/back fit need a supplier sample.

This is a digital design study. It is not a production release or proof of fit, setting strength or wear comfort.

Proposed specification

One pair: two studs, two stones and two matching backs. Supplier quotation and sample are still needed.

PARTS AND FINISH

Head	925 sterling silver. Cast shell, stone seat, three prongs and rear attachment boss.
Stone	Clear heart-cut moissanite, one per stud. The model uses CZ reference geometry; supplier cut and dimensions are not confirmed.
Post and back	925 sterling silver post and butterfly back. Proposed shaft: 0.80 mm; exposed length: 10.50 mm. Confirm supplier parts and attachment.
Gold finish	Proposed 18K gold vermeil, with a 3.5 micrometre coating target from the earlier specification. Confirm the coating process and achievable thickness with the supplier.
Surface	Proposed satin outer fold, polished rim and prong tips, and a smooth skin-contact back.

BEFORE A SAMPLE

Confirm the actual stone, cut its seats, review prong contact, and check the post/back fit after finishing. Agree tolerances and coating checks with the supplier.

SIZE TARGETS FOR THE FIRST SAMPLE

Head: 9.04 W x 9.34 H x 5.58 D mm, each +/- 0.20 mm. Post: 0.80 +/- 0.03 mm.

Exposed post: 10.50 +/- 0.20 mm. These limits are proposed and need supplier agreement.

COST / QUANTITY / STATUS


Earlier planning target: NGN 15,000 per pair. No supplier quote yet.

Minimum order quantity: not confirmed. Stage: digital model, before supplier sample.

The cost target is a proposal from the earlier sheet, not a confirmed manufacturing cost.

Parts in the model

The updated prongs, shell, seat and post shown in neutral clay.



The shell and seat surround a CZ reference stone. Moissanite is the proposed production stone; its actual cut and dimensions need to be confirmed before setting.

Stone and seat

The same model, with the reference stone moved up to show the seat and prongs.

Reference stone

Stone seat

Lower prong

STONE CHECK

Confirm the supplier stone’s girdle, pavilion and point before cutting the seats. This exploded view explains the assembly; it does not certify the setting.