Name: Dave Aron D. Cabaron
Course & Section: CPE – A27 **Date:** September 25, 2026

Reverse Engineering Analysis of a Mechanical Keyboard

Introduction

One of the most lasting human-computer interface devices that are still being used today is the mechanical keyboard. A mechanical keyboard uses a separate, spring-loaded switch under each key to press into the keyboard and make a key press. A mechanical keyboard is one in which each key uses a separate spring-loaded switch under it to press into the keyboard to create a key press, unlike most low-cost electronics which use membrane keyboards. This report is based on reverse engineering a mechanical keyboard to understand how its physical components, and how the Engineering Design Process (EDP) probably contributed to the development of this piece of equipment in detail. The keyboard is still very important because it is the main tool used by users to translate thoughts into digital text, and over the last decades the need for speed, accuracy, durability and tactile satisfaction has led to decades of improvement in switch and keyboard design.

Overview of the Technology or Gadget

The basic parts of a mechanical keyboard are the pad, the keys, the springs, and the wiring. Each switch is covered by a keycap that conveys a fingertip's push to the stem inside. Each keycap has an individual mechanical switch that consists of a stem, a metal spring and two contact leaves. When the stem is pressed, the spring is compressed and an electrical circuit is closed. Both are mounted on a printed circuit board (PCB) to which they are secured by a mounting plate that provides rigidity, and holds the electrical matrix, which connects each key. The stabilizer bars prevent the long keys (space bar, shift key, etc.) from tilting when they are pressed. The host computer can be told what key has been pressed by a small microcontroller on the PCB, which is constantly reading this matrix, discards contact bounce noise, and generates a signal that the computer understands, the USB Human Interface Device (HID) code. The combination of these components serves the main function of the keyboard: to provide rapid, accurate, and durable text and command entry with the added benefit of providing tactile and auditory feedback when activated.

Application of the Engineering Design Process

The following breakdown applies each step of the Engineering Design Process, as described by NASA and Teach Engineering design frameworks to describe how a mechanical keyboard was likely developed.

Identifying the need: The first generation of computer keyboards used the rubber dome or membrane technology which is cheap but tends to get worn out rapidly, is mushy to type on, and does not give any indication if the keystroke was registered or not. Programmers, gamers and heavy typists required a keyboard that could provide millions of clicks and keystrokes and react fast and consistently. The demand for a more lasting and more responsive device to enter data drove engineers to use individual mechanical switches instead of a single membrane layer.

Defining and Understanding the Need: After the general need was identified, designers needed to break down the need into specific requirements: A switch life of tens of millions of keystrokes, consistent pull, small input delay, and dust and spill resistance, within standard keycaps and PCB sizes. Engineers would have researched materials for durability, like plastics and the metallurgy of the springs, as well as existing switch technologies such as buckling-spring switches, which were used on the first IBM keyboards. With this need and research in hand, designers could think

of several possibilities: switches that were linear, tactile, or clicky; wired or wireless switches; hot-swappable sockets for swapping switches without soldering; and full-size, compact, or split ergonomic layouts. The best of these ideas then went into a single design, an individual spring-and-stem switch, mounted via a supporting plate onto a single PCB board, with additional stabilizers added with specific consideration to the longer key, and programmable firmware included all in one package. Engineers were probably based on measurable criteria to select between competing ideas, such as a series of cycle-life tests to ensure that switches could endure tens of millions of presses, latency and debounce measurements, cost per unit, and subjective typist testing through sound and feel.

Optimizing the Solution: Refinement involved making manufacturing tolerances tighter to minimize wobble of the keys, tuning the weight of the springs for a comfortable key actuation force, selecting the type of plate (aluminum or polycarbonate) for the desired sound and rigidity, and improving the keycap material to resist wear.

Finalizing the design: The final design is then communicated to stakeholders via the use of working prototypes, technical specification sheets and public demonstrations at trade events, as well as marketing, emphasizing durability, feel and sound; niche or enthusiast models are frequently introduced through crowdfunding campaigns.

Insights and Observations

Even the seemingly obvious, everyday object was the result of a lot of careful engineering, as a mechanical keyboard demonstrates. Almost all the felt and heard features can be traced back to a particular requirement or trade-off that was identified during the initial design process. Another observation to make while using this analysis is that the Engineering Design Process is not necessarily linear: perhaps a switch design evaluation and optimization cycle would have involved a return to previous research if a selected material or mechanism did not turn out to be durable or feel for the intended application. This is one of the fundamental principles in engineering; good design is an iterative process; testing against real user requirements rather than technical requirements is what makes good engineering into a reliable product.

Conclusion

This analysis of the mechanical keyboard shows how a simple-looking device conceals a disciplined engineering process built around durability, precision, and user comfort. Each stage of the Engineering Design Process, from recognizing the shortcomings of membrane keyboards to optimizing switch materials and presenting a finished product, contributed to a solution that has remained relevant for decades. In this case, the EDP appears highly efficient: it converted a clear user need into a durable, serviceable, and continuously improvable product, and the same framework continues to guide incremental refinements, such as new switch materials and hot-swappable designs, long after the original keyboard concept was introduced.

Name: Dave Aron D. Cabaron
Course & Section: CPE – A27 **Date:** September 25, 2026

References

[1] Wikipedia contributors, "Keyboard technology," Wikipedia, The Free Encyclopedia. [Online]. Available: https://en.wikipedia.org/wiki/Keyboard_technology

[2] CHERRY AG, "CHERRY Keyboard Technologies," cherry.de. [Online]. Available: https://www.cherry.de/en-gb/company/cherry-technologies

[3] "From Plastic Pellets to Perfect Clicks: The Marvelous Journey of Mechanical Keyboard Switches," Cerakey Blog. [Online]. Available: https://www.cerakey.com/blogs/all-blog/from-plastic-pellets-to-perfect-clicks-the-marvelous-journey-of-mechanical-keyboard-switches

[4] Glorious PC Gaming Race, "Mechanical Keyboard Switch Basics," gloriousgaming.com. [Online]. Available: https://www.gloriousgaming.com/en-ca/pages/mechanical-keyboard-switches

[5] NASA Jet Propulsion Laboratory, "Engineering Design Process Flow Chart," NASA JPL Education, Oct. 2024. [Online]. Available: https://www.jpl.nasa.gov/edu/resources/image/engineering-design-process-flow-chart

[6] TeachEngineering.org, "The Engineering Design Process," University of Colorado Boulder. [Online]. Available: https://www.teachengineering.org/design/designprocess