Manu: Hith Kumar Baurara
Fallur's Manu: Girish Chandra
Baurara
Caurse: MCA & Saka
Seilian: C Rallno: 2101083
Semester: I
Subject: End Juni Prailical
Exam PMC 103
Date: 15th Mach 2022

MJ. K! DOCTYPE Will? Khtml long= 'en"> < head > (suipl) function realidate() { har array=[]; ing (document. my Form. Manne. value := ") { array. Just ('ilame'); do aumint. my Form. Manne. Four(); ruturn falsi; if (do annent. my form. E Mail, natur= "") { avray push ("Email"); document. my Farm. Email. fours(); critism false; if (do amount, my Farm, Course, haline: ""){ array. persh ('Course'); ritum false;

alut (array. pop ()); oritum { time }; (suipl? </had> < bady> < diw class = "mail"> L'arm name = "my farm" ailiair = " #"ousubmit="validate();"> Lul> (li) Mamelimput type: "Hext" name = "Mame"/> 2/li> Lli> Email Linfail ="text" name = " Email"> (ti> (li) Course Limput type = "text" name = "laurse" > Kfii> Liti Kinful type: "subuid" rame = "submit" ? {/li> //ul> / form> 4/div></bdody></html>

<! Doctype Will> < html long = "en"> (head) (title) Student Rigistralian form 2/stitle> </mad> <bady> Jarun aitian = "q.1. php" untherd = " past"> L'label for = "name"> Manne: </ label> Cimbut type = "fext" id = "name" name =" mame"xbr> & tabel for = "email"> Email: </ tabel> Cimput type: "text"id= "email" name = "ment"> { by> L'habil for = "city"> City: </label>
Cinpal type = "text" id = "city" name "vicioty"> Clor L'april for="course"> (aurse: </tabl) Limport type "text" id = "course" name "course"> L br

Leabel & for "bod" > Date of Buth: </ label) Confail type = "dati' id = "dab" name = "dab" x (x) Llabel får : "Puo"> Phone Number: </-label Compat type= "number" id = "Pno" name = "Puo"> (br) Kango Limbert type= "Submit"> 2 / farm (body> </ml \$ name = \$. POST['uname']; & emeil = \$-POST ['mail]; The same & city = \$-POST['course']; \$ dab= \$-POST['dab']; \$ pno = \$ - POST['Pno']; echo" Mame: ". Smame; eldxo"/ K/so echo "Email: ", 5 email; echo "Course: ", scourse; echo "Date of birth: ", "\$dob; Munber: ", \$ pro; 3 echo "Phone

Histor Ramowell 21711203 Ans 3. library (ggplot2) => ggslot (hitite, aus (n= Name, y= Prine))+ grown bar (stat = "identity") => ggplat (hritik, aus (n=Name, y=Prine)) + geam ber (stat = "identity) => ggslat (with, aus (y="", fill=Name, n=Prin))+ gram bar (wirdth= 1, stat = "identity") + coard-polar ("n", start-0) => applat (with, aus (n= Mame, y= Magerzin, Capacity)) + geom-boxplat(size=2) => ggblat (histik aus (y= Mame, x= Prin, grant = Makan. Type, colour = Makan. (ype)) + geome limi() + geom point() =) max (with \$ price) 6 Kulitar

>) man (with \$ MDM 9-0)

=) median (hritik & BDMG-0)

=) sd (with \$ fin. Rate)

=> nar (witibs & fire. Reth)

=) summery (writik)

Will Roam

agos and well of one difficulties the

Sicremental Comment of the Hart free

- Walter

=) 1232.764

Range min => 0 mex=> 4500

Treferential 3-tatistics

- (1) 2-scores 1.307 96
- (2) F- test statisties =>

Will start of the start of the