Name-Anut Singh Rawat
Father Name - Laxman Singh Rawat
University Roll No. - 2101025
Course - MCA 6109
PMC-103

Sony!

Q2.

Aus- < ! DOCT YPE h+ml >

< html>

< head >

<title> Registration form < 1title>

</head>

Cform < body bgcolor = 60 Blue 90 >

< form action = 66 < ? php \$ - PHP\_SELF? > >>
method = 66 post >>>

Name :

<input type = 60 text ? name = 66 txt name ?? >
<br > 607 Lbr >

Roll No:

put type = 6e text " name = 66 fxt r-no">

gender:

Address :

(but area name = 66 add 09 type = 66 text area 077 </text area >

<input type = 66 submit " nemo = "insert" value = 60 save 90 >

```
< input type = 66 Reset " value = 66 cancel ">
  < lform >
  </body>

<
   <? php
          " f ( Passet ( $= Post [ " " need "]))
                I con: mysql - connect (66 local host ", 66 root", 66 ");
                it ( 4 con)
                      echo 66 Connection Successful " < bo? ";
                  mysql - select - db ( 66 stud info 90, $ con);
               & name = struar ($ - POST [ Extrame ]);
               $ roll no = Pineval ($- POST [GENEY_no ]);
               of gender = strval ( 9- POST [ Etxtgen 9]);
               gaddress = strual($- POST [6 add]);
              $ "hsert = 60 insert into info values ( 4 name , 4 volluo,
                 6$ gender, 6$ address ) ",
                 of (mysql-query ($insert,$con))
             2 echo 66 Data is inserted successfully xbr >99;
                 $ query = 66 select + from "info "";
```

```
& slot = mysql-query ( $query, $con);
celo 66 < table border = 6197
< try
   > Name 
   < the ROLLNOXI the
   7 Gender < 1th 7
    Address < 1 th>
  while ($ row = mysql - fetch - array ($ s1dt))
        echo 66 < to 73;
        echo 66 < td 7 39, $ 000 [ 6 name 9] . $ < 1 td 7 39;
        echo 66  00. $ row [6 roll no?]. 66 < 1 Ed > 03;
        een 66 < td799. $ 800 [6 gent]. 66 < 1 Ed799;
        eelu 66 < td 799. $ row [6address 9]. 66 < 1+d7 99;
        ello 66 2/ty799.
        echo 66 99.
       mysql-close ($con):
```

```
121.
      <! DOCTYPE HAMID
Ans-
      < html>
       < head >
       < title ? form validation < Ititle >
       < 1 head >
       < body 9
        < h27 Validation for empty "uput field <11,2>
        < form name = 60 form 09 action = 60 # 99
           o noubmit = 66 required () 99 7
          < 2007 input type = 6 texto name = 6 text 19/7 </ 120>
         1 class = 66, 9, 99 7 & Required Field </ 207
          <217 Cinput type = Esseburit 99-name = 66 sub mit 99
              value = 66 Submit " /7 
           41027
            < lform >
            <scrept src = 66 validate. js 3 7 </script >
             <160 dy>
```

Uhten17

```
validate. js
   function required ()
  & var emp = do ament. forms [60 form on ] [etext 100].
     value.
     if ( emp = = 66 99)
       alert ( 40 Please "input a value");
      veturn false;
        alert (66 code has accepted 99);
       neturn true ,
```