```
Name - Kanchan Mehra
 Course - MCA
University Roll. No - 2101092
 Bemester-1st
Anyl. < : DOCTYPE html >
       (h+m1)
       (head)
        (Soupt)
        function validate () }
             vay x = document.forms ["my form"]
                         ["fname"]. value;
                  if (x = = " 11 x = = noll) {
             alort ("Name must be filled out");
             Hetwin false;
       ( 1 script >
        (Ihead)
         ( body )
         (na) javascript validation for empty input field (112)
         (P) Try to submit the form without entury
                any text. (1P)
            (form name = " my form "
```

action : " laction- Page. Php " on submit = " netwin validate form ()" method = " POSt" Hequired > Name: (input type z "text" name = "fname" > Linput type z " sub mit" value = "submi+"> (Iform) (1body) 2/n+m/>

out put ?

javasouipt validation for empty input field Try to submit the form without entering any text. blig togni styno to natiobiles typicano

(SUbmit) some finder at the Name : [

```
Ann 2. form. PHP:
   (! DOCTYPE html>
     (h+m1>
       (head >
          (title) Student Registration (1title)
        (Inead)
       (body)
            (h2) student Registration form (ln2)
           ( form action= "submit. php" method = "post")
         l'input type = "text" name = "student fixat Name" value z" placeholder
                               "studentisetName" > (b1)>
         Cinput type: "text" name: "student Last Name" value = "placehold ==
                                           " student last Name"> (by 1)
        (input type= "tent" name: "fathers Name" value = "" Placeholder=
                                               " father, Name" > (by1)
        cinput type= "text" name = "Mothers Name" value = "" Placeholdon =
                                              "Nothers Name"> (bal)
       <input type= "date" name = "DOB" value="" Placeholden =</pre>
                                                    "DOB" ) ( by/ )
     Linput type = "tel" namez Mobilavumber" valuez"" Placeholder
                                                = "MobileNumber">(b7/>
```

```
(input upe = "submit" namez "submit")
 (Iform)
(1bod 1)
(Ihaml)
 Submit. PHP :
  (! DOCTYPE html)
   (html)
      (head)
         (title) Registration form (/title)
        Uheady
      (body)
           (h2) Thank you for submitting the form (1h2)
   <! -- Ceetting the output from the form value provided
             through form Php' - ->
    Student's first Name: (! PHP echo $-POSTS'Studentfirst Name')
                                          ? 216417
    Student's last Name : (? PhPecho &-POST ('Studentlast Name') ? >(br/)
  Studenth fatherh Name: (3 PhP echo $- Post ['fathers Name'] ? > (by)?
 student's Mother's Name! (! PhP echo f-Post ['Mothers Name'] ! ) 167/7
 student's Date of Birth: (? PMP echo F- Pont['DOB']? >167/7
```

Student's Mobile Number: (1PhP echo \$- post l'Mobile Number)]

(Ibodj)