

Name: SHUBHAM SINGH BASHI

UNIVERSITY ROLL NO: 21711093

Father's name: Mahesh Singh Bisti Mother's name: Mrs Kallana Bisti

Course MCA

Semester 1st

Paper name

Scripting language
mid-term practical

Registerd:
PML-103

1. Create an employee registration form as given below: Create login form and link this form to 'employee information'
- i) Name ii) Employee ID iii) Phone number iv) Gender v) Date of birth vi) Upload document.

<!DOCTYPE html>

<html>

<head>

<title> Registration form </title>

</head>

<body>

<fieldset>

<legend> Employee Registration </legend>

<form>

<label for="first name">First name:</label>

<input type="text" id="first name" name="first name">

<label for="E-id">Employee name:</label>

<input type="text" id="E-id" name="E-id">

<label for="Pro">Phone number:</label>

<input type="text" id="Pro" name="Pro">

<input type="radio" id="Male" name="Gender" value="Male">

<label for="Male">Male</label>

<input type="radio" id="Female" name="Gender" value="Female">

<label for="Female">Female</label>

<input type="radio" id="other" name="Gender" value="other">

<label for="other">other</label>

<label for="birthday">Date of birth : </label>

<input type="date" id="birthday" name="birthday">

<label for="upload">Select a file from location: </label>

<input type="file" id="upload" name="upload">

~~<input type="button" value="Submit" onclick="alert('The response is submitted')">~~

<input type="button" value="Submit" onclick="alert('Your response is registered')">

</fieldset>

</body>

</html>

* Login page

<!doctype html>

<html>

<head>

<title>Log in </title>

</head>

<body>

<fieldset>

<legend> Login </legend>

<form>

<label for="Eid" > Employee Id </label>

<input type="text" id="Eid" name="Eid" Placeholder="Employeeid">

<label for="date of birth" > Date of birth </label>

<input type="Date" id="date of birth" name="date of birth" >

</form> <input type="button" value="Submit" >

</th> </fieldset>

</body>

</html>

2) Create web page to show the use of pseudo class with hyperlink.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> Pseudo class </title>
```

```
</head> <link rel="stylesheet" href="styles.css">
```

```
<body>
```

```
<ol>
```

```
<a href="#"> <li> Home </li> </a>
```

```
<a href="#"> <li> About </li> </a>
```

```
<a href="#"> <li> Contact us </li> </a>
```

```
<a href="#"> <li> Tata-industries </li> </a>
```

```
</ol>
```

```
</body>
```

```
</html>
```

* style.css

```
a: link {
```

```
    color: Blue;  
    bgcolor: whitesmoke;  
}
```

```
a: visited {
```

```
    color: Green;  
    bgcolor: whitesmoke;  
}
```

A: haven {

color: Red;

bgcolor: whitesmoke;

}

A: active {

color: Yellow;

bgcolor: whitesmoke;

}