University Roll No: 2101240 Name: Upendera Singh Negi Class Roll No - 7027 Cowse: MCA Section: D Sem = 1st Father Name: Nanayan Singh Negi Q1: Corate an Empolyee origistration form as below. (VI) Upload document, a) Name (11) Employee ID. (11) Phone number Civi Gender (V) Date of Blath Registration for my RI, DOCTYPE HIMIS Sol: (ode: Khtm12 Lhead> < HHe> Employee Registration For < Hite> (style> body & backgrand-Colosi: Cyan; 2 < Istyle> <body> <fam> < fieldset> Lh 1 Stye = "text-align: (enter"> Employée Régistoration Form «111> (bn> < lable for = name = "First Name" >

Scripting

Midterm Lab Exam 2022

Coput type = "fext" name = "First Mame"> First Name «label» (ba) Lba) L'imput type = "text" value = "Last Name" > Last Name (box) (box) Linput type = "text" name="Employee ID" > Employee ID (bn) 2 bn> Limput type = "text" name = "Phone. No: " place holder: = "Enteryour Phane No here"> Phone. No: 1601> 1601> L'input type = "nadio" id = "Male" value = "Male" > Male (bor > (bor > Linput type = "radio" id="Female" value="Female"> Linput type="text" name="Date of file" Shorth " > Drote of Birth Lbriz Lbriz Loriz Chriz Linput type="text" value=faile & Chriz Chriz < input type = "buttan" value = " submit " > < 1 Heldset ( I for us) Llbodys 21 html> login form

<! DOCT YPE html> < html> (head) 2 title> Loginform (Ifom) Hae 2 style? hi & Colon: Bule; 3 <1 styles ( head> Lbodys & forms & fieldsets Lh 15(b) Login Famor (1h15 (br) " 2 label for = " usernam." name = "User Name" > L'input tope = "text" mane = "VserNamé"> (b) User Name (b) (b) Lbn> L'input type = "poussoned" id= Pass" name = "Passoned" Lbn 7 Lbn > La horet z " Registration town ht mi" touget = " Registration for htm A </a> 21form> & Hieldset >

< 1 body >

< Intml>

```
Q2: Create a web Page to show the use of pseudo
      classes with hyperlink.
Sol:
      L! DOCTYPE html>
       Lhtml>
       (head>
       <ti+le> < Iti+le>
       <s tyle>
         a: link &
                Colon: gred;
           a: visited
             & colon: blue;
           a: hover &
               font-size: 100 px;
               text-align: center;
                Bratckgorand - colon: springgreen;
                padding: 10 px
                 morgin: BOPX
                 display: block;
               a: active &
                     colon: yellow;
```

```
table center {
 font-size : 40 px
 bonder : 1 opx: donkconange:
(1style)
 < head>
 < body >
  <table clas = "(enter" booder="lopx" align="lenter"
       Style "background- rolan: goven" width = 50%
  height = "100°1." font-size = "100px">
   < HH>>
  (+h) < a heref="will" torget="blank">
      Countries </a> </a>
   (+h> < a hare + = "wil" target = "blank">
    Capitals <1a><1th>
  > <a href = " wil" taget = "blank">
      Cwounty </a> 
    < Ith
    < ret >
    India (1+d>
    2+d> New Delhi (1+d)
    2td> Ruppes < 1td>
    くしもつ
     < to>
```

```
Ltd? China [1+ds
Ltd> Beijug 11td>
 Ltds yen (1td>
   (1et)
  Ltrs
   (+d> Pakistan (+d)
    Tslamabad < 1 td>
     Ltd> Rupres 21td>
     21ton>
     L 6013
     <fd? USA <1+d>
      (td) "washington Dt (Itd)
      Ktds Dollan KItds
       < Itm>
     . < +d > United Kingdom / Itd>
       <+d> England <1 td>
       x+d> paund 21+d>
        <1tm>
       <to>> <to>> > Japan < Itd>>
       < +d> tokyo 21+d>
        > Yen Iltd>
        くしけい
        </body>
         </hr>
```