Name-Akash Roma Father Name-Rojeev Roma Course-MCA Semister-I Paper Name > Scripting language Paper code -> PMC 103 University Rall No -> 2707074

below: create login form and link this to "employee information". (1) Name (ii) employee id (iii) Chone number (iv) Gender (v) 0.08 (vi) upload Document.

```
Cade: ->
        <! DOCTYPE html>
        < html>
         < heards
         <tittle></tittle>
         </head>
          < baly>
          1 barms
          < lobel > user. id: </lobel >
          kimput type = "tod" name = "userid">
          < lobel > lassura " nome = "loss">
          </Earm)
           < a href = "employee- Infa . html>
           < button type = "submit" nome = "login" > Login < / button.
             1/ budy >
             1/html>
```

```
<! Dac TYPE html>
 < Hml>
  < heads
  <tille></title>
   </head>
   < bredy>
   * Earm name = "Emplayer Information">
    < label > Name < /label >
   < imput type = "text" nond = "userid"> < b8 > < b8>
   < lakel > Employer Id (Itabel)
   < input type = "number" name = "employee Id" > < b > < b > >
   < lokel> 'Gender' < 1 lokel>
   <imput type="radio" Value="male" name="gender">
   < label for = "male" > Male < / label >
  < input type = "radio" value = "bemale" name = "gender">
   < label for = "bemale" > Eemale < /label >
  < label > Rate of Birth < /label>
  < input type = "date" name = "dob" > < bo > < bo >
  < Jabel > Upload . Document </label >
  < input type = "bile" name="my bile"><ba><ba></ba>
    < input type: "Sukmit">
     2) forms
     < 1 body>
     2) html>
```

```
(02) Creale web page to use of pseudo classes with
    hyperlink.
cade: >
         <! DacTYPE html>
          < html>
           < heads
           < Style >
        a: link {
          color: red;
        a: Visited {
         color: red;
       a: hover {
         color: halpink;
       a: active &
         caler: blue;
        <1 style >
        <1 heads
        < bady>
        < hz > styling a link depending on state < 1 hz>
        < a href = "h++p:11 www. gaugle.com" target = "blank"> This
                   is a link </a>
           1/ hody >
            1/html>
```