```
Name Frimansher Singh Kansat
 Father's Name! Mer dalbir Singh Rawcold.
 University Roll Number: 2101082
 course! HCA
 sementer: 1st
 Paker Name: Mid-term practical of acripting language.
 paper codo: PMC 103
Mrs1.
       < DOCTYPE html>
       (html)
       < head >
       < style?
            Foomdiv
            margin; auto;
           width: 60%.
           120ncluz: 30x solid #730D21;
           headding: Jopn.
          In put typo 2 Submit

  kackeround-colos: Mue:

           colos; white;
           margin: upn2pn;
           courses: pointer;
      </ri>
      Thead?
      (body)
      ( cliv id 2 "Wrapper")
     (div.class="formdiv")
     < h align= "Cental" > Employment Registor tion < 141)
     < P.class z "form label" > LOGIN form 
     (form method = "pret"action = "employe. html")
     (P) input type="put" place holder="enteremail">(P)
```

```
(inputitype = "tent" place holder="enteremail?/p)
               < P>< input type = "pasmood" place holder = " * * * * > 
             Sinfort type = "Checkbon"id = "Checkbon" name = "checkbon" > numberse
           < P> (infort type = "Submit value = "LOGIN"></P>
              </form>
              <1 div>
              <100)
              </form>
              <1div>
           </div>
        S/bidy>
      Thinly.
    <!DOCTYPEHAMI)
   (html)
         <head>
                < title></title>
        Thead>
    (body)
      < foom>
      Lakel > User Id: (Mabel)
     (infant+ypez "tent neum =" usurid")
tabel Passion < from norme = "Employee Information">
          <inforttyke ="tent"horme = "userid">(br)(br)

    Lakel > Employee Id

    Lakel > Employee Id</p
                 (infort-type = "radio" value = "male" name = "gender")
                 < label for = female > female < Nabel)
```

< lapel / Date of Birth: < / label) (input type = "data"noune = "dob" xbr) (br) < lakel 70 block Documents (Ilabel) Sinput type. "file name z "myfile"> ( bex ba) (input type 2 " Submit) ( I body) <1html) MS2:- < DOCTYPE HAMI) <html> (head) < Style >. va: link ( Colos: red: > a: Visited (color: green:) ia: hover < Color: pink: > \_ a: active < Glor; blue: >. </8/yle> </heard) ( body) < h2> Styling a link depending on state </h2> < a horef = "http://www.google.com" tronget: "blank"; This is a link (/a) (hoods) ( /html)