Name - Ishika Sancut

Father's Name Mr. Sanjac Singh Samant

University Rall Mo. - 21712224 Semester - Ist Paper Name - Scripting Languages Paper Code - TMC 106 Create login form and link this form to employee icl. Login Home < 1 Doctype haml > < head > <tile> </tile> </head> < body> </ < label > (Paucord: </label> < inputtype = "paucord" name = "paucord"> < 1 Doctype hand> Thead> <title> < /title> </ri> <body> Som name = "Employee Fylormethon" >

Slabel > Name: < Jlabel >

<input type = "text" name = "ujerid" > dr> dr>

<label > Employee Id < /label >

<input type = "number" name = "employee Id">
 <label > Gender:

<input type = "radio" Value="male" name = "gender'>

</pre <|abel | for = "male" > Male < | dabel >

<input type = "ranlio" value" = "female"

name = "Gender" >

<label | for = "female" > female < | fabel >

<label > Date | or Birth : < | dabd >

cinput type = "Idate" | name = "d.ob" > br>

<input type = "Gt
<label > Upland | Daruments < | lubel >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input type = "file" | name = "ishile" >

<input <input type = " Submit">

Create a webpage to show the use of pseudo classes with hyperlish. < Nord Jang = "en" < title > Document < title > < style > a: Unisited { backgrowd-color: blanchedal mond; a: hover & color: Blue; Pont-Scendly: 'Gill Scens', 'Gill Scens MJ',
O'Treburbel MS', <hr >> COURSES < IN1 > < ca hry = "https://www.gey.ac.ln/">

