1

Configure

⚙️ **General**

🔧 **Advanced Project Options**

〿 **Pipeline**

General   Enabled   ⬤

Description

Texte brut   **Prévisualisation**

☐ **Ce build a des paramètres**   ◯

☐ **Do not allow concurrent builds**

☐ **Do not allow the pipeline to resume if the controller restarts**

☐ **GitHub project**

GitLab Connection

GitLab

Sauvegarder   ee   Appliquer   /erride

☐ **Preserve stashes from completed builds**

☐ **Supprimer les anciens builds**

☐ **Throttle builds**

Build Triggers

☐ **Construire après le build sur d'autres projets**

☐ **Construire périodiquement**

Build when a change is pushed to GitLab. GitLab webhook URL: http://localhost:8090/project/pipeline

Enabled GitLab triggers

Push Events

☐ **Push Events in case of branch delete**

Opened Merge Request Events

☐ **Build only if new commits were pushed to Merge Request**

☐ **Accepted Merge Request Events**

☐ **Closed Merge Request Events**

Rebuild open Merge Requests

Never

Approved Merge Requests (EE-only)

Comments

Comment (regex) for triggering a build

Jenkins please retry a build

Avancé ⌄

☐ **GitHub hook trigger for GITScm polling**

☐ **Scrutation de l'outil de gestion de version**
☐ **Période d'attente**

☐ **Déclencher les builds à distance (Par exemple, à partir de scripts)**

Advanced Project Options

Avancé ∨

Pipeline

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL ✕

http://e1aefd47d16a/root/Chahm_Driss_tic-tac-toe.git

Credentials

root/******

＋ **Ajouter** ▾

Avancé ∨

Add Repository

Branches to build

Branch Specifier (blank for 'any') ✕

*/dev

Add Branch

Navigateur de la base de code

(Auto)

Additional Behaviours

Ajouter ∨

Script Path

Jenkinsfile

Lightweight checkout

Pipeline Syntax