230701069

# **EXP 10A**

## **BEST FIT**

### **PROGRAM**

```
// If a suitable block is found
if (bestIdx != -1) {
    allocation[i] = bestIdx;
    blockSize[bestIdx] -= processSize[i]; // Reduce the available block
}

// Output results
printf("\nProcess No.\tProcess Size\tBlock No.\n");
for (int i = 0; i < processCount; i++) {
    printf("%d\t\t%d\t\t", i + 1, processSize[i]);
    if (allocation[i] != -1)
        printf("%d\n", allocation[i] + 1); // +1 for 1-based indexing
    else
        printf("Not Allocated\n");
}
return 0;
}</pre>
```

### **OUTPUT**

```
Enter the number of memory blocks: 5
Enter the sizes of the 5 memory blocks:
100 500 200 300 600
Enter the number of processes: 4
Enter the sizes of the 4 processes:
212
417
112
426

Process No. Process Size Block No.
1 212 4
2 417 2
3 112 3
4 426 5
```

# **BEST FIT**

#### **PROGRAM**

```
finclude <stdio.h>
#define max 25
int main() {
    int frag[max], b[max], f[max], bf[max], ff[max];
    int i, j, nb, nf, temp;
    // Step 3: Get number of blocks and files
    printf("Enter the number of blocks: ");
    scanf("%d", &nb);
    printf("Enter the number of files: ");
    scanf("%d", &nf);
    printf("Enter the size of each block:\n");
        printf("Block %d: ", i + 1);
        scanf("%d", &b[i]);
bf[i] = 0; // initially all blocks are free
    printf("Enter the size of each file:\n");
        printf("File %d: ", i + 1);
        scanf("%d", &f[i]);
    // Step 4 & 5: First Fit Allocation
    for (i = 0; i < nf; i++) {
   for (j = 0; j < nb; j++) {
            if (bf[j] == 0 && b[j] >= f[i]) { // block is free and large enough
                ff[i] = j;
                                              // allocate block j to file i
                                               // mark block as filled
                 bf[j] = 1;
                 frag[i] = b[j] - f[i];
                                              // calculate fragmentation
            ff[i] = -1; // no suitable block found
frag[i] = -1;
```

```
printf("\nFile No.\tFile Size\tBlock No.\tBlock Size\tFragment\n")
for (i = 0; i < nf; i++) {
    printf("%d\t\t%d\t\t", i + 1, f[i]);
    if (ff[i] != -1)
        printf("%d\t\t%d\t\t%d\n", ff[i] + 1, b[ff[i]], frag[i]);
    else
        printf("Not Allocated\t-\t\t-\n");
}
return 0;
}</pre>
```

**OUTPUT** 

```
Enter the number of blocks: 3
Enter the number of files: 2
Enter the size of each block:
Block 1: 100
Block 2: 500
Block 3: 200
Enter the size of each file:
File 1: 212
File 2: 417

File No. File Size Block No. Block Size Fragment
1 212 2 500 288
2 417 Not Allocated -
```