

Meter API Specification (Active Devices)

Authentication

Use a static API key passed via the `X-API-Key` header. No login/session required.

```
X-API-Key: <your-api-key>
```

Endpoint

```
POST /api/meter.php
Content-Type: application/json
X-API-Key: <your-api-key>
```

Request DTO (Filter)

```
{
  "online_offline": ["Online", "Offline"],
  "from_pums": ["Yes", "No"],
  "statuses": ["Active", "suspend"],
  "services": ["Low Paper", "Low Supplies", "Empty Supplies", "Service
requested"],
  "manufacturers": ["Fuji Xerox", "Canon", "Ricoh", "HP", "Brother"],
  "code": "CSSI00002204",
  "location": "AH NEW FISHERY",
  "search": "keyword",
  "page": 1,
  "page_size": 25
}
```

Request Field Details

Field	Type	Required	Description
online_offline	string[]	No	"Online", "Offline". Omit or empty = all.
from_pums	string[]	No	"Yes", "No". Omit or empty = all.
statuses	string[]	No	"Active", "Suspend". Omit or empty = all.
services	string[]	No	Values: "Low Paper", "Low Supplies", "Empty Supplies", "Service requested". Omit or empty = all.
manufacturers	string[]	No	Values: "Fuji Xerox", "Canon", "Ricoh", "HP", "Brother". Omit or empty = all.

Field	Type	Required	Description
<code>code</code>	<code>string</code>	No	Filter by device code. Partial match / contains search. <code>null</code> = all.
<code>location</code>	<code>string</code>	No	Filter by customer name or address. Partial match / contains search. <code>null</code> = all.
<code>search</code>	<code>string</code>	No	General keyword search (same as the Search box on the page). <code>null</code> = all.
<code>page</code>	<code>int</code>	No	Page number, default <code>1</code> .
<code>page_size</code>	<code>int</code>	No	Records per page, default <code>25</code> .

Response DTO

```
{
  "total_records": 2924,
  "page": 1,
  "page_size": 25,
  "data": [
    {
      "account_header": "AH NEW FISHERY SDN BHD - 3000-A0028 (1)",
      "code": "CSSI00002204",
      "serial_number": "2JC13208",
      "model": "Canon iR-ADV C5550 III 47.09",
      "contract": "Rental",
      "location": "AH NEW FISHERY SDN BHD - NO. 2&4, JALAN SRI PURNAMA 2/2,,
KANGKAR TEBRAU., JOHOR BAHRU, JOHOR",
      "zone": 1,
      "latest_audit_date": "2026-04-13 10:57:41",
      "latest_meters": {
        "bw": 68359,
        "color": 497,
        "counter_102": 68856,
        "counter_109": 68359,
        "counter_124": 497
      },
      "total_bk": 68359,
      "total_cl": 497,
      "latest_supplies": [
        "Canon C-EXV 51 Black : 75 %",
        "Canon C-EXV 51 Cyan : 100 %",
        "Canon C-EXV 51 Magenta : 100 %",
        "Canon C-EXV 51 Yellow : 100 %",
        "Waste : 20 %",
        "Black Drum Unit : 72 %",
        "Cyan Drum Unit : 64 %",
        "Magenta Drum Unit : 68 %",
        "Yellow Drum Unit : 58 %",
        "Fuser Unit : 53 %"
      ],
      "status": "Active",
    }
  ]
}
```

```

    "service": "Low Paper",
    "remarks": "",
    "meter_type": "2 click A3",
    "pums_version": "2.5.8.3"
  }
]
}

```

Response Field Details

Field	Type	Description
total_records	int	Total matching records (for pagination)
page	int	Current page number
page_size	int	Records per page
data	object[]	Array of device entries
data[].account_header	string	Account group header (company name + account code + device count)
data[].code	string	Device code (e.g. CSSI00002204)
data[].serial_number	string	Device serial number
data[].model	string	Device model with firmware version
data[].contract	string	Contract type (e.g. Rental)
data[].location	string	Customer name + full address
data[].zone	int	Zone number
data[].latest_audit_date	string	Latest audit datetime YYYY-MM-DD HH:mm:ss
data[].latest_meters	object	Meter readings breakdown
data[].latest_meters.bw	int	B/W meter reading
data[].latest_meters.color	int	Color meter reading
data[].latest_meters.counter_102	int	Counter 102 reading
data[].latest_meters.counter_109	int	Counter 109 reading
data[].latest_meters.counter_124	int	Counter 124 reading
data[].total_bk	int	Total BK count
data[].total_cl	int	Total CL count

Field	Type	Description
<code>data[].latest_supplies</code>	<code>string[]</code>	Array of supply levels (name : percentage)
<code>data[].status</code>	<code>string</code>	Active or Suspend
<code>data[].service</code>	<code>string</code>	Service alert (e.g. Low Paper, Low Supplies) or empty
<code>data[].remarks</code>	<code>string</code>	Remarks, empty string if none
<code>data[].meter_type</code>	<code>string</code>	Meter type (e.g. 2 click A3)
<code>data[].pums_version</code>	<code>string</code>	PUMS version

Example cURL

```
curl -X POST https://your-domain.com/api/meter.php \
-H "Content-Type: application/json" \
-H "X-API-Key: YOUR_API_KEY_HERE" \
-d '{
  "statuses": ["Active"],
  "manufacturers": ["Canon"],
  "services": ["Low Paper", "Low Supplies"],
  "zone": [1, 14],
  "page": 1,
  "page_size": 25
}'
```