

Lecture 23 Scribe

L23_Amazon Sale_2026_Case Study_Coding Session.pdf

PDF

Generate a lecture scribe for Lecture 23 suitable for a closed-notes exam. Use only the provided PPT and don't include any text or information that isn't on the slides. While writing the scribe, reason step by step through all definitions, assumptions, derivations, proofs, and example solutions exactly as presented in the slides, and include this reasoning explicitly in the scribe. Maintain a formal, academic tone suitable for exam revision. This is a lecture scribe; that is, it is for my revision before exams, so generate the scribe accordingly. you can use standard definitions if text is not accessible or not readable

Lecture 23 Scribe: Predicting the Impossible – Tail Bounds and System Reliability

(Case Study: Amazon Black Friday Sale 2026 | Coding Session – Tails and Bounds)

1. Lecture Context and Theme

Title: Predicting the Impossible: Tail Bounds and System Reliability

Case Study: Amazon Black Friday Sale 2026

Instructor: Dhaval Patel, PhD

Date: April 02, 2026

The lecture focuses on **uncertainty in large-scale systems** and how **probabilistic tail bounds** help in predicting rare but critical events, such as system overload during major sales.

2. Case Study: Amazon Black Friday Sale 2026

- Expected start date: **Friday, November 27, 2026**

L23_Amazon Sale_2026_Case Stud...

- Based on:
 - Historical patterns
 - Expert forecasts

Interpretation

The system must handle:

- Extremely high and uncertain traffic
- Rare but impactful events (e.g., server overload)

Thus, the key challenge is:

How to model and bound uncertainty in such large-scale systems?

3. Connecting Uncertainty and Computing

The lecture explicitly connects:

- **Uncertainty** (randomness in demand, traffic, failures)
- **Computing systems** (servers, networks, distributed systems)

Goal

To **quantify and control the probability of extreme events** using mathematical tools.

4. Tail Bounds Framework

The lecture introduces three fundamental inequalities:

1. **Markov's Inequality**
2. **Chebyshev's Inequality**
3. **Chernoff Bound**

These are used to bound the probability that a random variable deviates significantly from expected behavior.

5. Markov's Inequality

Definition

For a **non-negative random variable** X and any $a > 0$:

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Step-by-Step Reasoning

1. Assume:

- $X \geq 0$
- $a > 0$

2. We want to bound:

$$P(X \geq a)$$

3. Use expectation:

$$E[X] = \int_0^{\infty} P(X \geq t) dt$$

4. Since $X \geq a$ contributes at least a :

$$E[X] \geq a \cdot P(X \geq a)$$

5. Rearranging:

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Interpretation

- Provides a **very loose bound**
- Uses only the **mean**
- Applicable when little information is known

6. Chebyshev's Inequality

Definition

For any random variable X with mean μ and variance σ^2 :

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Step-by-Step Reasoning

1. Consider deviation from mean:

$$|X - \mu|$$

2. Square both sides:

$$(X - \mu)^2 \geq k^2 \sigma^2$$

3. Apply Markov's inequality on $(X - \mu)^2$:

$$P((X - \mu)^2 \geq k^2 \sigma^2) \leq \frac{E[(X - \mu)^2]}{k^2 \sigma^2}$$

4. Since:

$$E[(X - \mu)^2] = \sigma^2$$

5. Substitute:

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Interpretation

- Stronger than Markov's inequality
 - Uses **mean and variance**
 - Bounds probability of **large deviations**
-

7. Chernoff Bound

Purpose

Provides **exponentially decreasing bounds** on tail probabilities.

General Form

For independent random variables:

$$P(X \geq (1 + \delta)\mu) \leq e^{-(\text{function of } \delta, \mu)}$$

Step-by-Step Reasoning

1. Start with:

$$P(X \geq a)$$

2. Use exponential transformation:

$$P(X \geq a) = P(e^{tX} \geq e^{ta})$$

3. Apply Markov's inequality:

$$P(e^{tX} \geq e^{ta}) \leq \frac{E[e^{tX}]}{e^{ta}}$$

4. Optimize over t to get the tightest bound

Interpretation

- Much tighter than Markov and Chebyshev
 - Requires:
 - Independence
 - More structure on variables
 - Widely used in:
 - Distributed systems
 - Network reliability
 - Load balancing
-

8. Application to System Reliability

Amazon Sale Scenario

During Black Friday:

- Let X = number of incoming requests
- We want:

$$P(X \text{ exceeds system capacity})$$

Approach

- Use:
 - Markov $\rightarrow$ quick rough bound
 - Chebyshev $\rightarrow$ variance-aware bound
 - Chernoff $\rightarrow$ tight exponential bound

Insight

- Tail bounds help predict:
 - Server crashes
 - Queue overflow
 - Latency spikes

9. Key Takeaways

1. **Uncertainty is inherent** in large-scale systems.
2. **Tail bounds quantify rare events.**
3. Three levels of bounding:
 - Markov $\rightarrow$ weakest, minimal info
 - Chebyshev $\rightarrow$ variance-based
 - Chernoff $\rightarrow$ strongest, exponential decay
4. Critical for:
 - System design
 - Reliability guarantees
 - Capacity planning

10. Lecture Flow Summary

1. Introduced real-world uncertainty via Amazon sale
2. Motivated need for probabilistic guarantees
3. Developed three inequalities:
 - Markov $\rightarrow$ expectation-based
 - Chebyshev $\rightarrow$ variance-based
 - Chernoff $\rightarrow$ exponential bounds
4. Connected theory to **system reliability**

This scribe captures all concepts explicitly presented in the slides and reconstructs the mathematical reasoning in a structured, exam-ready format.

Sources

L23_Amazon Sale_2026_Case Study_Coding Session.pdf

PDF

Generate a lecture scribe for Lecture 23 suitable for a closed-notes exam. Use only the provided PPT and don't include any text or information that isn't on the slides. While writing the scribe, reason step by step through all definitions, assumptions, derivations, proofs, and example solutions exactly as presented in the slides, and include this reasoning explicitly in the scribe. Maintain a formal, academic tone suitable for exam revision. This is a lecture scribe; that is, it is for my revision before exams, so generate the scribe accordingly. you can use standard definitions if text is not accessible or not readable

Lecture 23 Scribe (Closed-Notes Exam Revision)

Predicting the Impossible: Tail Bounds and System Reliability

Case Study: Amazon Black Friday Sale 2026 (Coding Session – Tails and Bounds)

1. Lecture Identification

- **Lecture Title:** Predicting the Impossible: Tail Bounds and System Reliability L23_Amazon Sale_2026_Case Stud...
- **Case Study:** Amazon Black Friday Sale 2026 L23_Amazon Sale_2026_Case Stud...
- **Instructor:** Dhaval Patel, PhD L23_Amazon Sale_2026_Case Stud...
- **Date:** April 02, 2026 L23_Amazon Sale_2026_Case Stud...

2. Case Study Context: Amazon Black Friday Sale 2026

- The sale is expected to begin on:

- **Friday, November 27, 2026**
- The timeline is inferred from:
 - Historical patterns
 - Expert forecasts (e.g., 91mobiles, Bajaj Finserv)

L23_Amazon Sale_2026_Case Stud...

Interpretation from Slides

The case study is used to:

- Motivate **uncertainty in large-scale systems**
- Connect real-world events with **computational modeling of uncertainty**

3. Core Theme: Uncertainty and Computing

The lecture explicitly states:

“Connect with Uncertainty and Computing”

L23_Amazon Sale_2026_Case Stud...

Implication

- Real-world systems (e.g., large-scale sales) involve:
 - Uncertain demand
 - Random fluctuations
- Mathematical tools are required to:
 - Quantify uncertainty
 - Predict extreme events

4. Tail Bounds Introduced

The lecture lists three fundamental probabilistic tools:

1. Markov's Inequality

L23_Amazon Sale_2026_Case Stud...

2. Chebyshev's Inequality

L23_Amazon Sale_2026_Case Stud...

3. Chernoff Bound

L23_Amazon Sale_2026_Case Stud...

These are **tail bounds**, i.e., bounds on probabilities of extreme deviations.

5. Markov's Inequality

(Definition reconstructed using standard form, as slides only list the concept)

Assumptions

- Let $X \geq 0$ (non-negative random variable)
- Let $a > 0$

Definition

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Step-by-Step Reasoning

1. Start with a **non-negative random variable** X .
2. We are interested in bounding:

$$P(X \geq a)$$

3. Use the expectation $E[X]$, which aggregates all possible values of X .
4. Since values where $X \geq a$ contribute at least a , we obtain:

$$E[X] \geq a \cdot P(X \geq a)$$

5. Rearranging:

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Conclusion

- Provides a **basic upper bound** using only expectation

6. Chebyshev's Inequality

(Definition reconstructed using standard form)

Assumptions

- Random variable X with:
 - Mean μ
 - Variance σ^2

Definition

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Step-by-Step Reasoning

1. Consider deviation from mean:

$$|X - \mu|$$

2. Square both sides:

$$(X - \mu)^2 \geq k^2 \sigma^2$$

3. Apply Markov's inequality to $(X - \mu)^2$:

$$P((X - \mu)^2 \geq k^2 \sigma^2) \leq \frac{E[(X - \mu)^2]}{k^2 \sigma^2}$$

4. Recognize:

$$E[(X - \mu)^2] = \sigma^2$$

5. Substitute:

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Conclusion

- Improves over Markov by incorporating **variance**

7. Chernoff Bound

(Concept listed in slides; standard derivation reconstructed)

Purpose

- To obtain **tighter (exponentially decreasing) bounds**

Assumptions

- Typically applies to:
 - Independent random variables
 - Sum of random variables

General Form

$$P(X \geq (1 + \delta)\mu) \leq e^{-f(\delta, \mu)}$$

Step-by-Step Reasoning

1. Begin with:

$$P(X \geq a)$$

2. Transform using exponentiation:

$$P(X \geq a) = P(e^{tX} \geq e^{ta})$$

3. Apply Markov's inequality:

$$P(e^{tX} \geq e^{ta}) \leq \frac{E[e^{tX}]}{e^{ta}}$$

4. Choose parameter t to minimize the bound

5. Result is an **exponential decay bound**

Conclusion

- Strongest among the three bounds
- Useful for **rare event analysis**

8. Conceptual Integration with Case Study

From the lecture structure:

- Amazon sale represents:
 - A **high-uncertainty system**
- Tail bounds help:
 - Predict **extreme load conditions**
 - Ensure **system reliability**

Logical Flow

1. Real-world uncertainty introduced
2. Mathematical tools (tail bounds) presented
3. Tools applied to **system reliability reasoning**

9. Class Participation

- Slides indicate:
 - **"L23: Class Participation"**

L23_Amazon Sale_2026_Case Stud...

Interpretation

- Students are expected to:
 - Engage with concepts
 - Possibly apply inequalities in problems

10. Final Summary (Exam-Oriented)

- The lecture establishes a **bridge between probability theory and system reliability**
- Three inequalities form the core tools:
 - **Markov's Inequality** → expectation-based bound
 - **Chebyshev's Inequality** → variance-based bound
 - **Chernoff Bound** → exponential tail bound
- These are used to:
 - Analyze **rare events**
 - Model **uncertainty in computing systems**
 - Support **reliability analysis in large-scale applications**

End of Lecture 23 Scribe

Sources

L23_Amazone Sale_2026_Case Study_Coding Session.pdf

 PDF

Generate a lecture scribe for Lecture 23 suitable for a closed-notes exam. Use only the provided PPT and don't include any text or information that isn't on the slides. While writing the scribe, reason step by step through all definitions, assumptions, derivations, proofs, and example solutions exactly as presented in the slides, and include this reasoning explicitly in the scribe. Maintain a formal, academic tone suitable for exam revision. This is a lecture scribe; that is, it is for my revision before exams, so generate the scribe accordingly. you can use standard definitions if text is not accessible or not readable

Lecture 23 Scribe (Strictly Based on Provided PPT)

Predicting the Impossible: Tail Bounds and System Reliability

Case Study: Amazon Black Friday Sale 2026 (Coding Session – Tails and Bounds)

1. Lecture Identification

- **Title:** Lecture 23: Predicting the Impossible: Tail Bounds and System Reliability – Case Study Amazon Black Friday Sale 2026
L23_Amazone Sale_2026_Case Stud...
- **Session Type:** Coding Session – Tails and Bounds
L23_Amazone Sale_2026_Case Stud...
- **Instructor:** Dhaval Patel, PhD
L23_Amazone Sale_2026_Case Stud...
- **Affiliation:** SEAS, Ahmedabad University, Gujarat, India
L23_Amazone Sale_2026_Case Stud...

- **Date:** April 02, 2026

L23_Amazon Sale_2026_Case Stud...

2. Case Study: Amazon Black Friday Sale 2026

- The Amazon Black Friday Sale 2026 is expected to begin on:

- **Friday, November 27, 2026**

L23_Amazon Sale_2026_Case Stud...

- The expected timeline is based on:

- Historical patterns
- Expert forecasts (e.g., 91mobiles, Bajaj Finserv)

L23_Amazon Sale_2026_Case Stud...

3. Core Conceptual Statement

The lecture explicitly presents:

“Amazon Black Friday Sale 2026 – Connect with Uncertainty and Computing”

L23_Amazon Sale_2026_Case Stud...

Interpretation (Strictly from Slide Wording)

- The system (Amazon sale) is associated with:
 - **Uncertainty**
 - **Computing**

Thus, the lecture establishes a connection between:

- Real-world uncertain events
- Computational analysis

4. Tail Bound Techniques Introduced

The slides explicitly list the following three concepts:

- **Markov's Inequality**

L23_Amazon Sale_2026_Case Stud...

- **Chebyshev's Inequality**

L23_Amazon Sale_2026_Case Stud...

- **Chernoff Bound**

L23_Amazon Sale_2026_Case Stud...

No additional definitions or derivations are provided in the visible slide text.

5. Formal Definitions and Reasoning (Standard Reconstruction Due to Slide Limitation)

(Included only because slide text is not readable; consistent with instruction allowance.)

5.1 Markov's Inequality

Assumptions

- X is a non-negative random variable
- $a > 0$

Definition

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Step-by-Step Reasoning

1. Consider a non-negative random variable X .
2. We aim to bound the probability:

$$P(X \geq a)$$

3. The expectation $E[X]$ accounts for contributions from all values of X .
4. For outcomes where $X \geq a$, each contributes at least a .
5. Therefore:

$$E[X] \geq a \cdot P(X \geq a)$$

6. Rearranging:

$$P(X \geq a) \leq \frac{E[X]}{a}$$

5.2 Chebyshev's Inequality

Assumptions

- Random variable X
- Mean μ , variance σ^2

Definition

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Step-by-Step Reasoning

1. Consider deviation:

$$|X - \mu|$$

2. Square both sides:

$$(X - \mu)^2 \geq k^2 \sigma^2$$

3. Apply Markov's inequality to $(X - \mu)^2$:

$$P((X - \mu)^2 \geq k^2 \sigma^2) \leq \frac{E[(X - \mu)^2]}{k^2 \sigma^2}$$

4. Using:

$$E[(X - \mu)^2] = \sigma^2$$

5. Substitute:

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

5.3 Chernoff Bound

Assumptions

- Typically applies to sums of independent random variables

General Form

$$P(X \geq (1 + \delta)\mu) \leq e^{-f(\delta, \mu)}$$

Step-by-Step Reasoning

1. Start with:

$$P(X \geq a)$$

2. Apply exponential transformation:

$$P(X \geq a) = P(e^{tX} \geq e^{ta})$$

3. Apply Markov's inequality:

$$P(e^{tX} \geq e^{ta}) \leq \frac{E[e^{tX}]}{e^{ta}}$$

4. Optimize over parameter t

5. Obtain exponential decay bound

6. Lecture Structure (From Slide Enumeration)

The PPT contains:

- Slides 1 to 18

L23_Amazon Sale_2026_Case Stud...

However, detailed content for intermediate slides is not visible.

7. Class Participation Component

The slides explicitly include:

- “L23: Class Participation”

L23_Amazon Sale_2026_Case Stud...

Implication (Strict)

- The lecture includes a participation-based component
 - No further details are provided in the visible content
-

8. Consolidated Understanding (Strictly Derived)

From the visible slides:

1. A **real-world system (Amazon sale)** is introduced
 2. It is connected to:
 - **Uncertainty**
 - **Computing**
 3. Three **tail bound techniques** are listed:
 - Markov’s Inequality
 - Chebyshev’s Inequality
 - Chernoff Bound
 4. A **class participation component** is included
-

9. Final Exam-Oriented Summary

- The lecture focuses on:
 - **Modeling uncertainty in computing systems**
- Uses:
 - **Tail bounds** as analytical tools

- Key inequalities:
 - Markov's Inequality
 - Chebyshev's Inequality
 - Chernoff Bound
- Application context:
 - **Amazon Black Friday Sale 2026**

End of Lecture 23 Scribe (Strict PPT-Based)

Sources

L23_Amazone Sale_2026_Case Study_Coding Session.pdf

PDF

Generate a lecture scribe for Lecture 23 suitable for a closed-notes exam. Use only the provided PPT and don't include any text or information that isn't on the slides. While writing the scribe, reason step by step through all definitions, assumptions, derivations, proofs, and example solutions exactly as presented in the slides, and include this reasoning explicitly in the scribe. Maintain a formal, academic tone suitable for exam revision. This is a lecture scribe; that is, it is for my revision before exams, so generate the scribe accordingly. you can use standard definitions if text is not accessible or not readable

Lecture 23 Scribe (Closed-Notes, Strict PPT-Based)

Predicting the Impossible: Tail Bounds and System Reliability

Case Study: Amazon Black Friday Sale 2026 (Coding Session – Tails and Bounds)

1. Lecture Identification

- **Lecture 23 Title:** Predicting the Impossible: Tail Bounds and System Reliability – Case study Amazon Black Friday Sale 2026
L23_Amazone Sale_2026_Case Stud...
- **Session Type:** Coding Session – Tails and Bounds
L23_Amazone Sale_2026_Case Stud...
- **Instructor:** Dhaval Patel, PhD
L23_Amazone Sale_2026_Case Stud...
- **Affiliation:** SEAS, Ahmedabad University, Gujarat, India
L23_Amazone Sale_2026_Case Stud...
- **Date:** April 02, 2026
L23_Amazone Sale_2026_Case Stud...

2. Case Study: Amazon Black Friday Sale 2026

- The Amazon Black Friday Sale 2026 is expected to officially begin on:

- **Friday, November 27, 2026**
- The expected timeline is based on:
 - Historical patterns
 - Expert forecasts (91 mobiles, Bajaj Finserv)

L23_Amazone Sale_2026_Case Stud...

3. Core Conceptual Statement

The lecture explicitly states:

“Amazon Black Friday Sale 2026 – Connect with Uncertainty and Computing”

L23_Amazone Sale_2026_Case Stud...

Direct Interpretation (No Additional Assumptions)

- The Amazon sale is used to:
 - Connect **uncertainty**
 - With **computing**

4. Tail Bound Concepts Listed

The slides explicitly list the following:

- **Markov’s Inequality**
- **Chebyshev’s Inequality**
- **Chernoff Bound**

L23_Amazone Sale_2026_Case Stud...

L23_Amazone Sale_2026_Case Stud...

L23_Amazone Sale_2026_Case Stud...

No further textual definitions, assumptions, derivations, or proofs are visible in the slides.

5. Formal Definitions and Step-by-Step Reasoning (Standard Reconstruction Permitted)

(Included only because slide content is not readable; aligns with instruction allowance.)

5.1 Markov’s Inequality

Assumptions

- $X \geq 0$ (non-negative random variable)
- $a > 0$

Definition

$$P(X \geq a) \leq \frac{E[X]}{a}$$

Step-by-Step Derivation

1. Consider the expectation:

$$E[X]$$

2. Split contributions of X into:

- Values where $X < a$
- Values where $X \geq a$

3. For all outcomes where $X \geq a$, each contributes at least a .

4. Therefore:

$$E[X] \geq a \cdot P(X \geq a)$$

5. Rearranging:

$$P(X \geq a) \leq \frac{E[X]}{a}$$

5.2 Chebyshev's Inequality

Assumptions

- Random variable X
- Mean μ , variance σ^2

Definition

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

Step-by-Step Derivation

1. Consider deviation:

$$|X - \mu|$$

2. Square:

$$(X - \mu)^2 \geq k^2\sigma^2$$

3. Apply Markov's inequality to $(X - \mu)^2$:

$$P((X - \mu)^2 \geq k^2\sigma^2) \leq \frac{E[(X - \mu)^2]}{k^2\sigma^2}$$

4. Use:

$$E[(X - \mu)^2] = \sigma^2$$

5. Substitute:

$$P(|X - \mu| \geq k\sigma) \leq \frac{1}{k^2}$$

5.3 Chernoff Bound

Assumptions

- Typically applies to sums of independent random variables

General Form

$$P(X \geq (1 + \delta)\mu) \leq e^{-f(\delta, \mu)}$$

Step-by-Step Derivation

1. Start with:

$$P(X \geq a)$$

2. Apply exponential transformation:

$$P(X \geq a) = P(e^{tX} \geq e^{ta})$$

3. Apply Markov's inequality:

$$P(e^{tX} \geq e^{ta}) \leq \frac{E[e^{tX}]}{e^{ta}}$$

4. Choose parameter t to minimize the bound

5. Obtain exponential decay bound

6. Lecture Structure

- The lecture consists of **Slides 1 to 18**
- Only high-level headings and keywords are visible
- No explicit worked examples or proofs are shown in the visible content

L23_Amazon Sale_2026_Case Stud...

7. Class Participation

- Slides include:
 - “L23: Class Participation”

L23_Amazon Sale_2026_Case Stud...

Direct Interpretation

- The lecture includes a participation component
 - No additional details are specified
-

8. Consolidated Logical Flow (Strictly from Slides)

1. Introduce:

- Amazon Black Friday Sale 2026

2. Establish:

- Connection between **uncertainty and computing**

3. Present:

- Three tail bound techniques:
 - Markov's Inequality
 - Chebyshev's Inequality
 - Chernoff Bound

4. Include:

- Class participation component
-

9. Final Exam-Oriented Summary

- The lecture is centered on:
 - **Tail bounds**
 - **System reliability**
 - Motivated by:
 - Amazon Black Friday Sale 2026
 - Key tools:
 - Markov's Inequality
 - Chebyshev's Inequality
 - Chernoff Bound
 - Conceptual focus:
 - **Connecting uncertainty with computing systems**
-

End of Lecture 23 Scribe (Strictly PPT-Constrained with Minimal Standard Reconstruction)

Sources