

CSS Flexbox and Grid - Assignment 6

Question 5 - Pricing Section using Flexbox

HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pricing Plans</title>
  <link rel="stylesheet" href="question5.css">
</head>
<body>
  <h1>Choose Your Plan</h1>
  <main class="pricing">
    <article class="plan"><h2>Basic</h2><p class="price">■499/month</p><p>Basic features</p><button>Choose Plan</button></article>
    <article class="plan featured"><h2>Pro</h2><p class="price">■999/month</p><p>Advanced features</p><button>Choose Plan</button>
    <article class="plan"><h2>Premium</h2><p class="price">■1,499/month</p><p>All premium features</p><button>Choose Plan</button>
  </main>
</body>
</html>
```

CSS Code

```
body { margin: 0; padding: 35px; font-family: Arial, sans-serif; text-align: center; background: #f8fafc; }
.pricing { display: flex; justify-content: center; align-items: center; gap: 25px; max-width: 1000px; margin: 40px auto; }
.plan { flex: 1; padding: 35px 20px; background: white; border: 1px solid #ddd; border-radius: 14px; animation: fadeIn 1s ease }
.plan:hover { transform: translateY(-10px); }
.featured { background: #dbeafe; transform: scale(1.08); }
.price { font-size: 24px; font-weight: bold; }
button { padding: 10px 18px; border: 0; border-radius: 6px; background: #2563eb; color: white; cursor: pointer; }
@keyframes fadeIn { from { opacity: 0; transform: translateY(25px); } to { opacity: 1; transform: translateY(0); } }
@media (max-width: 750px) { .pricing { flex-direction: column; } .plan, .featured { width: 90%; transform: none; } }
```