

INSTRUMENT CATALOGUE



MULTIFUNCTION CALIBRATOR



CAL 4000

- TRUE RMS AC/DC VOLTAGE & CURRENT OUTPUT
- SIX-DIGIT LED DISPLAY WITH PERCENTAGE INDICATION
- DUAL ADJUSTMENT CONTROL (BUTTON & ENCODER KNOB)
- WIDE OUTPUT RANGE: UP TO 1050V AND 24A
- MULTIPLE AC FREQUENCY SELECTION (50HZ, 60HZ, 400HZ & 1KHZ)
- OVERLOAD PROTECTION WITH CLAMP METER CALIBRATION SUPPORT

The ATOMAKK CAL 4000 is a high-precision multifunction calibrator designed for calibration of digital and analog multimeters, clamp meters, panel meters, electrical measuring instruments, process instruments, and industrial test equipment used in calibration laboratories, manufacturing, and maintenance environments.

APPLICATION

- High accuracy AC/DC voltage
- Six-digit LED digital display
- Adjustable output using keypad and rotary encoder
- True RMS AC output
- Wide voltage output up to 1050V
- Current output up to 20A

HANDHELD ULTRASONIC FLOW METER



UFM-1H

- NON-INVASIVE CLAMP-ON MEASUREMENT WITHOUT PIPE CUTTING.
- SUPPLIED WITH THREE INTERCHANGEABLE TRANSDUCER/SENSOR OPTIONS TO ACCOMMODATE DIFFERENT PIPE SIZES
- HIGH MEASUREMENT ACCURACY AND REPEATABILITY.
- PORTABLE HANDHELD DESIGN FOR FIELD APPLICATIONS.
- BUILT-IN RECHARGEABLE BATTERY FOR LONG OPERATING HOURS.
- SUPPORTS MULTIPLE INSTALLATION METHODS FOR DIFFERENT PIPE SIZES.

The ATOMAKK Handheld Ultrasonic Flow Meter is a high-precision, portable non-invasive flow measurement instrument designed for measuring liquid flow in closed pipelines without cutting or interrupting the pipe. It features an intuitive interface, rechargeable battery, built-in data logging, and multiple transducer mounting methods, making it ideal for Calibration Laboratory industrial maintenance, HVAC systems, water treatment, and process monitoring.

APPLICATION

- Non-invasive clamp-on measurement without pipe cutting.
- High measurement accuracy and repeatability.
- Portable handheld design for field applications.
- Built-in rechargeable battery for long operating hours.
- Supports multiple installation methods for different pipe sizes.

UNIVERSAL TEMPERATURE CALIBRATOR



ATOMAKK 14+

- UNIVERSAL SOURCE & MEASUREMENT FUNCTIONS
- SUPPORTS THERMOCOUPLE AND RTD CALIBRATION
- MEASURES & SOURCES VOLTAGE, RESISTANCE
- HIGH-ACCURACY CALIBRATION PERFORMANCE
- DUAL LCD DISPLAY WITH BACKLIGHT
- COMPACT, PORTABLE AND USER-FRIENDLY DESIGN
- BASIC ACCURACY $\pm 0.02\%$

The Multifunction Calibrator is a high-accuracy calibration instrument designed for reliable source and measurement applications. With universal calibration functions, thermocouple and RTD support, and a large dual display, it provides precise and convenient operation for industrial and laboratory calibration requirements.

APPLICATION

- Temperature instrument calibration
- Thermocouple & RTD calibration
- Temperature sensor testing
- Industrial temperature measurement
- Process instrumentation calibration
- Field testing & maintenance
- Laboratory calibration applications
- Precision temperature verification

MULTIFUNCTION CALIBRATOR



ATOMAKK 25

- UNIVERSAL CALIBRATION FUNCTIONS
- SOURCE & MEASURE CAPABILITY FOR THERMOCOUPLE & RTD CALIBRATION , VOLTAGE , RESISTANCE , FREQUENCY , CURRENT , LOOP CALIBRATION
- HIGH ACCURACY PERFORMANCE
- LARGE DUAL DISPLAY
- THERMOCOUPLE & RTD SUPPORT
- AUTO STEP & RAMP OUTPUT
- BASIC ACCURACY $\pm 0.02\%$

The Multifunction Calibrator is a high-accuracy calibration instrument designed for reliable source and measurement applications. With universal calibration functions, thermocouple and RTD support, and a large dual display, it provides precise and convenient operation for industrial and laboratory calibration requirements.

APPLICATION

- Process instrument calibration
- Thermocouple & RTD calibration
- Temperature measurement & simulation
- Industrial testing and maintenance
- Source and measure applications
- Automatic step & ramp testing
- Laboratory calibration applications
- Precision measurement and verification

PNEUMATIC HAND PUMP



ATM-30 H

- HAND-OPERATED DESIGN
- PRESSURE & VACUUM GENERATION
- 0-30 KG/CM² PRESSURE RANGE
- UP TO -0.85 KG/CM² VACUUM
- LIGHTWEIGHT ALUMINUM BODY
- BUILT-IN PRIMING CYLINDER
- MULTIPLE THREAD FITTINGS INCLUDED
- COMPACT & PORTABLE
- IDEAL FOR CALIBRATION APPLICATIONS
- SUPPLIED WITH THREE INTERCHANGEABLE TRANSDUCER/SENSOR OPTIONS TO ACCOMMODATE DIFFERENT PIPE SIZES

The Hand Operated Pressure Cum Vacuum Pump is a compact and reliable calibration tool designed for accurate pressure and vacuum Gauge Calibrator. Its lightweight aluminum construction, wide operating range, and versatile fittings make it ideal for industrial and laboratory applications.

APPLICATION

- Hand-operated design
- Pressure & vacuum generation
- 0-30 kg/cm² pressure range
- Up to -0.85 kg/cm² vacuum
- Lightweight aluminum body
- Built-in priming cylinder
- Multiple thread fittings included
- Compact & portable
- Ideal for calibration applications

TABLE TOP PRESSURE COMPARATOR



ATM - 1000 T

- HIGH STABILITY
- PRESSURE RANGE: 0-1000 BAR
- COMPACT TABLE-TOP DESIGN
- ROBUST SS304 CONSTRUCTION
- LEAK-PROOF PERFORMANCE

HYDRAULIC HAND PUMP



ATM - 1000 H

- PRESSURE RANGE UP TO 1000 KG/CM²
- RUGGED SS 304 CONSTRUCTION
- HIGH-STABILITY PRESSURE GENERATION
- SUITABLE FOR WATER AND OIL MEDIA
- SUPPLIED WITH FLEXIBLE HOSE & FITTINGS
- COMPACT, LIGHTWEIGHT AND PORTABLE
- EASY MANUAL OPERATION WITH SMOOTH PRESSURE CONTROL

LOW TEMPERATURE CALIBRATOR



ATM-100

- TEMP : -20 TO 100°C
- WIDE TEMPERATURE RANGE FOR LOW TEMPERATURE CALIBRATION
- HIGH STABILITY AND UNIFORMITY
- DIGITAL TEMPERATURE CONTROLLER WITH HIGH ACCURACY
- PORTABLE, COMPACT AND DURABLE DESIGN
- EASY TO OPERATE AND MAINTAIN
- SUITABLE FOR RTD, THERMOCOUPLES AND OTHER TEMPERATURE RELATED INSTRUMENTS
- OVER TEMPERATURE PROTECTION FOR SAFE OPERATION

MINI DRY TEMPERATURE CALIBRATOR



ATM-600 M

- TEMP : 50 TO 600°C
- COMPACT AND LIGHTWEIGHT DESIGN FOR EASY PORTABILITY
- WIDE TEMPERATURE RANGE FOR PRECISE CALIBRATION
- HIGH STABILITY AND EXCELLENT TEMPERATURE UNIFORMITY
- HIGH ACCURACY WITH FAST HEATING PERFORMANCE
- SUITABLE FOR RTDS, THERMOCOUPLES, AND OTHER
- TEMPERATURE RELATED INSTRUMENTS

DRY TEMPERATURE CALIBRATOR



ATM-600

- TEMP : 50 TO 600°C
- WIDE TEMPERATURE RANGE FOR TEMPERATURE CALIBRATION
- HIGH STABILITY AND UNIFORMITY
- DIGITAL TEMPERATURE CONTROLLER WITH HIGH ACCURACY
- PORTABLE, COMPACT AND DURABLE DESIGN
- EASY TO OPERATE AND MAINTAIN
- SUITABLE FOR RTD, THERMOCOUPLES AND OTHER TEMPERATURE RELATED INSTRUMENTS
- OVER TEMPERATURE PROTECTION FOR SAFE OPERATION

HIGH TEMPERATURE CALIBRATOR



ATM-1000

- TEMP : 250 TO 1000°C
- WIDE TEMPERATURE RANGE FOR TEMPERATURE CALIBRATION
- HIGH STABILITY AND UNIFORMITY
- DIGITAL TEMPERATURE CONTROLLER WITH HIGH ACCURACY
- PORTABLE, COMPACT AND DURABLE DESIGN
- EASY TO OPERATE AND MAINTAIN
- SUITABLE FOR RTD, THERMOCOUPLES AND OTHER TEMPERATURE RELATED INSTRUMENTS
- OVER TEMPERATURE PROTECTION FOR SAFE OPERATION


50 TURNS CURRENT COIL



COIL-A 20A / 1000A

- HIGH-ACCURACY CURRENT SIMULATION
- SUITABLE FOR AC/DC CALIBRATION
- RUGGED PORTABLE DESIGN
- IDEAL FOR LABORATORY AND FIELD TESTING

50 TURNS CURRENT COIL



COIL-B 20A / 1000A

- HIGH-ACCURACY CURRENT SIMULATION
- SUITABLE FOR AC/DC CALIBRATION
- RUGGED PORTABLE DESIGN
- IDEAL FOR LABORATORY AND FIELD TESTING

MULTI-CHANNEL TEMPERATURE DATA LOGGER



DL-20XX

- SUPPORTS 8 TO 64 MEASUREMENT CHANNELS
- COMPATIBLE WITH K, J, T, E, S, N, B & R
- 5-INCH INDUSTRIAL TRUE-COLOR LCD DISPLAY
- USB DATA EXPORT
- REAL-TIME NUMERIC, GRAPH & BAR CHART DISPLAY
- PROGRAMMABLE HIGH/LOW TEMPERATURE ALARMS

MULTI-CHANNEL TEMPERATURE DATA LOGGER



DL-30XX

- SUPPORTS 8 TO 64 MEASUREMENT CHANNELS
- COMPATIBLE WITH J,K,T,E,S,N,B,R,WRE3-25,
- WRE5-26, RTD, PT-100-1000, CU100, CU50
- 5-INCH INDUSTRIAL TRUE-COLOR LCD DISPLAY
- 8 GB INTERNAL MEMORY WITH USB DATA EXPORT
- REAL-TIME NUMERIC, GRAPH & BAR CHART DISPLAY
- PROGRAMMABLE HIGH/LOW TEMPERATURE ALARMS

MULTI-CHANNEL TEMPERATURE DATA LOGGER



DL-40XX

- SUPPORTS 8 TO 64 MEASUREMENT CHANNELS
- COMPATIBLE WITH J,K,T,E,S,N,B,R,WRE3-25,
- WRe5-26 RTD thermocouples, mV, mA
- 5-INCH INDUSTRIAL TRUE-COLOR LCD DISPLAY
- 8 GB INTERNAL MEMORY WITH USB DATA EXPORT
- REAL-TIME NUMERIC, GRAPH & BAR CHART DISPLAY
- PROGRAMMABLE HIGH/LOW TEMPERATURE ALARMS

PARENT COMPANY & OUR ASSOCIATES



MSIR INDIA PVT LTD
#40, 2nd Floor, 2nd Street,
Padmavathy Nagar, Chromepet,
Chennai - 600 044.
9789877567
calibration@msirindia.com



MSIR INDIA PVT LTD
170/123, AMJ Towers, 2nd Floor,
Anekal (T), Attibele (NH 44),
Bangalore - 562 107.
9789877522
2.calibration@msirindia.com



ATOMAKK INDIA PVT LTD
#40, 2nd Floor, 2nd Street,
Padmavathy Nagar, Chromepet,
Chennai - 600 044.
9789877567
atomakkindia@gmail.com