

Different Graphs.

Infinite diagrams. (relationship)



(multiple repetition)

Arcs




Table of relationship. (ToR)

- set 1
- set 2
- set 3

- ↳ item 1
- ↳ item 2
- ↳ item 3

① choose root

→ default root is
4NT

- concept 1
- concept 2
- concept 3

- ↳ item 1
- ↳ item 2
- ↳ item 3

② create tree (LO)

start with root
for (children of root) {


≡

- node (n)

- ↳ children 1 (c1)
- ↳ children 2 (c2)
- ↳ children 3 (c3)

next page

TOR HON



For (e v)


- choose root

```
- for (c of n) {  
  if (c  $\notin$  HON) {  
     $\rightarrow$  display  
     $\rightarrow$  add c to HON ?  
  }  
  if (c  $\in$  HON) {  
     $\rightarrow$  copy c  $\rightarrow$  c'  
     $\rightarrow$  display c' }  
}
```

Root 4NT

Level of expansion L
┌─┴─┐
└─┬─┘
└─┬─┘
└─┬─┘



Kill a node (does not expand)




Tidy Tree

vs

Den Diagram



Ophas



#

n



Display μ_{old}

→ Display $\frac{1}{4}, \frac{1}{2}, 1$

→ round flat

→ Roll note

→ ~~round~~ note

mid on lower

Roll mid

note

↳ does it remove

flow?

