First Data®

BUYPASS® Petroleum Industry Processing Specifications

April 10, 2025

Version 2025-1

© 1998-2025 by First Data Corporation. All rights reserved. All information contained herein is confidential and propriety to First Data Corporation. It shall not be disclosed, duplicated, or used in part or in whole, for any purpose without prior written consent from First Data Corporation. All trademarks, service marks and trade names referenced in this material are the property of their respective owner.

Current Revision History

This is a new document. It replaces the following document:

- *BUYPASS® Platform Petroleum Industry Processing Specifications*, Version No. 2024-2, released on June 07, 2024

The following table lists added, updated, and deleted pages:

Note: Red text and change bars in the page margin indicate updated/added text. Deleted text is indicated only in the following table. Blue text indicates a link to another location in the text.

Changes Made to Ver. No. 2024-2 And Reflected in Ver. No. 2025-1 Released April 10, 2025			
Topic	**2024-2 P. No.**	**2025-1 P. No.**	**Summary of Change**
Fuelman AID Values Update	NA	6-7	Added additional Fuelman AID values under EMV Processing Requirements
Unit Number Update	NA	6-3	Added section 'Unit Number' under Processing Requirements

Prior Revision History

Changes Made to Ver. No. 2024-1 And Reflected in Ver. No. 2024-2 Released June 07, 2024			
Topic	**2024-1 P. No.**	**2024-2 P. No.**	**Summary of Change**
Product Code Data Update	NA	5-3, 6-3, 7-3, 8-4, 9-4	Added verbiage under sections Product Code Data to state that the sum of all the products in the product segment must equal the total transaction amount
Product Code to Product Category Mapping for WEX OTR Fleet Card Processing Updates	NA	15-3	Added reference to Appendix M for product code to product category mapping under WEX OTR Fleet Card Processing
	NA	M-1	Added Appendix M. Product Code to Product Category Mapping for WEX OTR
Visa Fleet BIN Range Update	NA	8-1	Updated Visa Fleet BIN ranges under Visa Fleet Card Processing

Changes Made to Ver. No. 2023-5 And Reflected in Ver. No. 2024-1 Released February 09, 2024			
Topic	**2023-5 P. No.**	**2024-1 P. No.**	**Summary of Change**
General Update	NA	8-3	Made a cosmetic update on a note for expired cards under Visa Fleet Card Processing

Changes Made to Ver. No. 2023-4 And Reflected in Ver. No. 2023-5 Released November 15, 2023			
Topic	**2023-4 P. No.**	**2023-5 P. No.**	**Summary of Change**
COMDATA Updates	NA	11-1	Added sections on COMDATA Fleet Card Processing, COMDATA Express Code Processing, COMDATA Check Processing, and COMDATA Fuel Price Updates

Changes Made to Ver. No. 2023-3 And Reflected in Ver. No. 2023-4 Released October 06, 2023			
Topic	**2023-3 P. No.**	**2023-4 P. No.**	**Summary of Change**
Fuelman EMV Cards Update	NA	6-7	Added card type 'Fuelman 2in1' and associated AID value under Fuelman/Fleetwide AID Values
General Update	NA	8-3	Updated notes on expired cards for Visa and MasterCard throughout the document

Changes Made to Ver. No. 2023-2 And Reflected in Ver. No. 2023-3 Released August 18, 2023			
Topic	**2023-2 P. No.**	**2023-3 P. No.**	**Summary of Change**
General Update	NA	7-2	Added note on expired cards for Visa and MasterCard in the document

Table of Contents

Current Revision History 1

Prior Revision History 2

1. Introduction 1-1

2. Automated Fuel Pump Processing Overview 2-1
   - 2.1. Configuration Options 2-2
   - 2.2. Configuration Requirements 2-3
   - 2.3. Controller System Activities 2-4
     - 2.3.1. Debit Cards 2-4
     - 2.3.2. Credit Cards 2-4
     - 2.3.3. Stored Value Cards 2-5

3. Transaction Requirements 3-1
   - 3.1. POS Authorization Only Transaction 3-2
   - 3.2. POS Purchase/Capture Transaction 3-3
   - 3.3. Customer-Activated Terminal Authorization Only Transaction 3-5
     - 3.3.1. Address Verification Service Feature 3-6
   - 3.4. Customer-Activated Terminal Purchase/Capture Transaction 3-7
   - 3.5. POS Return/Refund Transaction 3-8
   - 3.6. POS Reversal/Void Transaction 3-9
   - 3.7. POS Time-out Reversal Transaction 3-10
   - 3.8. CAT Time-out Reversal Transaction 3-10

4. Receipt Requirements 4-1
   - 4.1. Merchant Information 4-1
   - 4.2. BUYPASS Platform Merchant Number 4-1
   - 4.3. Card Type ID 4-2
   - 4.4. Account Number 4-2
     - 4.4.1. Truncation Requirements 4-2
     - 4.4.2. Manual Entry Requirements 4-2

4.5. Expiration Date 4-3
4.6. Transaction Date 4-3
4.7. Transaction Time 4-3
4.8. Sequence Number 4-3
4.9. Product Information 4-3
4.10. Vehicle Number 4-3
4.11. Odometer Reading 4-4
4.12. Approved/Declined Message 4-4
4.13. Signature Line 4-4

5. Fleet One Fleet Card Processing 5-1
5.1. Processing Requirements 5-1
5.1.1. Supported Transactions 5-1
5.1.2. Terminal Special/Prompt Codes 5-2
5.1.3. Driver ID Encryption 5-2
5.1.4. Manual Entry 5-2
5.1.5. Expiration Date 5-2
5.1.6. Check Digit Calculation 5-2
5.1.7. Odometer Reading 5-2
5.1.8. Vehicle Number 5-3
5.1.9. Product Restriction Code 5-3
5.1.10. Product Code Data 5-3
5.1.11. Track Support Requirements 5-3
5.2. Card Layout 5-4
5.3. Embossing Standards 5-4

6. Fuelman/Fleetwide Fleet Card Processing 6-1
6.1. Processing Requirements 6-1
6.1.1. Supported Transactions 6-1
6.1.2. Terminal Special/Prompt Codes 6-2
6.1.3. The POS application must be able to read the Card Type code *081* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether FleetCor cards are allowed. 6-2
6.1.4. Driver ID Encryption 6-2
6.1.5. Manual Entry 6-2
6.1.6. Expiration Date 6-2

6.1.7. Odometer Reading 6-3
6.1.8. Check Digit Calculation 6-3
6.1.9. Vehicle Number 6-3
6.1.10. Unit Number 6-3
6.1.11. Product Restriction Code 6-3
6.1.12. Authorization Amount 6-3
6.1.13. Product Code Data 6-3
6.1.14. Track Support Requirements 6-3
6.2. EMV Processing Requirements 6-4
6.2.1. Chip Card Requirements 6-4
6.2.2. Technology Selection 6-4
6.2.3. Contact and Dual Interface 6-4
6.2.4. Application Selection 6-4
6.2.5. Fuelman/Fleetwide Data Elements 6-5
6.2.6. ARPC 6-5
6.2.7. 8A – Authorization Response Code 6-5
6.2.8. Prompting 6-6
6.2.9. Card Removal 6-6
6.2.10. Troubleshooting 6-6
6.2.11. Exception Processing 6-7
6.2.12. Terminal Configuration 6-7
6.2.13. Fuelman/Fleetwide AID Values 6-7
6.2.14. Cardholder Verification Method 6-7
6.2.15. Offline Card Authentication Methods 6-7
6.2.16. POS Requirements 6-7
6.2.17. POS Receipts 6-7
6.3. Card Layout 6-8
6.3.1. Fuelman Fleet Card 6-8
6.3.2. Fleetwide Fleet Card 6-9
6.3.3. Fuelman/Fleetwide EMV Cards 6-9
6.3.4. Prompting Table 6-10
6.4. Embossing Standards 6-11
6.4.1. Fuelman Fleet Card 6-11
6.4.2. Fleetwide Fleet Card 6-11

7. MasterCard Fleet Card Processing 7-1

7.1. Processing Requirements 7-1
7.1.1. Supported Transactions 7-1
7.1.2. Terminal Special/Prompt Codes 7-2
7.1.3. Driver ID Encryption 7-2
7.1.4. Manual Entry 7-2
7.1.5. Expiration Date 7-2
7.1.6. Check Digit Calculation 7-2
7.1.7. Odometer Reading 7-3
7.1.8. Vehicle Number 7-3
7.1.9. Product Restriction Code 7-3
7.1.10. Product Code Data 7-3
7.1.11. Track Support Requirements 7-3
7.2. Card Layout 7-4
7.2.1. Track 1 Format 7-4
7.2.2. Track 2 Format 7-6
7.3. Embossing Standards 7-7

8. Visa Fleet Card Processing 8-1
8.1. Processing Requirements 8-1
8.1.1. Supported Transactions 8-4
8.1.2. Terminal Special/Prompt Codes 8-4
8.1.3. Driver ID Encryption 8-4
8.1.4. Manual Entry 8-4
8.1.5. Expiration Date 8-4
8.1.6. Check Digit Calculation 8-4
8.1.7. Odometer Reading 8-5
8.1.8. Vehicle Number 8-5
8.1.9. Service Enhancement Indicator 8-5
8.1.10. Enhanced Data 8-5
8.1.11. Product Code Data 8-5
8.1.12. Track Support Requirements 8-5
8.2. Card Layout 8-7
8.2.1. Track 1 Format 8-7
8.2.2. Track 2 Format 8-10
8.3. Embossing Standards 8-14

9. Voyager Fleet Card Processing 9-1
9.1. Processing Requirements 9-1
9.1.1. Supported Transactions 9-1
9.1.2. Terminal Special/Prompt Codes 9-2
9.1.3. Manual Entry 9-2
9.1.4. Expiration Date 9-2
9.1.5. Check Digit Calculation 9-3
9.1.6. Odometer Reading 9-3
9.1.7. Vehicle Number 9-3
9.1.8. Restriction Code 9-3
9.1.9. Authorization Amount 9-4
9.1.10. Product Code Data 9-4
9.1.11. Track Support Requirements 9-4
9.2. EMV Processing Requirements 9-5
9.2.1. Chip Card Requirements 9-5
9.2.2. Terminal Configuration 9-11
9.2.3. POS Requirements 9-15
9.3. Card Layout 9-17
9.3.1. Track 1 Format 9-17
9.3.2. Track 2 Format 9-19
9.4. Embossing Standards 9-21

10. WEX Fleet Card Processing 10-1
10.1. Processing Requirements 10-1
10.1.1. Supported Transactions 10-2
10.1.2. Terminal Special/Prompt Codes 10-3
10.1.3. POS Prompt Codes 10-3
10.1.4. Driver ID Encryption 10-3
10.1.5. Manual Entry 10-3
10.1.6. Expiration Date 10-4
10.1.7. Check Digit Calculation 10-4
10.1.8. Vehicle Card Number (Purchase Device Sequence Number) 10-4
10.1.9. Purchase Restriction Code 10-4
10.1.10. Authorization Amount 10-5
10.1.11. Product Code Data 10-5
10.1.12. Track Support Requirements 10-5

10.1.13. Available Products 10-5
10.2. EMV Processing Requirements 10-7
10.2.1. Chip Card Requirements 10-7
10.2.2. Terminal Configuration 10-14
10.2.3. POS Requirements 10-19
10.3. Card Layout 10-23
10.4. Embossing Standards 10-26
10.4.1. WEX® Universal Fleet – Using a Vehicle Card No. 10-27
10.4.2. WEX® Universal Fleet – Using a Purch. Dev. No. (Fuel Only) 10-28
10.4.3. WEX® Universal Fleet – Using a Purch. Dev. No. (Unrestricted) 10-30
10.4.4. WEX® GSA Fleet – Using a Vehicle No. 10-32

11. COMDATA Fleet Card Processing 11-1
11.1. Processing Requirements 11-1
11.1.1. Supported Transactions 11-1
11.1.2. Terminal Special/Prompt Codes 11-1
11.1.3. POS Prompt Codes 11-2
11.1.4. Manual Entry – Track Data 11-3
11.1.5. Purchase Restriction 11-3
11.1.6. Authorization Amount 11-3
11.1.7. Product Data 11-4
11.1.8. Additional Data 11-4
11.1.9. Receipt Guidelines 11-4

12. COMDATA Express Code Processing 12-1
12.1. Processing Requirements 12-1
12.1.1. Supported Transactions 12-1
12.1.2. Terminal Special/Prompt Codes 12-1
12.1.3. POS Prompt Codes 12-1
12.1.4. Manual Entry 12-2
12.1.5. Purchase Restriction 12-2
12.1.6. Authorization Amount 12-2
12.1.7. Product Data 12-2
12.1.8. Additional Data 12-2
12.1.9. Receipt Guidelines 12-2

13. COMDATA Check Processing 13-1
13.1. Processing Requirements 13-1
13.1.1. Supported Transactions 13-1
13.1.2. Terminal Special/Prompt Codes 13-1
13.1.3. POS Prompt Codes 13-1
13.1.4. Manual Entry 13-2
13.1.5. Purchase Restriction 13-2
13.1.6. Authorization Amount 13-2
13.1.7. Product Data 13-2
13.1.8. Additional Data 13-2
13.1.9. Receipt Guidelines 13-2

14. COMDATA Fuel Price Updates 14-1
14.1. Processing Requirements 14-1
14.1.1. Supported Transactions 14-1
14.1.2. Terminal Special/Prompt Codes 14-1
14.1.3. Additional Data 14-1

15. WEX OTR Fleet Card Processing 15-1
15.2. Processing Requirements 15-1
15.2.1. Supported Transactions 15-1
15.2.2. Terminal Special/Prompt Codes 15-1
15.2.3. POS Prompt Codes 15-2
15.2.4. Manual Entry 15-2
15.2.5. Purchase Restriction 15-2
15.2.6. Authorization Amount 15-2
15.2.7. Product Data 15-3
15.2.8. Additional Data 15-3

16. WEX OTR Money Code Processing 16-1
16.1. Processing Requirements 16-1
16.1.1. Supported Transactions 16-1
16.1.2. Terminal Special/Prompt Codes 16-1
16.1.3. POS Prompt Codes 16-1
16.1.4. Manual Entry 16-1

16.1.5. Purchase Restriction 16-2
16.1.6. Authorization Amount 16-2
16.1.7. Product Data 16-2
16.1.8. Additional Data 16-2

17. EMV Card Processing 17-1

Appendix A. Petroleum Industry Device Prompt Requirements A-1

Appendix B. Valid Payment Systems Product Codes B-1

Appendix C. Valid WEX Fleet Card State Codes C-1

Appendix D. WEX-Specific POS Prompt Codes D-1

Appendix E. WEX Chip-Specific POS Prompt Codes E-1

Appendix F. WEX Terminal Capabilities (9F33) F-1

Appendix G. WEX Additional Terminal Capabilities (9F40) G-1

Appendix H. WEX Terminal Action Codes for WEX AID H-1

Appendix I. Voyager Chip-Specific POS Prompt Codes I-1

Appendix J. Voyager Terminal Capabilities (9F33) J-1

Appendix K. Voyager Additional Terminal Capabilities (9F40) K-1

Appendix L. Voyager Terminal Action Codes for Voyager AID L-1

Appendix M. Product Code to Product Category Mapping for WEX OTR M-1

1. Introduction

This document provides information about fleet card processing with the BUYPASS® platform (BUYPASS).

The following sections of the latest release of *BUYPASS Platform Petroleum Processing Specifications* will be updated to include Voyager Chip processing requirements:

- 10, Voyager Fleet Card Processing
- 10.2, EMV Processing Requirements
- 10.3, Card Formats
- Appendix I, Voyager Chip-Specific POS Prompt Codes
- Appendix J, Voyager Terminal Capabilities (9F33)
- Appendix K, Voyager Additional Terminal Capabilities (9F40)
- Appendix L, Voyager Terminal Action Codes

The scope of the information contained in this document is described in the chapter descriptions listed below.

The audiences of this document include decision makers evaluating BUYPASS services and the programmers and analysts who implement and support these services.

This document contains the following chapters and appendices:

1. Introduction. This chapter lists and describes each chapter and appendix in this document.

2. Automated Fuel Pump Processing Overview. This chapter discusses configuration options, configuration requirements, and controller system activities for automated fuel pump (AFP) processing.

3. Transaction Requirements. This chapter discusses point-of-sale (POS) Authorization Only, POS Purchase/Capture, customer-activated terminal (CAT) Authorization Only, CAT Purchase/Capture, POS Return/Refund, POS Reversal/Void, POS Time-out Reversal, and CAT Time-out Reversal transaction requirements.

4. Receipt Requirements. This chapter discusses the information that is printed on fleet card receipts.

5. Fleet One Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for Fleet One fleet cards.

6. Fuelman™/Fleetwide Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for Fuelman/Fleetwide fleet cards.

7. MasterCard® Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for MasterCard fleet cards.

8. Visa® Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for Visa fleet cards.

9. Voyager℠ Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for Voyager fleet cards.

10. WEX Fleet Card Processing. This chapter discusses processing requirements, card layout, and embossing standards for WEX fleet cards.

11. EMV Card Processing. This chapter references EMV Implementation Guide for details on EMV Petroleum processing requirements

Appendix A. Petroleum Industry Device Prompt Requirements. This appendix contains information about device prompting requirements.

Appendix B. Valid Payment Systems Product Codes. This appendix contains a list of product codes.

Appendix C. Valid WEX Fleet Card State Codes. This appendix lists valid entries for State Code, a WEX fleet card data element.

Appendix D. WEX-Specific POS Prompt Codes. This appendix lists valid POS Prompt Codes used with WEX cards.

Appendix E. WEX Chip-Specific POS Prompt Codes. This appendix lists WEX chip-specific POS Prompt Codes.

Appendix F. WEX Terminal Capabilities (9F33). This appendix lists WEX terminal capabilities (9F33).

Appendix G. WEX Additional Terminal Capabilities (9F40). This appendix lists WEX additional terminal capabilities (9F40).

Appendix H. WEX Terminal Action Codes for WEX AID. This appendix lists WEX terminal action codes for WEX AID.

Appendix I. Voyager Chip-Specific POS Prompt Codes. This new appendix provides EMV tag information to determine the customer prompting on the POS or CAT terminal.

Appendix J. Voyager Terminal Capabilities (9F33). This new appendix provides the Terminal Capabilities (9F33) values and their meaning.

Appendix K. Voyager Additional Terminal Capabilities (9F40). This new appendix provides the Additional Terminal Capabilities (9F40) values and their meaning.

Appendix L. Voyager Terminal Action Codes. This new appendix provides the Terminal Action Codes (TAC) values and their meaning.

2. Automated Fuel Pump Processing Overview

This chapter discusses the following automated fuel pump (AFP) processing topics:

- Configuration options
- Configuration requirements
- Controller system activities
  - ◊ Debit cards
  - ◊ Stored value cards

The BUYPASS automated fuel pump (AFP) interface provides a controller-based AFP system with the ability to communicate with BUYPASS. This ability enables the AFP interface to request authorizations for and draft capture of credit card, debit card, fleet card, stored value card, and oil company card purchases.

The following information is determined at the controller of the AFP system:

- Card type
- Intended purchase amount or authorization amount
- Indication whether payment request is from a customer-activated device
- Any other required input from the purchaser or station attendant

2.1. Configuration Options

The following diagram illustrates a likely controller-based AFP configuration.




Fig. 2-1. Possible controller-based AFP configuration.

The following conditions can exist in a controller-based AFP configuration:

- There may be multiple occurrences of customer-activated devices within an AFP system.
- BUYPASS assigns one merchant number to the overall AFP system.
- BUYPASS assigns one device number to the overall AFP system.
- The controller and/or customer-activated device should have the following capabilities:
  - ◊ Encryption
  - ◊ Journal/receipt printer for logging transactions and printing receipts
  - ◊ Nonvolatile media for electronic journal storage and transaction queuing
  - ◊ System console
  - ◊ Ability to request, receive, and store download parameters from BUYPASS
  - ◊ Ability to retrieve a download after the transaction queue is empty if a download is pending
  - ◊ Ability to configure preauthorization amounts
  - ◊ Ability to allow an automated end-of-day close based on BUYPASS-designated merchant cut time

2.2. Configuration Requirements

The following off-line transaction parameters should be configurable:

- Dollar amount
- Number of transactions
- Total off-line dollar amount

If transactions go into off-line mode, the numbers for controller-generated receipts must start with *LA0001* and be incremented by *1* for each transaction.

A transaction can be submitted up to three times or reformatted and resubmitted one more time after a device reestablishes connectivity. If, after these attempts, the transaction is not captured at BUYPASS, log that transaction in the Daily Exception Log. The Daily Exception Log attempts to retransmit its information one more time before the end-of-day settlement. That log should print at the end of the day, along with the Totals Report.

A transaction that has been declined by BUYPASS cannot be resubmitted.

Note: Transaction resubmission is subject to the message format rules regarding time-out reversals.

2.3. Controller System Activities

This section describes specific controller system activities related to the following card types:

- Debit cards
- Credit cards
- Stored value cards

2.3.1. Debit Cards

When processing a debit card completion, the transaction can only be processed one time by BUYPASS and debit networks. This transaction cannot be reversed or processed again by the device.

In the event that the device sends a debit card completion to BUYPASS and does not receive a response, the device must resend the request on the next connection attempt or within 15 minutes after the transaction took place, whichever occurs first. Once BUYPASS receives the completion request, a corresponding response code will be sent back to the device. If the transaction is declined with a response code value of 1 and a value of 24 returned in position nos. 15 and 16 of the device decline message, the device should consider the transaction as already captured at BUYPASS. The device should then reflect the transaction as approved and update the device totals.

Any response from BUYPASS to a debit card completion should end attempts to retry the debit card completion, regardless of whether it was approved or declined.

For Message Format Version Identifier *ATL100* and higher, the Approved Amount in an *approved* Authorization Only response (Response Code = 0) in a debit card transaction can differ from the requested amount.

Note: Message Format Version Identifier *ATL100* does not support partial approvals for debit financial transactions.

For Message Format Version Identifier *ATL101* and higher, the Approved Amount in an *approved* Partial Approval response (Response Code = F) in a debit card transaction is different from the requested amount.

2.3.2. Credit Cards

For petroleum credit card processing, the CAT Purchase/Completion transaction must be transmitted from the device no later than 55 minutes after its creation by the controller.

2.3.3. Stored Value Cards

For Message Format Version Identifier *ATL100* and higher, the Approved Amount in an *approved* Authorization Only response (Response Code = 0) in a stored value card transaction can differ from the requested amount. An example would be when the requested amount exceeds the current balance on the stored value card.

For Message Format Version Identifier *ATL101* and higher, the Approved Amount in a Partial Approval response (Response Code = F) in a stored value card transaction is different from the requested amount.

To accommodate either of these situations, the device needs to be set to do the following:

- Pump the Approved Amount—not the requested amount
- Process the response for the amount approved
- On non-CAT transactions, handle the remaining balance as a split tender transaction

The following table describes, in sequential order, the activities performed by the customer's AFP controller system during transaction processing:

Notes: If the controller does not receive a Transaction Response from the host, it should generate a Local Approval Response.

If the DLL flag is set in a host response message, the controller connects to BUYPASS and requests an encryption load once the queue is empty.

AFP Controller System Activities	
Step No.	**Description**
1.	Before pumping fuel, the customer completes the following tasks: • Selects card type • Swipes/inserts card • Enters PIN (required for debit and some fleet cards) • Enters additional fields (determined by card type)
2.	The customer-activated device/controller must verify the following card data when applicable: • ISO number • Expiration date • Check digit calculation • Card range

AFP Controller System Activities	
Step No.	**Description**
3.	The customer-activated device/controller should also validate the following card data: • Account number • Purchase amount • Card issuer
4.	The controller formats the data into a CAT Authorization Only Request. The format must indicate that a customer-activated device initiated the transaction.
5.	The controller supplies the CAT Authorization Only amount, the anticipated fuel type, and the price per gallon. This is overridden when the actual fuel is dispensed but is required for fuel limits and fuel-only card validation.
6.	The controller connects to BUYPASS if not already connected.
7.	The controller forwards the Authorization Only Request.
8.	The controller receives and parses the Authorization Only Response, storing the transaction data and approval code if the transaction is approved.
9.	The controller signals the customer-activated device of the approval or decline.
10.	If an approval is received, the customer-activated device signals the AFP system to dispense the fuel up to the preapproved Preauthorization amount.
11.	The controller services any Authorization Requests subsequently initiated if the controller is still connected to BUYPASS and the line disconnect timer has not expired.
12.	If the controller is still connected to BUYPASS, the controller forwards any queued transactions (CAT Purchase/Capture completions), parses the responses, and updates associated electronic journal data.
13.	If the controller is still connected to BUYPASS, no transactions are pending, and the load request flag is set to *yes*, request the load before hanging up the line.

AFP Controller System Activities	
Step No.	**Description**
14.	After the fuel is pumped, the customer-activated device stores the following information: • Actual purchase amount • Fuel price per gallon • Fuel type • Gallons dispensed to the controller A receipt is printed reflecting the actual purchase amount. For debit and stored value cards, the transaction can only be stored for a maximum of 15 minutes, and then the controller must connect to BUYPASS for processing the transaction. For credit cards, the transaction can only be stored for a maximum of 55 minutes, and then the controller must connect to BUYPASS for processing the transaction. For all other card types, this transaction should be stored until the next Authorization or other request that initiates a connection to BUYPASS. A stored preauthorized completion transaction should never initiate a call to BUYPASS.
15.	Prior to requesting end-of-day totals, all queued transactions, including the Daily Exception Log transactions, should be sent to BUYPASS. The device should connect to BUYPASS 15 minutes prior to the cut time if the location has not processed its totals.

3. Transaction Requirements

This chapter describes the following transactions:

- POS Authorization Only Transaction
- POS Purchase/Capture Transaction
- Customer-activated Terminal (CAT) Authorization Only Transaction
  - ◊ Address Verification Service Feature
- Customer-activated Terminal (CAT) Purchase/Capture Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction
- POS Time-out Reversal Transaction
- CAT Time-out Reversal Transaction

Each transaction's description contains the following information:

- Purpose of the transaction
- Other involved transactions, if any
- What action initiates the transaction
- What action completes the transaction
- Whether the payment method can be by debit, credit, fleet, stored value, or proprietary card
- Whether a receipt is printed
- Related transaction processing
- Related transaction flow
- Whether address verification is used

3.1. POS Authorization Only Transaction

A POS Authorization Only transaction originates at a POS device. This transaction verifies cardholder account fund availability for the specific dollar amount of the purchase, and authorizes the purchase for that specific dollar amount.

This transaction is not dependent upon any other transaction.

This transaction is initiated after all data entry and data validation is completed locally. The POS device transmits a POS Authorization Only request to BUYPASS and waits for a valid response.

A POS Authorization Only transaction is used when a Prepay transaction is initiated from the indoor POS device and authorizes a pump to dispense fuel for a specific amount. A Prepay transaction uses a POS Capture transaction to complete the transaction once fueling is finished. Both of these transactions are initiated from the indoor POS device.

This transaction is completed when a valid response is received from BUYPASS.

Valid payment methods for a POS Authorization Only transaction are: debit, credit, fleet, stored value, or proprietary card.

Valid payment methods for a Prepay transaction are: credit, fleet or proprietary cards.

No receipt is required for this transaction.

This transaction does not use address verification.

3.2. POS Purchase/Capture Transaction

A POS Purchase/Capture transaction originates at a POS device. It accomplishes any one of the four following transaction activities:

- Inside purchase

  An inside purchase is completed when a cardholder authorizes a POS device to transmit captured cardholder and product information (for the inside purchase) to BUYPASS where verification, authorization, and capture processes occur.

  This activity is not dependent upon any other transaction.

- Capture of Prepay

  A Prepay transaction is completed when fuel pumping is finished, and a POS Capture transaction is initiated. A sale is actually posted to a cardholder's account during a POS Completion transaction.

- Capture of POS authorization only

  The capture of POS authorization only information is completed when a POS device transmits cardholder authorization and purchased product information from a previous Authorization Only transaction to BUYPASS.

  This activity is dependent upon an Authorization Only transaction.

- Forced/Off-line purchase

  A forced/off-line purchase is completed when the POS device captures the cardholder and purchased product information and then uses an authorization code from a system other than BUYPASS to authorize the purchase. The POS device then transmits this information to BUYPASS where verification and capture processes occur.

  This activity is not dependent upon any other transaction.

This transaction is initiated when a POS device transmits a POS Purchase/Capture request to BUYPASS and waits for a valid response.

This transaction is completed when a valid POS Purchase/Capture Response is received from BUYPASS.

Valid payment methods for an inside purchase are: debit, credit, fleet, stored value, EBT, or proprietary cards.

Valid payment methods for a Prepay transaction are: credit, fleet or proprietary cards.

Valid payment methods for a capture of POS Authorization only are: credit, fleet, or proprietary cards.

Valid payment methods for a forced/off-line purchase transaction are: credit, fleet, and proprietary cards.

A receipt is printed for the POS Authorization Only transaction for the specific dollar amount. If the amount of the actual purchase is different from the amount printed on the POS Authorization Only receipt, another receipt is printed for the POS Capture transaction for the actual dollar amount of the purchase.

Note: For an underdisbursement of a Prepay transaction, the difference in amounts cannot be adjusted by product purchases.This transaction can use address verification in a card-not-present environment.

3.3. Customer-Activated Terminal Authorization Only Transaction

A CAT Authorization Only transaction originates at a CAT. This transaction verifies cardholder account fund availability, and secures sufficient cardholder account funds for a purchase using a CAT.

This transaction is not dependent upon any other transaction.

This transaction is initiated when a cardholder swipes a card through a card reader activating the CAT. The CAT transmits the transaction containing a preset dollar amount (configurable at the CAT by card type) to BUYPASS and waits for a valid response.

This transaction is completed when a valid response is received from BUYPASS.

Note: Please refer to the appropriate message format specifications for processing information about partial approvals of Authorization Only transaction requests.

Valid payment methods are: debit, credit, fleet, stored value, or proprietary card.

A receipt can be printed after fuel has been dispensed if the cardholder selects this option.

Address verification is an optional feature for this transaction.

Note: The Address Verification Service (AVS) feature must be configurable by card type for CAT transactions at the device. See section 3.3.1, "Address Verification Service Feature," for additional information.

3.3.1. Address Verification Service Feature

Note: Contact your BUYPASS representative for additional fee information involving the use of AVS.

For outside transactions, AVS enables a petroleum merchant to confirm the identity of a cardholder in order to prevent fraudulent use of a card.

For outside transactions, AVS is required at the CAT for CAT Authorization Only transactions. The device must prompt for the cardholder's billing address zip code. If the financial portion of the transaction is approved, and the zip code validation is negative, the customer must be sent inside to complete the transaction. The card must be presented for payment. The merchant decides how to complete the transaction. The device takes no action. The AVS feature must be configurable by card type at the controller for CAT Authorization Only transactions.

This transaction is initiated when a cardholder swipes a card through a card reader activating the CAT.
The device display then prompts for entry of the cardholder's 5- or 9-digit zip code (Format: ##### or #########) on the device's keypad. An Authorization Only transaction is sent containing a set dollar amount, configurable at the controller by card type, and the AVS zip code. The transaction is completed according to the Authorization Response Code and the AVS response from the card issuer in the transaction response. To activate the pump, the Authorization Response must be an approval for both the Authorization Only amount and a positive response in the AVS zip code. Any negative response or no response about the AVS zip code cancels the transaction and directs the customer inside to complete the sale as a POS Purchase/Capture transaction. A receipt is printed after fuel has been dispensed if the cardholder selects this option.

Valid credit card payment methods can be:

- American Express®
- MasterCard
- Discover® Network
- Visa

3.4. Customer-Activated Terminal Purchase/Capture Transaction

A CAT Purchase/Capture transaction completes a fuel purchase transaction, by forwarding the final total purchase amount to BUYPASS.

This transaction is dependent upon the CAT Authorization Only transaction, which is initiated when the cardholder swipes a card through a card reader activating the CAT. The final total purchase amount cannot exceed the authorized amount in the completed CAT Authorization Only transaction.

The CAT Purchase/Capture transaction is initiated when the pump nozzle is returned to the pump after fuel dispensing is complete, and the final total purchase amount is calculated.

This transaction is completed when the final total purchase amount is transmitted to BUYPASS in one of the following ways:

- either while the current communications session is still established; or
- in a subsequent communications session when the device sends the next transaction request to BUYPASS.

  Note: Refer to section 2.3, "Controller System Activities," for transaction storage and transmission timeframe requirements.

Valid payment methods are: debit, credit, fleet, stored value, or proprietary card.

A receipt can be printed after fuel has been dispensed if the cardholder selects this option.

This transaction does not use address verification.

3.5. POS Return/Refund Transaction

The purpose of a POS Return/Refund transaction is to return/refund to the cardholder a portion or all of a previously processed Purchase transaction.

No other transactions are involved in a POS Return/Refund transaction.

A POS Return/Refund transaction is always initiated when a cardholder returns an item that was purchased on a previous business day.

A POS Return/Refund transaction is completed when a valid response is received from BUYPASS.

Valid payment methods are: all debit, all credit, some fleet, all stored value, or all proprietary cards.

A receipt must be printed.

Address verification is not used with a POS Return/Refund transaction.

3.6. POS Reversal/Void Transaction

The purpose of a POS Reversal/Void transaction is to cancel a previously approved transaction for a purchase that was made during the current business day. This transaction is typically used when an error is made and not discovered until after a receipt has been printed for the customer.

This transaction depends on a prior POS Purchase Capture transaction.

A POS Reversal/Void transaction is initiated when an error is discovered or a cardholder returns an item that was purchased during the current business day.

To implement a POS Reversal/Void transaction, a POS device should reconstruct exactly the previously approved transaction without requiring the operator to reenter all information. If this is not possible, then, at a minimum, the following information must be entered in order for the POS Reversal/Void transaction to process:

- Account Number
- Sequence Number
- Exact dollars-and-cents amount
- Approval Code from the previously approved transaction

A POS Reversal/Void transaction is completed when a valid response is received from BUYPASS. If the POS Reversal/Void transaction is declined, then a POS Return/Refund transaction needs to be performed.

A receipt is printed.

Address verification is not used with a POS Reversal/Void transaction.

3.7. POS Time-out Reversal Transaction

Please refer to the current version of the appropriate message format specifications for rules and definitions for POS time-out reversal processing. Message format specifications currently available include the following documents:

- *BUYPASS® Platform ATL105 Message Format Specifications*
- *BUYPASS® Platform ISO 8583 Message Format Specifications*

3.8. CAT Time-out Reversal Transaction

Please refer to the current version of the appropriate message format specifications for rules and definitions for CAT time-out reversal processing. Message format specifications currently available include the following documents:

- *BUYPASS® Platform ATL105 Message Format Specifications*
- *BUYPASS® Platform ISO 8583 Message Format Specifications*

4. Receipt Requirements

This chapter discusses the following information that must print on fleet card receipts:

- Merchant information
- BUYPASS Platform Merchant Number
- Card Type ID
- Account Number
  - ◊ Truncation requirements
  - ◊ Manual entry requirements
- Expiration Date
- Transaction Date
- Transaction Time
- Sequence Number
- Product information
- Vehicle Number
- Odometer Reading
- Approved/Declined message
- Signature Line

Note: Please refer to the corresponding message format specifications for receipt information about other card types.

Note: Do not print Driver ID values, PIN values, or Prompt values on any fleet card receipt.

4.1. Merchant Information

The merchant's name and address prints on all fleet card receipts.

4.2. BUYPASS Platform Merchant Number

The BUYPASS Platform Merchant Number prints on all fleet card receipts.

4.3. Card Type ID

The Card Type ID prints on all fleet card receipts. The following table contains a list of valid Card Type ID's:

Valid Card Type ID's	
Card	**Card Type ID**
Fleet One	FL
Fuelman	GF
Fleetwide	GF
MasterCard Fleet	MF
Visa Fleet	Reports: VS Receipts: VISA
Voyager	VF
WEX	WX

4.4. Account Number

This subsection discusses the following information about account numbers:

- Truncation requirements
- Manual entry requirements

4.4.1. Truncation Requirements

In cases where the PAN is printed on transaction receipts, it must be truncated to its last four digits. A series of X's equal to the number of truncated digits precedes these four digits for a field length equal to the original Account Number's length.

Truncation of the Account Number is required on all customer-activated transactions.

Truncation of the Account Number is required on face-to-face transactions.

The full Account Number should be retrievable from the device journal or transaction log for retrieval requests.

Example. The Account Number *12345567890123456* prints as *XXXXXXXXXXXX3456*.

4.4.2. Manual Entry Requirements

If manual entry is used, this fact is indicated on the receipt and journal by an asterisk (*) before the Account Number.

4.5. Expiration Date

The Expiration Date is the expiration date on the card presented in a transaction.

The Expiration Date must be masked on a receipt's cardholder copy.

4.6. Transaction Date

The date of the transaction prints on all fleet card receipts.

4.7. Transaction Time

The time of the transaction prints on all fleet card receipts.

4.8. Sequence Number

The transaction's Sequence Number prints on all fleet card receipts.

4.9. Product Information

The following product information must appear on a receipt for an "approved" transaction:

- Fuel product information
  - ◊ Type
  - ◊ Quantity in gallons
  - ◊ Price per gallon
  - ◊ Total purchase amount
- Nonfuel product information
  - ◊ Description
  - ◊ Quantity in whole units
  - ◊ Price per whole unit
  - ◊ Total purchase amount

4.10. Vehicle Number

The Vehicle Number must print on a receipt when the fleet card issuer requires vehicle number entry.

4.11. Odometer Reading

The Odometer Reading must print on a receipt when the fleet card issuer requires an odometer reading entry.

4.12. Approved/Declined Message

The approval phrase, including the approval code, must be on a receipt for an "approved" transaction that involves a POS device.

The decline message must be on a receipt for a "declined" transaction that involves a POS device if the device uses the "preprint" feature.

The decline message is displayed on the device's screen for a customer-activated device.

4.13. Signature Line

The Signature Line must print on a receipt when the transaction occurs at a POS device.

CAT transactions do not include a Signature Line.

5. Fleet One Fleet Card Processing

This chapter discusses the following topics related to Fleet One fleet card processing:

- Processing requirements
- Card layout
- Embossing standards

5.1. Processing Requirements

This section discusses the following processing requirements for the Fleet One fleet card:

- Supported transactions
- Terminal Special/Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Odometer reading
- Vehicle number
- Product Restriction Code
- Product Code Data
- Track Support Requirements

5.1.1. Supported Transactions

The following transactions are supported for the Fleet One fleet card:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- POS Reversal/Void Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction

All successful Fleet One fleet card transactions must be logged in the device's journal and totaled in the fleet card category. The BUYPASS totals will also reflect Fleet One fleet card transactions in the fleet (FL) bucket.

5.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive Fleet One fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special code *091* enabled.

The POS application must be able to read the Card Type code *071* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether Fleet One fleet cards are allowed.

Please refer to the applicable message format specifications for information about valid Prompt Codes for the Fleet One fleet card.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

5.1.3. Driver ID Encryption

There are no Driver ID encryption processing requirements for Fleet One fleet card processing.

5.1.4. Manual Entry

Manual entry is allowed on Fleet One fleet card transactions. If the device is unable to read the card's magnetic stripe, it should prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device should prompt for manual entry of the 19-digit Fleet One fleet card Account Number.

Expiration Date prompting at the device is not required for Fleet One fleet cards; however, the BUYPASS message format requires that the default value of *1249* (MMYY) be entered in Card Discretionary Block Data.

Note: If manual entry is used, this fact is indicated on the receipt and journal by an asterisk (*) before the Account Number.

5.1.5. Expiration Date

The device does not perform expiration date validation in a Fleet One fleet card transaction.

5.1.6. Check Digit Calculation

There is no check digit calculation for the Fleet One fleet card.

5.1.7. Odometer Reading

The device prompts for entry of the odometer reading on Fleet One fleet card transactions. Press the device's <Enter> key to skip this prompt.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

5.1.8. Vehicle Number

The device prompts for entry of the Vehicle Number on Fleet One fleet card transactions. Press the device's <Enter> key to skip this prompt.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

5.1.9. Product Restriction Code

There are no Product Restriction Code processing requirements for the Fleet One fleet card.

5.1.10. Product Code Data

The Product Code Data must be sent in all fleet transactions. The sum of all the products in the product segment must equal the total transaction amount.

5.1.11. Track Support Requirements

The following track support requirements must be met when processing all electronic Fleet One fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2.
- Card data provided in a follow-on transaction can be either full or partial Track 2 Data.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by "=" sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

5.2. Card Layout

The following table describes the Track 2 data layout for the Fleet One fleet card:

Fleet One Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
1	Start Sentinel	1	1	Fixed value: ;
2	ISO Number	2	6	Fixed value: 501486
3	Prompt Code	8	2	Not used.
4	Account Number	10	11	Fleet Company/Card Number
5	Field Separator	21	1	Value: =
6	Expiration Date	22	4	Format: YYMM
7	Member Number	26	1	
8	PIN Offset	27	6	Not use
9	End Sentinel	33	1	Fixed value: ?
10	LRC	34	1	Longitudinal redundancy check

Example. Fleet One fleet card Track 2 data string:

*;501486**1212345678901**=15121000000?<LRC>*

5.3. Embossing Standards

The full account number is always embossed on a Fleet One fleet card. However, embossing standards can vary based on fleet owner/card issuer requirements. Please consult the fleet owner or card issuer for specifications.

6. Fuelman/Fleetwide Fleet Card Processing

This chapter discusses the following topics related to Fuelman/Fleetwide fleet (FleetCor) card processing:

- Processing requirements
- Card layout
  - ◊ Fuelman fleet card
  - ◊ Fleetwide fleet card
- Embossing standards.

6.1. Processing Requirements

This section discusses the following processing requirements:

- Supported transactions
- Terminal Special/Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Odometer reading
- Vehicle number
- Product Restriction Code
- Authorization Amount
- Product Code Data
- Track Support Requirements

6.1.1. Supported Transactions

The following transactions are supported for FleetCor cards:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction
- POS Reversal/Void Transaction

6.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive FleetCor card transactions, the Merchant Profile at BUYPASS needs to have Terminal Special Code *080* enabled.

6.1.3. The POS application must be able to read the Card Type code *081* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether FleetCor cards are allowed.

Please refer to the applicable message format specifications for information about valid Prompt Codes for FleetCor cards.

For EMV transactions, refer to EMV Processing requirements.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

6.1.4. Driver ID Encryption

The Driver ID for the Fuelman fleet card is a 1- through 5-digit number. It is unencrypted. It is placed in the Driver ID field.

The Driver ID for the Fleetwide fleet card is a 1- through 5-digit number. It is unencrypted. It is placed in the Driver ID field.

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

6.1.5. Manual Entry

Manual entry is allowed on all FleetCor card transactions. If the device is unable to read the card’s magnetic stripe, it should prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device should prompt for manual entry of the 17-digit FleetCor card Account Number.

Expiration date prompting at the device is always required for FleetCor cards. If no expiration date is embossed on the card, the value *1299* (MMYY) is always entered at the device. The clerk must always enter this value in MMYY format.

Note: If manual entry is used, this fact is indicated on the receipt and journal by an asterisk (*) before the Account Number.

6.1.6. Expiration Date

The device does not perform expiration date validation in FleetCor fleet card transactions.

If a FleetCor fleet card has a Track 2 expiration date value of *9912*, it indicates the card does not have an expiration date.

If no expiration date is embossed on the card, the value of 1299 (MMYY) is always entered at the device. The clerk must always enter this value in MMYY format.

6.1.7. Odometer Reading

The device must always prompt for an odometer reading (1–6 digits) on all FleetCor card transactions.

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

6.1.8. Check Digit Calculation

There is no check digit calculation for FleetCor fleet cards.

6.1.9. Vehicle Number

There is no Vehicle Number for FleetCor cards.

6.1.10. Unit Number

Unit Number is a potential prompt field on Corpay transactions.

6.1.11. Product Restriction Code

There are no Product Restriction Code processing requirements for FleetCor fleet cards.

6.1.12. Authorization Amount

For all FleetCor fleet card automated fuel pump (AFP) transactions, the FleetCor host returns an approved maximum dollar amount in the Authorization Response that is used to authorize the pump. This amount may differ from the amount in the original Authorization Request transmitted by the device. If the approved maximum dollar amount is more than the AFP pump limit, the pump limit may take precedence. If the approved maximum dollar amount is less than the AFP pump limit, the approved maximum dollar amount takes precedence.

Note: When this occurs in either the ATL101 or higher message formats, the BUYPASS host sends a Response Code value of *F* (the Partial Authorization code for either the ATL101 or higher message format). There is no special indicator in the ATL100 or ISO 8583 message formats when the FleetCor host returns an approved maximum dollar amount in the Authorization Response that is different than the amount sent in the Authorization Request.

For all FleetCor fleet card in-store transactions, approval/denial is based on the actual amount sent in the Authorization Request.

6.1.13. Product Code Data

The Product Code Data must be sent in all fleet transactions. The sum of all the products in the product segment must equal the total transaction amount.

6.1.14. Track Support Requirements

The following track support requirements must be met when processing all electronic FleetCor fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2.
- Card data provided in a follow-on transaction can be either full or partial Track 2 Data.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by "=" sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

6.2. EMV Processing Requirements

The following EMV processing requirements for Fuelman/Fleetwide chip cards are described in this section:

- Chip card requirements
- Terminal configuration
- POS requirements

6.2.1. Chip Card Requirements

The Fuelman/Fleetwide EMV transaction flow complies with the EMV specifications, with some variances. This section contains the following Chip requirements information:

- Technology selection
- Contact and Dual Interface
- ARPC
- 8A – Authorization Response Code
- Application selection
- Voyager data elements
- Prompting
- Restriction Code
- Card removal
- Troubleshooting
- Exception processing

6.2.2. Technology Selection

Terminals will check for the Service Code in the track data in the position following the expiration date. When an EMV card is swiped first and the first position of the Service Coded is '2', the terminal will prompt the cardholder to insert their card to try and force the use of chip before the magstripe is used.

6.2.3. Contact and Dual Interface

Fuelman EMV cards may be contact only or dual interface. Generally, contactless behaviors are expected to be identical to contact.

6.2.4. Application Selection

If more than one application is present on a card, the terminal should select the highest priority unblocked application. The cardholder should not be prompted to select the application (Bit 8 of Tag 87 Application Priority Indicator will be set to "0").

If the card has a Fuelman ISO number and the application list does not include an application supported by the terminal ("empty candidate list"), the cardholder should be prompted to swipe the card as a Mag Stripe transaction (i.e., consistent with Section 5 of the USPF AFD Chip Fallback Transaction Processing Best Practices document).

6.2.5. Fuelman/Fleetwide Data Elements

This section contains information on EMV data elements that are significant to the terminal.

The definition of EMV tag 9F6E comes from the MasterCard Fleet Card specification and determines what prompts should be used for the transaction.

9F6E – Third Party Data				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
1	Country Code	1	2	Value will be 0840 – indicates the card originated in the US.
2	Unique Identifier	3	2	Value will be 0003 – indicates that Device Type is present and that a Product Extension is present.
3	Device Type	5	2	"00" – indicates that this is a card.
4	Product Identifier	7	2	0001 – indicates that this is a Fleet Card Extension.
5	Allowed Products	9	1	01 – Indicates this card allows fuel and other products.
6	Prompting	10	1	Terminal prompting should be done based on the value of this field: 00 – No prompt 04 – Driver Number 0C – Odometer and Driver Number 0D – Odometer, Driver Number, and ID/Job Number
7	Card Type	11	1	Determines Card Type: 80 – Driver Card 40 – Vehicle Card

6.2.6. ARPC

Fuelman/Fleetwide EMV processing does not support ARPC. The application Interchange Profile will indicate that issuer authentication is not supported.

6.2.7. 8A – Authorization Response Code

While Fleetcor will not return EMV data in Fuelman/Fleetwide transaction responses, Buypass will still return EMV data in transaction responses. The tag 8A received will be generated by the Buypass front end. Values will be:

Condition	Value	Hex
Full approval	00	0x3030
Partial approval	10	0x3130
Any decline	05	0x3035

6.2.8. Prompting

When chip technology is used, the payment will be processed using a unique Fuelman/Fleetwide Application Identifier (AID) which will leverage the Third Party Data tag (Tag 9F6E). Depending on the type of card used, prompting at the terminal will vary based on the Prompt Code found on the chip (Field No. 6 of EMV tag 9F6E).

6.2.9. Card Removal

When the card is removed from the chip reader before a “card removal request” from the terminal, the transaction must be aborted. The terminal must inform the Driver that the transaction is aborted.

If the terminal has already received an authorization response from the Voyager Authorization Host, the terminal must send a reversal message to the Voyager Authorization Host.

The terminal may print a receipt.

6.2.10. Troubleshooting

In case of abnormal transaction rejection, the terminal should store information related to the declined transaction for facilitating potential troubleshooting investigation.

- Transaction declined by the Fuelman/Fleetwide Chip Application without attempt to process the transaction online
- Transaction declined by the Fuelman/Fleetwide Chip Application after an authorization delivered by Fleetcor Online Authorization Host.

The recommended minimum information to store in the terminal related to the last transaction is:

- Chip-related data elements normally present in the authorization request message (even if no message sent)
- Some data elements read in the chip during the EMV transaction (Issuer Action Code (IAC) parameters, truncated value of the PAN and PAN Sequence Number value)

The terminal should support a maintenance function allowing to print or to display the information stored.

It should also be possible to print or display at least the following terminal parameters involved in the decision process:

- Current Terminal Action Code (TAC) parameters
- Current Terminal Capabilities parameter
- Current Additional Terminal Capabilities parameter

6.2.11. Exception Processing

The following exception processing should occur if the transaction is cancelled during its processing:

- Before the 1st GENERATE AC command, the card may be simply powered off.
- Between the 1st GENERATE AC command and the 2nd GENERATE AC command, the terminal should complete the transaction by request an “Unable to go online – ACC’ to the 2nd GENERATE AC command. A void should be sent to the Buypass host.
- After completion of the transaction:
    - If the transaction was approved, it should be voided by the POS terminal.
    - If the transaction was declined by the chip (AAC), there is no transaction to cancel.

6.2.12. Terminal Configuration

This section describes the following terminal configuration requirements to accept Fuelman/Fleetwide Chip cards:

- Fuelman/Fleetwide AID Values
- Cardholder Verification Method
- Offline Card Authentication Methods

6.2.13. Fuelman/Fleetwide AID Values

The Fuelman EMV cards are issued under the MasterCard Application Provider (RID) A0 00 00 00 04.

Card Type	AID
Fuelman/Fleetwide	A0 00 00 00 04 99 99 C0 00 17 00 01
Fuelman 2in1	A0 00 00 00 04 99 99 C0 00 17 00 02
Fuelman 2in1 6 PID	A0 00 00 00 04 99 99 C0 00 17 00 03
Comdata	A0 00 00 00 04 99 99 C0 00 17 03 01

6.2.14. Cardholder Verification Method

Fuelman cards will not require the terminal to perform cardholder verification (PIN or Signature). The single entry in the CVM list will be 1F 00.

6.2.15. Offline Card Authentication Methods

Fuelman cards must always be authorized online. The Terminal Floor Limit (9F1B) should be set to zero. The cards will be configured with Consecutive Offline Limits set to zero.

6.2.16. POS Requirements

- This section contains the following EMV POS Requirements information:
  POS Receipts

6.2.17. POS Receipts

If a receipt is provided, it should include:

- Acceptor Number

- Acceptor Name and Address
- Local transaction time and date
- Transaction number
- Masked PAN
- Products and quantities, but not pricing
- Approval Code
- Receipt text from authorization response
- Other information as needed

6.3. Card Layout

This subsection contains card layout information for the following cards:

- Fuelman fleet card
- Fleetwide fleet card
- Fuelman/Fleetwide EMV card

Track 1 information is not available for Fuelman/Fleetwide cards.

6.3.1. Fuelman Fleet Card

The following table contains Track 2 card layout information for the Fuelman fleet card:

Fuelman Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
1	Start Sentinel	1	1	Value: ;
2	ISO Number	2	6	Value: 707649
3	Issuer ID	8	5	Issuer's identification number
4	Card Number	13	6	Card number
5	Field Separator	19	1	Value: =
6	Expiration Date	20	4	Format: YYMM **Note:** A value of *9912* = Never expires.
7	Reserved for future use	24	Var	Length: 1–13 Value: 0 or null
8	End Sentinel	25–37	1	Value: ?
9	LRC	26–38	1	

Example. Fuelman fleet card Track 2 data string:

;70764912345678901=1512?<LRC>

6.3.2. Fleetwide Fleet Card

The following table contains Track 2 card layout information for the Fleetwide fleet card:

Fleetwide Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
1	Start Sentinel	1	1	Value: ;
2	ISO Number	2	6	Value: 707685
3	Issuer ID	8	5	Issuer's identification number
4	Card Number	13	6	Card number
5	Field Separator	19	1	Value: =
6	Expiration Date	20	4	Format: YYMM **Note:** A value of *9912* = Never expires.
7	Reserved for future use	24	Var	Length: 1–13 Value: 0 or null
8	End Sentinel	25–37	1	Value: ?
9	LRC	26–38	1	

Example. Fleetwide fleet card Track 2 data string:

;7076851234567890 1=1512?<LRC>

6.3.3. Fuelman/Fleetwide EMV Cards

Track 2 and Track 2 Equivalent for EMV cards will be formatted as follows:

Fuelman/Fleetwide Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
1	ISO Number	1	6	Value: 707685/707649
2	Issuer ID	7	5	Issuer's identification number
3	Card Number	12	6	Card number
4	Field Separator	18	1	Value: =
5	Expiration Date	19	4	Format: YYMM **Note:** A value of *9912* = Never expires.
6	Service Code	23	3	101=Magnetic Stripe/201=ICC

Fuelman/Fleetwide Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Description**
7	End Sentinel	26	3	CVV/CVC
8	LRC	29	7	Reserved
9	MasterCard Restriction Code	36	1	1 – Fuel and other products and services
10	MasterCard Product Type Code	37	1	See Prompting Table Below

This layout matches the MasterCard Fleet Card. Any future magnetic stripe-only cards will use the new layout with Service Code=101.

Full Track 2 or equivalent should be included in authorization requests.

6.3.4. Prompting Table

Note: These values should only be used when tag 9F6E is not available.

Value	Description
1	Prompt for ID# and Odometer.
2	Prompt for Vehicle Number and Odometer.
3	**Prompt for Driver Number and Odometer. Most Fuelman cards will use this value.**
4	Prompt for Odometer only.
5	**No prompts. Some Fuelman cards may use this value.**

6.4. Embossing Standards

This section contains embossing standards for the following FleetCor cards:

- Fuelman fleet card
- Fleetwide fleet card

6.4.1. Fuelman Fleet Card

The following table contains information about the embossed data on a Fuelman fleet card:

Fuelman Fleet Card Embossing Information		
ISO No.	**Issuer ID**	**Card No.**
7 0 7 6 4 9	1 2 3 4 5	6 7 8 9 0 1

Note: Any underlined digit in the above information is required; the remaining information is an example of what is expected.

6.4.2. Fleetwide Fleet Card

The following table contains information about the embossed data on a Fleetwide fleet card:

Fleetwide Fleet Card Embossing Information		
ISO No.	**Issuer ID**	**Card No.**
7 0 7 6 8 5	1 2 3 4 5	6 7 8 9 0 1

Note: Any underlined digit in the above information is required; the remaining information is an example of what is expected.

7. MasterCard Fleet Card Processing

This chapter discusses the following topics related to MasterCard fleet card processing:

- Processing requirements
- Card layout
  - ◊ Track 1 format
  - ◊ Track 2 format
- Embossing standards

7.1. Processing Requirements

This section discusses the following processing requirements for the MasterCard fleet card:

- Supported transactions
- Terminal Special/Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Odometer reading
- Vehicle number
- Product Restriction Code
- Product Code Data
- Track Support Requirements

7.1.1. Supported Transactions

The following transactions are supported for the MasterCard fleet card:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction

7.1.2. Terminal Special/Prompt Codes

Note: If the Merchant Profile at BUYPASS is not set up for MasterCard fleet card transactions as described below, and a card with a number in the MasterCard fleet card BIN range (5532310000000000–5533809999999999; 5560830000000000–5560999999999999; 5561000000000000–5565999999999999; 5567000000000000–5569999999999999) is presented, the transaction is processed and sent to BUYPASS as a regular MasterCard transaction using Prompt Code 20.

In order for BUYPASS to receive MasterCard fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code *034* enabled.

The POS application must be able to read the Card Type code *080* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application just provide a method to determine whether MasterCard fleet cards are allowed.

Please refer to the applicable message format specifications for information about valid Prompt Codes for the MasterCard fleet card.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

7.1.3. Driver ID Encryption

The device must interpret the value in the Product Type field of the magnetic stripe to determine whether a Driver ID is required. If it is required, the Driver ID can have a length of 1–6 digits. It should be unencrypted in the message format for BUYPASS.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

7.1.4. Manual Entry

Manual entry is allowed on MasterCard fleet card transactions. If it is used, and the device is unable to read the card’s magnetic stripe, it should prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device should prompt for Expiration Date, ID, and Odometer Reading.

If manual entry is used, all six digits of the embossed 6-digit ISO Number and all ten digits of the embossed 10-digit Personal Account Number must be entered.

7.1.5. Expiration Date

The device must perform an expiration date validation on all MasterCard fleet card transactions.

The MasterCard fleet card expiration date is suppressed on the cardholder’s copy of the receipt.

Note: For all authorizations, merchants must send a value even for expired cards.

7.1.6. Check Digit Calculation

For MasterCard fleet cards, a Mod 10 Check Digit evaluation is performed on the full Account Number.

7.1.7. Odometer Reading

The device must interpret the value in the Product Type field of the magnetic stripe to determine whether an odometer reading is required. If it is required, the odometer reading can have a length of 1–8 digits.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

7.1.8. Vehicle Number

The device must interpret the value in the Product Type field of the magnetic stripe to determine whether Vehicle Number information is required. If it is required, the Vehicle Number can have a length of 1–6 digits.

Please refer to Appendix A, “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

7.1.9. Product Restriction Code

The device must perform an interrogation on the Product Restriction Code—in the Track 1 or Track 2 data—to see whether the transaction is for “fuel and other products” or “fuel only.”

Please refer to **Appendix B**, “Valid Payment Systems Product Codes,” for additional information.

Note: A unique Product Code must be sent for each type of fuel purchase.

7.1.10. Product Code Data

The Product Code Data must be sent in all fleet transactions. The sum of all the products in the product segment must equal the total transaction amount.

7.1.11. Track Support Requirements

The following track support requirements must be met when processing all electronic MasterCard Fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2. If the device cannot read Track 2, then the device should send unaltered Track 1 before attempting manual entry.
- Card data provided in a follow-on transaction must be partial Track 2 Data.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by “=” sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

7.2. Card Layout

This section discusses the following topics:

- Track 1 data
- Track 2 data

7.2.1. Track 1 Format

The following table contains Track 1 card layout information for MasterCard fleet cards:

Note: The device should not transmit the Start Sentinel in any transaction.

MasterCard Fleet Card
Track 1 Data Layout

Field No.	Element Name	Pos.	Len.	Data Identification
1	Start Sentinel	0	1	Fixed value: %
2	Format Code	1	1	Value: B
3	BIN	2	6	Value range: 553231–553380; 556083–556099; 556100–556599; 556700–556999
4	PAN	8	10	PAN with Check Digit
5	Field Separator	18	1	Fixed Value: ^
6	Cardholder's Name	19	26	Maximum of 26 alphanumeric characters.
7	Field Separator	45	1	Fixed Value: ^
8	Expiration Date	46	4	Format: YYMM
9	Card Type	50	3	Card type
10	Discretionary Data	53	22	Discretionary data
11	Product Restriction Code	75	1	**Value** — **Description** 1 — Fuel and other products 2 — Fuel only
12	Product Type	76	1	**Value** — **Description** 1 — ID Number and Odometer Reading 2 — Vehicle Number and Odometer Reading 3 — Driver ID and Odometer Reading 4 — Odometer Reading only 5 — No fleet information needed

MasterCard Fleet Card Track 1 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**
13	End Sentinel	77	1	Value: ?
14	LRC	78	1	Longitudinal Redundancy Code

Example. MasterCard fleet card Track 1 data string:

%B5568432211445331^CardholderbJanebDoe^15061113417567801012300096 1412?

7.2.2. Track 2 Format

The following table contains Track 2 card layout information for the MasterCard fleet card:

MasterCard Fleet Card Track 2 Data Layout			
Field No.	**Pos.**	**Field Length**	**Data Identification**
1	0	1	Start Sentinel Fixed Value: ;
2	1	6	BIN Value range: 553231–553380; 556083–556099; 556100–556599; 556700–556999
3	7	10	PAN with Check Digit
4	17	1	Field Separator Fixed value: =
5	18	4	Expiration Date (YYMM)
6	22	3	Card Type
7	25	11	Discretionary Data
8	36	1	Product Restriction Code Values: 1 = Fuel and other products 2 = Fuel only
9	37	1	Product Type Code Values: 1 = ID Number and Odometer Reading 2 = Vehicle Number and Odometer Reading 3 = Driver ID and Odometer Reading 4 = Odometer Reading only 5 = No fleet information needed
10	38	1	Fixed value: ?
11	39	1	LRC

Example. MasterCard fleet card Track 2 data string:

;5567550123456780=15037779876543210915?

7.3. Embossing Standards

The following example describes the embossed data on MasterCard fleet cards.

Example. 55BB BBXX XXXX XXXX

Line 2

Line 3

Line 4

Where 55BB BB = the BIN (range: 553231–553380; 556083–556099; 556100–556599; 556700–556999);

Where X = the Account Number;

Where Line 2 = the Expiration Date (MMYY);

Where Line 3 = one Identifier Line (This line may contain the name of a company, the name of the card issuer, the name of the co-brander, or the name of the card program.); and

Where Line 4 = one Identifier Line (This line may contain the name of a company, the name of the card issuer, the name of the co-brander, or the name of the card program.).

8. Visa Fleet Card Processing

This chapter discusses the following topics related to Visa fleet card processing:

- Processing requirements
- Card layout
  - ◊ Track 1 format
  - ◊ Track 2 format
- Embossing standards

8.1. Processing Requirements

This section discusses the following processing requirements for the Visa fleet card:

- Supported transactions
- Terminal Special/Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Odometer reading
- Vehicle number
- Service Enhancement Indicator
- Enhanced Data
- Product Code Data
- Track Support Requirements

The following BIN's within the specified Visa purchasing card BIN range are reserved for Visa fleet cards:

- 448462–448464
- 448466–448466
- 448470–448471
- 448473–448475
- 448477
- 448483
- 448489–448492
- 448494–448498

- 448500–448501
- 448503–448505
- 448507–448508
- 448510
- 448513–448514
- 448518–448521
- 448528–448532
- 448535–448538
- 448540–448541
- 448544–448547
- 448550–448551
- 448553–448555
- 448558–448559
- 448561–448563
- 448565–448569
- 448571–448576
- 448581–448582
- 448584–448586
- 448588–448589
- 448593–448597
- 448599–448601
- 448603–448610
- 448613–448614
- 448616–448619
- 448621
- 448623–448625
- 448628–448629
- 448631–448663
- 448665–448674
- 448676–448680
- 448682–448686
- 448689–448699

- 461400
- 461402–461410
- 461412–461421
- 461423–461425
- 461430–461435
- 461437–461459
- 461461–461468
- 461472–461479
- 461482–461485
- 461487–461499
- 471562
- 471595
- 480701–480704
- 480706–480849
- 480851–480853
- 480855–480856
- 480859
- 480861–480864
- 480866
- 480869
- 480871–480874
- 480876
- 480878–480899

These BIN's provide full Visa fleet functionality at fleet oil merchants.

The POS/CAT device must support a magnetic stripe reader capable of reading Track 1 and Track 2 data.

The POS application must be able to read the corresponding Card Type code sent in the table load. In the case where an application does not process a table load from BUYPASS, the application must provide a method to determine whether Visa fleet cards are allowed.

8.1.1. Supported Transactions

The following transactions are supported for the Visa fleet card:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction

8.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive Visa fleet card transactions, the Merchant Profile's credit option must be activated.

Please refer to the applicable message format specifications for information about valid Prompt Codes for the Visa fleet card.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

8.1.3. Driver ID Encryption

The device must interpret the value in the Service Prompt field of the magnetic stripe to determine whether a Driver ID is required. If it is required, the Driver ID can have a length of 1–6 digits. It should be unencrypted in the message format for BUYPASS.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

8.1.4. Manual Entry

Manual entry is allowed on a Visa fleet card transaction. If the device is unable to read the card's magnetic stripe, it should prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device should prompt for manual entry of the 16-digit Visa fleet card Account Number and prompt for an ID and the odometer reading.

Note: If manual entry is used, this fact is indicated on the receipt and journal by an asterisk (*) before the Account Number.

8.1.5. Expiration Date

The device performs expiration date validation in a Visa fleet card transaction.

The Visa fleet card expiration date is suppressed on the cardholder receipt.

Note: For all authorizations, merchants must send a value even for expired cards.

8.1.6. Check Digit Calculation

For Visa fleet cards, a Mod 10 Check Digit evaluation is performed on the full Account Number.

8.1.7. Odometer Reading

The device must interpret the value in the Service Prompt field of the magnetic stripe to determine whether an odometer reading is required. If it is required, the odometer reading can have a length of 1–8 digits.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

8.1.8. Vehicle Number

The device must interpret the value in the Service Prompt field of the magnetic stripe to determine whether a Vehicle Number is required. If it is required, the Vehicle Number can have a length of 1–6 digits.

An authorization signature is not required for any Vehicle Number prompt.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

8.1.9. Service Enhancement Indicator

The device must interpret the value of the Service Enhancement Indicator—in the Track 1 or Track 2 data—to see whether the transaction is for "fuel and other products" or "fuel only."

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

Please refer to **Appendix B**, "Valid Payment Systems Product Codes," for additional information.

Note: A unique Product Code must be sent for each type of fuel purchase.

8.1.10. Enhanced Data

For a Visa Fleet Card transaction, the merchant must be able to provide the correct enhanced data information to the processor. For this, a merchant must be able to:

- Correctly identify the Visa Fleet card when presented at the POS terminal
- Correctly read the Service Prompt Indicator encoded on the magnetic stripe of a Visa Fleet card
- Prompt the cardholder to provide the required data
- Forward the accurate and correct information to their processor.

Note: A Fleet Card transaction must comply with Fleet data requirements, in order to be eligible for reduced commercial interchange rates, such as Commercial Level II or Level III.

8.1.11. Product Code Data

The Product Code Data must be sent in all fleet transactions. The sum of all the products in the product segment must equal the total transaction amount.

8.1.12. Track Support Requirements

The following track support requirements must be met when processing all electronic Visa Fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2. If the device cannot read Track 2, then the device should send unaltered Track 1 before attempting manual entry.
- Card data provided in a follow-on transaction must be partial Track 2 Data.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by "=" sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

8.2. Card Layout

This section discusses the following card layout for the Visa fleet card:

- Track 1 data
- Track 2 data

8.2.1. Track 1 Format

The following table describes Track 1 data layout information for the Visa fleet card:

Note: The device should not transmit the Start Sentinel in any transaction.

Visa Fleet Card Track 1 Data Layout						
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**		
1	Start Sentinel	0	1	Fixed value: %		
2	Format Code	1	1	Fixed value: B		
3	Personal Account Number (PAN)	2	16	Value: 16 alphanumeric characters		
4	Field Separator	18	1	Fixed Value: ^		
5	Cardholder Name	19	2–26	Value: 2–26 alphanumeric characters		
6	Field Separator	21–45	1	Fixed Value: ^		
7	Card Expiration Date	22–46	4	Format: YYMM		
8	Service Code	26–50	3	Value: 000–999		
9	PIN Verification Data	29–53	0 or 5	**Pos.** 1 2–5	**Len.** 1 4	**Content** PIN Verification Key Index (PVKI) PIN Verification Value (PVV)
10	Discretionary Data	29–53 or 34–58	Varies[1]	Value: 8–10 alphanumeric characters		

Visa Fleet Card
Track 1 Data Layout

Field No.	Element Name	Pos.	Len.	Data Identification		
11	Visa-Reserved	Varies[1]	11[2]	**Pos.**	**Len.**	**Content**
				1–2	2	Zero-filled
				5	3	Card Verification Value (CVV)
				6–7	2	Zero-filled
				8	1	Authorization Content Indicator (ACI)
				9	1	Reserved Value: 0
				10	1	Service Enhancement Indicator Values: 0 = Fleet No Restriction (fuel, maintenance, and nonfuel purchases) 1 = Fleet (fuel and maintenance only purchases) 2 = Fleet/Fuel Only (fuel only purchases) 3–9 = Reserved

Visa Fleet Card Track 1 Data Layout						
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**		
				11	1	Service Prompt Values: 0 = Reserved (no prompt required) 1 = ID and odometer reading 2 = Vehicle ID and odometer reading 3 = Driver ID and odometer reading 4 = Odometer reading 5 = No prompt 6 = ID[3] 7–9 = Reserved (no prompt required)
12	End Sentinel	Varies[1]	1	Fixed value: ?		
13	LRC	Varies[1]	1	Longitudinal Redundancy Check		

[1]The length of this field depends on the lengths of Field Nos. 3, 5, and 9.

[2]The length of this field is always the last eleven positions of the Track 1 data, excluding the End Sentinel and LRC. Visa fleet cards are required to use the last three positions of this field to provide instructions for customized prompts.

[3]After prompt for ID, the cardholder enters the 6-digit numeric vehicle or driver/generic ID.

Example. Visa fleet card Track 1 data string:

%B4000001234562345^CUSTOMERNAME^15121015432199999999900876000000?<LRC>

8.2.2. Track 2 Format

The following table describes Track 2 data layout information for the Visa fleet card:

Note: Field Nos. 1, 8, and 9 are not sent in online messages; however, they are necessary for magnetic stripe reading devices.

Visa Fleet Card Track 2 Data Layout						
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**		
1	Start Sentinel	0	1	Fixed Value: ;		
2	Personal Account Number (PAN)	1	16	Value: 16 alphanumeric characters		
3	Field Separator	17	1	Fixed value: =		
4	Card Expiration Date	18	4	Format: YYMM		
5	Service Code	22	3	Value: 3-digit number		
6	PIN Verification Data	25	0 or 5	Value: 0 or a 5-digit number		
7	Discretionary Data	25 or 30	Varies[1]	**Pos.** 1–3 Varies[1]	**Len.** 3 Varies[1]	**Content** Card Verification Value (CVV) Issuer Information

Visa Fleet Card Track 2 Data Layout						
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**		
	Discretionary Data (*cont'd.*)			**Pos.** Varies[1]	**Len.** 3[2]	**Content** Fleet Service Third to Last Position: Value: 0 Service Enhancement Indicator Second to Last Position: Values: 0 = Fleet No Restriction (fuel, maintenance, and nonfuel purchases) 1 = Fleet (fuel and maintenance only purchases) 2 = Fleet/Fuel Only (fuel only purchases) 3–9 = Reserved

Visa Fleet Card Track 2 Data Layout						
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**		
	Discretionary Data (*cont'd.*)					Service Prompt Last Position: Values: 0 = Reserved (no prompt required) 1 = ID and odometer reading 2 = Vehicle ID and odometer reading 3 = Driver ID and odometer reading 4 = Odometer reading 5 = No prompt 6 = ID[3] 7–9 = Reserved (no prompt required)

Visa Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**
8	End Sentinel	Varies[2]	1	Fixed value: ?
9	LRC	Varies[2]	1	Longitudinal Redundancy Check Value: 0; A–F

[1]The length of this field is always the last eleven positions of Track 1, excluding the End Sentinel and LRC. Visa fleet cards are required to use the last three positions of this field to provide instructions for customized prompts.

[2]The position of this field varies depending on the lengths of Field Nos. 2 and 6.

[3]After a prompt for an ID, the cardholder enters the 6-digit Vehicle No. or Driver/Generic ID.

Example. Visa fleet card Track 2 data string:

;4000001234567890=15121205432199987 6?<LRC>

8.3. Embossing Standards

The full account number and expiration date are always embossed on a Visa fleet card. However, embossing standards can vary based on fleet owner/card issuer requirements. Please consult the fleet owner or card issuer for specifications.

9. Voyager Fleet Card Processing

This chapter discusses the following topics related to Voyager fleet card processing:

- Processing requirements
- Card layout
  - ◊ Track 1 format
  - ◊ Track 2 format
- Embossing standards

9.1. Processing Requirements

This section discusses the following processing requirements:

- Supported transactions
- Terminal Special/Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Odometer reading
- Vehicle number
- Restriction Code
- Authorization Amount
- Product Code Data
- Track Support Requirements

9.1.1. Supported Transactions

The following transactions are supported for the Voyager fleet card:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction

9.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive Voyager fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code *073* enabled.

The POS application must be able to read the Card Type code *060* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether Voyager fleet cards are allowed.

Please refer to the applicable message format specifications for information about valid Prompt Codes for the Voyager fleet card.

Please refer to Driver ID Encryption

For Magstripe transactions, the device must interpret the value in the Restriction Code field of the magnetic stripe to determine whether a Driver ID is required. If it is required, it can have a length of 1–6 digits. It should be unencrypted in the message format for BUYPASS.

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A: “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

9.1.3. Manual Entry

Manual entry is allowed on Voyager fleet card transactions. If the device is unable to read the card’s magnetic stripe, it should prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device should prompt for manual entry of the 19-digit Voyager fleet card Account Number.

If manual entry is used, the device must prompt for the Restriction Code embossed on the front of the card, as well as for valid inputs. The Restriction Code value must follow the Expiration Date in the Discretionary Data Field sent to the host.

Example. Account Number(FS)MMYYRR(FS), where MM = month; YY = year; and RR = Restriction Code

If manual entry is used, this fact is indicated on the receipt and journal by an asterisk (*) before the Account Number.

If manual entry is used, the ISO Number is prompted for and is prefixed to the Account Number.

9.1.4. Expiration Date

The device must perform an expiration date validation on all Voyager fleet card transactions.

9.1.5. Check Digit Calculation

For POS processing, the following steps are used to calculate the Check Digit and Super Check Digit:

1. Perform a Mod 10 Check Digit evaluation on the Account Number Check Digit (field no. 5 in Track 1; field no. 4 in Track 2).

   The Account Number Check Digit verifies the Account Number (field no. 4 in Track 1; field no. 3 in Track 2).

   Note: If manual entry processing is used, it verifies the first eight digits of the embossed data.

2. Perform a Mod 10 Check Digit evaluation on the Super Check Digit (field no. 7 in Track 1; field no. 6 in Track 2).

   The Super Check Digit verifies the full Account Number (field nos. 3–6 in Track 1; field nos. 2–5 in Track 2).

   Note: If manual entry processing is used, it verifies all the embossed data and the ISO data.

9.1.6. Odometer Reading

For Magstripe transactions, the device must interpret the value in the Restriction Code field of the magnetic stripe to determine whether an odometer reading is required. If it is required, the odometer reading can have a length of 1–8 digits.

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A: “Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

9.1.7. Vehicle Number

For Magstripe transactions, there is no Vehicle Number for the Voyager fleet card.

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A:“Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

9.1.8. Restriction Code

For Magstripe transactions, the device must interpret the value of the Restriction Code—in the Track 1 or Track 2 data—to see whether the transaction is for “fuel and other products” or “fuel only.”

For EMV transactions, refer to EMV Processing Requirements.

Please refer to Appendix A:“Petroleum Industry Device Prompt Requirements,” for a summary of card prompting requirements.

Please refer to **Appendix B**, “Valid Payment Systems Product Codes,” for additional information.

Note: A unique Product Code must be sent for each type of fuel purchase.

9.1.9. Authorization Amount

For all Voyager fleet card Authorization Only Request transactions, the Voyager host returns an approved maximum dollar amount in the Authorization Response. This amount may differ from the amount in the original Authorization Request transmitted by the device. The approved maximum dollar amount will be less than or equal to the amount in the Authorization Request.

In the case of a CAT Authorization Only transaction, if the approved maximum dollar amount is more than the AFP pump limit, the pump limit may take precedence. If the approved maximum dollar amount is less than the AFP pump limit, the approved maximum dollar amount takes precedence.

For all Voyager fleet card POS Authorization Only transactions, approval/denial is based on the actual amount sent in the Authorization Request.

Note: When this occurs in either the ATL101 or higher message formats, the BUYPASS host sends a Response Code value of F (the Partial Authorization code for either the ATL101 or higher message format). There is no special indicator in the ATL100 or ISO 8583 message formats when the Voyager host returns an approved maximum dollar amount in the Authorization Response that is different than the amount sent in the Authorization Request.

9.1.10. Product Code Data

The Product Code Data must be sent in all fleet transactions. The sum of all the products in the product segment must equal the total transaction amount.

9.1.11. Track Support Requirements

The following track support requirements must be met when processing all electronic Voyager fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2.
- Card data provided in a follow-on transaction must be partial Track 2 Data.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by "=" sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

9.2. EMV Processing Requirements

The following EMV processing requirements for Voyager Chip cards are described in this section:

- Chip card requirements
- Terminal configuration
- POS requirements

9.2.1. Chip Card Requirements

The Voyager EMV transaction flow complies with the EMV specifications, with some variances.

This section contains the following Voyager Chip requirements information:

- Technology selection
- Application selection
- Voyager data elements
- Prompting
- Restriction Code
- Card removal
- Troubleshooting
- Exception processing

9.2.1.1. Technology Selection

Voyager Cards do not follow the ISO7813 standards for Track data encoding, and as a result, the service code on Voyager Cards is not currently positioned where terminals expect to find them. This has impacts to terminal logic in determining whether or not a card is chip capable. In the EMV world, terminals will check for the Service Code in the track data in the position immediately following the expiration date. When an EMV card is swiped first, and the first position of the Service Code is a '2' or a '6', the terminal will prompt the cardholder to insert their card to try and force the use of chip before the magstripe is used.

Terminals supporting Voyager Cards for EMV must be able to check for the service code in position 31 of the track2 data or position 58 of the track1 data. If a Voyager card is swiped first, terminals must check position 31 (Track2) or position 58 (track1) to determine if the service code begins with a '2' or '6'. If this position does start with a '2' or '6' then the terminal must request the cardholder to insert their card into the chip reader.

In addition, a new value will be included in both Track1 and Track 2 for 'Truck Class' beginning in Position 63 and 36 respectively. Please see Voyager EMV terminal Specifications v1.5 for more details.

9.2.1.2. Application Selection

When the Voyager chip card has more than one application, Voyager requires that the Voyager Fleet Card payment application will be priority 1.

A Voyager chip-enabled terminal must support one of the following methods for application selection:

- When only one application is mutually supported, this application is automatically selected.
- When several applications are mutually supported, the terminal must select automatically the application with the highest priority defined by the card issuer.

9.2.1.3. Voyager Data Elements

This section contains information on the following Voyager Proprietary Data Elements

- Present in records referenced in the File Control Information (FCI)

Voyager Proprietary Data Elements		
Tag	**Name**	**Description**
9F6E	Third Party Data	Voyager specific functionality is driven by data found in this tag.

The following table describes the data found in the Third Party Data tag:

Voyager Proprietary Third Party Data Layout		
Byte	**Format**	**Description**
2	n 3	Country Code Country Code according to [ISO 3166-1] For Voyager cards this will be codes as 08 40.
2	b	Unique Identifier ‘8003 or ‘0003 to indicate that a MasterCard defined Product Extension is present in the Proprietary Data subfield Most significant bit of Unique Identifier subfield has the value 0b to indicate presence of the Device Type subfield. In this case, the maximum length of the Proprietary Data subfield is 26 bytes
0 or 2	an	Device Type For Voyager Fleet cards, Device Type will always be included. Refer to Appendix in document for possible value.
1-26 or 28	b	Proprietary Data Contains Product extension. Product extension for fleet cards is structured as shown in **Error! R eference source not found.** below

The following table describes the data found in the Proprietary Data section of the Third Party Data tag:

Voyager Proprietary Data Layout		
Bytes	**Description**	**Value**
1-2	Product Identifier.	Value 0x0001 is assigned to fleet cards
1	Product Restriction Code	Bits 8 – 3: RFU Bit 2: Good for fuel only Bit 1: Good for fuel and other products
1	Product Type Code	The Product Type Code for fleet cards contains the prompt mode. If bit 8 is set, then the terminal must use the Fleet Prompt Script File for processing all Voyager based fleet prompts and all other bits of Product Type Code will be ignored. Otherwise use of terminal-based prompts is indicated by bits 1 to 7 of the Product Type Code field. Bit 8: Use Fleet Prompt Script File Bit 7 – 5: RFU Bit 4: Prompt for Odometer Bit 3: Prompt for Driver Number Bit 2: Prompt for Vehicle Number Bit 1: Prompt for Voyager ID Number
1	Card Type	Identifies whether the card is tied to a vehicle or a driver. For "untied" Voyager Fleet cards both Driver and Vehicle card bits must be turned off. Bit 8: Driver card Bit 7: Vehicle card Bit 6 – 1: RFU
3	Vehicle or Driver Number	This field is optional if the Fleet Prompt Script File is not used. If not present, the Proprietary Data Field is limited to 5 bytes in length. If the field Prompt Script File is used, then this field must be present, even if used as filler data (0x000000) to situate bytes 9 and 10 correctly. The field has numeric format (n6). Voyager Fleet Cards will always define this field as 0x000000
2	Fleet Prompt Script File Entry	This field must be present if bit 8 ('Use Fleet Prompt Script File') of the Product Type Code is set. If the Fleet Prompt Script File is used, then this field is present and coded as follows: Byte 1 (byte 9 of Proprietary Data): Lower bits contain the Short File Identifier (SFI) of the Fleet Prompt Script File.

9.2.1.4. Prompting

When chip technology is used, the payment will be processed using a unique Voyager Application Identifier (AID) which will leverage the Third Party Data tag (Tag 9F6E). Depending on the type of card used, prompting at the terminal will vary based on the Voyager Restriction and Prompt Code found on the chip. However, the payment application and payment configuration are identical for all types of cards. The Third Party Data tag carries specific product information to be used by the terminal in processing prompts as part of the transactions and the pre-authorization.

Enhanced Fleet prompting is a mechanism that provides greater flexibility to Voyager on capturing Level 3 type data at terminals where Voyager Fleet EMV cards are accepted. It replaces the current process of using Product and Restriction codes located in the discretionary data of both track1 and track2 on the magstripe. The Enhanced Fleet Prompting simplifies the terminal by removing the need to generate prompting logic around these restriction and product codes. Instead, the terminal will read required prompt messages directly from the Voyager Fleet card itself. This allows Voyager the flexibility to tailor prompts specifically for their fleet customer's needs.

The terminal must make the following validations to determine if the card product supports

Enhanced Fleet Processing:

- Third Party Data (9F6E) is present in the FCI of the Voyager Fleet ADF
- Terminals supporting Voyager EMV Fleet cards must use the Third Party Data (Tag 9F6E) to determine if card/application supports Enhanced Fleet Prompting
- A value of '0003' or '8003' in the Unique Identifier of the Third Party Data (9F6E) indicates that Enhanced Fleet Prompting is supported by the card product.
- Unique Identifiers other than '0003' or '8003' is not to be considered as a Voyager Fleet product
- The Product Identifier within the Proprietary Data component of the Third Party Data must be set to '0001' to indicate Enhanced Fleet Support. Any other value indicates non-fleet product.

For Voyager cards that are setup where the Product Type Code does not indicate support of the Prompt Script File, the terminal must then prompt for the terminal-defined prompts specified in bit 4-1 of the Product Type Code. These prompts are limited to Odometer (bit 4), Driver Number (bit 3), Vehicle Number (bit 2) and ID Number (bit 1). These fields must be prompted in the order of the highest order bit defined (bit 4, then bit 3, etc.).

For Voyager cards that are setup where the Product Type Code does indicate support of the Prompt Script File, the terminal must read said file and prompt as indicated. See 'Appendix I, "Voyager Chip-Specific POS Prompt Codes.' for specifics on Enhanced prompts.

9.2.1.5. Restriction Code

For EMV transactions, the device must interpret the value of the Restriction Code—from Tag 9F6E Third Part Data —to see whether the transaction is for “fuel and other products” or “fuel only.”

Please refer to **Appendix B**, “Valid Payment Systems Product Codes,” for additional information.

9.2.1.6. Card Removal

When the card is removed from the chip reader before a “card removal request” from the terminal, the transaction must be aborted. The terminal must inform the Driver that the transaction is aborted.

If the terminal has already received an authorization response from the Voyager Authorization Host, the terminal must send a reversal message to the Voyager Authorization Host.

The terminal may print a receipt.

9.2.1.7. Troubleshooting

In case of abnormal transaction rejection, the terminal should store information related to the declined transaction for facilitating potential troubleshooting investigation.

- Transaction declined by the Voyager Chip Application without attempt to process the transaction online
- Transaction declined by the Voyager Chip Application after an authorization delivered by Voyager Online Authorization Host.

The recommended minimum information to store in the terminal related to the last transaction is:

- Chip-related data elements normally present in the authorization request message (even if no message sent)
- Some data elements read in the chip during the EMV transaction (Issuer Action Code (IAC) parameters, truncated value of the PAN and PAN Sequence Number value)

The terminal should support a maintenance function allowing to print or to display the information stored.

It should also be possible to print or display at least the following terminal parameters involved in the decision process:

- Current Terminal Action Code (TAC) parameters
- Current Terminal Capabilities parameter
- Current Additional Terminal Capabilities parameter

9.2.1.8. Exception Processing

The following exception processing should occur, if the transaction is cancelled during its processing:

- Before the 1st GENERATE AC command, the card may be simply powered off.

- Between the 1st GENERATE AC command and the 2nd GENERATE AC command, the terminal should complete the transaction by request an “Unable to go online – ACC’ to the 2nd GENERATE AC command. A void should be sent to Voyager.
- After completion of the transaction:
  - If the transaction was approved, it should be voided by the POS terminal.
  - If the transaction was declined by the chip (AAC), there is no transaction to cancel.

9.2.2. Terminal Configuration

This section describes the following terminal configuration requirements for Voyager Chip:

- Voyager AID Values
- EMV Terminal Parameters
- Cardholder Verification Method
- Offline Card Authentication Methods

9.2.2.1. Voyager AID Values

Voyager AID: A0000000049999C00016

The Voyager AID values are structured as defined in the following table:

Voyager AID Values Structure		
Bytes	**Description**	**Value**
1 – 10	RIID	A000000004
11 - 20	PIX	9999C00016

9.2.2.2. EMV Terminal Parameters

This section contains information on the following EMV terminal parameters:

- Common to all applications
- Compliant with possible values defined by Voyager
- Common to Voyager applications

9.2.2.2.1. Common to All Applications

The following table contains EMV terminal parameters that are common to all applications:

Note: Voyager has no specific requirements related to the values in the following table. The values are defined according to Payment Industry standard.

EMV Terminal Parameters Common to All Applications		
Tag	**Name**	**Description**
9F1A	Terminal Country Code	Indicates the country of the Terminal
5F2A	Transaction Currency Code Transaction Currency Exponent	Indicates the currency code of the transaction
9F4E	Merchant Name and Location	Indicates the name and location of the merchant
9F09	Application Version Number	Version number assigned by the payment system for the application.

EMV Terminal Parameters Common to All Applications		
Tag	**Name**	**Description**
9F1E	Interface Device (IFD) Serial Number	Unique and permanent serial number assigned to the IFD by the manufacturer
9F1C	Terminal Identification	Designates the unique location of a Terminal at a merchant
9F01	Acquirer Identifier	Uniquely identifies the acquirer within each payment system
9F16	Merchant Identifier	When concatenated with the Acquirer Identifier, uniquely identifies a given merchant
9F15	Merchant Category Code	Classifies the type of business being done by the merchant

9.2.2.2.2. Compliant with Possible Values Defined by Voyager

The following table contains EMV terminal parameters that must be compliant with the set of possible values defined by Voyager:

EMV Terminal Parameters Compliant with Possible Values Defined by Voyager		
Tag	**Name**	**Description**
9F35	Terminal Type	Indicates the environment of the terminal, its communications capability, and its operational control. Voyager: Must be online capable (either online-only or offline with online capability).
9F33	Terminal Capabilities	Indicates the card data input, CVM, and security capabilities of the Terminal. See Appendix J, "Voyager Terminal Capabilities (9F33)"
9F40	Additional Terminal Capabilities	Indicates the data input and output capabilities of the Terminal and Reader. See Appendix K, "Voyager Additional Terminal Capabilities (9F40)"

9.2.2.2.3. Common to Voyager Applications

The following table contains EMV terminal parameters that are common to all Voyager applications present in the terminal:

Note: A terminal supporting Voyager Chip must support the following terminal parameters valid for all the Voyager AIDS.

EMV Terminal Parameters Common to Voyager Applications		
Tag	**Name**	**Description**
	Application Selection Indicator	For an application in the ICC to be supported by an application in the terminal, the Application Selection Indicator indicates whether the associated AID in the terminal must match the AID in the card exactly, including the length of the AID, or only up to the length of the AID in the terminal. There is only one Application Selection Indicator per AID supported by the terminal. Value: Partial match is supported
	Default Dynamic Data Authentication Data Object List (DDOL)	DDOL to be used for constructing the INTERNAL AUTHENTICATE command if the DDOL in the card is not present. Default Value: 9F3704
	Default Transaction Certificate Data Object List (TDOL)	TDOL to be used for generating the TC Hash Value if the TDOL in the card is not present. Default Value: (Not required)
	Application Version Number	Version number assigned by the payment system for the application in the Card. Value: 0001
	TAC parameter values	Indicates the Terminal Action Code (TAC). See Appendix L, "Voyager Terminal Action Codes for Voyager AID"
9F1B	Terminal Floor Limit	Indicates the floor limit in the terminal in conjunction with the AID.

Note: There are no Voyager-defined EMV terminal parameters with values dedicated to each Voyager application. All EMV terminal parameter values apply to all Voyager AID.

9.2.2.3. Cardholder Verification Method

Voyager Chip cards are accepted at both Unattended and Attended terminals:

Unattended terminals:

- Support of 'No CVM Required' is mandatory
- Support of online enciphered PIN is mandatory
- Support of offline PIN is not allowed
- Support of signature is not allowed

Attended terminals:

- Support of 'No CVM Required' is mandatory
- Support of online enciphered PIN is mandatory
- Support of offline PIN is not allowed
- Support of signature is mandatory

9.2.2.4. Offline Card Authentication Methods

Voyager requirements related to the support of offline Card Authentication Methods (CAM) are:

- An offline capable terminal must support both DDA and CDA (SDA is optional)
- An online-only terminal may support no offline CAM
- When CDA is supported, CDA must be implemented according to EMV 4.2 or later versions. The terminal must use the CDA EMV-defined Mode n°1 defined in EMV 4.3 - Book 2 that consists in:
    - Request CDA on 1st GENERATE AC command on ARQC, and
    - Request CDA on 2nd GENERATE AC on TC after approved online authorization.
- When CDA is supported, the terminal should verify before Terminal Action Analysis that it contains the Certification Authority Public Key identified by the card. Terminals that can perform RSA certificate verification quickly are recommended to retrieve the Issuer public key and ICC public key prior Terminal Action Analysis.
- When offline CAM is supported, the terminal must be capable to support at least two Voyager Certification Authority Public Keys for the Voyager RID. (EMV mandates to support at least 6 Certification Authority Public Keys per RID)
- When offline CAM is supported, the terminal must be capable to support RSA key length of 248 bytes and RSA key exponent equal to either 3 or $(2^{16} + 1)$
- The terminal must be capable to check the integrity of the Certification Authority Public Keys.

9.2.3. POS Requirements

This section contains the following EMV POS requirements information:

- Prompting
- Online purchase restrictions and validation
- POS receipts
- Offline processing
- Offline purchase restrictions

9.2.3.1. Prompting

Third Party Data (9F6E) should be used to determine prompting requirements. See details in Chip Card Requirements' Prompting section.

See Appendix I, "Voyager Chip-Specific POS Prompt Codes." For specifics on prompts.

9.2.3.2. Online Purchase Restrictions and Validation

The POS must review the purchase restrictions on the chip and reject the transaction if it contains products that are not allowed.

9.2.3.3. POS Receipts

The fleet card receipt requirements listed in section 4, "Receipt Requirements" apply to Voyager Chip transactions.

In addition, Voyager Chip transactions must also include the following items on all approved fleet card receipts:

- AID of application selected
- Application Preferred Name (recommended) or Application Label of the application selected

9.2.3.4. Offline Processing

The POS device is permitted to support offline processing for Voyager Chip cards in the following manner:

- Chip limits
- Call for authorization

If connectivity is lost while processing a Chip transaction:

- The POS has already collected the chip based prompt and may proceed to use the Chip Limits for the purchase amount. Alternatively, a call for authorization may be used for the purchase amount.
- The POS will process production validations/restrictions based on the chip.

- The POS will limit the fuel purchased to the fuel amount and the non-fuel purchase to the non-fuel amount. If the POS does not process these amounts, the transaction should call for authorization and be limited to fuel products only.

9.2.3.5. Offline Purchase Restrictions

In a standard EMV solution, if the terminal supports authorization using the chip, the POS will use:

- Tag ‘DF32’ : Offline Purchase Restrictions: this is similar to the purchase restriction code
- Tag ‘DF34’ : Offline Purchase Restrictions Amount for Fuel purchase
- Tag ‘DF35’ : Offline Purchase Restrictions Amount for non-Fuel purchase

These limits can be used at either an attended or unattended terminal for either a preauthorization or sales transaction.

If the terminal does not support authorization of the chip or limits are exceeded, the terminal may call for authorization.

For a preauthorization transaction, the fuel limit will act like a partial authorization or pump shut off amount. The cardholder will be allowed to fuel to the amount specified. The cardholder may purchase up to the limit of the non-fuel amount for non-fuel items.

For a sales transaction, the fuel amount purchased may not exceed the fuel amount on the chip and the non-fuel amount purchase may not exceed the non-fuel amount specified on the chip. If either amount is exceeded, the cashier may be directed to call for authorization to obtain an approval code.

9.3. Card Layout

This section discusses the following topics:

- Track 1 data
- Track 2 data

9.3.1. Track 1 Format

The following table contains Track 1 card layout information for Voyager fleet cards:

Voyager Fleet Card Track 1 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**
1	Start Sentinel	1	1	Value: %
2	Format Code	2	1	Value: 0
3	ISO Number	3	4	Value: 7088
4	Account Number	7	8	Account number
5	Account Number Check Digit	15	1	Account Number Check Digit
6	Card Identifier	16	5	Card Identifier
7	Super Check Digit	21	1	Super Check Digit
8	Field Separator	22	1	Value: ^
9	Cardholder's Name	23	25	Cardholder's Name
10	Field Separator	48	1	Value: ^
11	Expiration Date	49	4	Format: YYMM

Voyager Fleet Card Track 1 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**
12	Restriction Code	53	2	Prompt restriction values: **Value** **Description** 0 No Driver ID and no Odometer Reading 1 Driver ID only 2 Odometer Reading only 3 Driver ID and Odometer Reading Fuel restriction values: **Value** **Description** 0 Fuel and other products 1 Fuel only
13	Discretionary Data	55	13	Discretionary Data
14	End Sentinel	68	1	Value: ?

The following table shows a hypothetical example of a Voyager Track 2 Data String.

Sample Track 1 Data String																	
%07088599900040000016^nnnn^2509311232010060000?																	
Data	**%**	**0**	**7088**	**859990004**	**00001**	**6**	**^**	**nnnn**	**^**	**2509**	**31**	**123**	**201**	**00**	**6**	**0000**	**?**
Field	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**	**16**	**17**
Data Element Name	**Start Sentinel**	**Format Code**	**ISO Number**	**Voyager Account Number**	**Card Identifier**	**Check Digit**	**Field Separator**	Cardholders Name	**Field Separator**	**Expiration Date (YYMM)**	**Restriction Code**	**CVV**	**Service Code**	**Filler**	**Max Truck Class**	**Filler**	**End Sentinel**

9.3.2. Track 2 Format

The following table contains Track 2 card layout information for Voyager fleet cards:

Voyager Fleet Card Track 2 Data Layout				
Field No.	**Element Name**	**Pos.**	**Len.**	**Data Identification**
1	Start Sentinel	1	1	Value: ;
2	ISO Number	2	4	Value: 7088
3	Account Number	6	8	Account Number
4	Account Number Check Digit	14	1	Account Number Check Digit
5	Card Identifier	15	5	Card Identifier
6	Super Check Digit	20	1	Super Check Digit
7	Field Separator	21	1	Value: =
8	Expiration Date	22	4	Format: YYMM
9	Restriction Code	26	2	Prompt restriction values: **Value** **Description** 0 No Driver ID and no Odometer Reading 1 Driver ID only 2 Odometer Reading only 3 Driver ID and Odometer Reading Fuel restriction values: **Value** **Description** 0 Fuel and other products 1 Fuel only
10	Discretionary Data	28	11	Discretionary Data
11	End Sentinel	39	1	Value: ?

The following table shows a hypothetical example of a Voyager Track 2 Data String.

Sample Track 2 Data String														
Sample String: ; *7088859990004000016*=2509311232010060 0?														
Data	**;**	**7088**	859990004	**0001**	**6**	**=**	**2509**	**31**	**123**	**201**	**00**	**6**	**00**	**?**
Field	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**
Data Element Name	**Start Sentinel**	**ISO Number**	**Voyager Account Number:**	**Card Identifier**	**Check Digit**	**Field Separator**	**Expiration Date (YYMM)**	**Restriction Code**	**CVV**	**Service Code**	**Filler**	**Max Truck Class**	**Filler**	**End Sentinel**

9.4. Embossing Standards

This section contains information about the embossed data on Voyager fleet cards.

The following figure describes the layout of a Voyager fleet card by grouping the information from the example of Track 2 data in section 9.2.2, "Track 2 Format," in five boxes.




Fig. 9-1. Voyager Fleet Card Layout.

Box 1 contains the unembossed Voyager ISO Number.

Box 2 contains the cardholder's Account Number.

Note: Voyager's Account Numbers start with *85*, *86*, *87*, *88*, or *89*.

Box 3 contains three lines of variable information. The first line contains the cardholder's identification number. The second line contains the cardholder's name. The third line contains a line of free form text.

Box 4 contains the name (Voyager) of the card.

Box 5 contains the 2-digit Restriction Code and the 4-digit Expiration Date (MMYY). The first digit of the 2-digit Restriction Code is the Driver ID/Odometer flag. The second digit is the Product flag. The valid values for these two elements are provided in the Track 1 and Track 2 data descriptions in section 9.2.1, "Track 1 Format," and section 9.2.2, "Track 2 Format."

10. WEX Fleet Card Processing

This chapter discusses the following topics related to WEX fleet card processing:

- Processing requirements
- EMV processing requirements
- Card layout
- Embossing standards

10.1. Processing Requirements

This section discusses the following processing requirements:

- Supported transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Driver ID encryption
- Manual entry
- Expiration date
- Check digit calculation
- Vehicle Card Number (Purchase Device Sequence Number)
- Purchase Restriction Code
- Authorization Amount
- Product Code Data
- Track Support Requirements

10.1.1. Supported Transactions

The following transactions are supported for the WEX fleet card:

- POS Purchase/Capture Transaction
- POS Authorization Only Transaction
- CAT Purchase/Capture Transaction
- CAT Authorization Only Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction

Notes:

- **Store and Forward:** When either the device loses connection to BUYPASS, or the BUYPASS loses connection to WEX, one of the entities will take responsibility for storing the transactions. When the connection is restored, the transactions will be forwarded to the appropriate acquiring host.

10.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive WEX fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code *068* enabled.

The POS application must be able to read the Card Type code *059* sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether WEX fleet cards are allowed.

Please refer to the applicable message format specifications for information about valid Prompt Codes for the WEX fleet card.

Please refer to Appendix A: "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements.

10.1.3. POS Prompt Codes

The POS or CAT device must interpret the values in Fields 6 and 10 of the WEX card Track 2 data to determine the customer prompting at the device.

Please refer to **Appendix D**, "WEX-Specific POS Prompt Codes," for a summary of card prompting requirements.

10.1.4. Driver ID Encryption

The Driver ID must be unencrypted in the message format for BUYPASS.

10.1.5. Manual Entry

If the Track 2 data cannot be collected by swiping the card, it is necessary for the attendant to be able to collect all card elements and enter them into the POS device manually. If the device is unable to read the card's magnetic stripe, it must prompt the user to swipe the card again—up to three times. If unable to read the magnetic stripe after three attempts, the device must prompt for manual entry of the 13-digit WEX card Account Number, Prefix No. (ISO Number), Vehicle Card No. (Purchase Device Sequence Number), Expiration Date (Format: MMYY), and Prompt Codes (if not shown on the card, prompt for Driver ID and Odometer Reading). The attendant must validate the purchase restrictions on the card against the products being purchased.

It is also suggested—in cases where the card cannot be read after three attempts—that the attendant manually "zip-zap" the card with an imprint machine, and manually enter the above information on the ticket.

The POS device must prefix the ISO Number to the 13-digit Account Number in the transaction request for all manual entry transactions. (Prefixing the ISO Number to the 13-digit Account Number gives the 19-digit Primary Account Number.)

Note: If manual entry is used, this fact is indicated on the receipt and in the journal by an asterisk (*) before the Primary Account Number.

Elements required to process an offline manual transaction are:

- Account Number (19 digits, including ISO Number)
- Prompt Codes (if printed on the card). If no codes, Driver ID and Odometer Reading are needed.
- Purchase Device Sequence Number (This value was formerly called "Vehicle Card No.")

- Expiration Date

10.1.6. Expiration Date

The device must perform an expiration date validation on all WEX fleet card transactions. The card's Expiration Date is suppressed on the cardholder receipt.

10.1.7. Check Digit Calculation

Mod 10 Check Digit Calculation is performed using positions 7–12 of the Account Number, applying the check digit to position 13 of the Account Number.

10.1.8. Vehicle Card Number (Purchase Device Sequence Number)

The Vehicle Card Number is a 5-digit number. It is encoded in the Track 2 data and embossed on the front of the card under the label "Vehicle Card No." Newer WEX cards will show the label "Purchase Dev Seq."

Vehicle Card Number prompting is required only for manual entry transactions.

The Vehicle Card Number prints on both swiped and manually entered transactions, even though no prompting is involved for swiped transactions.

Please refer to Appendix A, "Petroleum Industry Device Prompt Requirements," for a summary of card prompting requirements and **Appendix D**, "WEX-Specific POS Prompt Codes."

10.1.9. Purchase Restriction Code

In offline processing mode, the device performs a purchase restriction check against Field 7 of the Track 2 data.

Please refer to section 10.2, "Card Layout," for a description of Purchase Restriction Code values.

Please refer to **Appendix B**, "Valid Payment Systems Product Codes," for additional information.

Note: A unique Product Code must be sent for each type of fuel purchase.

10.1.10. Authorization Amount

For all WEX fleet card automated fuel pump (AFP) transactions, the WEX host returns an approved maximum dollar amount in the Authorization Response that is used to authorize the pump. This amount may differ from the amount in the original Authorization Request transmitted by the device. If the approved maximum dollar amount is more than the AFP pump limit, the pump limit may take precedence. If the approved maximum dollar amount is less than the AFP pump limit, the approved maximum dollar amount takes precedence.

Note: When this occurs in either the ATL101 or higher message formats, the BUYPASS host sends a Response Code value of *F* (the Partial Authorization code for either the ATL101 or higher message format). There is no special indicator in the ATL100 or ISO 8583 message formats when the WEX host returns an approved maximum dollar amount in the Authorization Response that is different than the amount sent in the Authorization Request.

For all WEX fleet card in-store transactions, approval/denial is based on the actual amount sent in the Authorization Request.

10.1.11. Product Code Data

The Product Code Data is required for all fleet transactions types. For Inside Pre-Pay Authorization Only, if the product code is known, it can be sent from the POS. If the product code is unknown, the Buypass host will send the default value of '074' according to the Wright Express specification.

10.1.12. Track Support Requirements

The following track support requirements must be met when processing all electronic WEX fleet card transactions:

- The default track that is sent to BUYPASS on an original transaction should be Track 2.
- Card data provided in a follow-on transaction should be full Track 2 Data. If full Track 2 Data is not available for follow-on transactions, partial Track 2 Data should be used.

Note: This does not apply to the TransArmor-VeriFone Edition processing when sending full Track 2 Data. Partial Track 2 Data consists of the Primary Account Number, followed by "=" sign—rather than a field separator—followed by the 4-digit expiration date (Storage format: YYMM). No other discretionary data follows the 4-digit expiration date.

10.1.13. Available Products

For all WEX fleet card Automated Fuel Pump (AFP) Authorization Only and Inside Pre-Pay Authorization Only, the WEX host requires the Available Products indicator to be sent from the POS. This indicator informs WEX that the POS supports the ability to receive information on the available quantity and fuel types allowed.

WEX will interrogate the 2-digit restriction code and the Available Product indicator in the request to determine the products to be allowed.

The current WEX fuel restriction codes are listed below:

Restriction Code 00 – There are no fuel product restrictions (any fuel product code may be purchased). The Restriction Code amount or Restriction Code quantity limits still need to be followed.

Restriction Code 01 – Any gasoline.

Restriction Code 07 – Any Diesel, including Reefer

Restriction Code 08 – Any off-road diesel, including Reefer

Restriction Code 06 – Biodiesels

Restriction Code 10 – Alternative fuels

Restriction Code 11 – Hybrid (gas and electric)

Restriction Code 12 – Aviation fuels

Restriction Code 13 – Marine fuels

10.2. EMV Processing Requirements

The following EMV processing requirements for WEX Chip cards are described in this section:

- Chip card requirements
- Terminal configuration
- POS requirements

10.2.1. Chip Card Requirements

The WEX EMV transaction flow complies with the EMV specifications, with some variances.

This section contains the following WEX Chip requirements information:

- Technology selection
- Application selection
- Fleet and WEX proprietary data elements
- Application selection response analysis
- Prompting
- EMV processing (Part 1) results analysis
- Online authorization process
- Usage of “Proprietary Authentication Data”
- Transaction completion
- Card removal
- Troubleshooting
- Exception processing

10.2.1.1. Technology Selection

The WEX Chip card contains a Technology Indicator located at offset 33 from the beginning of Track 2 data.

When the WEX card is swiped and the Technology Indicator value is equal to 2, the terminal must request the cardholder to use the chip.

See section 10.3, “Card Layout,” for additional information.

10.2.1.2. Application Selection

When the WEX chip card has more than one application, WEX recommends the terminal allow merchant priority in selecting the application.

Note: Version 4.1.2 of the WEX specification only supports one AID.

A WEX chip-enabled terminal must support one of the following methods for application selection:

- When only one application is mutually supported, this application is automatically selected.

- When several applications are mutually supported, the terminal must either:
  - Request the cardholder to select one of the applications mutually supported (if the terminal is capable of displaying the list of applications to the Driver), or
  - Select automatically the application with the highest priority defined by the card issuer.

10.2.1.3. Fleet and WEX Proprietary Data Elements

The following table contains the Fleet and WEX proprietary data elements:

Fleet and WEX Proprietary Data Elements				
Tag	**Name**	**Length**	**Format**	**Description**
DF30	Fuel Card usage bitmap (Prompts)	24	HEX	Stored as HEX on the chip, needs to be converted to binary. Each prompt is 3 bytes, the industry allows up to 8 prompts, WEX will not use more than 6 bytes but will pad out the remaining bytes with zeroes.
DF32	Offline Purchase Restrictions	8	HEX	Stored as HEX on the chip, needs to be converted to binary. To support store and forward with “chip” authorization. See section 10.2.3.5, “Offline Purchase Restrictions” for more detailed information.
DF34	Chip Offline Purchase Restrictions Amount for Fuel Purchase	6	BCD	WEX Tag to support store and forward with “chip” authorization. See section 10.2.3.5, “Offline Purchase Restrictions” for more detailed information.
DF35	Chip Offline Purchase Restrictions Amount for Non-Fuel Purchase	6	BCD	WEX Tag to support store and forward with “chip” authorization. See section 10.2.3.5, “Offline Purchase Restrictions” for more detailed information.
DF36	Relationship Codes	6	HEX	Not required. WEX Tag for Private Label Program.
DF37	3rd Party Reference Data Generation 2	25	HEX	Not required. WEX Tag for Private Label Program.
DF38	Loyalty ID	20	HEX	Not required. WEX Tag for Private Label Program. Not required.

Fleet and WEX Proprietary Data Elements				
Tag	**Name**	**Length**	**Format**	**Description**
DF39	Purchase Device Sequence Number (PDSN)	3	BCD	WEX tag for the Purchase Device Sequence Number that is on the magnetic stripe and face of the card. Needed for receipts.

10.2.1.4. Application Selection Response Analysis

In addition to the EMV-defined checks performed on application selection response, the terminal must extract the WEX proprietary data element Tag 'DF30' (Fuel Card usage bitmap) when it is present.

After the application selection response analysis, the terminal may process in parallel both the 'EMV Processing Part 1' function and the 'Prompting' function.

Note: For additional information on EMV Processing (Part 1), see section 10.2.1.6, "EMV Processing (Part 1) Results."

For additional information on prompting function, see section 10.2.1.5, "Prompting."

When it is not possible to process both functions in parallel, the terminal must first process the EMV Processing (Part 1) function.

The transaction amount communicated in Tag '9F02' is:

- Required to be the accurate amount for a purchase transaction
- Preferred to be an estimated amount for a pre-authorization transaction (alternative is to use a fixed holding amount but this is only available with the WEX card)

10.2.1.5. Prompting

Chip prompt information is stored in the following tag:

- Tag 'DF30' – Fuel Card usage bitmap

The prompts are translated using the table in Appendix E, "WEX Chip-Specific POS Prompt Codes."

Example of a chip requesting driver id and odometer would result in the values: '260000' and '2A0000".

The Prompt Code in the Data Element field of Byte 1 and Prompt Part 2 of Byte 3 are fixed. The other values (numeric/alphanumeric, mandatory/optional, print and display fields are expected to be supported in the WEX Chip release. The Dependence on Byte 2 and Byte 2 are for future support.

Note: For terminals that cannot support alphabetic or special characters, they will be certified by WEX with numeric only response.

All prompts should be collected by the terminal. If a terminal cannot request a specific prompt (for example, a prompt is not available on the terminal), the prompt is skipped. Do not send a value that is not entered on the terminal.

10.2.1.6. EMV Processing (Part 1) Results Analysis

The terminal application must analyze the card decision communicated in the response of the 'Start ICC transaction response'.

- Transaction Rejection:

  For either an offline approval (TC) or transaction declined (AAC), the terminal must:

  - Stop prompting information to the Driver (if the function was processed in parallel with the chip transaction)
  - Request the Driver to remove the card from the chip reader
  - Inform the Driver the transaction is rejected (the terminal should not allow the Driver to swipe the magnetic stripe and repeat the transaction using the magnetic stripe)
  - When Troubleshooting function is supported, store in the terminal the information related to the transaction declined
  - Process 'Transaction Completion' function

- Process Online:
  - When the 'Faster EMV Solution' function is active in the terminal, the terminal must complete the transaction with the card prior to processing of the information available in the IFSF API 'Start ICC transaction response' other than card decision.
    - The terminal application must use the ISFS API 'Complete ICC transaction Device Request' and inform the card that the online authorization was completed by a communication problem and the transaction must be declined [EMV Authorization Response Code = "Z3" – Unable to Go Online, offline declined]
    - The API response must be ignored
    - The terminal application must request the Driver to remove the card from the chip reader and must inform that the transaction is in process.
  - The remaining part of the function is independent of the activation or not of the 'Quick Chip Solution' function.
    - Prompt the Driver for the information requested in data element Tag 'DF30' : Fuel Card usage bitmap when not already prompted during the "application selection response analysis" function
    - If the WEX proprietary data element (Tag 'DF31' : Fuel Card usage bitmap (Complementary values)) is not empty [all bytes set to '00'], prompt the Driver for the information requested in this data
      - If the Terminal has been developed to support the following tags, it will run the additional function linked to the presence of the following proprietary data elements:
        - Tag 'DF37' : 3rd Party Reference Data Generation 2
        - Tag 'DF38' : Loyalty ID
        - Tag 'DF36' : Relationship Codes
      - Continue with the online authorization process

10.2.1.7. Online Authorization Process

When the transaction is successfully processed online, the terminal must apply the following decisions:

- When the chip card is not present when the response is received and
  - The terminal is in Faster EMV mode, the terminal must apply WEX Authorization Host decision.
  - The terminal is NOT in Faster EMV mode, the transaction is aborted.
- When the chip card is present and the response is received, the terminal must apply WEX Chip Application decision that may confirm WEX Authorization Host decision.
- When the transaction is able to go online for authorization, it is possible that host based prompts may be returned.
- When DE 55 is present in the online response message and data element Issuer Authentication Data (tag '91') is part of the chip data, the terminal must be capable to extract the 8 least bytes of Issuer Authentication Data. The usage of these 8 bytes (called 'Proprietary Authentication Data').
- When the transaction does not get a response from WEX (communication error)
  - If the chip is still present the terminal may approve the transaction offline using the chip values. (The message reason code must reflect that the chip was used.) See 10.2.3.4, "Offline Purchase Restrictions."
  - Alternatively, the merchant may call for authorization. (The message reason code must reflect that the VRU was used to authorization the transaction.)

10.2.1.8. Usage of 'Proprietary Authentication Data'

Currently, there is no usage defined for the 8 least significant bytes of Issuer Authentication Data (called Proprietary Authentication Data). The terminal must ignore their values.

10.2.1.9. Transaction Completion

- Transaction Declined: A receipt may be printed.
- Preauthorization transaction approved:
  - By WEX, the POS terminal must follow all limits returned.
  - By VRU, the POS terminal must not allow the transaction to exceed the amount authorized. The completion will be sent up as soon as communication is restored. (The message reason code will reflect that the transaction was approved after calling the VRU.)
  - By the Chip, the POS terminal must follow the limits as outlined in section 10.2.3.5, "Offline Purchase Restrictions." The completion will be sent up as soon as communication is restored. (The message reason code will reflect that the transaction was approved by the Chip.)
- Sales transaction approved:
  - By WEX, the POS terminal will complete its local processing.

- By VRU, the POS terminal store and forward when communication has been restored.
- By the Chip, the POS terminal must follow the limits as outlined in section 10.2.3.5, “Offline Purchase Restrictions” and store and forward the transaction once communication has been restored.

10.2.1.10. Card Removal

When the card is removed from the chip reader before a ‘card removal request’ from the terminal, the transaction must be aborted. The terminal must inform the Driver that the transaction is aborted.

If the terminal has already received an authorization response from the WEX Authorization Host, the terminal must send a reversal message to the WEX Authorization Host.

The terminal may print a receipt.

10.2.1.11. Troubleshooting

In case of abnormal transaction rejection, the terminal should store information related to the declined transaction for facilitating potential troubleshooting investigation.

- Transaction declined by the WEX Chip Application without attempt to process the transaction online
- Transaction declined by the WEX Chip Application after an authorization delivered by WEX Online Authorization Host

The recommended minimum information to store in the terminal related to the last transaction is:

- Chip-related data elements normally present in the authorization request message (even if no message sent)
- Some data elements read in the chip during the EMV transaction (Issuer Action Code (IAC) parameters, truncated value of the PAN and PAN Sequence Number value)

The terminal should support a maintenance function allowing to print or to display the information stored.

It should also be possible to print or display at least the following terminal parameters involved in the decision process:

- Current Terminal Action Code (TAC) parameters
- Current Terminal Capabilities parameter
- Current Additional Terminal Capabilities parameter

10.2.1.12. Exception Processing

The following exception processing should occur, if the transaction is cancelled during its processing:

- Before the 1st GENERATE AC command, the card may be simply powered off.

- Between the 1st GENERATE AC command and the 2nd GENERATE AC command, the terminal should complete the transaction by requesting an 'Unable to go online – ACC' to the 2nd GENERATE AC command. A void should be sent to WEX.
- After completion of the transaction:
  - If the transaction was approved, it should be voided by the POS terminal.
  - If the transaction was declined by the chip (AAC), there is no transaction to cancel.

10.2.2. Terminal Configuration

This section describes the following terminal configuration requirements for WEX Chip:

- WEX AID Values
- Technology Indicator Offset
- EMV Terminal Parameters
- Cardholder Verification Method
- Offline Card Authentication Methods

10.2.2.1. WEX AID Values

WEX AID: A0000007681010

The WEX AID values are structured as defined in the following table:

WEX AID Values Structure		
Bytes	**Description**	**Value**
1 – 5	RIID	A000000768
6 – 7	Type of WEX card	1010: WEX Card
8 – 10	WEX Program	Reserved for future use

10.2.2.2. Technology Indicator Offset

The terminal must provide a method to interpret the Technology Indicator digit within Track 2 of the magnetic stripe. (See section 10.3, 'Card Layout' for additional information.)

If the magnetic stripe is read and the Technology Indicator is 0, the terminal processes as magnetic stripe. However, if the magnetic stripe is read and the Technology Indicator is 2, the terminal requires the card to be dipped/inserted so that the chip can be read.

10.2.2.3. EMV Terminal Parameters

This section contains information on the following EMV terminal parameters:

- Common to all applications
- Compliant with possible values defined by WEX
- Common to WEX applications

10.2.2.3.1. Common to All Applications

The following table contains EMV terminal parameters that are common to all applications:

Note: WEX has no specific requirements related to the values in the following table. The values are defined according to Payment Industry standard.

EMV Terminal Parameters Common to All Applications		
Tag	**Name**	**Description**
9F1A	Terminal Country Code	Indicates the country of the Terminal
5F2A	Transaction Currency Code Transaction Currency Exponent	Indicates the currency code of the transaction
9F4E	Merchant Name and Location	Indicates the name and location of the merchant
9F1E	Interface Device (IFD) Serial Number	Unique and permanent serial number assigned to the IFD by the manufacturer
9F1C	Terminal Identification	Designates the unique location of a Terminal at a merchant
9F01	Acquirer Identifier	Uniquely identifies the acquirer within each payment system
9F16	Merchant Identifier	When concatenated with the Acquirer Identifier, uniquely identifies a given merchant
9F15	Merchant Category Code	Classifies the type of business being done by the merchant

10.2.2.3.2. Compliant with Possible Values Defined by WEX

The following table contains EMV terminal parameters that must be compliant with the set of possible values defined by WEX:

EMV Terminal Parameters Compliant with Possible Values Defined by WEX		
Tag	**Name**	**Description**
9F35	Terminal Type	Indicates the environment of the terminal, its communications capability, and its operational control. WEX: Must be online capable (either online-only or offline with online capability).
9F33	Terminal Capabilities	Indicates the card data input, CVM, and security capabilities of the Terminal. See Appendix F, “WEX Terminal Capabilities (9F33)”

EMV Terminal Parameters Compliant with Possible Values Defined by WEX		
Tag	**Name**	**Description**
9F40	Additional Terminal Capabilities	Indicates the data input and output capabilities of the Terminal and Reader. See Appendix G, "WEX Additional Terminal Capabilities (9F40)"

10.2.2.3.3. Common to WEX Applications

The following table contains EMV terminal parameters that are common to all WEX applications present in the terminal:

Note: A terminal supporting WEX Chip must support the following terminal parameters valid for all the WEX AIDS.

EMV Terminal Parameters Common to WEX Applications		
Tag	**Name**	**Description**
	Application Selection Indicator	For an application in the ICC to be supported by an application in the terminal, the Application Selection Indicator indicates whether the associated AID in the terminal must match the AID in the card exactly, including the length of the AID, or only up to the length of the AID in the terminal. There is only one Application Selection Indicator per AID supported by the terminal. Value: Partial match is supported
	Default Dynamic Data Authentication Data Object List (DDOL)	DDOL to be used for constructing the INTERNAL AUTHENTICATE command if the DDOL in the card is not present. Default Value: 9F3704
	Default Transaction Certificate Data Object List (TDOL)	TDOL to be used for generating the TC Hash Value if the TDOL in the card is not present. Default Value: (Not required)
	Application Version Number	Version number assigned by the payment system for the application in the Card. Value: 0001
	TAC parameter values	Indicates the Terminal Action Code (TAC). See Appendix H, "WEX Terminal Action Codes for WEX AID"

EMV Terminal Parameters Common to WEX Applications		
Tag	**Name**	**Description**
9F1B	Terminal Floor Limit	Indicates the floor limit in the terminal in conjunction with the AID.

Note: There are no WEX-defined EMV terminal parameters with values dedicated to each WEX application. All EMV terminal parameter values apply to all WEX AID.

10.2.2.4. Cardholder Verification Method

WEX Chip cards are accepted at both Unattended and Attended terminals:

Unattended terminals:

- Support of 'No CVM Required' is mandatory
- Support of online enciphered PIN is optional
- Support of offline PIN is optional
- Support of signature is not allowed

Attended terminals:

- Support of 'No CVM Required' is optional
- Support of online enciphered PIN is optional
- Support of offline PIN is optional
- Support of signature is mandatory

10.2.2.5. Offline Card Authentication Methods

WEX requirements related to the support of offline Card Authentication Methods (CAM) are:

- An offline capable terminal must support both DDA and CDA (SDA is optional)
- An online-only terminal may support no offline CAM
- When CDA is supported, CDA must be implemented according to EMV 4.2 or later versions. The terminal must use the CDA EMV-defined Mode n°1 defined in EMV 4.3 - Book 2 that consists in:
    - Request CDA on 1st GENERATE AC command on ARQC, and
    - Request CDA on 2nd GENERATE AC on TC after approved online authorization.
- When CDA is supported, the terminal should verify before Terminal Action Analysis that it contains the Certification Authority Public Key identified by the card. Terminals that can perform RSA certificate verification quickly are recommended to retrieve the Issuer public key and ICC public key prior Terminal Action Analysis.
- When offline CAM is supported, the terminal must be capable to support at least two WEX Certification Authority Public Keys for the WEX RID. (EMV mandates to support at least 6 Certification Authority Public Keys per RID)
- When offline CAM is supported, the terminal must be capable to support RSA key length of 248 bytes and RSA key exponent equal to either 3 or $(2^{16} + 1)$
- The terminal must be capable to check the integrity of the Certification Authority Public Keys.

10.2.3. POS Requirements

This section contains the following EMV POS requirements information:

- Purchase device
- Prompting
- Online purchase restrictions and validation
- POS receipts
- Offline processing
- Offline purchase restrictions

10.2.3.1. Purchase Device

Purchase device refers to how the account information is obtained – WEX Chip, Magnetic Stripe or Manual Entry.

WEX's preference is for WEX Chip.

The following table contains the purchase device priority based on terminal capability for attended and unattended terminals:

Purchase Device Priority by Terminal Capability		
Terminal Capability	**Attended Terminal Priority**	**Unattended Terminal Priority**
Chip capable, certified to support WEX Chip	1st – WEX Chip 2nd – Magnetic stripe, which must indicate 'Fallback to Magnetic Stripe' 3rd – Manual entry	1st – WEX Chip 2nd – 'See Attendant' 3rd – Magnetic stripe (if there is no attendant), which must indicate 'Fallback to Magnetic Stripe'
Chip capable, not yet certified to support WEX Chip; OR Not chip capable	1st – Magnetic stripe 2nd – Manual entry	1st – Magnetic stripe 2nd – 'See Attendant'

10.2.3.2. Prompting

Tag 'DF30' holds the prompts to be requested of the Driver. (See Appendix E, 'WEX Chip-Specific POS Prompt Codes.')

The driver will be asked for the prompt as specified in Byte 1, Bit 8-4 and Byte 3, Bit 6-5.

Each entry in DF30 is one prompt. The rest of the entry provides additional information on how to handle the prompt, which reduces the need for hard-coding at the POS.

The following table breaks out the 3 byte tag for each prompt:

Tag 'DF30'									
Byte 1									
8	**7**	**6**	**5**	**4**	**3**	**2**	**1**	**Purpose**	**Notes**
X	X	X	X	X				Prompt (part 1)	See also Byte 3, Bits 6-5
					X			Prompt format	Numeric (0) Alphanumeric (1)
						X		Prompt requirement	Optional (0) Mandatory (1) All prompts should be captured by the device. If a prompt is Mandatory and the device is unable to capture the prompt, the transaction is declined by the device.
							X	Use of Additional Data Source	No (0) Yes (1) Not used by WEX
Byte 2									
8	**7**	**6**	**5**	**4**	**3**	**2**	**1**	**Purpose**	**Notes**
X	X	X	X					Additional Data Source	Not used by WEX
Byte 3									
8	**7**	**6**	**5**	**4**	**3**	**2**	**1**	**Purpose**	**Notes**
X								Prompt printing on receipt	Not printed (0) Printed (1) If printed, the prompt value entered by the driver is masked.
	X							Prompt display on entry	Display masked (0) Display clear (1) If in the clear, the prompt is displayed as the driver enters it. If masked, the prompt is displayed as characters as the driver enters it.
		X	X					Prompt table	See also Byte 1, Bits 8-4
				X	X	X	X	RFU	Reserved for future use.

10.2.3.3. Online Purchase Restrictions and Validation

WEX's preference is for online authorization.

The POS only uses the purchase restrictions on the magnetic stripe or chip if the merchant location is offline to WEX and cannot receive an authorization.

10.2.3.4. POS Receipts

The fleet card receipt requirements listed in section 4, 'Receipt Requirements' apply to WEX Chip transactions.

In addition, WEX Chip transactions must also include the following items on all approved fleet card receipts:

- AID of application selected
- Application Preferred Name (recommended) or Application Label of the application selected
- Cryptogram generated by the card and communicated to the terminal in the 1st GENERATE AC command response

Notes:

- The receipt printing requirement for WEX Chip cards is included in Tag 'DF30.'
- The field "Sequence Number" printed on the receipt for WEX transactions represents the WEX Invoice Number.

10.2.3.5. Offline Processing

The POS device is permitted to support offline processing for WEX Chip cards in the following manner:

- Chip limits
- Call for authorization

If connectivity is lost while processing a Chip transaction:

- The POS has already collected the chip based prompt and may proceed to use the Chip Limits for the purchase amount. Alternatively, a call for authorization may be used for the purchase amount.
- The POS will process production validations/restrictions based on the chip.
- The POS will limit the fuel purchased to the fuel amount and the non-fuel purchase to the non-fuel amount. If the POS does not process these amounts, the transaction should call for authorization and be limited to fuel products only.

10.2.3.6. Offline Purchase Restrictions

In a standard EMV solution, if the terminal supports authorization using the chip, the POS will use:

- Tag 'DF32' : Offline Purchase Restrictions (this is similar to the purchase restriction code)
- Tag 'DF34' : Offline Purchase Restrictions Amount for Fuel purchase

- Tag ‘DF35’ : Offline Purchase Restrictions Amount for non-Fuel purchase

These limits can be used at either an attended or unattended terminal for either a preauthorization or sales transaction.

If the terminal does not support authorization of the chip or limits are exceeded, the terminal may call for authorization.

For a preauthorization transaction, the fuel limit will act like a partial authorization or pump shut off amount. The cardholder will be allowed to fuel to the amount specified. The cardholder may purchase up to the limit of the non-fuel amount for non-fuel items.

For a sales transaction, the fuel amount purchased should not exceed the fuel amount on the chip and the non-fuel amount purchase should not exceed the non-fuel amount specified on the chip. If either amount is exceeded, the cashier may be directed to call for authorization to obtain an approval code.

10.3. Card Layout

The following table contains Track 2 card layout information for WEX fleet cards:

Table 2.1. WEX Cards Track 2 Data Layout

Field Num	Rel Pos	Len	PIC	Data Element Name	ASCII Value/Description
1	0	1	X(1)	Start sentinel	";" (Not in Track 2 Equivalent data)
2	1	6	9(6)	ISO Number	690046 or 707138
3	7	13	9(13)	WEX Account Number • Client ID (4) • Code (2) • Account Number (6) • Check Digit (1)	**Note:** Terminal is expected to perform a MOD-10 check on the 6 digit Account Number in this field.
4	20	1	X(1)	Field Separator	Value Description = In magnetic stripe D In Track 2 equivalent on chip
5	21	4	9(4)	Expiration Date	YYMM **Note:** Terminal is expected to perform expiration date validation.
6	25	1	9(1)	Prompt Table Key	See **Appendix D**, 'WEX-Specific POS Prompt Codes.' **Note:** This value is not used on a chip transaction. Tag DF30 replaces the use of Prompt Table Key and POS Prompts.
7	26	2	9(2)	Purchase Restriction	**Value Description** 00 Fuel Only 01 Unrestricted **Note:** Reserved for offline processing mode only. **Note:** This value is not used on a chip transaction. Tag DF32 replaces the use of Purchase Restriction.

Table 2.1. WEX Cards Track 2 Data Layout					
Field Num	**Rel Pos**	**Len**	**PIC**	**Data Element Name**	**ASCII Value/Description**
8	28	5	9(5)	Purchase Device Sequence Number	**Note:** This value is not used on a chip transaction. Tag DF39 replaces the use of Purchase Device Sequence Number.
9	33	1	9(1)	Technology Indicator	Value Description 0 Magnetic strip only 2 Magstripe in a chip-enabled card **Note:** See note below.
10	34	3	9(3)	Filler	
11	37	1	9(1)	POS Prompts	See **Appendix D**, 'WEX-Specific POS Prompt Codes'. **Note:** This value is not used on a chip transaction. Tag DF30 replaces the use of Prompt Table Key and POS Prompts.
12	38	1	X(1)	End sentinel	"?" (Not in Track 2 Equivalent data)
13	39	1	X(1)	Longitudinal Redundancy Code (LRC)	(Not in Track 2 Equivalent data)

Note: When the POS is developed to support a WEX Chip, the terminal must check the Technology Indicator to prefer usage of the chip over magnetic stripe. For WEX, this indicator is NOT aligned with the service code for other cards. This is to ensure only terminals capable of reading a WEX Chip card will check the indicator to request the use of the chip. WEX does permit fallback to magstripe if the chip is not able to be read. WEX does not have specific requirements regarding the decision process to fall back to magnetic stripe at the terminal. Industry best practices should apply.

Example.

The following table shows a hypothetical example of a WEX Track 2 Data String.

Sample Track 2 Data String													
Sample String: ;6900464444226666661=25092041234102348?<LRC>													
Data	**;**	**690046**	**4444226666661**	**=**	**2509**	**2**	**04**	**12341**	**0**	**234**	**8**	**?**	**<LRC>**
Field	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**
Data Element Name	**Start sentinel**	**ISO Number**	**WEX Account Number** Client ID (4) Code (2) Account Number (6) Check Digit (1)	**Field Separator**	**Expiration Date (YYMM)**	**Prompt Table Key**	**Purchase Restriction**	**Purchase Device Seq. Number**	**Technology Indicator**	**Filler**	**POS Prompts**	**End sentinel**	**Longitudinal Redundancy Check**

Notes:

- The POS shall apply a Purchase Restriction edit against the field 7 value in offline processing mode only. (Please see section 10.1.5, “Manual Entry,” for additional information.)
- Mod 10 Check Digit Calculation is applied to the 6-digit Account Number.

10.4. Embossing Standards

This section describes the layout options for the following WEX® cards:

- WEX® Universal Fleet – Using a Vehicle Card No.
- WEX® Universal Fleet – Using a Purch. Dev. No. – FUEL ONLY
- WEX® Universal Fleet – Using a Purch. Dev. No. – UNRESTRICTED
- WEX® GSA Fleet – Using a Vehicle No.

10.4.1. WEX® Universal Fleet – Using a Vehicle Card No.

The figure below shows the appearance of the WEX® Universal Fleet Card using a Vehicle Card No.



WEX® Universal Fleet Card — Using a Vehicle Card No.

The following table describes embossing standards for the above card:

Embossing Standards WEX® Universal Fleet Card Using a Vehicle Card No.		
Line No.	**Element Name**	**Description**
1	Account No.	WEX 13-digit Account Number
2	Prefix No.	ISO Number with a fixed value of 690046 or 707138. Identifies the card as a WEX card.
	Vehicle Card No.	Purchase Device Sequence Number
	Good Thru	Card expiration date. **Format**: MM/YY
3	Acct Name	Identifies the account name.
4	Descrip	Card description
	Purchase Restriction	Identifies types of products that can be purchased with card Used only in offline processing mode.

10.4.2. WEX® Universal Fleet – Using a Purch. Dev. No. (Fuel Only)

The figure below shows the appearance of the WEX® Universal Fleet Card using a Purch. Dev. No. (Fuel Only).

Line 1
Line 2
Line 3
Line 4



WEX® Universal Fleet Card – Using a Purch. Dev. No. (Fuel Only)

The following table describes embossing standards for the above card.

Embossing Standards WEX® Universal Fleet Card Using a Purch. Dev. No. (Fuel Only)		
Line No.	**Element Name**	**Description**
1	Account No.	WEX 13-digit Account Number
	Prompt Code	Example code value: 10 The card in this figure has an example "code value" of "10." The description of this code can be found in **Appendix D**, "WEX-Specific POS Prompt Codes." This specific value means: "Odometer, Driver ID."
2	Prefix No.	ISO Number with a fixed value of 690046 or 707138. Identifies the card as a WEX card.
	Purch. Dev. No.	Purchase Device Sequence Number **Note**: Previous card wording labeled this value as: Vehicle Card No.
	Good Thru	Card expiration date. Format: MM/YY
3	Acct Name	Identifies the account name.
	Descrip	Card description

Embossing Standards WEX® Universal Fleet Card Using a Purch. Dev. No. (Fuel Only)		
Line No.	**Element Name**	**Description**
4 4 (*cont'd.*)	Purchase Restriction	Identifies types of products that can be purchased with card. Used only in offline processing mode.

10.4.3. WEX® Universal Fleet – Using a Purch. Dev. No. (Unrestricted)

The figure below shows the appearance of the WEX® Universal Fleet Card using a Purch. Dev. No. (Unrestricted):

Line 1
Line 2
Line 3
Line 4



WEX® Universal Fleet Card – Using a Purch. Dev. No. (Unrestricted)

The following table describes embossing standards for the above card:

Embossing Standards **WEX® Universal Fleet Card – Using a Purch. Dev. No. (Unrestricted)**		
Line No.	**Element Name**	**Description**
1	Account No.	WEX 13-digit Account Number
	Prompt Code	Example code value: 10 The card in this figure has an example "code value" of "10." The description of this code can be found in **Appendix D**, "WEX-Specific POS Prompt Codes." This specific value means: "Odometer, Driver ID."
2	Prefix No.	ISO Number with a fixed value of 690046 or 707138. Identifies the card as a WEX card.
	Purch. Dev. No.	Purchase Device Sequence Number
	Good Thru	Card expiration date. Format: MM/YY
3	Acct Name	Identifies the account name.
4	Descrip	Card description.

Embossing Standards **WEX® Universal Fleet Card – Using a Purch. Dev. No. (Unrestricted)**		
Line No.	**Element Name**	**Description**
4 (*cont'd*.)	Purchase Restriction	**Note**: There are no restrictions listed for this card.

10.4.4. WEX® GSA Fleet – Using a Vehicle No.

The figure below shows the appearance of the WEX® GSA Fleet Card using a Vehicle No.

Line 1
Line 2
Line 3
Line 4
Line 5



WEX® GSA Fleet Card – Using a Vehicle No.

The following table describes embossing standards for the above card:

Embossing Standards WEX® GSA Card – Using a Vehicle. No.		
Line No.	**Element Name**	**Description**
1	Prefix No.	ISO Number with a fixed value of 690046 or 707138. Identifies the card as a WEX card.
2	Account No.	GSA 18-digit Account Number **Note**: The last 5 digits of this number are the Vehicle Card No.
3	Valid Dates	Identifies the date range within which use of the card is valid.
4	Acct Name	Identifies the account name.
5	Descrip	Card description

11. COMDATA Fleet Card Processing

This chapter discusses the following topics related to COMDATA fleet card processing:

- Processing requirements

11.1. Processing Requirements

This section discusses the following processing requirements:

- Supported Transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Manual Entry – Track Data
- Purchase Restriction
- Authorization Amount
- Product Data
- Additional Data
- Receipt Guidelines

11.1.1. Supported Transactions

The following transactions are supported for the COMDATA fleet cards:

- POS Capture Transaction
- POS Authorization Only Transaction
- POS Cancel Auth Transaction
- CAT Capture Transaction
- CAT Authorization Only Transaction
- POS Reversal/Void Transaction
- Account Verification

Notes:

- **Store and Forward:**

Store and Forward is not supported by COMDATA card processing.

11.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive COMDATA fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 003 enabled.

The POS application must be able to read the Card Type code (094, 095, 096) sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether COMDATA fleet cards are allowed.

11.1.3. POS Prompt Codes

COMDATA transactions have unique cardholder data requirements. The terminal must prompt for the data appropriate to the transaction it will be performing and provide the response(s) in the Enhanced Fleet Request segment.

Tran Type	Prompt(s)	Req
Account Verification	Unit Number	R
Authorization Only	Unit Number	R
	Driver Number	C
	Trailer Number	C
	Hub Reading	C
	Trailer Hub Reading	C
	Trailer Hours	C
	Trip Number	C
	Driver's License Number	C
	Driver's License State	C
	PO Number	C
Capture	Unit Number	R
	Invoice Number	R
	Driver number	C
	Trailer Number	C
	Hub Reading	C
	Trailer Hub Reading	C
	Trailer Hours	C
	Trip Number	C
	Driver's License Number	C
	Driver's License State	C
	PO Number	C

For the Req column, 'R' means Required. 'C' means Conditional, a Conditional prompt should be offered if the Account Verification response indicates that prompt is required.

The POS or CAT device must interpret the Account Verification response to determine what prompts to request from the customer. The POS must: prompt for the data specified in the Account Verification response, check the validity of the prompt responses based on the formatting data returned in the Account Verification response and include the prompt responses on subsequent Authorization Only requests, if appropriate.

Note: Invoice number is communicated via the prompt code mechanism, but it is not actually a customer prompt. This value should be generated by the POS, and each transaction should have a value that is unique for that location for the business day.

When pumping is complete, the device must provide an Invoice number, as well as all prompts for which the device has already captured responses, with the Capture message request. Refer to the Enhanced Fleet Request and Response data in the applicable message specification for formatting details.

Prompts where no data has been captured should not be sent to BUYPASS.

11.1.4. Manual Entry – Track Data

Manual entry is allowed for COMDATA cards. (see COMDATA Express Code Processing and COMDATA Check Processing sections for those rules).

Track 2 data should be present on the card and that is the account data that should be submitted on swiped or chip read transactions.

Track 1 data will not be accepted.

11.1.5. Purchase Restriction

In online processing, limits for each allowed fuel type for the card will be returned in the authorization response. The terminal is expected to send a list of fuel products that are available to the cardholder in the Authorization Only request transaction. Comdata will send limits for each in the Authorization Only response. Fuel products not listed in the response will be considered off limit by the terminal. Comdata will return two other category limits to the terminal:

- A Cash Available limit, which will be sent to the Terminal as product code “955”.
- A Non-Fuel Product limit, which will be sent to the Terminal as product code “000”.

Any Non-fuel products data, including amount, will be sent as part of the Capture request. COMDATA may decline a transaction that includes a Non-fuel product whose amount exceeds a limit for its category.

Offline processing is not supported.

11.1.6. Authorization Amount

For all COMDATA fleet card automated fuel pump (AFP) transactions, the host returns an approved maximum dollar amount in the Authorization Response that is used to authorize the pump. This amount may differ from the amount in the original Authorization Request transmitted by the device. If the approved maximum dollar amount is more than the AFP pump limit, the pump limit may take precedence. If the approved maximum dollar amount is less than the AFP pump limit, the approved maximum dollar amount takes precedence.

In addition, the authorization response may contain amount limits on fuel products. It is the responsibility of the POS device to enforce these limits. Format of limits is contained in the applicable message format specification.

11.1.7. Product Data

In addition to the Product Code Data that must be sent in all fleet transactions, COMDATA Fleet transactions have the following rules:

- In an authorization request, all fuel products available for dispensing at the pump should be sent in the Product Code Data segment with the unit price, a product quantity of 1, and an appropriate total amount (unit price multiplied by quantity).
- In an authorization response, the limits for all these fuels will be returned.
- In a capture request, the actual amounts for each product should be sent in the Product Code Data segment, as well as product codes, unit price, quantity and actual amount for any fuel and non-fuel products included in the purchase.

11.1.8. Additional Data

The terminal will need to support Universal Unique ID (UUID) in requests and responses. This support includes:

- Sending a flag in requests that indicates it can accept a UUID in the response (see applicable message format specification),
- Receiving and capturing the UUID in the response (see applicable message format specification)
- Sending the UUID from an original transaction on any subsequent transactions (see applicable message format specification). For example:
    - Account Verify (receives UUID1) → Authorization (sends UUID1) → Completion (sends UUID 1)
    - Account Verify (receives UUID2) → Sale (sends UUID2) → Void of Sale (sends UUID2)

In addition to the prompt and product data, the device should be prepared to send and receive any additional data described in the Enhanced Fleet data section of the applicable message specification.

AFP devices should always send Completions, and not Purchases.

11.1.9. Receipt Guidelines

1) Comdata Invoice# must be printed on all receipts. This would be the Invoice Number sent to Comdata in either the SP1 or SP11 request.
2) Payment Method Reference must be printed on all receipts – For example, “COMDATA” for 560017 cards and “COMDATA MASTERCARD” for 556736 cards.
3) All Comdata Card Numbers must be masked on all receipts, failed or successful. The Card ISO/BIN (first six digits) and last four digits should be unmasked.
4) Comdata Card Swipe/Chip/Manual indicator may be printed on all receipts. Like: “-SWIPED-” or “-MANUAL-” or “-CHIP-”
5) All Comdata Data Capture items that were entered must be printed on all receipts except for Driver ID and Driver’s License/State.
6) Company Name, City, and State from the Comdata response may be printed on all receipts. This information can be found in the “Customer Information” table of the

Enhanced Fleet Data segment. For example, “Company Name: TEST TRUCKING COMPANY / ALTOONA, PA”

7) POS/OPT transaction indicator may be printed on all receipts. Something like “Cashier: OPT” would indicate that the transaction was initiated outside. “Cashier: RGOODMAN” indicates that the transaction was initiated inside.

8) The 6-digit Comdata CTL# must be printed on all receipts. This CTR# is found in the Approval Code from Fiserv on the final transaction (a Sale or a Completion). The Approval Code on a Completion will be different than the Approval Code on its Pre-Auth.

9) The Customer ID from the completion response **should never be printed on any receipt or displayed on the screen**.

10) Driver Message is an optional piece of data and is only supported on Purchase and Completion responses. When present in the response, it must be printed on the receipt.

12. COMDATA Express Code Processing

This chapter discusses the following topics related to Express Code transaction processing:

- Processing requirements

12.1. Processing Requirements

This section discusses the following processing requirements:

- Supported Transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Manual Entry
- Purchase Restriction
- Authorization Amount
- Product Data
- Additional Data
- Receipt Guidelines

12.1.1. Supported Transactions

The following transaction is supported for Express Code processing (Card Type 095):

- POS Capture Transaction

Notes:

- **Store and Forward:** Not applicable for Express Code.

12.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to process Express Code transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 003 enabled.

The POS application must be able to read the Card Type codes (094, 095, 096) sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether Express Code transactions are allowed.

12.1.3. POS Prompt Codes

Comdata Express Code transactions have unique data requirements. The terminal must prompt for the data appropriate to the transaction it will be performing and provide the response(s) in the Enhanced Fleet Data segment.

Card Type	Prompt(s)	Req
095	Express Check Number	R
(Express Code)	Payee's Name	R

	Unit Number	O
	Driver Number	O
	Trip Number	O

For the Req column, 'R' means Required. 'O' means Optional, the prompt should be offered but a response is not required.

Prompts where no data has been captured should not be sent to BUYPASS.

12.1.4. Manual Entry

All Express Code transactions are entered manually.

12.1.5. Purchase Restriction

It is up to the device to allow or disallow any products for Express Code transactions. No product data is to be sent on these transactions.

12.1.6. Authorization Amount

In all cases, the Express Code transaction will be approved for the full amount or declined. There is no partial authorization for Express Code transactions. Any funds approved from the Express Code transaction may be used towards the purchase of any product or service, and any remaining funds will be dispersed as cash.

12.1.7. Product Data

No product data is expected on Express Code transactions.

12.1.8. Additional Data

Support for UUID is optional on Express Code transactions. There are no valid follow-on transactions for Express Code processing.

The Express Code should be sent in the Account Number field.

12.1.9. Receipt Guidelines

1) Payment Method Reference "EXPRESS CODE" must be printed on all.
2) All Express Code must be masked on all receipts, failed or successful. The Card ISO/BIN (first six digits) and last four digits should be unmasked.
3) Each of Unit Number and Trip Number, if captured, must be printed on all receipts. Driver Number must not be printed.
4) The 4-digit Auth # must be printed on all receipts.

5) The 6-digit Comdata CTL# must be printed on all receipts.

13. COMDATA Check Processing

This chapter discusses the following topics related to Check transaction processing:

- Processing requirements

13.1. Processing Requirements

This section discusses the following processing requirements:

- Supported Transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Manual Entry
- Purchase Restriction
- Authorization Amount
- Product Data
- Additional Data
- Receipt Requirements

13.1.1. Supported Transactions

The following transaction is supported for Check processing (Card Type 096):

- POS Authorization Only Transaction

Notes:

- **Store and Forward:** Not applicable for Check.

13.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to process Check transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 003 enabled.

The POS application must be able to read the Card Type codes (094, 095, 096) sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether Check transactions are allowed.

13.1.3. POS Prompt Codes

Comdata check transactions have unique data requirements. The terminal must prompt for the data appropriate to the transaction it will be performing and provide the response(s) in the Enhanced Fleet Data segment.

Card Type	Prompt(s)	Req
096	Unit Number	R
(ComCheck)	Transaction ID	R

Transaction ID is a value determined by the POS terminal and must be unique by site per day.

13.1.4. Manual Entry

All Check transactions are entered manually. The check number entered should be sent in the account number field on ComCheck transactions and the expiration date should be skipped.

13.1.5. Purchase Restriction

It is up to the device to allow or disallow any products for Check transactions. No product data is to be sent on these transactions.

13.1.6. Authorization Amount

In all cases, the Check transaction will be approved for the full amount or declined. There is no partial authorization for Check transactions. Any funds approved from the check transaction may be used towards the purchase of any product or service, and any remaining funds will be dispersed as cash.

13.1.7. Product Data

No product data is expected on Check transactions.

13.1.8. Additional Data

Support for UUID is optional on ComCheck transactions. There are no valid follow-on transactions for ComCheck processing.

13.1.9. Receipt Guidelines

1) Payment Method Reference “COMCHECK” must be printed on all.
2) Unit Number must be printed on all receipts.
3) Transaction ID must be printed on all receipts.
4) Approval Code must be printed on all receipts.

14. COMDATA Fuel Price Updates

This chapter discusses the following topics related to COMDATA fleet card processing:

- Processing requirements

Note that Fuel Price Updates are only for the Primary Diesel product on the commercial pumps, typically Diesel #2. The POS will need to be able to communicate this data.

14.1. Processing Requirements

This section discusses the following processing requirements:

- Supported Transactions
- Terminal Special/Prompt Codes
- Additional Data

14.1.1. Supported Transactions

The following transactions are supported for Fuel Price Update transactions:

- Fuel Price Update (see specification for more details. This may be a type of Download in some specifications.)

Notes:

- **Store and Forward:** For Fuel Price Update Transactions, if connectivity to BUYPASS is down, or if the terminal does not receive a response, the terminal is responsible for storing the transaction and resending it according to standard Store and Forward rules. In the event of an extended outage, if multiple Fuel Price Updates have failed to be sent, only the most recent Fuel Price Update should be retried once connectivity is restored.
- Comdata may decline a transaction if the price per gallon on the current transaction differs by more than $1 from the most recent Fuel Price Update. This could be an issue if the price on the pump changes, but no Fuel Price Update has been sent to Comdata, or if the price was changed in error.

14.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive COMDATA fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 003 enabled.

The POS application must be able to read the Card Type code (094, 095, 096) sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether COMDATA fleet cards are allowed.

14.1.3. Additional Data

UUID is not supported for Fuel Price Update transactions.

Fuel Price Update transactions have special data requirements. The terminal should send the Cash Self Service Price per Gallon and the Credit Self Service Price per Gallon values.

The Fuel Pricing data will be written into the Fuel Price Update Segment's Price Data field in the following format:

Element Name	Len.	Description
< | > Separator between data elements		
Data Label	4	Identifies type of data being returned. See table below
Colon	1	":" separator.
Data Value	Var. by Label	Data being returned.
< | > Separator between Data elements		
Repeat data elements for as many elements as needed, separated by "|" and ending with "|".		

Data Label	Max Len	Description
CASS	5	Cash Self Service PPG (99.99)
CRSS	5	Credit Self Service PPG (99.99)

Example: "|CASS:03.00|CRSS:3.05|"

15. WEX OTR Fleet Card Processing

This chapter discusses the following topics related to WEX OTR fleet card processing:

- Processing requirements

15.2. Processing Requirements

This section discusses the following processing requirements:

- Supported transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Manual entry
- Purchase Restriction
- Authorization Amount
- Product Data
- Additional Data

15.2.1. Supported Transactions

The following transactions are supported for the WEX OTR fleet cards:

- POS Capture Transaction
- POS Authorization Only Transaction
- CAT Capture Transaction
- CAT Authorization Only Transaction
- POS Return/Refund Transaction
- POS Reversal/Void Transaction

Note:

Store and Forward: When either the device loses connection to BUYPASS, or BUYPASS loses connection to the WEX OTR Card authorizer, the device will take responsibility for storing the transactions. When the connection is restored, the transactions will be forwarded as captures without prior authorization to the appropriate acquiring host.

15.2.2. Terminal Special/Prompt Codes

In order for BUYPASS to receive WEX OTR fleet card transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 179 enabled. If the terminal is to accept only NGFC cards, it should be configured with Terminal Special Code 180 instead.

The POS application must be able to read the Card Type codes 091 and 092 sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether WEX OTR fleet cards are allowed.

15.2.3. POS Prompt Codes

The POS or CAT device must interpret the authorization response to determine what prompts to request from the customer.

- If the authorization is approved, the POS must verify the validity of these prompts based on the prompt formatting data returned in the authorization response before authorizing the pump to operate.
- If the authorization is declined with code “DX”, the authorizer is indicating that additional information in the form of prompts is required before the pump is authorized. The device must request the prompts indicated in the authorization response and include them in another authorization request. This process may be repeated up to 3 times. Each iteration from the POS should include all available prompt responses, even if they were previously accepted. If, at that time, the authorizer is still not satisfied, the POS must decline the transaction. Once an authorization approval is received, the pump may be authorized to operate.
- If an authorization is declined with code “D7”, the authorizer is indicating that one or more received prompts do not match expected values. In this case, the invalid prompts will be indicated by a “?” in the prompt formatting section. If desired, these transactions can be retried after re-prompting for the incorrect value. Remember that all available prompts including those that were not marked as incorrect should be sent up with the retry.

In either case, when pumping is complete, the values entered for all prompts must be sent with the capture message. Refer to the WEX OTR Request and Response data in the applicable message specification for formatting details.

15.2.4. Manual Entry

Manual entry is not allowed for any WEX OTR card.

15.2.5. Purchase Restriction

In online processing, limits for each allowed product category for the card will be returned in the authorization response. Any product category not included in the authorization response is considered not allowed. In offline processing mode, the device must make the determination about what products are allowed for offline purchase based on settings in the Dynamic Card Table.

15.2.6. Authorization Amount

For all WEX OTR fleet card automated fuel pump (AFP) transactions, the host returns an approved maximum dollar amount in the Authorization Response that, along with the prompts also return in the authorization response, is used to authorize the pump. This amount may differ from the amount in the original Authorization Request transmitted by the device. If the approved maximum dollar amount is more than the AFP pump limit, the pump limit may take precedence. If the approved maximum dollar amount is less than the AFP pump limit, the approved maximum dollar amount takes precedence.

In addition, the authorization response may contain quantity or amount limits on fuel and non-fuel products. It is the responsibility of the POS device to enforce these limits. Format of limits is contained in the applicable message format specification.

Note: When this occurs in either the ATL101 or higher message formats, the BUYPASS host sends a Response Code value of *F* (the Partial Authorization code for either the ATL101 or higher message format). There is no special indicator in the ATL100 or ISO 8583 message formats when the host returns an approved maximum dollar amount in the Authorization Response that is different than the amount sent in the Authorization Request.

15.2.7. Product Data

In addition to the Product Code Data that must be sent in all fleet transactions, WEX OTR Fleet transactions have the following rules:

- In an authorization request, all fuel products available for dispensing at the pump should be sent in the Product Code Data segment with the unit price, a product quantity of 1, and an appropriate total amount.
- In an authorization response, the limits for all of these fuel products as well as the limits for all non-fuel product categories allowed for this card will be returned.
- In a capture request, the actual amounts for each product should be sent in the Product Code Data segment, and the total amount for each product category included in the purchase should be sent in the non-fuel product portion of the WEX OTR data. Product categories are included in the Product portion of the Dynamic Card Table.
- If the customer does not use Dynamic Card Table, the mapping of the product code to the product category contained in Appendix M can be used.

15.2.8. Additional Data

In addition to the prompt and product data, the device should be prepared to send and receive any additional data described in the WEX OTR data section of the applicable message specification.

16. WEX OTR Money Code Processing

This chapter discusses the following topics related to Money Code transaction processing:

- Processing requirements

16.1. Processing Requirements

This section discusses the following processing requirements:

- Supported transactions
- Terminal Special/Prompt Codes
- POS Prompt Codes
- Manual Entry
- Purchase Restriction
- Authorization Amount
- Product Data
- Additional Data

16.1.1. Supported Transactions

The following transaction is supported for Money Code processing:

- POS Authorization Only Transaction

Note:

Store and Forward: Not applicable to Money Code.

16.1.2. Terminal Special/Prompt Codes

In order for BUYPASS to process Money Code transactions, the Merchant Profile at BUYPASS must have Terminal Special Code 179 enabled.

The POS application must be able to read the Card Type code 093 sent in the Table Load response. In the case where an application does not process a Table Load from BUYPASS, the application must provide a method to determine whether Money Code transactions are allowed.

16.1.3. POS Prompt Codes

No prompt data will be exchanged for Money Code transactions.

16.1.4. Manual Entry

All Money Code transactions are entered manually. The code value entered should be sent in the account number field and the expiration date should be skipped.

16.1.5. Purchase Restriction

It is up to the device to allow or disallow any products for Money Code transactions. No product validation will be done at the host, but product data should be sent and will be collected as usual for a WEX OTR transaction. See the applicable message specification for formatting details.

16.1.6. Authorization Amount

In all cases, the Money Code transaction will be approved for the full amount or declined. There is no partial authorization for Money Code transactions.

16.1.7. Product Data

In addition to the Product Code Data that must be sent in all fleet transactions, WEX OTR Fleet transactions have the following rules:

- In the authorization request, the actual amounts for each product should be sent in the Product Code Data segment, and the total amount for each product category included in the purchase should be sent in the non-fuel product portion of the WEX OTR data. Product categories are included in the Product portion of the Dynamic Card Table.

16.1.8. Additional Data

In addition to the Product data, the following elements may be included in the WEX OTR Data for Money Code transactions:

- Customer last name and first initial (Optional)
- Check Number (Mandatory)

See the applicable message specification for details on how this data should be formatted in the WEX OTR Data.

17. EMV Card Processing

Note: For EMV processing -

- Refer to First Data EMV Implementation Guide, available on the First Data specifications Web site (http://specs:firstdata.com)
- The EMV Implementation Guide must be used in conjunction with the Petroleum Industry Processing Specifications.

Appendix A.
Petroleum Industry
Device Prompt Requirements

This appendix contains information about device prompting requirements. The following prompting requirements are summarized in the following table according to fleet card type (in alphabetical order) and entry mode (swiped/keyed).

- Full Account Number formation (BIN + PAN)
- Driver ID
- Odometer Reading
- Vehicle No.
- ID No.
- Product/Purchase restrictions

Petroleum Industry Device Prompting Requirements						
Fleet Card Type	**Entry Mode**	**Driver ID**	**Odometer Reading**	**Vehicle No.**	**ID No.**	**Product/Purchase Restrictions**
Device Prompt (if required)		Enter Driver ID.	Enter Odometer.	Enter Vehicle ID.	Enter ID.	
Fleet One Full acct. no. = 501486 + 13-digit PAN	Swiped	N/A	Always prompt. Value: maximum of 8 digits.	Always prompt. Value is a maximum of 10 digits.	N/A	All products allowed.
	Keyed	N/A	Always prompt. Value is a maximum of 8 digits.	Always prompt. Value is a maximum of 10 digits.	N/A	All products allowed.
Fleetwide Full acct. no. = 707685 + 11-digit PAN	Swiped	Always prompt. Value: minimum of 1 digit; maximum of 5 digits.	Always prompt. Value: minimum of 1 digit; maximum of 6 digits.	N/A	N/A	All products allowed.
	Keyed	Always prompt. Value: minimum of 1 digit; maximum of 5 digits.	Always prompt. Value: minimum of 1 digit; maximum of 6 digits.	N/A	N/A	All products allowed.
Fuelman Full acct. no. = 707649 + 11-digit PAN	Swiped	Always prompt. Value: minimum of 1 digit; maximum of 5 digits.	Always prompt. Value: minimum of 1 digit; maximum of 6 digits.	N/A	N/A	All products allowed.
	Keyed	Always prompt. Value: minimum of 1 digit; maximum of 5 digits.	Always prompt. Value: minimum of 1 digit; maximum of 6 digits.	N/A	N/A	All products allowed.

Petroleum Industry Device Prompting Requirements						
Fleet Card Type	**Entry Mode**	**Driver ID**	**Odometer Reading**	**Vehicle No.**	**ID No.**	**Product/Purchase Restrictions**
Device Prompt (if required)		Enter Driver ID.	Enter Odometer.	Enter Vehicle ID.	Enter ID.	
MasterCard Fleet Full acct. no. = 553231–553380; 556083–556099 556100–556599 556700–556999+ 10-digit PAN	Swiped	Prompt if Product Type Code = 3. Value: maximum of 6 digits.	Prompt if Product Type Code = 1, 2, 3, or 4. Value: maximum of 7 digits.	Prompt if Product Type Code = 2. Value: maximum of 6 digits.	Prompt if Product Type Code = 1. Value: maximum of 6 digits.	Fuel only if Product Restriction Code = 2. All products allowed if Product Restriction Code is any other value.
	Keyed	Not prompted.	Prompted.	Not prompted	Prompted	All products allowed.
Visa Fleet Full acct. no. = 448460–448611; 448613–448615; 448617–448674; 448676–448686; 448688–448699; 461400–461499; 480700–480899 + 10-digit PAN	Swiped	Prompt if Service Prompt = 3. Value: maximum of 6 digits.	Prompt if Service Prompt = 1, 2, 3, or 4. Value: maximum of 8 digits.	Prompt if Service Prompt = 2. Value: maximum of 6 digits.	Prompt if Service Prompt = 1 or 6. Value: maximum of 6 digits.	Fuel only if Service Enhancement Indicator = 2. Fuel and maintenance if Service Enhancement Indicator = 1. All products allowed if Service Enhancement Indicator is any other value.
	Keyed	Not prompted.	Prompted.	Not prompted.	Prompted.	All products allowed.

Petroleum Industry Device Prompting Requirements						
Fleet Card Type	**Entry Mode**	**Driver ID**	**Odometer Reading**	**Vehicle No.**	**ID No.**	**Product /Purchase Restrictions**
Device Prompt (if required)		Enter Driver ID.	Enter Odometer.	Enter Vehicle ID.	Enter ID.	
Voyager Full acct. no. = 7088 + 15-digit PAN	Swiped	Prompt if first digit of Product Restriction Code = 1 or 3. Value: maximum of 6 digits.	Prompt if first digit of Product Restriction Code = 2 or 3. Value: maximum of 8 digits.	Not prompted. There is no Vehicle No.	N/A	Fuel only if 2nd digit of Product Restriction Code = 1. All products allowed if Product Restriction Code is any other value.
	Keyed	Prompt if first digit of Product Restriction Code = 1 or 3. Value: maximum of 6 digits.	Prompt if first digit of Product Restriction Code = 2 or 3. Value: maximum of 8 digits.	Not prompted. There is no Vehicle No.	N/A	Fuel only if 2nd digit of Product Restriction Code = 1. All products allowed if Product Restriction Code is any other value.

Petroleum Industry Device Prompting Requirements						
Fleet Card Type	**Entry Mode**	**Driver ID**	**Odometer Reading**	**Vehicle No.**	**ID No.**	**Product /Purchase Restrictions**
Device Prompt (if required)		Enter Driver ID.	Enter Odometer.	Enter Vehicle ID.	Enter ID.	
WEX Full acct. no. = 690046 or 707138 + 13-digit PAN	Swiped	See **Appendix D**, "WEX-Specific POS Prompt Codes." Value: maximum of 10 digits.	See **Appendix D**, "WEX-Specific POS Prompt Codes." Value: maximum of 9 digits.	See **Appendix D**, "WEX-Specific POS Prompt Codes." Value: maximum of 8 digits.	See **Appendix D**, "WEX-Specific POS Prompt Codes."	All products allowed. Offline mode: Fuel only, if Purchase Restriction = 00. All products allowed if Purchase Restriction is any other value.
	Keyed	If a Prompt Code appears on the front of the card, enter the Prompt Code. If no Prompt Code appears on the front of the card, prompt for Driver ID. Value: maximum of 10 digits.	If a Prompt Code appears on the front of the card, enter the Prompt Code. If no Prompt Code appears on the front of the card, prompt for Odometer Reading. Value: maximum of 9 digits.	Always prompt. Value: 8 digits embossed on front of card.	See **Appendix D**, "WEX-Specific POS Prompt Codes."	The attendant must validate the purchase restrictions on the card against the products being purchased.

Appendix B.
Valid Payment Systems Product Codes

This appendix contains the following Product Code information:

- Unused codes (Code No. 000)
- Motor fuel codes (Code Nos. 001–099)
- Automotive product/service codes (Code Nos. 100–149)
- Aviation fuel codes (Code Nos. 150–174)
- Aviation product/service codes (Code Nos. 175–224)
- Marine fuel codes (Code Nos. 225–249)
- Marine product/service codes (Code Nos. 250–299)
- Other fuel codes (Code Nos. 300–399)
- Merchandise codes (Code Nos. 400–599)
- Reserved (future use) codes (Code Nos. 600–799)
- Debit surcharge codes (Code Nos. 800–809)
- Reserved (proprietary use) codes (Code Nos. 810–889)
- FSA/HRA codes (Code Nos. 890–894)
- Reserved (proprietary use) codes (Code Nos. 895–899)
- Negative transaction codes (Code Nos. 900–949)
- Administrative codes (Code Nos. 950–999)

Any product in these tables should be represented in messages to BUYPASS by the Product Code assigned to it in the following tables.

With regard to fuel purchases, a unique Product Code must be sent for each type of fuel purchase.

The following table contains unused codes:

Payment Systems Product Codes
Unused Codes
(Code No. 000)

Product Code	Description
000	Not used.

The following table contains a list of motor fuel codes:

Note: A unique Product Code must be sent for each type of fuel purchase.

Payment Systems Product Codes Motor Fuel Codes (Code Nos. 001–099)	
Product Code	**Description**
001	Unleaded (88 octane or less)
002	Unleaded Plus (89–91 octane)
003	Super Unleaded (92 octane or higher)
004	Undefined Unleaded
005	Undefined Unleaded
006	Unleaded Methanol 5.7% Blend (88 octane or less)
007	Unleaded Plus Methanol 5.7% Blend (89–91 octane)
008	Super Unleaded Methanol 5.7% Blend (92 octane or higher)
009	Unleaded Methanol 7.7% Blend (88 octane or less)
010	Unleaded Plus Methanol 7.7% Blend (89–91 octane)
011	Unleaded Ethanol 5.7% Blend (88 octane or less)
012	Unleaded Plus Ethanol 5.7% Blend (89–91 octane)
013	Super Unleaded Ethanol 5.7% Blend (92 octane or higher)
014	Unleaded Ethanol 7.7% Blend (88 octane or less)
015	Unleaded Plus Ethanol 7.7% Blend (89–91 octane)
016	Methanol/Leaded
017	Ethanol/Leaded
018	Leaded
019	Diesel
020	Diesel—Premium
021	Undefined Diesel
022	Compressed natural gas
023	Liquid propane gas
024	Liquid natural gas (compressed)
025	M-85
026	E-85
027	Unleaded—Reformulated (88 octane or less)

Payment Systems Product Codes
Motor Fuel Codes
(Code Nos. 001–099)

Product Code	Description
028	Unleaded—Reformulated (89–91 octane)
029	Unleaded—Reformulated (92 octane or higher)
030	Undefined Unleaded—Reformulated
031	Undefined Unleaded—Reformulated
032	Diesel—Off-road/Farm Fuel (nontaxable)
033	Diesel—Refrigerator Fuel (nontaxable)
034	Undefined Diesel (nontaxable)
035	Other fuel (nontaxable)
036	Racing fuel
037	Super Unleaded Methanol 7.7% Blend (92 octane or higher)
038	Unleaded Methanol 10% Blend (88 octane or less)
039	Unleaded Plus Methanol 10% Blend (89–91 octane)
040	Super Unleaded Methanol 10% Blend (92 octane or higher)
041	Upper Unleaded Ethanol 7.7% Blend (92 octane or higher)
042	Unleaded Ethanol 10% Blend (88 octane or less)
043	Unleaded Plus Ethanol 10% Blend (89–91 octane)
044	Super Unleaded Ethanol 10% Blend (92 octane or higher)
045	B2 Diesel Blend 2% Biodiesel
046	B5 Diesel Blend 5% Biodiesel
047	B10 Diesel Blend 10% Biodiesel
048	B11 Diesel Blend 11% Biodiesel
049	B15 Diesel Blend 15% Biodiesel
050	B20 Diesel Blend 20% Biodiesel
051	B100 Diesel Blend 100% Biodiesel
052	Ultra Low Sulfur #1
053	Ultra Low Sulfur #2
054	Ultra Low Sulfur Premium Diesel #2
055	Ultra Low Sulfur Biodiesel Blend 2%
056	Ultra Low Sulfur Biodiesel Blend 5%

Payment Systems Product Codes
Motor Fuel Codes
(Code Nos. 001–099)

Product Code	Description
057	Ultra Low Sulfur Biodiesel Blend 10%
058	Ultra Low Sulfur Biodiesel Blend 11%
059	Ultra Low Sulfur Biodiesel Blend 15%
060	Ultra Low Sulfur Biodiesel Blend 20%
061	Ultra Low Sulfur Biodiesel Blend 100%
062	DEF (Diesel Exhaust Fluid)
063	Premium Diesel #1
064	Unleaded Ethanol (15% Blend)
065	Unleaded Plus Ethanol (15% Blend)
066	Super Unleaded Ethanol (15% Blend)
067	Premium Diesel Blend <20% Biodiesel
068	Premium Diesel Blend >= 20% Biodiesel
069	B75 Diesel Blend 75% Biodiesel
070	B99 Diesel Blend 99% Biodiesel
071-098	Undefined fuel
099	Miscellaneous fuel

The following table contains a list of automotive product/service codes:

Payment Systems Product Codes Automotive Product/Service Codes (Code Nos. 100–149)	
Product Code	**Description**
100	General automotive merchandise
101	Motor oil
102	Car wash
103	Oil change
104	Oil filter
105	Work order
106	Antifreeze
107	Washer fluid
108	Brake fluid
109	Tires
110	Federal excise tax (tires)
111	Tire rotation
112	Batteries
113	Lube
114	Inspection
115	Labor
116	Towing
117	Road service
118	Auto accessories
119	Auto parts
120	Preventative maintenance
121	Air conditioning service
122	Engine service
123	Transmission service
124	Brake service
125	Exhaust service
126	Body work
127	Automotive glass

Payment Systems Product Codes Automotive Product/Service Codes (Code Nos. 100–149)	
Product Code	**Description**
128	Synthetic oil
129	Lamps
130	Wipers
131	Hoses
132	Tire-related (wheel balance, valve stem)
133	Repairs
134	Service package
135	Automotive parking
136	Truck tank cleaning
137	Other lubricants
138	Automotive Fuel Additives/treatment (injected)
139	Vehicle Rental
140	Air Filter
141	Vehicle Prep
142	Fuel System
143-148	Undefined part/service
149	Miscellaneous part/service

The following table contains a list of aviation fuel codes:

Note: A unique Product Code must be sent for each type of fuel purchase.

Payment Systems Product Codes Aviation Fuel Codes (Code Nos. 150–174)	
Product Code	**Description**
150	Jet Fuel
151	Aviation Fuel 1
152	Aviation Fuel 2
153	Aviation Fuel 3
154	Aviation Fuel 4
155	Aviation Fuel 5

Payment Systems Product Codes
Aviation Fuel Codes
(Code Nos. 150–174)

Product Code	Description
156-173	Undefined aviation fuel
174	Miscellaneous aviation fuel

The following table contains a list of aviation part/service codes:

Payment Systems Product Codes Aviation Product/Service Codes (Code Nos. 175–224)	
Product Code	**Description**
175	Storage
176	Aircraft ground handling
177	Aircraft ground power unit
178	Aircraft labor
179	Aircraft work order
180	Aircraft maintenance
181	Aircraft service
182	Transportation
183	Deicing
184	Ramp fees
185	Catering
186	Hangar fee
187	Landing fee
188	Call out fee
189	Aircraft rental
190	Instruction fee
191	Flight plans/weather brief
192	Charter fee
193	Communication fee
194	Aircraft cleaning
195	Cargo handling
196	Aircraft accessories
197	Pilot Supplies
198	Aircraft Parking Fees
199	Aircraft Tiedown Fees
200	Aircraft Sanitation Fees
201	Aircraft Fuel Additive
202	AC Parts

Payment Systems Product Codes Aviation Product/Service Codes (Code Nos. 175–224)	
Product Code	**Description**
203	Oxygen
204	De-fuel
205	Re-service
206	Static Dissipater Additive
207	Corrosion Inhibitor
208	Airport Fees
209	Overtime Fees
210	IT/Bladder
211	Ground Equipment Service Fees
212	Secure Fees
213	Flow Fee
214–223	Undefined aviation
224	Miscellaneous aviation

The following table contains a list of marine fuel codes:

Note: A unique Product Code must be sent for each type of fuel purchase.

Payment Systems Product Codes Marine Fuel Codes (Code Nos. 225–249)	
Product Code	**Description**
225	Marine Fuel 1
226	Marine Fuel 2
227	Marine Fuel 3
228	Marine Fuel 4
229	Marine Fuel 5
230	Marine—Other
231–248	Undefined marine fuel
249	Miscellaneous marine fuel

The following table contains a list of marine product/service codes:

Payment Systems Product Codes Marine Product/Service Codes (Code Nos. 250–299)	
Product Code	**Description**
250	Marine services
251	Marine labor
252	Marine work order
253	Launch fee
254	Slip rental
255–298	Undefined marine service
299	Miscellaneous marine service

The following table contains a list of other fuel codes:

Note: A unique Product Code must be sent for each type of fuel purchase.

Payment Systems Product Codes Other Fuel Codes (Code Nos. 300–399)	
Product Code	**Description**
300	Kerosene
301	White gas
302	Heating oil
303	Bottled propane (LPG)
304	Other fuel (nontaxable)
305	Kerosene -- Ultra Low Sulfur
306	Kerosene -- Low Sulfur (Non-taxable)
307	Kerosene -- Ultra Low Sulfur (Non-taxable)
308	EVC-1 – Level 1 charge = 110v 15 amp
309	EVC-2 – Level 2 charge = 240v 15-40 amp
310	EVC-3 – Level 3 charge = 480v 3 phase charge
311	Biodiesel Blend 2% Off-Road
312	Biodiesel Blend 5% Off-Road
313	Biodiesel Blend 10% Off-Road
314	Biodiesel Blend 11% Off-Road
315	Biodiesel Blend 15% Off-Road
316	Biodiesel Blend 20% Off-Road
317	Diesel #1 Off-Road
318	Diesel #2 Off-Road
319	Diesel #1 Premium Off-Road
320	Diesel #2 Premium Off-Road
321	Additive Dosage
322	Unleaded Ethanol Blends E16-E84
323	Low Octane Unleaded
324	Blended Diesel (#1 and #2)

Payment Systems Product Codes Other Fuel Codes (Code Nos. 300–399)	
Product Code	**Description**
325–398	Undefined other fuel
399	Miscellaneous other fuel

The following table contains a list of merchandise codes:

Payment Systems Product Codes Merchandise Codes (Code Nos. 400–599)	
Product Code	**Description**
400	General merchandise
401	General ice
402–409	General undefined
410	General tobacco
411	Cigarettes
412	Tobacco—Other
413–419	Undefined tobacco
420	General packaged beverage
421	Packaged beverages (nonalcoholic)
422	Juice
423	Other packaged beverage
424–429	Undefined packaged beverage
430	General dispensed beverage
431	Hot dispensed beverages
432	Cold dispensed beverages
433	Frozen dispensed beverages
434	Other dispensed beverage
435–439	Undefined dispensed beverage
440	General snack
441	Salty snacks
442	Alternative snacks
443	Sweet snacks—Packaged
444–449	Undefined snack
450	General candy
451–459	Undefined candy
460	General dairy
461	Fluid milk products
462	Packaged ice cream/novelty

Payment Systems Product Codes
Merchandise Codes
(Code Nos. 400–599)

Product Code	Description
463	Other dairy
464–469	Undefined dairy
470	General grocery
471	Groceries—Edible
472	Groceries—Nonedible
473	Groceries—Perishable
474	Bread—Packaged
475	Frozen food
476–479	Undefined grocery
480	General alcohol
481	Beer—Alcoholic
482	Beer—Nonalcoholic
483	Wine
484	Liquor
485–489	Undefined alcohol
490	General deli
491	Packaged sandwich/deli product
492	Prepared food
493	Deli item
494–499	Undefined deli
500	General food service
501–509	Undefined food service
510	General lottery
511	Lottery—Instant
512	Lottery—On-line
513	Lottery—Other
514–519	Undefined lottery
520	General money order
521	Money order—Vendor payment

Payment Systems Product Codes Merchandise Codes (Code Nos. 400–599)	
Product Code	**Description**
522	Money order—Payroll check
523	Money order—Gift certificate
524	Money order—Refund check
525	Money order—Official check
526	Money order—Rebate check
527	Money order—Dividend check
528	Money order—Utility check
529	Undefined money order
530	General store service
531	Home delivery
532	Prepaid card—Purchase
533	Prepaid card—Activation/Recharge
534	Membership/Loyalty
535–539	Undefined store service
540	General health and beauty care
550	General publication
551–559	Undefined publication
560	PIN Activate Prepaid Card
561	PIN Return Prepaid Card
562	Enable Device/Handset Unlock
563	Disable Device/Handset Lock
564	3rd Party Prepaid Card Activate
565	3rd Party Prepaid Card Reload
566	Financial Prepaid Card Activate
567	Financial Prepaid Card Reload
568	Proprietary Prepaid Card Activate
569	Proprietary Prepaid Card Reload
570	General Purpose Activate
571	General Purpose Reload

Payment Systems Product Codes Merchandise Codes (Code Nos. 400–599)	
Product Code	**Description**
572	Real Time Recharge
573	Wireless Real Time Recharge
574	Single Payee Bill Pay
575	Multiple Payee Bill Pay
576-590	Undefined Prepaid and Bill Pay
591–599	Undefined merchandise

The following table contains a list of codes reserved for future use:

Payment Systems Product Codes Codes Reserved for Future Use (Code Nos. 600–799)	
Product Code	**Description**
600	DEF (Diesel Exhaust Fluid)
601	B99
602	B100
603	Additive
604	Kerosene
605	Propane
606-623	Undefined Packaged Fuels – Reserved for PCATS Future Use
624	Miscellaneous Packaged Fuels
625-649	Reserved for PCATS Future Use
650	Scales
651	Shower
652	Tire Repair
653	Lodging
654	Wash Out
655	Trailer Wash
656	RV Dump Fee
657	EV Charging Fee
658-699	Undefined Vehicle Product/Services – Reserved for PCATS Use
700-799	Reserved for PCATS Future Use

The following table contains a list of debit surcharge codes:

Note: A unique Product Code must be sent for each type of fuel purchase.

Payment Systems Product Codes Debit Surcharge Codes (Code Nos. 800–809)	
Product Code	**Description**
800	Administrative—Debit surcharge
801	Administrative—BUYPASS default tax

Payment Systems Product Codes Debit Surcharge Codes (Code Nos. 800–809)	
Product Code	**Description**
802	Administrative—BUYPASS default cash
803	Merchandise—BUYPASS default nonfuel/noncash/nontax
804	Merchandise—Other merchandise
805	Merchandise—Prepaid card
806	Merchandise—Split tender; use of prepaid card
807	Motor fuels—Special
808	Motor Fuels—Extra
809	Negative Transactions—Tax exemption credit

The following table contains a list of codes reserved for proprietary use:

Payment Systems Product Codes Codes Reserved for Proprietary Use (Code Nos. 810–889)	
Product Code	**Description**
Code nos. 810–889 are reserved for proprietary use.	

The following table contains a list of FSA/HRA codes:

Payment Systems Product Codes FSA/HRA Codes (Code Nos. 890–896)	
Product Code	**Description**
890	Clinical services
891	Dental services
892	Prescription/Rx only
893	Vision/Optical
894	Total qualified healthcare products (QHP)
895	Co-Payment
896	Transit

The following table contains a list of codes reserved for proprietary use:

Payment Systems Product Codes Codes Reserved for Proprietary Use (Code Nos. 897–899)	
Product Code	**Description**
Code nos. 897–899 are reserved for proprietary use.	

The following table contains a list of negative transaction codes:

Note: If the transaction involves a fuel purchase, a unique Product Code must be sent for each type of fuel involved in the transaction.

Payment Systems Product Codes Negative Transaction Codes (Code Nos. 900–949)	
Product Code	**Description**
900	Discount No. 1
901	Discount No. 2
902	Discount No. 3
903	Discount No. 4
904	Discount No. 5
905	Coupon No. 1
906	Coupon No. 2
907	Coupon No. 3
908	Coupon No. 4
909	Coupon No. 5
910	Lottery pay out—Instant
911	Lottery pay out—On-line
912	Lottery pay out—Other
913	Split tender
914	Tax Discount/Forgiven
915-948	Undefined negative
949	Miscellaneous negative administrative

The following table contains a list of administrative codes:

Note: If the transaction involves a fuel purchase, a unique Product Code must be sent for each type of fuel involved in the transaction.

Payment Systems Product Codes Administrative Codes (Code Nos. 950–999)	
Product Code	**Description**
950	Tax 1
951	Tax 2
952	Tax 3
953	Tax 4
954	Tax 5
955	Cash back
956	Cash back fee
957	Fee 1
958	Fee 2
959	Fee 3
960	Fee 4
961	Fee 5
962	Miscellaneous Aviation Tax
963	GST/HST (Canadian)/VAT 1
964	PST/QST (Canadian) VAT 2
965	SWT Rate (Canadian)
966	Tax 6
967	Tax 7
968	Tax 8
969	Jet Federal Excise Tax
970	AvGas Federal Excise Tax
971-998	Undefined administrative
999	Miscellaneous administrative

Appendix C.
Valid WEX Fleet Card State Codes

The tables in this appendix contain valid entries for the WEX fleet card State 2-digit codes:

- Codes for the states of the United States of America
- Codes for the territories of the United States of America
- Codes denoting military organizations
- Codes for the provinces of Canada

Each table contains the following information about the valid entries for the WEX fleet card State Code:

- Valid alpha codes
- Corresponding 2-digit ANSI code
- Code description

The following table contains a list of valid State Codes for the states of the United States of America:

Valid State Codes United States of America		
Code	**ANSI Code**	**Description**
AL	01	Alabama
AK	02	Alaska
AZ	04	Arizona
AR	05	Arkansas
CA	06	California
CO	08	Colorado
CT	09	Connecticut
DE	10	Delaware
DC	11	District of Columbia
FL	12	Florida
GA	13	Georgia
HI	15	Hawaii
ID	16	Idaho
IL	17	Illinois
IN	18	Indiana

Valid State Codes
United States of America

Code	ANSI Code	Description
IA	19	Iowa
KS	20	Kansas
KY	21	Kentucky
LA	22	Louisiana
ME	23	Maine
MD	24	Maryland
MA	25	Massachusetts
MI	26	Michigan
MN	27	Minnesota
MS	28	Mississippi
MO	29	Missouri
MT	30	Montana
NE	31	Nebraska
NV	32	Nevada
NH	33	New Hampshire
NJ	34	New Jersey
NM	35	New Mexico
NY	36	New York
NC	37	North Carolina
ND	38	North Dakota
OH	39	Ohio
OK	40	Oklahoma
OR	41	Oregon
PA	42	Pennsylvania
RI	44	Rhode Island
SC	45	South Carolina
SD	46	South Dakota
TN	47	Tennessee
TX	48	Texas

Valid State Codes United States of America		
Code	**ANSI Code**	**Description**
UT	49	Utah
VT	50	Vermont
VA	51	Virginia
WA	53	Washington
WV	54	West Virginia
WI	55	Wisconsin
WY	56	Wyoming

The following table contains a list of valid State Codes for the territories of the United States of America:

Valid State Codes Territories of the United States of America		
Code	**ANSI Code**	**Description**
PR	14	Puerto Rico
VI	52	Virgin Islands

The following table contains the valid State Code for denoting military organizations:

Valid State Code Military ID		
Code	**ANSI Code**	**Description**
MY	43	Military ID

The following table contains a list of valid State Codes for the provinces of Canada:

Valid State Codes Provinces of Canada		
Code	**ANSI Code**	**Description**
AB	61	Alberta
BC	62	British Columbia
MB	63	Manitoba
NB	64	New Brunswick
NF	65	Newfoundland
NS	66	Nova Scotia
NT	67	Northwest Territories
ON	68	Ontario
PE	69	Prince Edward Island
PQ	70	Québec
SK	71	Saskatchewan
YT	72	Yukon

Appendix D.
WEX-Specific POS Prompt Codes

The POS and CAT terminals use fields 6 and 10 of the WEX card Track 2 data to determine the customer prompting at the terminal.

Note: If the terminal finds values not included in this table, it should prompt for Driver ID and Odometer.

The following table contains a list of valid POS Prompt Codes used with WEX cards:

POS Prompt Codes Used with WEX Cards		
Field 6 Prompt Table Key	**Field 10 POS Prompts**	**Description**
0	0	No Prompts
1	0	Odometer, Driver ID
1	1	Odometer, Vehicle ID
1	3	Driver ID, Vehicle ID
1	4	Driver ID
1	5	Vehicle ID
1	6	Driver ID, Job #
1	7	Vehicle ID, Job #
1	8	Odometer, Vehicle ID, Driver ID
1	9	Odometer, Driver ID, Job #
3	3	Vehicle ID, User ID
3	4	Driver ID, User ID
3	5	Driver ID, Department #
3	7	Vehicle ID, Department #
3	8	Odometer, Driver ID, Department #
4	0	Odometer, Vehicle ID, Department #
4	3	Data, Vehicle ID, Department #
4	4	Data, Driver ID, Department #
4	5	Data, Driver ID, User ID
4	9	Driver ID, Data
5	1	Vehicle ID, Data
5+	2+	Reserved for future use

The following table contains a list of valid POS-related prompt options used with WEX cards.

POS Related Prompt Options Used with WEX Cards			
Prompt Options	**Maximum Prompt Length**	**Type**	**Minimum Display Recommendation**
Driver #	10	Numeric	DRVR#
Vehicle ID	08	Numeric	VEH ID
Job #	12	Alpha/Numeric	JOB#
Department #	12	Alpha/Numeric	DEPT#
Odometer	09	Numeric	ODOM#
Data	12	Alpha/Numeric	CUST DATA
User ID	12	Alpha/Numeric	USER ID

Notes:

- Maximum Prompt Length is the maximum number of digits a customer may enter to satisfy prompt requirements.
- Prompt entry by the customer is required unless the customer has selected a no prompt option.
- Vehicle ID is a new prompt value, it is not the same as the Vehicle Card Number (Purchase Device Sequence Number) contained in Track 2 of the card or embossed on the front of the card.

Appendix E.
WEX Chip-Specific POS Prompt Codes

The POS and CAT terminals use WEX Chip Tag 'DF30' to determine the customer prompting at the terminal.

The Prompt Code in Data Element of Byte 1 and Prompt Part 2 of Byte 3 are fixed. The numeric/alphanumeric, mandatory/optional, print and display fields are expected to be supported in the WEX Chip release. The Dependence on Byte 2 and Byte 2 are for future support.

Note: For terminals that cannot support alphabetic or special characters, they will be certified by WEX with numeric only response. The POS should not hardcode for all values, but understand the meaning of all the fields.

All prompts should be collected. If a terminal cannot request a specific prompt (for example a prompt is not available on the terminal), the prompt is skipped. Do not send a value that is not entered on the terminal.

The following table contains a list of valid POS Prompt Codes used with WEX Chip cards:

WEX Chip-Specific POS Prompt Codes											
		Fuel Card Usage Bitmap Byte 1					Byte 3				HEX
Description	**Prompt**	**Data Element Bits 8-4**	**Num/ ANS[2] Bit 3**	**Man/ Opt[3] Bit 2**	**Dep on Byte 2[4] Bit 1**	**Byte 2[1]**	**Print Bit 8**	**Display Bit 7**	**Prompt Pt 2 Bit 6-5**	**RFU Bit 4-1**	
Unencrypted ID number	User ID	00001	1	1	1	00000000	0	1	00	0000	0D0040
Vehicle ID	Vehicle ID	00010	0	1	1	00000000	0	1	00	0000	110040

[1] Implementation Specific – Values may differ from what is on the chip, based on the program requirements.

[2] 0 = Numeric, 1 = Alphanumeric

[3] 0 = Optional, 1 = Mandatory

[4] 0 = No, 1 = Yes

WEX Chip-Specific POS Prompt Codes											
		Fuel Card Usage Bitmap Byte 1					Byte 3				HEX
Description	**Prompt**	**Data Element Bits 8-4**	**Num/ ANS[2] Bit 3**	**Man/ Opt[3] Bit 2**	**Dep on Byte 2[4] Bit 1**	**Byte 2[1]**	**Print Bit 8**	**Display Bit 7**	**Prompt Pt 2 Bit 6-5**	**RFU Bit 4-1**	
Driver ID/Employee number	Driver ID	00100	1	1	1	00000000	0	1	00	0000	250040
Odometer	Odometer	00101	0	1	1	00000000	1	1	00	0000	2900C0
Work Order/P.O. number	P.O. Number	01001	1	1	1	00000000	0	1	00	0000	4D0040
Trip number	Trip Number	01011	1	1	1	00000000	0	1	00	0000	5D0040
Unit number	Unit Number	01100	1	1	1	00000000	0	1	00	0000	650040
Trailer hours/Reefer hours	Reefer Hours	01101	0	1	1	00000000	0	1	00	0000	690040
Entered data (numeric)	Data	10001	0	1	1	00000000	0	1	00	0000	890040
Job Number	Job Number	10101	0	1	1	00000000	0	1	00	0000	AD0040
Maintenance ID	Maintenance ID	10110	1	1	1	00000000	0	1	00	0000	B50040
Department Number	Department	10111	1	1	1	00000000	0	1	00	0000	BD0040
Hubometer	Hubometer	11010	0	1	1	00000000	0	1	00	0000	D10040
Trailer Number	Trailer Number	11000	1	1	1	00000000	0	1	00	0000	C50040

Appendix F.
WEX Terminal Capabilities (9F33)

The WEX requirements related to the value of Terminal Capabilities (9F33) for unattended terminals are defined in the following table:

Note: Value 0/1 indicates that either 0 or 1 is allowed.

WEX Requirements Terminal Capabilities (9F33) Value for Unattended Terminals									
Byte	**b8**	**b7**	**b6**	**b5**	**b4**	**b3**	**b2**	**b1**	**Meaning**
1	0/1								Manual key entry WEX recommended value: 1
		0/1							Magnetic Stripe
			1						IC with contacts
				0	0	0	0	0	RFU
2	0/1								Plaintext PIN of ICC verification
		1							Enciphered PIN for online verification
			0						Signature (paper)
				0/1					Enciphered PIN for online verification
					1				No CVM Required
						0	0	0	RFU
3	0/1								SDA
		*							DDA (*) Requirement is dependent on terminal type: • Online-only terminal: 0/1 (1 is recommended • Offline-capable terminal: 1
			0/1						Card Capture
				0					RFU
					*				CDA (*) Requirement is dependent on terminal type: • Online-only terminal: 0/1 (1 is recommended Offline-capable terminal: 1
						0	0	0	RFU

The WEX requirements related to the value of Terminal Capabilities (9F33) for attended terminals are defined in the following table:

Note: Value 0/1 indicates that either 0 or 1 is allowed.

WEX Requirements Terminal Capabilities (9F33) Value for Attended Terminals									
Byte	**b8**	**b7**	**b6**	**b5**	**b4**	**b3**	**b2**	**b1**	**Meaning**
1	0/1								Manual key entry WEX recommended value: 1
		0/1							Magnetic Stripe
			1						IC with contacts
				0	0	0	0	0	RFU
2	0/1								Plaintext PIN of ICC verification13
		1							Enciphered PIN for online verification
			1						Signature (paper)
				0/1					Enciphered PIN for online verification
					0/1				No CVM Required
						0	0	0	RFU
3	0/1								SDA
		*							DDA (*) Requirement is dependent on terminal type: • Online-only terminal: 0/1 (1 is recommended • Offline-capable terminal: 1
			0/1						Card Capture
				0					RFU
					*				CDA (*) Requirement is dependent on terminal type: • Online-only terminal: 0/1 (1 is recommended Offline-capable terminal: 1
						0	0	0	RFU

Appendix G.
WEX Additional Terminal Capabilities (9F40)

The WEX requirements related to the value of Additional Terminal Capabilities are defined in the following table:

Note: Value 0/1 indicates that either 0 or 1 is allowed.

WEX Requirements Additional Terminal Capabilities (9F40) Value									
Byte	**b8**	**b7**	**b6**	**b5**	**b4**	**b3**	**b2**	**b1**	**Meaning**
1	0/1								Cash
		1							Goods[5]
			1						Services
				0/1					Cash back
					0/1				Inquiry
						0/1			Transfer
							0/1		Payment
								0/1	Administrative
2	0/1								Cash Deposit
		0	0	0	0	0	0	0	RFU
3	1								Numeric keys
		0/1							Alphabetic and special character keys (1 is recommended)
			0/1						Command keys
				0/1					Function keys
					0	0	0	0	RFU
4	1								Print, attendant[6]
		1							Print, cardholder
			0/1						Display, attendant
				0/1					Display, cardholder
					0	0			RFU
							0/1		Code table 10
								0/1	Code table 9
	0/1								Code table 8

[5] Terminal must support at least one of these two services: Purchase of goods/purchase of services

[6] Terminal must be capable to print a receipt in case of transaction approval using either attendant printer or a cardholder printer

WEX Requirements Additional Terminal Capabilities (9F40) Value									
Byte	**b8**	**b7**	**b6**	**b5**	**b4**	**b3**	**b2**	**b1**	**Meaning**
5		0/1							Code table 7
			0/1						Code table 6
				0/1					Code table 5
					0/1				Code table 4
						0/1			Code table 3
							0/1		Code table 2
								0/1	Code table 1 (1 is recommended)

Appendix H.
WEX Terminal Action Codes for WEX AID

The WEX Terminal Action Code (TAC) values are defined in the following table:

WEX Terminal Action Codes for WEX AID					
Byte	**Bit**	**Contact Terminal Action Codes Meaning**	**TAC Denial**	**TAC Online**	**TAC Default**
1	8	Data authentication was not performed	0	1	1
	7	Static Data authentication failed	0	0	0
	6	ICC data missing	0	1	1
	5	Cards appears on terminal exception file	0	1	1
	4	Dynamic data authentication failed	0	1	1
	3	Combined DDA/AC Generation Failure	0	1	1
	2-1	Reserved for future use	00	00	00
			'00'	'BC'	'BC'
2	8	Chip card and terminal have different application version	0	1[7]	0
	7	Expired application	0	1	1
	6	Application not yet effective	0	0	0
	5	Requested service not allowed for card product	0	1	1
	4	New card	0	0	0
	3-1	Reserved for future use	000	000	000
			'00'	'D0'	'50'
3	8	Cardholder verification was not successful	0	1	1
	7	Unrecognized CVM	0	1	1
	6	PIN Try limit exceeded	0	1	1
	5	PIN entry required but PIN pad not present/working	0	1	1
	4	PIN entry required, PIN pad present buy PIN not entered (PIN entry bypass)	0	1	1
	3	Online PIN entered	0	1	1
	2-1	Reserved for future use	00	00	00
			'00'	'FC'	'FC'
4	8	Transaction exceeds floor limit	0	1	1
	7	Lower consecutive offline limit exceeded	0	0	0
	6	Upper consecutive offline limit exceeded	0	0	0

[7] This bit must be set to 1 for requesting all transactions to be processed online.

WEX Terminal Action Codes for WEX AID					
Byte	**Bit**	**Contact Terminal Action Codes Meaning**	**TAC Denial**	**TAC Online**	**TAC Default**
	5	Transaction selected randomly for online processing	0	1	0
	4	Merchant forced transaction online	0	1	0
	3-1	Reserved for future use	000	000	000
			'00'	'98'	'80'
5			'00'	'00'	'00'

Note: The following table provides the meaning of each possible bit setting and the impact on terminal decision in case of failure of one of the tests performed by the terminal.

TAC Bits Combination Meaning			
TAC Denial	**TAC Online**	**TAC Default**	**Description**
0	0	0	Failure of the check associated to this bit has no impact on terminal decision.
0	1	0	In case of failure of the check associated to this bit, the terminal requests to process the transaction online if it is possible.
0	1	1	In case of failure of the check associated to this bit, the terminal mandates to process the transaction online. If it is impossible to get an online authorization, the transaction is declined.
1	0	0	In case of failure of the check associated to this bit, the terminal rejects the transaction.

Appendix I.
Voyager Chip-Specific POS Prompt Codes

Third Party Data (9F6E) should be used to determine prompting requirements. If Enhanced prompting is enabled, the following table shows what the prompt display and message tags correspond to the Chip Tags found in Third Party Data.

All prompts should be collected. If a terminal cannot request a specific prompt (for example a prompt is not available on the terminal), the prompt is skipped. Do not send a value that is not entered on the terminal.

Voyager Tag	Voyager prompt messages for EMV	Associated BuyPass Tag	Associated UMF Tag
DF10	Enter Voyager ID	AUID	FleetID
DF11	Enter Vehicle ID	VHID	VehNum
DF12	Enter Driver ID	DRID	DrvNum
DF13	Enter Odometer	ODRD	Odo
DF20	Enter Trailer ID	TRLR	TrailerID
DF21	Enter Reefer Hours	HRRD	ReeferHr
DF22	Enter Trip Number	TRIP	JobID
DF23	Enter Extended Driver ID	EXID	ExDriverID
DF24	Enter Unit ID	UNIT	UnitID
DF25	Enter Contract/PO	PONB	PurchaseOrder
DF26	Enter Driver License	DLIC	LicNum
DF27	Enter Driver License State	DLST	LicState
DF28	Enter Vehicle License	LCSN	VehIDNum
DF29	Enter Vehicle License State	LCST	VehIDState
DF30	Enter Trailer License	TRLN	TrailerID
DF31	Enter Trailer License State	TRLS	TrailerIDState
DF32 – DF6F	Enter Voyager Data	*	VoyagerData

Voyager Tag — Tag on Voyager's EMV Chip that indicates this data should be prompted for

Voyager prompt messages for EMV — Prompt to display

Associated BuyPass Tag — Tag to use with the data for this prompt when sending via a BuyPass specific message format. See appropriate BuyPass message format spec for more information.

* - Send Voyager EMV Tag for these values.

Associated UMF Tag	Tag to use with the data for this prompt when sending via the UMF message format. See UMF spec for more information.

Appendix J.
Voyager Terminal Capabilities (9F33)

The following table defines the configuration for Terminal Capabilities Byte 2 – CVM Capabilities. The required value with No CVM enabled is 'x8' where 'x' is dependent on any other CVM the terminal may support.

Terminal Capabilities Byte 2 – CVM Capability								
b8	**b7**	**b6**	**b5**	**b4**	**b3**	**b2**	**b1**	**Definition**
1/0								Plaintext PIN for ICC verification
	1							Enciphered PIN for online verification
		1/0						Signature (paper) – Only at C Stores
			1/0					Enciphered PIN for ICC verification
				1				No CVM Required
					0			RFU
						0		RFU
							0	RFU

Terminals may choose to implement a selectable configuration that allows for the CVM capabilities of the transaction to be altered for low value transactions. The selectable kernel configuration would allow the merchant to disable PIN entry and only support No CVM as a CVM method. Voyager reserves the right to define the liability rules and allowance of such a practice. It is recommended that merchants who have the ability to implement a selectable kernel provide a mechanism to turn such functionality off as required by Voyager.

For the contact interface, terminals must set the Terminal Capabilities Byte 3 – Security Capability to the following ('48' or 'C8').

Terminal Capabilities Byte 3 – Security Capability – Contact								
b8	b7	b6	b5	b4	b3	b2	b1	Meaning
0/1								SDA
	1							DDA
		0						Card Capture
			0					RFU
				1				CDA
					0			RFU
						0		RFU
							0	RFU

Appendix K.
Voyager Additional Terminal Capabilities (9F40)

Cash back is not supported.

Therefore, the value of Additional Terminal Capabilities Byte 1 must be set to ‘60’ if Additional Terminal Capabilities can be supported at the AID level by the terminal.

Additional Capabilities – Byte 1								
b8	b7	b6	B5	b4	b3	b2	b1	Meaning
0								Cash
	1							Goods
		1						Services
			0					Cashback
				0				Inquiry
					0			Transfer
						0		Payment
							0	Administrative

Appendix L.
Voyager Terminal Action Codes for Voyager AID

This section defines the Terminal Action Codes (TACs) used for contact transactions for terminals accepting Voyager Fleet products. The TACs may be adjusted based on the terminal capabilities supported and approved by EMVCo.

The terminal maintains the TACs for contact and contactless transactions independently.

Required settings:

TAC Denial	**"00 00 00 00 00"**
TAC Online	**"FE 50 BC 98 00"**
TAC Default	**"FE 50 BC 80 00"**

Voyager Terminal Action Codes - Contact					
Byte	**Bit**	**Definition**	**TAC Denial**	**TAC Online**	**TAC Default**
1	8	Data authentication was not performed	0	1	1
	7	Static Data authentication failed	0	1	1
	6	ICC data missing	0	1	1
	5	Cards appears on terminal exception file	0	1	1
	4	Dynamic data authentication failed	0	1	1
	3	Combined DDA/AC Generation Failure	0	1	1
	2	SDA Selected	0	1	1
	1	Reserved for future use	00	00	00
			'00'	'FE'	'FE'
2	8	Chip card and terminal have different application versions	0	0	0
	7	Expired application	0	1	1
	6	Application not yet effective	0	0	0
	5	Requested service not allowed for card product	0	1	1
	4	New card	0	0	0
	3-1	Reserved for future use	000	000	000
			'00'	'50'	'50'
3	8	Cardholder verification was not successful	0	1	1
	7	Unrecognized CVM	0	0	0
	6	PIN Try Limit exceeded	0	1	1
	5	PIN entry required but PIN pad not present/working	0	1	1
	4	PIN entry required, PIN pad present but PIN not entered (PIN entry bypass)	0	1	1
	3	Online PIN entered	0	1	1
	2-	Reserved for future use	00	00	00

Voyager Terminal Action Codes - Contact					
Byte	**Bit**	**Definition**	**TAC Denial**	**TAC Online**	**TAC Default**
	1				
			‘00’	‘BC’	‘BC’
4	8	Transactions exceeds floor limit	0	1	1
	7	Lower consecutive offline limit exceeded	0	0	0
	6	Upper consecutive offline limit exceeded	0	0	0
	5	Transaction selected randomly for online processing	0	1	0
	4	Merchant forced transaction online	0	1	0
	3-1	Reserved for future use	000	000	000
			‘00’	‘98’	‘80’
5	8	Not applicable	0	0	0
	7	Issuer Authentication Failed	0	0	0
	6	Script command fails before 2nd GENERATE AC	0	0	0
	5	Script command fails after 2nd GENERATE AC	0	0	0
	4-1	Reserved for future use	0000	0000	0000
			‘00’	‘00’	‘00’

Appendix M.
Product Code to Product Category Mapping for WEX OTR

For customers, who wish to use WEX OTR, but cannot use Dynamic Card Tables, are advised to use the following table to map product codes to product categories.

Note: Only the non-FUEL products are sent as categories. Section 15.2.7. offers further guidance about how fuel products are included in transactions. All products are included so that a complete list with all possible products can be presented here.

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
1	Unleaded Regular	FUEL
2	Unleaded Plus	FUEL
3	Unleaded Super	FUEL
4	Unleaded 4	FUEL
5	Unleaded 5	FUEL
6	<Deprecated> Unleaded Methanol (5.7% blend)	FUEL
7	<Deprecated> Unleaded Plus Methanol (5.7% blend)	FUEL
8	<Deprecated> Super Unleaded Methanol (5.7% blend)	FUEL
9	<Deprecated> Unleaded Methanol (7.7% blend)	FUEL
10	<Deprecated> Unleaded Plus Methanol (7.7% blend)	FUEL
11	Unleaded Ethanol (5.7% blend)	FUEL
12	Unleaded Plus Ethanol (5.7% blend)	FUEL
13	Super Unleaded Ethanol (5.7% blend)	FUEL
14	Unleaded Ethanol (7.7% blend)	FUEL
15	Unleaded Plus Ethanol (7.7% blend)	FUEL
16	<Deprecated> Methanol / Leaded	FUEL
17	<Deprecated> Ethanol / Leaded	FUEL
18	<Deprecated> Leaded 018	FUEL
19	Regular Diesel #2	FUEL
20	Premium Diesel #2	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
21	Regular Diesel #1	FUEL
22	Compressed Natural Gas	FUEL
23	Liquid Propane Gas	FUEL
24	Liquid Natural Gas	FUEL
25	<Deprecated> M-85	FUEL
26	E-85	FUEL
27	Unleaded - Reformulated 1	FUEL
28	Unleaded - Reformulated 2	FUEL
29	Unleaded - Reformulated 3	FUEL
30	Unleaded - Reformulated 4	FUEL
31	Unleaded - Reformulated 5	FUEL
32	<Deprecated> Diesel Off-Road (#1 and #2 Non-Taxable)	FUEL
33	<Deprecated> Diesel Off-Road (Non-Taxable)	FUEL
34	Biodiesel Blend Off-Road (Non-Taxable)	FUEL
35	<Deprecated> Biodiesel Blend Off-Road (Non-Taxable)	FUEL
36	Racing Fuel	FUEL
37	<Deprecated> Super Unleaded Methanol (7.7% Blend)	FUEL
38	<Deprecated> Unleaded Methanol (10% Blend)	FUEL
39	<Deprecated> Unleaded Plus Methanol (10% Blend)	FUEL
40	<Deprecated> Super Unleaded Methanol (10% Blend)	FUEL
41	Super Unleaded Ethanol (7.7% Blend)	FUEL
42	Unleaded Ethanol (10% Blend)	FUEL
43	Unleaded Plus Ethanol (10% Blend)	FUEL
44	Super Unleaded Ethanol (10% Blend)	FUEL
45	B2 Diesel Blend 2% Biodiesel	FUEL
46	B5 Diesel Blend 5% Biodiesel	FUEL
47	B10 Diesel Blend 10% Biodiesel	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
48	B11 Diesel Blend 11% Biodiesel	FUEL
49	B15 Diesel Blend 15% Biodiesel	FUEL
50	B20 Diesel Blend 20% Biodiesel	FUEL
51	B100 Diesel Blend 100% Biodiesel	FUEL
52	<Deprecated> Ultra Low Sulfur #1	FUEL
53	<Deprecated> Ultra Low Sulfur #2	FUEL
54	<Deprecated> Ultra Low Sulfur Premium Diesel #2	FUEL
55	<Deprecated> Ultra Low Sulfur Biodiesel Blend 2%	FUEL
56	<Deprecated> Ultra Low Sulfur Biodiesel Blend 5%	FUEL
57	<Deprecated> Ultra Low Sulfur Biodiesel Blend 10%	FUEL
58	<Deprecated> Ultra Low Sulfur Biodiesel Blend 11%	FUEL
59	<Deprecated> Ultra Low Sulfur Biodiesel Blend 15%	FUEL
60	<Deprecated> Ultra Low Sulfur Biodiesel Blend 20%	FUEL
61	<Deprecated> Ultra Low Sulfur Biodiesel Blend 100%	FUEL
62	DEF (Diesel Exhaust Fluid)	FUEL
63	Premium Diesel #1	FUEL
64	Unleaded Ethanol (15% Blend)	FUEL
65	Unleaded Plus Ethanol (15% Blend)	FUEL
66	Super Unleaded Ethanol (15% Blend)	FUEL
67	Premium Diesel Blend <20% Biodiesel	FUEL
68	Premium Diesel Blend >= 20% Biodiesel	FUEL
69	B75 Diesel Blend 75% Biodiesel	FUEL
70	B99 Diesel Blend 99% Biodiesel	FUEL
71	Fuel Unknown - WEX proprietary	FUEL
72	Fuel Unknown - WEX proprietary	FUEL
73	Fuel Unknown - WEX proprietary	FUEL
74	Fuel Unknown - WEX proprietary	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
75	Undefined Fuel–Reserved for Proprietary Use	FUEL
76	E-15	FUEL
77	E-30	FUEL
78	E-20	FUEL
79	Undefined Fuel–Reserved for Proprietary Use	FUEL
80	Undefined Fuel–Reserved for Proprietary Use	FUEL
81	Undefined Fuel–Reserved for Proprietary Use	FUEL
82	Undefined Fuel–Reserved for Proprietary Use	FUEL
83	Undefined Fuel–Reserved for Proprietary Use	FUEL
84	Undefined Fuel–Reserved for Proprietary Use	FUEL
85	Undefined Fuel–Reserved for Proprietary Use	FUEL
86	Undefined Fuel–Reserved for Proprietary Use	FUEL
87	Undefined Fuel–Reserved for Proprietary Use	FUEL
88	Undefined Fuel–Reserved for Proprietary Use	FUEL
89	Undefined Fuel–Reserved for Proprietary Use	FUEL
90	Undefined Fuel–Reserved for Proprietary Use	FUEL
91	E-85	FUEL
92	Super Unleaded Ethanol (10% blend)	FUEL
93	Undefined Fuel–Reserved for Proprietary Use	FUEL
94	Undefined Fuel–Reserved for Proprietary Use	FUEL
95	Undefined Fuel–Reserved for Proprietary Use	FUEL
96	Undefined Fuel–Reserved for Proprietary Use	FUEL
97	Undefined Fuel–Reserved for Proprietary Use	FUEL
98	Undefined Fuel–Reserved for Proprietary Use	FUEL
99	Miscellaneous Fuel	FUEL
100	General Automotive Merchandise	MERC
101	Motor Oil	OIL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
102	Car Wash	WASH
103	Oil Change	OILC
104	Oil Filter	OIL
105	Work Order	MERC
106	Anti-Freeze	ANFR
107	Washer Fluid	WWFL
108	Brake Fluid	ADD
109	Tires	TIRE
110	Federal Excise Tax (Tires)	MERC
111	Tire Rotation	TIRE
112	Batteries	MERC
113	Lube	OIL
114	Inspection	SCLE
115	Labor	MERC
116	Towing	MERC
117	Road Service	MERC
118	Vehicle Accessories	MERC
119	Vehicle Parts	PART
120	Preventative Maintenance	MERC
121	Air Conditioning Service	MERC
122	Engine Service	MERC
123	Transmission Service	REPR
124	Brake Service	BRAK
125	Exhaust Service	MERC
126	Body Work	MERC
127	Vehicle Glass	MERC
128	Synthetic Oil	OIL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
129	Lamps	MERC
130	Wipers	MERC
131	Hoses	MERC
132	Tire-related (Wheel Balance, Valve Stem)	TIRE
133	Repairs	REPR
134	Service Package	MERC
135	Vehicle Parking	MERC
136	Truck Tank Cleaning	WASH
137	Other Lubricants	MERC
138	Vehicle Fuel Additives/Treatment (Injected)	ADD
139	Vehicle Rental	MERC
140	Air Filter	MERC
141	Vehicle Prep	MERC
142	Fuel System	MERC
143	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
144	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
145	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
146	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
147	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
148	Undefined Vehicle Product/Services – Reserved for Proprietary Use	PART
149	Miscellaneous Vehicle Products / Services	MERC
150	Jet Fuel	FUEL
151	Aviation Fuel Regular	FUEL
152	Aviation Fuel Premium	FUEL
153	Aviation Fuel JP8	FUEL
154	Aviation Fuel 4	FUEL
155	Aviation Fuel 5	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
156	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
157	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
158	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
159	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
160	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
161	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
162	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
163	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
164	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
165	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
166	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
167	Undefined Aviation Fuel–Reserved for Conexxus Future Use	FUEL
168	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
169	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
170	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
171	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
172	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
173	Undefined Aviation Fuel–Reserved for Proprietary Use	FUEL
174	Miscellaneous Aviation Fuel	FUEL
175	Storage	MERC
176	Aircraft Ground Handling	MERC
177	Aircraft Ground Power Unit	MERC
178	Aircraft Labor	MERC
179	Aircraft Work Order	MERC
180	Aircraft Maintenance	MERC
181	Aircraft Service	MERC
182	Transportation	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
183	De-icing	MERC
184	Ramp Fees	MERC
185	Catering	MERC
186	Hangar Fee	MERC
187	Landing Fee	MERC
188	Call Out Fee	MERC
189	Aircraft Rental	MERC
190	Instruction Fee	MERC
191	Flight Plans / Weather Brief	MERC
192	Charter Fee	MERC
193	Communication Fee	MERC
194	Aircraft Cleaning	MERC
195	Cargo Handling	MERC
196	Aircraft Accessories	PART
197	Pilot Supplies	PART
198	Aircraft Parking Fees	MERC
199	Aircraft Tie Down Fees	MERC
200	Aircraft Sanitation Fees	MERC
201	Aircraft Fuel Additive	ADD
202	AC Parts	MERC
203	Oxygen	MERC
204	De-fuel	MERC
205	Re-service	MERC
206	Static Dissipater Additive	MERC
207	Corrosion Inhibitor	MERC
208	Airport Fees	MERC
209	Overtime Fees	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
210	IT/Bladder	MERC
211	Ground Equipment Service Fees	MERC
212	Secure Fees	MERC
213	Flow Fee	MERC
214	Undefined Aviation–Reserved for Conexxus Future Use	MERC
215	Undefined Aviation–Reserved for Conexxus Future Use	MERC
216	Undefined Aviation–Reserved for Proprietary Use	MERC
217	Undefined Aviation–Reserved for Proprietary Use	MERC
218	Undefined Aviation–Reserved for Proprietary Use	MERC
219	Undefined Aviation–Reserved for Proprietary Use	MERC
220	Undefined Aviation–Reserved for Proprietary Use	MERC
221	Undefined Aviation–Reserved for Proprietary Use	MERC
222	Undefined Aviation–Reserved for Proprietary Use	MERC
223	Undefined Aviation–Reserved for Proprietary Use	MERC
224	Miscellaneous Aviation Products/Services	MERC
225	Marine Fuel 1	FUEL
226	Marine Fuel 2	FUEL
227	Marine Fuel 3	FUEL
228	Marine Fuel 4	FUEL
229	Marine Fuel 5	FUEL
230	Marine - Other	FUEL
231	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
232	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
233	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
234	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
235	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
236	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
237	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
238	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
239	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
240	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
241	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
242	Undefined Marine Fuel–Reserved for Conexxus Future Use	FUEL
243	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
244	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
245	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
246	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
247	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
248	Undefined Marine Fuel–Reserved for Proprietary Use	FUEL
249	Miscellaneous Marine Fuel	FUEL
250	Marine Service	MERC
251	Marine Labor	MERC
252	Marine Work Order	MERC
253	Launch Fee	MERC
254	Slip Rental	MERC
255	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
256	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
257	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
258	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
259	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
260	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
261	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
262	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
263	Undefined Marine Services–Reserved for Conexxus Future Use	REPR

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
264	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
265	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
266	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
267	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
268	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
269	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
270	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
271	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
272	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
273	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
274	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
275	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
276	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
277	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
278	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
279	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
280	Undefined Marine Services–Reserved for Conexxus Future Use	REPR
281	Undefined Marine Services–Reserved for Proprietary Use	REPR
282	Undefined Marine Services–Reserved for Proprietary Use	REPR
283	Undefined Marine Services–Reserved for Proprietary Use	REPR
284	Undefined Marine Services–Reserved for Proprietary Use	REPR
285	Undefined Marine Services–Reserved for Proprietary Use	REPR
286	Undefined Marine Services–Reserved for Proprietary Use	REPR
287	Undefined Marine Services–Reserved for Proprietary Use	REPR
288	Undefined Marine Services–Reserved for Proprietary Use	REPR
289	Undefined Marine Services–Reserved for Proprietary Use	REPR
290	Undefined Marine Services–Reserved for Proprietary Use	REPR

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
291	Undefined Marine Services–Reserved for Proprietary Use	REPR
292	Undefined Marine Services–Reserved for Proprietary Use	REPR
293	Undefined Marine Services–Reserved for Proprietary Use	REPR
294	Undefined Marine Services–Reserved for Proprietary Use	REPR
295	Undefined Marine Services–Reserved for Proprietary Use	REPR
296	Undefined Marine Services–Reserved for Proprietary Use	REPR
297	Undefined Marine Services–Reserved for Proprietary Use	REPR
298	Undefined Marine Services–Reserved for Proprietary Use	REPR
299	Miscellaneous Marine Products/Services	MERC
300	Kerosene – Low Sulfur	FUEL
301	White Gas	FUEL
302	Heating Oil	FUEL
303	<Deprecated>Bottled Propane	FUEL
304	Other Fuel (Non-Taxable)	FUEL
305	Kerosene – Ultra Low Sulfur	FUEL
306	Kerosene – Low Sulfur (Non-Taxable)	FUEL
307	Kerosene – Ultra Low Sulfur (Non-Taxable)	FUEL
308	EVC-1 – Level 1 charge = 110v 15 amp	FUEL
309	EVC-2 – Level 2 charge = 240v 15-40 amp	FUEL
310	EVC-3 – Level 3 charge = 480v 3 phase charge	FUEL
311	Biodiesel Blend 2% Off-Road	FUEL
312	Biodiesel Blend 5% Off-Road	FUEL
313	Biodiesel Blend 10% Off-Road	FUEL
314	Biodiesel Blend 11% Off-Road	FUEL
315	Biodiesel Blend 15% Off-Road	FUEL
316	Biodiesel Blend 20% Off-Road	FUEL
317	Diesel #1 Off-Road	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
318	Diesel #2 Off-Road	FUEL
319	Diesel #1 Premium Off-Road	FUEL
320	Diesel #2 Premium Off-Road	FUEL
321	Additive Dosage	ADD
322	Unleaded Ethanol Blends E16-E84	FUEL
323	Low Octane Unleaded	FUEL
324	Blended Diesel (#1 and #2)	FUEL
325	Off-Road Unleaded Regular (Non-Taxable)	FUEL
326	Off-Road Unleaded Plus (Non-Taxable)	FUEL
327	Off-Road Unleaded Super (Non-Taxable)	FUEL
328	Off-Road Unleaded 4 (Non-Taxable)	FUEL
329	Off-Road Unleaded 5 (Non-Taxable)	FUEL
330	Recreational Fuel (90 Octane)	FUEL
331	Hydrogen H35	FUEL
332	Hydrogen H70	FUEL
333	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
334	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
335	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
336	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
337	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
338	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
339	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
340	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
341	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
342	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
343	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
344	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
345	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
346	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
347	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
348	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
349	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
350	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
351	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
352	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
353	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
354	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
355	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
356	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
357	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
358	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
359	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
360	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
361	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
362	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
363	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
364	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
365	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
366	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
367	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
368	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
369	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
370	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
371	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
372	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
373	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
374	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
375	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
376	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
377	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
378	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
379	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
380	Undefined Other Fuel–Reserved for Conexxus Future Use	FUEL
381	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
382	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
383	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
384	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
385	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
386	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
387	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
388	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
389	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
390	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
391	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
392	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
393	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
394	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
395	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
396	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
397	Undefined Other Fuel–Reserved for Proprietary Use	FUEL
398	Undefined Other Fuel–Reserved for Proprietary Use	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
399	Miscellaneous Other Fuel	FUEL
400	General Merchandise	GROC
401	General Ice	GROC
402	General Undefined–Reserved for Conexxus Future Use	MERC
403	General Undefined–Reserved for Conexxus Future Use	MERC
404	General Undefined–Reserved for Conexxus Future Use	MERC
405	General Undefined–Reserved for Conexxus Future Use	MERC
406	General Undefined–Reserved for Conexxus Future Use	MERC
407	General Undefined–Reserved for Conexxus Future Use	MERC
408	General Undefined–Reserved for Conexxus Future Use	MERC
409	General Undefined–Reserved for Conexxus Future Use	MERC
410	General Tobacco	GROC
411	Cigarettes	GROC
412	Tobacco - Other	GROC
413	Undefined Tobacco–Reserved for Conexxus Future Use	MERC
414	Undefined Tobacco–Reserved for Conexxus Future Use	MERC
415	Undefined Tobacco–Reserved for Conexxus Future Use	MERC
416	Undefined Tobacco–Reserved for Conexxus Future Use	MERC
417	Undefined Tobacco–Reserved for Conexxus Future Use	MERC
418	Undefined Tobacco–Reserved for Proprietary Use	MERC
419	Undefined Tobacco–Reserved for Proprietary Use	MERC
420	General Packaged Beverage	GROC
421	Packaged Beverages (non-alcoholic)	GROC
422	Packaged Juice	GROC
423	Other Packaged Beverages	GROC
424	Undefined Packaged Beverages–Reserved for Conexxus Future Use	GROC
425	Undefined Packaged Beverages–Reserved for Conexxus Future Use	GROC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
426	Undefined Packaged Beverages–Reserved for Conexxus Future Use	GROC
427	Undefined Packaged Beverages–Reserved for Conexxus Future Use	GROC
428	Undefined Packaged Beverages–Reserved for Proprietary Use	GROC
429	Undefined Packaged Beverages–Reserved for Proprietary	GROC
430	General Dispensed Beverage	GROC
431	Hot Dispensed Beverages	GROC
432	Cold Dispensed Beverages	GROC
433	Frozen Dispensed Beverages	GROC
434	Other Dispensed Beverages	GROC
435	Undefined Dispensed Beverages–Reserved for Conexxus Future Use	GROC
436	Undefined Dispensed Beverages–Reserved for Conexxus Future Use	GROC
437	Undefined Dispensed Beverages–Reserved for Conexxus Future Use	GROC
438	Undefined Dispensed Beverages–Reserved for Proprietary Future	GROC
439	Undefined Dispensed Beverages–Reserved for Proprietary Future	GROC
440	General Snacks	GROC
441	Salty Snacks	GROC
442	Alternative Snacks	GROC
443	Sweet Snacks - Packaged	GROC
444	Undefined Snacks–Reserved for Conexxus Future Use	GROC
445	Undefined Snacks–Reserved for Conexxus Future Use	GROC
446	Undefined Snacks–Reserved for Conexxus Future Use	GROC
447	Undefined Snacks–Reserved for Conexxus Future Use	GROC
448	Undefined Snacks–Reserved for Proprietary Use	GROC
449	Undefined Snacks–Reserved for Proprietary Use	GROC
450	General Candy	GROC
451	Undefined Candy–Reserved for Conexxus Future Use	GROC
452	Undefined Candy–Reserved for Conexxus Future Use	GROC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
453	Undefined Candy–Reserved for Conexxus Future Use	GROC
454	Undefined Candy–Reserved for Conexxus Future Use	GROC
455	Undefined Candy–Reserved for Conexxus Future Use	GROC
456	Undefined Candy–Reserved for Conexxus Future Use	GROC
457	Undefined Candy–Reserved for Conexxus Future Use	GROC
458	Undefined Candy–Reserved for Proprietary Use	GROC
459	Undefined Candy–Reserved for Proprietary Use	GROC
460	General Dairy	GROC
461	Fluid Milk Products	GROC
462	Packaged Ice Cream/Novelties	GROC
463	Other Dairy	GROC
464	Undefined Dairy–Reserved for Conexxus Future Use	GROC
465	Undefined Dairy–Reserved for Conexxus Future Use	GROC
466	Undefined Dairy–Reserved for Conexxus Future Use	GROC
467	Undefined Dairy–Reserved for Conexxus Future Use	GROC
468	Undefined Dairy–Reserved for Proprietary Use	GROC
469	Undefined Dairy–Reserved for Proprietary Use	GROC
470	General Grocery	GROC
471	Groceries - Edible	GROC
472	Groceries - Non-Edible	GROC
473	Groceries - Perishable	GROC
474	Bread - Packaged	GROC
475	Frozen Foods	GROC
476	Undefined Grocery–Reserved for Conexxus Future Use	GROC
477	Undefined Grocery–Reserved for Conexxus Future Use	GROC
478	Undefined Grocery–Reserved for Proprietary Use	GROC
479	Undefined Grocery–Reserved for Proprietary Use	GROC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
480	General Alcohol	GROC
481	Beer - Alcoholic	GROC
482	Beer - Non-Alcoholic	GROC
483	Wine	GROC
484	Liquor	GROC
485	Undefined Alcohol–Reserved for Conexxus Future Use	GROC
486	Undefined Alcohol–Reserved for Conexxus Future Use	GROC
487	Undefined Alcohol–Reserved for Conexxus Future Use	GROC
488	Undefined Alcohol–Reserved for Proprietary Use	GROC
489	Undefined Alcohol–Reserved for Proprietary Use	GROC
490	General Deli	DELI
491	Packaged Sandwiches/Deli Products	DELI
492	Prepared Foods	GROC
493	Deli Items	DELI
494	Undefined Deli–Reserved for Conexxus Future Use	DELI
495	Undefined Deli–Reserved for Conexxus Future Use	DELI
496	Undefined Deli–Reserved for Conexxus Future Use	DELI
497	Undefined Deli–Reserved for Conexxus Future Use	DELI
498	Undefined Deli–Reserved for Proprietary Use	DELI
499	Undefined Deli–Reserved for Proprietary Use	DELI
500	General Foodservice	REST
501	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
502	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
503	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
504	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
505	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
506	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
507	Undefined Foodservice–Reserved for ConexxusFuture Use	DELI
508	Undefined Foodservice–Reserved for Proprietary Use	DELI
509	Undefined Foodservice–Reserved for Proprietary Use	DELI
510	General Lottery	MERC
511	Lottery - Instant	MERC
512	Lottery - Online	MERC
513	Lottery - Other	MERC
514	Undefined Lottery–Reserved for Conexxus Future Use	MERC
515	Undefined Lottery–Reserved for Conexxus Future Use	MERC
516	Undefined Lottery–Reserved for Conexxus Future Use	MERC
517	Undefined Lottery–Reserved for Conexxus Future Use	MERC
518	Undefined Lottery–Reserved for Proprietary Use	MERC
519	Undefined Lottery–Reserved for Proprietary Use	MERC
520	General Money Order	MERC
521	Money Order - Vendor Payment	MERC
522	Money Order - Payroll Check	MERC
523	Money Order - Gift Certificate	MERC
524	Money Order - Refund Check	MERC
525	Money Order - Official Check	MERC
526	Money Order - Rebate Check	MERC
527	Money Order - Dividend Check	MERC
528	Money Order - Utility Check	MERC
529	Undefined Money Order–Reserved for Conexxus Future Use	MERC
530	General Store Service	MERC
531	Home Delivery	MERC
532	Prepaid Cards - Purchase	MERC
533	Prepaid Cards - Activation/Recharge	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
534	Membership/Loyalty	MERC
535	Undefined Store Services–Reserved for Conexxus Future Use	MERC
536	Undefined Store Services–Reserved for Conexxus Future Use	MERC
537	Undefined Store Services–Reserved for Conexxus Future Use	MERC
538	Undefined Store Services–Reserved for Proprietary Use	MERC
539	Undefined Store Services–Reserved for Proprietary Use	MERC
540	General Health & Beauty Care	MERC
541	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
542	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
543	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
544	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
545	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
546	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
547	Undefined Health & Beauty Care–Reserved for Conexxus Future Use	MERC
548	Undefined Health & Beauty Care–Proprietary Use	MERC
549	Undefined Health & Beauty Care–Proprietary Use	MERC
550	General Publications	MERC
551	Undefined General Publications– Reserved for Conexxus Future Use	MERC
552	Undefined General Publications– Reserved for Conexxus Future Use	MERC
553	Undefined General Publications– Reserved for Conexxus Future Use	MERC
554	Undefined General Publications– Reserved for Conexxus Future Use	MERC
555	Undefined General Publications– Reserved for Conexxus Future Use	MERC
556	Undefined General Publications– Reserved for Conexxus Future Use	MERC
557	Undefined General Publications– Reserved for Conexxus Future Use	MERC
558	Undefined General Publications Reserved for Proprietary Use	MERC
559	Undefined General Publications Reserved for Proprietary Use	MERC
560	PIN Activate Prepaid Card	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
561	PIN Return Prepaid Card	MERC
562	Enable Device/Handset Unlock	MERC
563	Disable Device/Handset Lock	MERC
564	3rd Party Prepaid Card Activate	MERC
565	3rd Party Prepaid Card Reload	MERC
566	Financial Prepaid Card Activate	MERC
567	Financial Prepaid Card Reload	MERC
568	Proprietary Prepaid Card Activate	MERC
569	Proprietary Prepaid Card Reload	MERC
570	General Purpose Activate	MERC
571	General Purpose Reload	MERC
572	Real Time Recharge	MERC
573	Wireless Real Time Recharge	MERC
574	Single Payee Bill Pay	MERC
575	Multiple Payee Bill Pay	MERC
576	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
577	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
578	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
579	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
580	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
581	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
582	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
583	Undefined Prepaid and Bill Pay – Reserved for Conexxus Future Use	MERC
584	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
585	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
586	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
587	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
588	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
589	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
590	Undefined Prepaid and Bill Pay- Reserved for Proprietary Use	MERC
591	Undefined Merchandise–Reserved Proprietary Use	MERC
592	Undefined Merchandise–Reserved Proprietary Use	MERC
593	Undefined Merchandise–Reserved Proprietary Use	MERC
594	Undefined Merchandise–Reserved Proprietary Use	MERC
595	Undefined Merchandise–Reserved Proprietary Use	MERC
596	Undefined Merchandise–Reserved Proprietary Use	MERC
597	Undefined Merchandise–Reserved Proprietary Use	MERC
598	Undefined Merchandise–Reserved Proprietary Use	MERC
599	Undefined Merchandise–Reserved Proprietary Use	MERC
600	DEF (Diesel Exhaust Fluid)	FUEL
601	B99	FUEL
602	B100	FUEL
603	Additive	ADD
604	Kerosene	FUEL
605	Propane	FUEL
606	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
607	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
608	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
609	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
610	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
611	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
612	Undefined Packaged Fuels – Reserved for Conexxus Future Use	FUEL
613	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
614	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
615	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
616	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
617	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
618	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
619	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
620	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
621	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
622	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
623	Undefined Packaged Fuels – Reserved for Proprietary Use	FUEL
624	Miscellaneous Packaged Fuels	FUEL
625	Reserved for Conexxus Future Use	MERC
626	Reserved for Conexxus Future Use	MERC
627	Reserved for Conexxus Future Use	MERC
628	Reserved for Conexxus Future Use	MERC
629	Reserved for Conexxus Future Use	MERC
630	Reserved for Conexxus Future Use	MERC
631	Reserved for Conexxus Future Use	MERC
632	Reserved for Conexxus Future Use	MERC
633	Reserved for Conexxus Future Use	MERC
634	Reserved for Conexxus Future Use	MERC
635	Reserved for Conexxus Future Use	MERC
636	Reserved for Conexxus Future Use	MERC
637	Reserved for Conexxus Future Use	MERC
638	Reserved for Conexxus Future Use	MERC
639	Reserved for Conexxus Future Use	MERC
640	Reserved for Conexxus Future Use	MERC
641	Reserved for Conexxus Future Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
642	Reserved for Conexxus Future Use	MERC
643	Reserved for Conexxus Future Use	MERC
644	Reserved for Conexxus Future Use	MERC
645	Reserved for Conexxus Future Use	MERC
646	Reserved for Conexxus Future Use	MERC
647	Reserved for Conexxus Future Use	MERC
648	Reserved for Conexxus Future Use	MERC
649	Reserved for Conexxus Future Use	MERC
650	Scales	SCLE
651	Shower	SHWR
652	Tire Repair	TIRE
653	Lodging	MERC
654	Wash Out	WASH
655	Trailer Wash	WASH
656	RV Dump Fee	MERC
657	EV Charging Fee	MERC
658	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
659	Undefined Vehicle Product/Services – Reserved for Conexxus Use	TOLL
660	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
661	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
662	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
663	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
664	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
665	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
666	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
667	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
668	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
669	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
670	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
671	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
672	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
673	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
674	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
675	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
676	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
677	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
678	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
679	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
680	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
681	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
682	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
683	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
684	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
685	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
686	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
687	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
688	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
689	Undefined Vehicle Product/Services – Reserved for Conexxus Use	MERC
690	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
691	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
692	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
693	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
694	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
695	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
696	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
697	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
698	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
699	Undefined Vehicle Product/Services – Reserved for Proprietary Use	MERC
700	Reserved for Conexxus Future Use	MERC
701	Reserved for Conexxus Future Use	MERC
702	Reserved for Conexxus Future Use	MERC
703	Reserved for Conexxus Future Use	MERC
704	Reserved for Conexxus Future Use	MERC
705	Reserved for Conexxus Future Use	MERC
706	Reserved for Conexxus Future Use	MERC
707	Reserved for Conexxus Future Use	MERC
708	Reserved for Conexxus Future Use	MERC
709	Reserved for Conexxus Future Use	MERC
710	Reserved for Conexxus Future Use	MERC
711	Reserved for Conexxus Future Use	MERC
712	Reserved for Conexxus Future Use	MERC
713	Reserved for Conexxus Future Use	MERC
714	Reserved for Conexxus Future Use	MERC
715	Reserved for Conexxus Future Use	MERC
716	Reserved for Conexxus Future Use	MERC
717	Reserved for Conexxus Future Use	MERC
718	Reserved for Conexxus Future Use	MERC
719	Reserved for Conexxus Future Use	MERC
720	Reserved for Conexxus Future Use	MERC
721	Reserved for Conexxus Future Use	MERC
722	Reserved for Conexxus Future Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
723	Reserved for Conexxus Future Use	MERC
724	Reserved for Conexxus Future Use	MERC
725	Reserved for Conexxus Future Use	MERC
726	Reserved for Conexxus Future Use	MERC
727	Reserved for Conexxus Future Use	MERC
728	Reserved for Conexxus Future Use	MERC
729	Reserved for Conexxus Future Use	MERC
730	Reserved for Conexxus Future Use	MERC
731	Reserved for Conexxus Future Use	MERC
732	Reserved for Conexxus Future Use	MERC
733	Reserved for Conexxus Future Use	MERC
734	Reserved for Conexxus Future Use	MERC
735	Reserved for Conexxus Future Use	MERC
736	Reserved for Conexxus Future Use	MERC
737	Reserved for Conexxus Future Use	MERC
738	Reserved for Conexxus Future Use	MERC
739	Reserved for Conexxus Future Use	MERC
740	Reserved for Conexxus Future Use	MERC
741	Reserved for Conexxus Future Use	MERC
742	Reserved for Conexxus Future Use	MERC
743	Reserved for Conexxus Future Use	MERC
744	Reserved for Conexxus Future Use	MERC
745	Reserved for Conexxus Future Use	MERC
746	Reserved for Conexxus Future Use	MERC
747	Reserved for Conexxus Future Use	MERC
748	Reserved for Conexxus Future Use	MERC
749	Reserved for Conexxus Future Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
750	Reserved for Conexxus Future Use	MERC
751	Reserved for Conexxus Future Use	MERC
752	Reserved for Conexxus Future Use	MERC
753	Reserved for Conexxus Future Use	MERC
754	Reserved for Conexxus Future Use	MERC
755	Reserved for Conexxus Future Use	MERC
756	Reserved for Conexxus Future Use	MERC
757	Reserved for Conexxus Future Use	MERC
758	Reserved for Conexxus Future Use	MERC
759	Reserved for Conexxus Future Use	MERC
760	Reserved for Conexxus Future Use	MERC
761	Reserved for Conexxus Future Use	MERC
762	Reserved for Conexxus Future Use	MERC
763	Reserved for Conexxus Future Use	MERC
764	Reserved for Conexxus Future Use	MERC
765	Reserved for Conexxus Future Use	MERC
766	Reserved for Conexxus Future Use	MERC
767	Reserved for Conexxus Future Use	MERC
768	Reserved for Conexxus Future Use	MERC
769	Reserved for Conexxus Future Use	MERC
770	Reserved for Conexxus Future Use	MERC
771	Reserved for Conexxus Future Use	MERC
772	Reserved for Conexxus Future Use	MERC
773	Reserved for Conexxus Future Use	MERC
774	Reserved for Conexxus Future Use	MERC
775	Reserved for Conexxus Future Use	MERC
776	Reserved for Conexxus Future Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
777	Reserved for Conexxus Future Use	MERC
778	Reserved for Conexxus Future Use	MERC
779	Reserved for Conexxus Future Use	MERC
780	Reserved for Conexxus Future Use	MERC
781	Reserved for Conexxus Future Use	MERC
782	Reserved for Conexxus Future Use	MERC
783	Reserved for Conexxus Future Use	MERC
784	Reserved for Conexxus Future Use	MERC
785	Reserved for Conexxus Future Use	MERC
786	Reserved for Conexxus Future Use	MERC
787	Reserved for Conexxus Future Use	MERC
788	Reserved for Conexxus Future Use	MERC
789	Reserved for Conexxus Future Use	MERC
790	Reserved for Conexxus Future Use	MERC
791	Reserved for Conexxus Future Use	MERC
792	Reserved for Conexxus Future Use	MERC
793	Reserved for Conexxus Future Use	MERC
794	Reserved for Conexxus Future Use	MERC
795	Reserved for Conexxus Future Use	MERC
796	Reserved for Conexxus Future Use	MERC
797	Reserved for Conexxus Future Use	MERC
798	Reserved for Conexxus Future Use	MERC
799	Reserved for Conexxus Future Use	MERC
800	WEX use only. Mgmt Control Card Approve	MERC
801	WEX use only. Rpl Card Fee. (WEX gen; s	MERC
802	WEX use only. Tax Exempt. (WEX gen; OFF	MERC
803	Environmental Disposal Fee	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
804	Car Rental	MERC
805	Reserved for Proprietary Use	MERC
806	Reserved for Proprietary Use	MERC
807	Reserved for Proprietary Use	FUEL
808	Reserved for Proprietary Use	FUEL
809	Reserved for Proprietary Use	ETAX
810	Reserved for Proprietary Use	MERC
811	Reserved for Proprietary Use	MERC
812	Reserved for Proprietary Use	MERC
813	Reserved for Proprietary Use	MERC
814	Reserved for Proprietary Use	MERC
815	Reserved for Proprietary Use	MERC
816	Reserved for Proprietary Use	MERC
817	Reserved for Proprietary Use	MERC
818	Reserved for Proprietary Use	MERC
819	Reserved for Proprietary Use	MERC
820	Reserved for Proprietary Use	MERC
821	Reserved for Proprietary Use	MERC
822	Reserved for Proprietary Use	MERC
823	Reserved for Proprietary Use	MERC
824	Reserved for Proprietary Use	MERC
825	Reserved for Proprietary Use	MERC
826	Reserved for Proprietary Use	MERC
827	Reserved for Proprietary Use	MERC
828	Reserved for Proprietary Use	MERC
829	Reserved for Proprietary Use	MERC
830	Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
831	Reserved for Proprietary Use	MERC
832	Reserved for Proprietary Use	MERC
833	Reserved for Proprietary Use	MERC
834	Reserved for Proprietary Use	MERC
835	Reserved for Proprietary Use	MERC
836	Reserved for Proprietary Use	MERC
837	Reserved for Proprietary Use	MERC
838	Reserved for Proprietary Use	MERC
839	Reserved for Proprietary Use	MERC
840	Reserved for Proprietary Use	MERC
841	Reserved for Proprietary Use	MERC
842	Reserved for Proprietary Use	MERC
843	Reserved for Proprietary Use	MERC
844	Reserved for Proprietary Use	MERC
845	Reserved for Proprietary Use	MERC
846	Reserved for Proprietary Use	MERC
847	Reserved for Proprietary Use	MERC
848	Reserved for Proprietary Use	MERC
849	Reserved for Proprietary Use	MERC
850	Reserved for Proprietary Use	MERC
851	Reserved for Proprietary Use	MERC
852	Reserved for Proprietary Use	MERC
853	Reserved for Proprietary Use	MERC
854	Reserved for Proprietary Use	MERC
855	Reserved for Proprietary Use	MERC
856	Reserved for Proprietary Use	MERC
857	Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
858	Reserved for Proprietary Use	MERC
859	Reserved for Proprietary Use	MERC
860	Reserved for Proprietary Use	MERC
861	Reserved for Proprietary Use	MERC
862	Reserved for Proprietary Use	MERC
863	Reserved for Proprietary Use	MERC
864	Reserved for Proprietary Use	MERC
865	Reserved for Proprietary Use	MERC
866	Reserved for Proprietary Use	MERC
867	Reserved for Proprietary Use	MERC
868	Reserved for Proprietary Use	MERC
869	Reserved for Proprietary Use	MERC
870	Reserved for Proprietary Use	MERC
871	Reserved for Proprietary Use	MERC
872	Reserved for Proprietary Use	MERC
873	Reserved for Proprietary Use	MERC
874	Reserved for Proprietary Use	MERC
875	Reserved for Proprietary Use	MERC
876	Reserved for Proprietary Use	MERC
877	Reserved for Proprietary Use	MERC
878	Reserved for Proprietary Use	MERC
879	Reserved for Proprietary Use	MERC
880	Reserved for Proprietary Use	MERC
881	Reserved for Proprietary Use	MERC
882	Reserved for Proprietary Use	MERC
883	Reserved for Proprietary Use	MERC
884	Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
885	Reserved for Proprietary Use	MERC
886	Reserved for Proprietary Use	MERC
887	Reserved for Proprietary Use	MERC
888	Reserved for Proprietary Use	MERC
889	Reserved for Proprietary Use	MERC
890	Reserved for Proprietary Use	MERC
891	Reserved for Proprietary Use	MERC
892	Reserved for Proprietary Use	MERC
893	Reserved for Proprietary Use	MERC
894	Reserved for Proprietary Use	MERC
895	Reserved for Proprietary Use	MERC
896	Reserved for Proprietary Use	MERC
897	Reserved for Proprietary Use	MERC
898	Reserved for Proprietary Use	MERC
899	Reserved for Proprietary Use	MERC
900	Discount 1	MERC
901	Discount 2	MERC
902	Discount 3	MERC
903	Discount 4	MERC
904	Discount 5	MERC
905	Coupon 1	MERC
906	Coupon 2	MERC
907	Coupon 3	MERC
908	Coupon 4	MERC
909	Coupon 5	MERC
910	Lottery Pay Out - Instant	MERC
911	Lottery Pay Out - Online	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
912	Lottery Pay Out - Other	MERC
913	Split Tender	MERC
914	Tax Discount/Forgiven	MERC
915	Undefined Negative–Reserved for Conexxus Future Use	MERC
916	Undefined Negative–Reserved for Conexxus Future Use	MERC
917	Undefined Negative–Reserved for Conexxus Future Use	MERC
918	Undefined Negative–Reserved for Conexxus Future Use	MERC
919	Undefined Negative–Reserved for Conexxus Future Use	MERC
920	Undefined Negative–Reserved for Conexxus Future Use	MERC
921	Undefined Negative–Reserved for Conexxus Future Use	MERC
922	Undefined Negative–Reserved for Conexxus Future Use	MERC
923	Undefined Negative–Reserved for Conexxus Future Use	MERC
924	Undefined Negative–Reserved for Conexxus Future Use	MERC
925	Undefined Negative–Reserved for Conexxus Future Use	MERC
926	Undefined Negative–Reserved for Conexxus Future Use	MERC
927	Undefined Negative–Reserved for Conexxus Future Use	MERC
928	Undefined Negative–Reserved for Conexxus Future Use	MERC
929	Undefined Negative–Reserved for Conexxus Future Use	MERC
930	Undefined Negative–Reserved for Conexxus Future Use	MERC
931	Undefined Negative–Reserved for Conexxus Future Use	MERC
932	Undefined Negative–Reserved for Conexxus Future Use	MERC
933	Undefined Negative–Reserved for Conexxus Future Use	MERC
934	Undefined Negative–Reserved for Conexxus Future Use	MERC
935	Undefined Negative–Reserved for Conexxus Future Use	MERC
936	Undefined Negative–Reserved for Conexxus Future Use	MERC
937	Undefined Negative–Reserved for Conexxus Future Use	MERC
938	Undefined Negative–Reserved for Conexxus Future Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
939	Undefined Negative–Reserved for Conexxus Future Use	MERC
940	Undefined Negative–Reserved for Conexxus Future Use	MERC
941	Undefined Negative–Reserved for Proprietary Use	MERC
942	Undefined Negative–Reserved for Proprietary Use	MERC
943	Undefined Negative–Reserved for Proprietary Use	MERC
944	Undefined Negative–Reserved for Proprietary Use	MERC
945	Undefined Negative–Reserved for Proprietary Use	MERC
946	Undefined Negative–Reserved for Proprietary Use	MERC
947	Undefined Negative–Reserved for Proprietary Use	MERC
948	Undefined Negative–Reserved for Proprietary Use	MERC
949	Miscellaneous Negative Administrative	MERC
950	Tax 1	MERC
951	Tax 2	MERC
952	Tax 3	MERC
953	Tax 4	MERC
954	Tax 5	MERC
955	Cash Back	MERC
956	Cash Back Fee	MERC
957	Fee 1	MERC
958	Fee 2	MERC
959	Fee 3	MERC
960	Fee 4	MERC
961	Fee 5	MERC
962	Miscellaneous Aviation Tax	MERC
963	GST/HST (Canadian)/VAT 1	MERC
964	PST/QST (Canadian) VAT 2	MERC
965	SWT Rate (Canadian)	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
966	Tax 6	MERC
967	Tax 7	MERC
968	Tax 8	MERC
969	Jet Federal Excise Tax	MERC
970	AvGas Federal Excise Tax	MERC
971	Undefined Administrative-Reserved for Conexxus Future Use	MERC
972	Undefined Administrative-Reserved for Conexxus Future Use	MERC
973	Undefined Administrative-Reserved for Conexxus Future Use	MERC
974	Undefined Administrative-Reserved for Conexxus Future Use	MERC
975	Undefined Administrative-Reserved for Conexxus Future Use	MERC
976	Undefined Administrative-Reserved for Conexxus Future Use	MERC
977	Undefined Administrative-Reserved for Conexxus Future Use	MERC
978	Undefined Administrative-Reserved for Conexxus Future Use	MERC
979	Undefined Administrative-Reserved for Conexxus Future Use	MERC
980	Undefined Administrative-Reserved for Conexxus Future Use	MERC
981	Undefined Administrative-Reserved for Conexxus Future Use	MERC
982	Undefined Administrative-Reserved for Conexxus Future Use	MERC
983	Undefined Administrative-Reserved for Conexxus Future Use	MERC
984	Undefined Administrative-Reserved for Conexxus Future Use	MERC
985	Undefined Administrative-Reserved for Conexxus Future Use	MERC
986	Undefined Administrative-Reserved for Conexxus Future Use	MERC
987	Undefined Administrative-Reserved for Conexxus Future Use	MERC
988	Undefined Administrative-Reserved for Conexxus Future Use	MERC
989	Undefined Administrative-Reserved for Conexxus Future Use	MERC
990	Undefined Administrative-Reserved for Conexxus Future Use	MERC
991	Undefined Administrative- Reserved for Proprietary Use	MERC
992	Undefined Administrative- Reserved for Proprietary Use	MERC

Product Code to Product Category Mapping for WEX OTR		
Product Code	**Conexxus Description**	**Category**
993	Undefined Administrative- Reserved for Proprietary Use	MERC
994	Undefined Administrative- Reserved for Proprietary Use	MERC
995	Undefined Administrative- Reserved for Proprietary Use	MERC
996	Undefined Administrative- Reserved for Proprietary Use	MERC
997	Undefined Administrative- Reserved for Proprietary Use	MERC
998	Undefined Administrative- Reserved for Proprietary Use	MERC
999	Miscellaneous Administrative	MERC