

ATL105 | AI validation business briefing

AI produced substantial BR, scenario, case and payload inventories.

Independent reconstruction makes the full structural graph auditable.

Structural links and matching field values do not establish full business equivalence or host acceptance.

Decision today: review the discrepancies and authorize a defined evidence-qualified scope.

Speaker note: Lead with progress, then explain that inventory, semantic matching and execution certification are different measures. Do not describe 53.13% as validated semantic coverage.

1 | What did the AI Solution create?

Artifact	Count
BR	6,887
TS	12,679
TC	21,123
TD request files	21,210
Logical TCs with physical TD	21,096 / 21,123

Each of the 21,210 request files has a metadata companion; metadata is not another TD.

Flows have multiple payload legs. Therefore physical TD files and logical TC counts differ.

27 TCs have no physical TD; 3,732 scenarios have no TC.

Speaker note: Say 21,210 physical request-data files covering 21,096 logical cases. Do not say 42,420 test data artifacts by counting metadata twice.

2 | Is there a complete AI traceability matrix?

Yes, a matrix document was delivered; its displayed content is truncated.

AI declares 61,107 rows, but Markdown shows 2,000 rows and 200 BR details.

Our independent reconstruction has 61,044 leaves and represents all 6,887 BRs.

3,659 BRs have TC links (53.13% internal linkage); 8,947 scenarios have TCs.

Producer's 3,661 linked BRs and 92 orphan scenarios differ from frozen 3,659 and 155.

All 200 displayed BR-level statuses agree; 75 leaf labels inherit a BR's FULLY_TRACED status.

Speaker note: A matrix exists, but not all BRs have complete generated chains. The 63 additional producer rows are unconfirmed without the omitted producer edges. Reconstruction is independent evidence, not the missing producer JSON.

3 | What has the Test Solution identified?

Inventory	BR	TS	TC	TD
Populated aggregate	725	1,343	1,424	1,416
Structural package	1,326	1,961	2,043	2,057
Approved-chain package	0	0	0	0

Independent segment rule-catalog inventory: 601 rules across 49 segments.

Structural package includes placeholders: 618 TS, 619 TC and 641 TD.

These are inventory counts, not 1:1 AI matches or execution-ready chains.

Speaker note: Use populated aggregate as the primary answer and explain structural inventory separately. Neither is an approved semantic denominator for the October AI delivery. The approved-chain package is empty, not proof that no source rules exist.

4 | How are AI and Test artifacts matched?

Freeze delivery/version and source hashes; preserve original producer artifacts.

Normalize formats through adapters; preserve each producer's local IDs.

Match source anchors plus transaction/card/network/lifecycle context.

Compare BR conditions, obligations, exceptions and expected behavior.

Trace TS objective > TC assertions > TD predicates and dependencies.

Assign CONFIRMED, REVIEW_REQUIRED or MISSING with evidence and owners.

Speaker note: Different IDs and legal data values can match. Literal constants must match; variable data may differ if both satisfy the same rule and preserve dependencies. Similar titles, shared IDs and AI confidence are only candidate evidence.

5 | How many perfect matches can we claim?

No evidence-qualified full-chain perfect-match count is established for October Run1.

Zero confirmed full-chain matches can currently be claimed; this is not proof of zero real equivalence.

200/200 BR status agreement is status reconciliation, not business-rule equivalence.

40/40 synthetic probes passed two scoped predicates; they are not forty approved AI tests.

The 522 atomic candidates belong to September Run2 and are not October confirmed matches.

Speaker note: Answer honestly: current confirmed count is none established. We have concrete field-level alignment and partial candidates, not an approved complete cross-producer matrix.

6A | Real example: different data, same predicate

Layer	AI Solution	Independent Test Solution
BR	REQ-SRC-ATL105-PDF-001:097	BR-SEG100-E86-001
TS	SC-1486	SCN-SEG100-E86-001
TC	TC-001436	TC-SEG100-E86-001
TD	TC-001436.json	TD-SEG100-E86-001
Sequence value	000001	100001

Both actual values satisfy exactly six ASCII digits.

Disposition: verified field-predicate alignment; partial full-chain comparison candidate.

AI expected response is empty; independent fixture readiness is not declared. Range/allocation/lifecycle and complete outcomes remain unproven.

Speaker note: Do not call this a perfect BR match. AI BR also carries range/application language, while the Test BR shown is a six-digit representation obligation. Show the full statements in the companion brief.

6B | Real example: identity aligns, context differs

Identity: AI TC-001436 and Test TC-SEG100-ID-001 both carry Segment Type 100.

AI identity BR REQ-SRC-ATL105-PDF-001:095 is generic; Test BR-SEG100-ID-001 explicitly fixes Standard Segment type to 100.

Partial approval: AI value 0 vs Test value 5.

The Test BR requires value 5 in Amex prepaid balance-receipt context.

AI value 0 does not prove that value-5 context. Different values are not automatically interchangeable.

These examples prove scoped alignment or a context gap, not approved full-chain equivalence.

Speaker note: The partial-approval example is a not-proven context comparison, not an automatic AI defect. A positive value-0 case may legitimately test a different branch.

7 | How can we filter artifacts for analysis?

Run report: no-TC search, generation cause, producer verdict and evidence conditions; selected CSV export.

Coverage view: overall, segment, transaction target, response-code declaration and scenario-type summaries.

Semantic report: 100-case intent/condition filters, artifact/BR search, detail and CSV export.

Code-1 queue: producer transaction label, source/context filters and paginated export.

Full reconstruction CSV: filter BR, scenario, TC, leaf status and TD paths in Excel.

Scope warning: no-TC view covers 3,732 scenarios; semantic case view covers 100, not the entire delivery.

Speaker note: Demo one scoped filter at a time and state its denominator. Coverage selectors are summary dimensions, not a full 21,123-case explorer. Unattributed cases remain separately in the full JSON.

Business decision and next evidence

Request the complete producer matrix and source catalog hashes/changed artifacts.

Resolve the 63 additional rows and BR :521 / :3226 mappings without inventing edges.

Adjudicate a narrow business scope against independent source-derived requirements.

Supply approved control fixtures, actual wire, authoritative host expectations and a permitted test environment.

Track structural, semantic and executed coverage separately; retain every assessment history point.

Speaker note: Close with the specific evidence and authorization needed. Source/SME review and processor authorization are business controls, not issues to bypass for a green report.