

ATL105 | AI Artifact Assessment

October 5 Run1 supplement | Assessed October 6, 2026 | REVIEW REQUIRED

Static snapshot: run summary, producer signals, all 3,732 no-TC scenarios and 27 failed writes. Interactive HTML filters do not alter this PDF's population.

Measure	Value
Supplied scenario inventory	12,679
Scenarios without TC	3,732 (29.43%)
Transaction unresolved	2,026
Response-side deferred	1,706
Overlap / unexplained gaps	0 / 0
TC candidates / logical cases with output	21,123 / 21,096
Physical payload / metadata pairs	21,210
Separate failed payload writes	27
Affected BRs / BRs without direct TC	3,298 / 3,228
Additional scenarios with TCs and deferred response variants	580
Hash-verified archived files	42,436
Execution certification	Not established
Independent coverage	Not calculable

Recorded generation causes are not approved scope exclusions. All no-TC scenarios remain NOT_ASSESSED. A producer PASS, COMPLETE label, confidence score or parseable payload does not establish semantic validity or execution readiness.

Work queues and quality signals

Queue	Evidence scope	Next gate
Generation backlog	Complete 3,732-row register	Source-grounded transaction resolution or response scope/oracle
Partial chain	27 failed writes; 580 partial-response scenarios counted separately	Repair TD writes and disposition response variants
Producer review / source context	Row-level filtering within the no-TC population	Independent source assessment; not automatic rejection
Technical validation	Inventory and parsing only	Supported producer adapter and applicable semantic validators
Execution candidates	No acceptance-qualified population established	Validated behavior, expected outcomes, readiness and approval evidence

Producer finding	Findings	Distinct cases
EMPTY_FIELD_VALUE	178458	21057
BAD_FILL_METHOD	437	130
PARAMETER_NOT_IN_TRANSACTION	46089	15279
UNRESOLVABLE_TRANSACTION	107	78

225,091 self-audit findings across 21,063 cases. Populations overlap; these are producer signals, not independent business-defect decisions. All 21,123 candidate cases have null/empty expected responses. The composer reports exit 1.

Scope limitation: this report does not execute host/converter messages or independently certify every source interpretation. Filters select records; they do not grant acceptance or silently reduce the original denominator.

Coverage | Overall linkage and inventory

Independent ATL105 rule coverage: NOT_CALCULABLE. Execution certification: not established. The percentages below measure producer-internal links or declared values only, not validated behavior.

Metric	Numerator	Denominator	Percent	Meaning
AI BRs directly referenced by TCs	3659	6887	53.13%	Producer-internal BR linkage
Scenarios with at least one TC	8947	12679	70.57%	Producer-internal scenario linkage
TC candidates with physical outputs	21096	21123	99.87%	Physical output presence, including flow legs
TCs with nonempty expected response	0	21123	0.00%	Expected-response presence only
Source code values declared as scenario expectations	1	31	3.23%	Unique-code declaration inventory, not family/semantic coverage

Independent catalog inventory: 601 rules across 49 segments. Catalog count is not an approved AI comparison denominator. Response baseline: 31 unique code values and 35 code/family meanings; status SOURCE_DERIVED_REVIEW_REQUIRED.

Coverage | Segment-attributed linkage

Segments follow producer BR attribution. Scenarios inherit the union of linked BR segment labels; TCs are grouped by their direct BR references. Counts overlap across segments and must not be summed into a run total. Unassigned/unresolved records are retained. Catalog rules are a separate inventory, not the percentage denominator.

Segment	Catalog rules	AI BRs	BRs with TC	BR link %	Scenarios	With TC	TS link %	TCs
100	58	637	625	98.12%	4468	4177	93.49%	7015
101	26	190	168	88.42%	3598	3318	92.22%	3754
102	25	380	307	80.79%	3836	3505	91.37%	4436
103	24	199	154	77.39%	3554	3251	91.47%	3670
104	14	127	118	92.91%	3511	3244	92.40%	3580
105	22	460	410	89.13%	4197	3860	91.97%	5035
106	N/A	1	0	0.00%	1	0	0.00%	0
107	N/A	1	0	0.00%	1	0	0.00%	0
108	25	259	220	84.94%	3863	3566	92.31%	4449
109	22	254	242	95.28%	4019	3715	92.44%	4675

Segment	Catalog rules	AI BRs	BRs with TC	BR link %	Scenarios	With TC	TS link %	TCs
110	21	167	161	96.41%	3635	3367	92.63%	3878
111	8	1102	1010	91.65%	4477	4127	92.18%	8999
112	10	514	83	16.15%	3828	3121	81.53%	3418
113	18	137	130	94.89%	3486	3221	92.40%	3601
114	13	87	87	100.00%	3424	3166	92.46%	3464
115	13	117	72	61.54%	3421	3110	90.91%	3382
116	9	24	14	58.33%	24	14	58.33%	36
118	30	301	291	96.68%	3925	3616	92.13%	4491
119	39	337	334	99.11%	4094	3804	92.92%	4831
120	8	94	72	76.60%	3398	3110	91.52%	3382
123	11	195	186	95.38%	3509	3242	92.39%	3616
130	23	171	132	77.19%	3488	3179	91.14%	3463
131	12	120	91	75.83%	3444	3133	90.97%	3413
132	12	204	187	91.67%	3719	3425	92.09%	3937
134	7	198	76	38.38%	3522	3114	88.42%	3404
135	5	121	112	92.56%	3448	3173	92.02%	3487
136	5	93	79	84.95%	3428	3140	91.60%	3424
139	4	127	90	70.87%	3482	3183	91.41%	3540
140	3	140	90	64.29%	3495	3183	91.07%	3540
141	3	136	90	66.18%	3491	3183	91.18%	3540
142	3	123	90	73.17%	3478	3183	91.52%	3540
143	9	288	266	92.36%	3659	3379	92.35%	4035
145	8	158	99	62.66%	3485	3164	90.79%	3473
146	5	106	88	83.02%	3437	3153	91.74%	3452
148	4	106	72	67.92%	3406	3110	91.31%	3382
149	3	101	90	89.11%	3456	3183	92.10%	3540

Segment	Catalog rules	AI BRs	BRs with TC	BR link %	Scenarios	With TC	TS link %	TCs
150	3	143	95	66.43%	3498	3188	91.14%	3558
151	5	98	89	90.82%	3406	3139	92.16%	3427
152	3	95	77	81.05%	3395	3115	91.75%	3391
153	3	110	96	87.27%	3437	3161	91.97%	3466
155	6	143	78	54.55%	3442	3116	90.53%	3415
156	7	144	110	76.39%	3452	3160	91.54%	3496
157	9	211	196	92.89%	3627	3354	92.47%	3966
DL1	12	88	3	3.41%	102	3	2.94%	14
DL2	9	85	0	0.00%	109	0	0.00%	0
DL3	9	80	6	7.50%	129	33	25.58%	49
DL4	8	75	1	1.33%	83	1	1.20%	1
DL5	7	66	0	0.00%	74	0	0.00%	0
DL6	7	42	2	4.76%	50	2	4.00%	4
DL7	6	57	16	28.07%	3240	2961	91.39%	3027
DL8	5	56	6	10.71%	3239	2951	91.11%	2967
UNASSIGNED	N/A	1628	222	13.64%	1783	377	21.14%	967

Coverage | Transaction-target linkage

Targets are exact producer scenario labels, not normalized ATL105 transaction codes. Case counts join by scenario ID. Naming variants remain separate until an evidence-backed alias mapping exists. NOT_DECLARED is retained; its scenarios are not discarded.

Producer scenario target	Scenarios	With TC	Without TC	Link %	TC candidates
Approved Totals Response	9	6	3	66.67%	21
CA Public Key File Load Request	12	12	0	100.00%	50
CA Public Key File Load Response	7	5	2	71.43%	16
Communications Test Request	2	1	1	50.00%	5
Communications Test Response	3	0	3	0.00%	0
Date & Time Load Response	26	0	26	0.00%	0
Date and Time Load Request	3	3	0	100.00%	13
Date and Time Load Response	6	1	5	16.67%	5
Declined Totals Response	4	2	2	50.00%	9
ECA/ TeleCheck Service Transaction Request ®	6	6	0	100.00%	6
ECA/TeleCheck Service Transaction	318	318	0	100.00%	318
ECA/TeleCheck Service Transaction Request	320	320	0	100.00%	320
EMV Financial Transaction Request	686	686	0	100.00%	686
EMV Financial Transaction Response	132	0	132	0.00%	0
EMV Request Transaction	371	371	0	100.00%	371
Eca Telecheck Service Transaction	4	4	0	100.00%	4
Electronic Mail	130	130	0	100.00%	130
Electronic Mail Request	133	133	0	100.00%	133
Electronic Mail Response	8	2	6	25.00%	12
Env Financial Transaction Request	15	15	0	100.00%	15
FSA/HRA Purchase/Capture	169	169	0	100.00%	169
FSA/HRA Transaction Request	186	186	0	100.00%	186

Producer scenario target	Scenarios	With TC	Without TC	Link %	TC candidates
Financial Transaction	310	310	0	100.00%	310
Financial Transaction Request	993	993	0	100.00%	993
Financial Transaction Response	163	0	163	0.00%	0
Financial Transactions	386	386	0	100.00%	386
Financial Transactions (Data Section No. 3)	69	69	0	100.00%	69
Key Load	66	66	0	100.00%	66
Loyalty Card Transaction	293	293	0	100.00%	293
Loyalty Card Transaction Request	297	297	0	100.00%	297
Mail Request	129	129	0	100.00%	129
Moneris Key Load Request	7	3	4	42.86%	13
Moneris Key Load Response	8	0	8	0.00%	0
NOT_DECLARED	6442	3336	3106	51.79%	15361
Phone Load Request	3	3	0	100.00%	13
Phone Load Response	14	0	14	0.00%	0
Proprietary Data Load Request	123	123	0	100.00%	123
Proprietary Data Load Response	125	0	125	0.00%	0
Purchase Reversal	1	0	1	0.00%	0
Purchase/Capture	1	0	1	0.00%	0
Software Load Request	6	6	0	100.00%	22
Software Load Response	22	0	22	0.00%	0
Table Load Request	6	6	0	100.00%	22
Table Load Response	43	0	43	0.00%	0
Time-out Reversal	12	11	1	91.67%	11
Totals Request	272	272	0	100.00%	272
Totals Response	64	0	64	0.00%	0
Totals with Proprietary Data Load Request	274	274	0	100.00%	274

Coverage | Response-code declarations

Counts use scenario expected_response_code declarations, not keyword mentions or validated response payloads. Code 1 has different meanings across financial and communications-test families. A declared code does not establish the corresponding code/family coverage. All rows remain NOT_ASSESSED; absent declarations are not a semantic failure verdict.

Code	Source-derived families	Scenario declarations	With TC	Linked TC candidates	Validated coverage
0	financial	0	0	0	NOT_ASSESSED
1	communications-test, financial	2268	2005	2005	NOT_ASSESSED
2	financial	0	0	0	NOT_ASSESSED
3	financial	0	0	0	NOT_ASSESSED
4	financial	0	0	0	NOT_ASSESSED
5	totals	0	0	0	NOT_ASSESSED
6	totals	0	0	0	NOT_ASSESSED
7	totals	0	0	0	NOT_ASSESSED
8	electronic-mail	0	0	0	NOT_ASSESSED
9	electronic-mail	0	0	0	NOT_ASSESSED
B	totals	0	0	0	NOT_ASSESSED
C	totals	0	0	0	NOT_ASSESSED
D	totals	0	0	0	NOT_ASSESSED
E	totals	0	0	0	NOT_ASSESSED
F	financial	0	0	0	NOT_ASSESSED
G	electronic-mail	0	0	0	NOT_ASSESSED
H	proprietary-load	0	0	0	NOT_ASSESSED
J	electronic-mail	0	0	0	NOT_ASSESSED
K	transarmor	0	0	0	NOT_ASSESSED
L	emv-key-load, transarmor	0	0	0	NOT_ASSESSED
M	emv-key-load, totals	0	0	0	NOT_ASSESSED
N	totals	0	0	0	NOT_ASSESSED

Code	Source-derived families	Scenario declarations	With TC	Linked TC candidates	Validated coverage
NOT_DECLARED	Not applicable	10411	6942	19118	NOT_ASSESSED
O	proprietary-load	0	0	0	NOT_ASSESSED
P	transarmor	0	0	0	NOT_ASSESSED
S	financial	0	0	0	NOT_ASSESSED
T	proprietary-load	0	0	0	NOT_ASSESSED
U	proprietary-load	0	0	0	NOT_ASSESSED
V	totals	0	0	0	NOT_ASSESSED
W	totals	0	0	0	NOT_ASSESSED
X	emv-key-load, proprietary-load	0	0	0	NOT_ASSESSED
Y	proprietary-load	0	0	0	NOT_ASSESSED

Coverage | Scenario-type inventory

Scenario type	Scenarios	With TC	TC candidates
boundary	450	426	426
business_rule	2976	1455	6635
field_constraint	474	291	1219
field_fixed_value	46	42	208
flow	89	89	89
message_field_constraint	197	106	257
narrative_rule	150	102	345
negative	2272	2006	2006
positive	3070	2852	2852
relationship	1384	743	3111
supplemental_entity	893	293	1053
table_field_constraint	612	476	2856
verification_matrix	66	66	66

Coverage input hashes

approved_scenarios.json | SHA-256 43977811953d1a3a2ddf0043c8d2affec86e3b7af4116441f54bafd200e20c78

requirement_catalog.json | SHA-256 28f5e1360bc79a0e4ce39c7c68226b6da2cbe55719f35359b656601dc75fee35

test_case_candidates.json | SHA-256 f1d39308520e41eee82656a786f98463977409a9e84050cf52d4ba884aac3560

element-83-response-code-br-validation-matrix.json | SHA-256 36a269aaac300f806c22ed528ad6b78f35305ba1e8f1661b380019f115c33129

segment-100-rule-catalog.json | SHA-256 bddd1ba5d52ff3f0cdda13f9552bc3b438257e6f15b0f3ef2ac2e42173314cb7

segment-101-rule-catalog.json | SHA-256 7d9e62c4438f461d7e997327f510d10af4011e88c74140ff161e9bd5a7cfcdded

segment-102-rule-catalog.json | SHA-256 819be33c3dab1ed5257198bef9d891563394ddd43fa224170510862181a741b6

segment-103-rule-catalog.json | SHA-256 582350ecf9810e91ddb33269e1d9e8224297c8aa35890095d2cb8a12917b8882

segment-104-rule-catalog.json | SHA-256 b229d4b661144f15d513a521c27141ea7bb03aae32d3fae3fc9cee9d49bf5428

segment-105-rule-catalog.json | SHA-256 3f733efc6765ed803e284b78a1561c4f455b41a034ec8891ee6d1114cefff4e8

segment-108-rule-catalog.json | SHA-256 dde532aeb22f2f9f816596ca4c6985b737889f67128efd9a7cf22b31f058973f

segment-109-rule-catalog.json | SHA-256 57acca8eaa161f41570e78967904536412151b7f10931f8777c193a155ffc24b

segment-110-rule-catalog.json | SHA-256 063c1ecae47d77e54cbd77fca138595af2b88443ba6f189b8d1ab638c9fa5787

segment-111-rule-catalog.json | SHA-256 f9a967e9e4d8e4abd6b1029f4705ec32f8774fed0894c65e6831475046614e2f

segment-112-rule-catalog.json | SHA-256 53de28edad0e3c0173352786b6e5684b8740556fd858541abb23b80783308bf7

segment-113-rule-catalog.json | SHA-256 4c5e6309152240049fbb0eabe88f1485535be5daaf22cfa8b2cd52693e00384b

segment-114-rule-catalog.json | SHA-256 fe040959255093e4e7713f8ba77c38976460b297eb035c6a9e60f40ca1eadbaf

segment-115-rule-catalog.json | SHA-256 1d4d614e1c0b06e29e1ddd2590b49d5e98739b9c76ddec968e33c50061b5c2b2

segment-116-rule-catalog.json | SHA-256 4b4d47ef2e5e1ec033a0fb1273161d26afad68603425e7c0e7fdee0726d8f4d0

segment-118-rule-catalog.json | SHA-256 36f1edae0e4d4346c644c86e479a60e238088f7e57b293b325fbd4823cfbf81a

segment-119-rule-catalog.json | SHA-256 42a9f98ac26f533ef55d4b962ae3ecd2b8f0e111d59fe04c725c312e4836fee4

segment-120-rule-catalog.json | SHA-256 9933be5d78324db6cc4c01ab2b36134ce7aec627b251af4aa817034aae9e17e9

segment-123-rule-catalog.json | SHA-256 913a846a14e214b1e9edea8ac792bd1b68ffac813d0bad85a3dc07207478e0f0

segment-130-rule-catalog.json | SHA-256 b6f03f197113e793bac685c97762c7b9e954652dd4f70a4a3320638efa31a61f

segment-131-rule-catalog.json | SHA-256 5505c283ce6bdf6fdecf700bf32d96943e6152be2d1657aba0044b9ebc38c15f

segment-132-rule-catalog.json | SHA-256 45108afaa150978f753dbb58668f6545a7ec0476062391544ff83c4cb03f3a09

segment-134-rule-catalog.json | SHA-256 bd672733a143558b5645e7676d09f12c9b2e15132c75cceb693eddee0b796de

segment-135-rule-catalog.json | SHA-256 265a0dfe57c7459b2e2f7d181b2e5e058b58009912475a391427efbe7c8892b

segment-136-rule-catalog.json | SHA-256 519f19a2737ea4115f1f4567ac8c566428790831cfce3f5a946d4fb043fbfd10

segment-139-rule-catalog.json | SHA-256 f19bdd48e293d27d9734227f4bec67f1a8bee9443a671564182d37d40778ce56

segment-140-rule-catalog.json | SHA-256 631b78bf0938488af560a6eeca7c070b7abc5af1f40581e919d67df205c38893

segment-141-rule-catalog.json | SHA-256 16fdfb12fdc04e83da6c066dd0df22f181a7e81abb1a75d05fad78d8cdae0849

segment-142-rule-catalog.json | SHA-256 f402271b0331b8738613f7e6e0d8db570f5faae61eaf27dbd94094ec574061bd

segment-143-rule-catalog.json | SHA-256 c1964251af51e467603ad59a78df2a86f4f55dba3c6fcb9a90d15413e6b9bdc
segment-145-rule-catalog.json | SHA-256 881d524978b7cf1a29d76d93653a7a7f01fe65f366eebd443934290265071656
segment-146-rule-catalog.json | SHA-256 d838d01339978c0e28f1dde3146480bcf39aac5062f95054a7f1bed7829ed8f
segment-148-rule-catalog.json | SHA-256 9b186558baaf7b448f30f3b59632e42fae78d762918ab27c529a549a586bff06
segment-149-rule-catalog.json | SHA-256 2033cfabc28b1001955968af6f269e665b0e036966786fc4f7187f36131e4ae2
segment-150-rule-catalog.json | SHA-256 0d813107de977af98803463bb0f60080a40cdeff9573f34843066f77a7d7c7cd
segment-151-rule-catalog.json | SHA-256 8a6ffa1237a931f9107302ff25b59212b30ceaca7f10548b1e01affe24f594be
segment-152-rule-catalog.json | SHA-256 fd6bc381dc83d83604f6120d102c38a8c12c7ceb9af3905bc4fa4013bca5427f
segment-153-rule-catalog.json | SHA-256 b60dcc223b4de7d878a8e4383533d7727363478352e077c09029ea618b6e374d
segment-155-rule-catalog.json | SHA-256 a3de561818ae877ddcaa5b925b7b84e7f2377e00508a19c340f0161b0496d8bf
segment-156-rule-catalog.json | SHA-256 e80523226b4f4447524faab6acae4f1a66e6ba812bcb11795c6f569f65d3037
segment-157-rule-catalog.json | SHA-256 bccd16c21218be74b00013e02514f733f09e2b7294fce2448162b98ce42a08a5
segment-DL1-rule-catalog.json | SHA-256 26594a37b399ec253bcb42a4a99e351d9453b40ffc9004fbd9c74f7224d6ee27
segment-DL2-rule-catalog.json | SHA-256 03967a1eb476e5e3d6d982d2115c566800d237812c1eee805c5ce61e0904717a
segment-DL3-rule-catalog.json | SHA-256 36a869115b35c97fe29b69e46848898a727eb78a70fe51a49cc48643dcfaba66
segment-DL4-rule-catalog.json | SHA-256 bc2fcbf9a0650036de0094ce684578ef6ec2c3f82d2ec5e0cda4b592050d9d57
segment-DL5-rule-catalog.json | SHA-256 d3b55c80fb5b4311b13d952ae8a4025809440e3ad85aeadb8edbe10f4c29ef14
segment-DL6-rule-catalog.json | SHA-256 f1f5462198f000738410bae227192427e065b9bf5fe5e4d48fd260d85bc56428
segment-DL7-rule-catalog.json | SHA-256 be5f0d6fc4cec99710270475c2c7cd2dc5f49f21559b86da4b5ed9ab5095a434
segment-DL8-rule-catalog.json | SHA-256 56b46ecbc0ad7405023edad5dcc5164b55f380f6e710247fe582274d4f3c0f5e

Appendix A | Complete no-TC register

All 3,732 records. Independent disposition: NOT_ASSESSED. Full flags, response pairs and recommended actions remain available in the HTML evidence panel and original CSV/JSON registers.

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-0611	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0612	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0613	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=102, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0614	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=103, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0615	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=104, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0616	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=(No. 123), Segment Type=105, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0617	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0618	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0619	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0620	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0621	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-0622	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0623	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0624	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0625	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0626	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0627	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0628	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0629	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0630	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0631	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0632	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0633	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0634	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-0635	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0636	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0637	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0638	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0639	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0640	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=111), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0641	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0642	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0643	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0644	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0645	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0646	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=157), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0647	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-0648	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0649	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0650	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0651	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0652	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0653	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0654	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0655	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0656	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0657	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0658	Response deferred	Positive — EMV Financial Transaction Response — Segment Length=®, Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0659	Response deferred	Positive — EMV Financial Transaction Response — Segment Type=100, Signature Required=T, Segment Length=Data Length Data Segment / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-0660	Response deferred	Positive — EMV Financial Transaction Response — Segment Type=101, Signature Required=F, Segment Length=Data Length Data Segment / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10117	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-001-1: In TABLE Balance Information (Table ID 001), field 1 (Table ID) is defined as: Table ID: Fixed value: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4325	ENT-FIELD-TABLE-K-001-1 / 635	NOT_DECLARED
SC-10118	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-001-2: In TABLE Balance Information (Table ID 001), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4326	ENT-FIELD-TABLE-K-001-2 / 635	NOT_DECLARED
SC-10119	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-001-3: In TABLE Balance Information (Table ID 001), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 6 Identifies / table_field_constraint	REQ-SRC-ATL105-PDF-001:4327	ENT-FIELD-TABLE-K-001-3 / 635	NOT_DECLARED
SC-10120	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-002-1: In TABLE Reserved Indicator Information (Table ID 002), field 1 (Table ID) is defined as: Table ID: Fixed value: 002 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4328	ENT-FIELD-TABLE-K-002-1 / 635	NOT_DECLARED
SC-10121	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-002-2: In TABLE Reserved Indicator Information (Table ID 002), field 2 (Table Length) is defined as: Table Length: N/A / table_field_constraint	REQ-SRC-ATL105-PDF-001:4329	ENT-FIELD-TABLE-K-002-2 / 635	NOT_DECLARED
SC-10122	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-002-3: In TABLE Reserved Indicator Information (Table ID 002), field 3 (Maximum Length) is defined as: Maximum Length: N/A / table_field_constraint	REQ-SRC-ATL105-PDF-001:4330	ENT-FIELD-TABLE-K-002-3 / 635	NOT_DECLARED
SC-10123	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-003-1: In TABLE AVS or NVS or Both Information (Table ID 003), field 1 (Table ID) is defined as: Table ID: Fixed value: 003 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4331	ENT-FIELD-TABLE-K-003-1 / 636	NOT_DECLARED
SC-10124	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-003-2: In TABLE AVS or NVS or Both Information (Table ID 003), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4332	ENT-FIELD-TABLE-K-003-2 / 636	NOT_DECLARED
SC-10125	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-003-3: In TABLE AVS or NVS or Both Information (Table ID 003), field 3 (Maximum Length) is defined as: Maximum Length: Variable / table_field_constraint	REQ-SRC-ATL105-PDF-001:4333	ENT-FIELD-TABLE-K-003-3 / 636	NOT_DECLARED
SC-10126	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-004-1: In TABLE CVV Information (Table ID 004), field 1 (Table ID) is defined as: Table ID: Fixed value: 004 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4334	ENT-FIELD-TABLE-K-004-1 / 641	NOT_DECLARED
SC-10127	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-004-2: In TABLE CVV Information (Table ID 004), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4335	ENT-FIELD-TABLE-K-004-2 / 641	NOT_DECLARED
SC-10128	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-004-3: In TABLE CVV Information (Table ID 004), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 1 Identifies the / table_field_constraint	REQ-SRC-ATL105-PDF-001:4336	ENT-FIELD-TABLE-K-004-3 / 641	NOT_DECLARED
SC-10129	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-005-1: In TABLE ECA/ TeleCheck Trace ID (Table ID 005), field 1 (Table ID) is defined as: Table ID: Fixed value: 005 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4337	ENT-FIELD-TABLE-K-005-1 / 643	NOT_DECLARED
SC-10130	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-005-2: In TABLE ECA/ TeleCheck Trace ID (Table ID 005), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4338	ENT-FIELD-TABLE-K-005-2 / 643	NOT_DECLARED
SC-10131	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-005-3: In TABLE ECA/ TeleCheck Trace ID (Table ID 005), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 22 Identi / table_field_constraint	REQ-SRC-ATL105-PDF-001:4339	ENT-FIELD-TABLE-K-005-3 / 643	NOT_DECLARED
SC-10132	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-006-1: In TABLE ECA/ TeleCheck Denial Record Number (Table ID 006), field 1 (Table ID) is defined as: Table ID: Fixed value: 00 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4340	ENT-FIELD-TABLE-K-006-1 / 643	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10133	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-006-2: In TABLE ECA/ TeleCheck Denial Record Number (Table ID 006), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4341	ENT-FIELD-TABLE-K-006-2 / 643	NOT_DECLARED
SC-10134	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-006-3: In TABLE ECA/ TeleCheck Denial Record Number (Table ID 006), field 3 (Maximum Length) is defined as: Maximum Length: Len / table_field_constraint	REQ-SRC-ATL105-PDF-001:4342	ENT-FIELD-TABLE-K-006-3 / 643	NOT_DECLARED
SC-10135	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-007-1: In TABLE ECA/ TeleCheck Return Check Data (Table ID 007), field 1 (Table ID) is defined as: Table ID: Fixed value: 007 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4343	ENT-FIELD-TABLE-K-007-1 / 643	NOT_DECLARED
SC-10136	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-007-2: In TABLE ECA/ TeleCheck Return Check Data (Table ID 007), field 2 (Table Length) is defined as: Table Length: Variable / table_field_constraint	REQ-SRC-ATL105-PDF-001:4344	ENT-FIELD-TABLE-K-007-2 / 643	NOT_DECLARED
SC-10137	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-008-1: In TABLE Loyalty Information - Version 1 (Table ID 008), field 1 (Table ID) is defined as: Table ID: Fixed value: 008 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4345	ENT-FIELD-TABLE-K-008-1 / 645	NOT_DECLARED
SC-10138	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-008-2: In TABLE Loyalty Information - Version 1 (Table ID 008), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4346	ENT-FIELD-TABLE-K-008-2 / 645	NOT_DECLARED
SC-10139	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-008-3: In TABLE Loyalty Information - Version 1 (Table ID 008), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 2 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4347	ENT-FIELD-TABLE-K-008-3 / 645	NOT_DECLARED
SC-10140	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-009-1: In TABLE Visa® Product Result Information (Table ID 009), field 1 (Table ID) is defined as: Table ID: Fixed value: 009 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4348	ENT-FIELD-TABLE-K-009-1 / 646	NOT_DECLARED
SC-10141	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-009-2: In TABLE Visa® Product Result Information (Table ID 009), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4349	ENT-FIELD-TABLE-K-009-2 / 646	NOT_DECLARED
SC-10142	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-009-3: In TABLE Visa® Product Result Information (Table ID 009), field 3 (Maximum Length) is defined as: Maximum Length: Len.: / table_field_constraint	REQ-SRC-ATL105-PDF-001:4350	ENT-FIELD-TABLE-K-009-3 / 646	NOT_DECLARED
SC-10143	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-010-1: In TABLE Loyalty Information - Version 2 (Table ID 010), field 1 (Table ID) is defined as: Table ID: Fixed value: 010 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4351	ENT-FIELD-TABLE-K-010-1 / 646	NOT_DECLARED
SC-10144	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-010-2: In TABLE Loyalty Information - Version 2 (Table ID 010), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4352	ENT-FIELD-TABLE-K-010-2 / 646	NOT_DECLARED
SC-10145	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-010-3: In TABLE Loyalty Information - Version 2 (Table ID 010), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 6 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4353	ENT-FIELD-TABLE-K-010-3 / 646	NOT_DECLARED
SC-10146	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-010-SUB-LOYALTY_INFORMATION_VERSION_2_CONT-1: In TABLE Loyalty Information - Version 2 (cont.) (Table ID), field 1 (Maximum Length (cont.)) is defined as: Maximum Le / table_field_constraint	REQ-SRC-ATL105-PDF-001:4354	ENT-FIELD-TABLE-K-010-SUB-LOYALTY_INFORMATION_VERSION_2_CONT-1 / 647	NOT_DECLARED
SC-10147	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-011-1: In TABLE User Data Information (Table ID 011), field 1 (Table ID) is defined as: Table ID: Fixed Value: 011 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4355	ENT-FIELD-TABLE-K-011-1 / 647	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10148	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-011-2: In TABLE User Data Information (Table ID 011), field 2 (Table Length) is defined as: Table Length: Fixed (left justified / table_field_constraint	REQ-SRC-ATL105-PDF-001:4356	ENT-FIELD-TABLE-K-011-2 / 647	NOT_DECLARED
SC-10149	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-011-3: In TABLE User Data Information (Table ID 011), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 15 Identifi / table_field_constraint	REQ-SRC-ATL105-PDF-001:4357	ENT-FIELD-TABLE-K-011-3 / 647	NOT_DECLARED
SC-10150	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-012-1: In TABLE Discover® Network Retrieval Reference Number (Table ID 012), field 1 (Table ID) is defined as: Table ID: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4358	ENT-FIELD-TABLE-K-012-1 / 647	NOT_DECLARED
SC-10151	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-012-2: In TABLE Discover® Network Retrieval Reference Number (Table ID 012), field 2 (Table Length) is defined as: Table Length / table_field_constraint	REQ-SRC-ATL105-PDF-001:4359	ENT-FIELD-TABLE-K-012-2 / 647	NOT_DECLARED
SC-10152	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-012-3: In TABLE Discover® Network Retrieval Reference Number (Table ID 012), field 3 (Maximum Length) is defined as: Maximum Le / table_field_constraint	REQ-SRC-ATL105-PDF-001:4360	ENT-FIELD-TABLE-K-012-3 / 647	NOT_DECLARED
SC-10153	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-013-1: In TABLE Card Expiration Date (Table ID 013), field 1 (Table ID) is defined as: Table ID: Fixed Value: 013 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4361	ENT-FIELD-TABLE-K-013-1 / 648	NOT_DECLARED
SC-10154	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-013-2: In TABLE Card Expiration Date (Table ID 013), field 2 (Table Length) is defined as: Table Length: Fixed length, field no / table_field_constraint	REQ-SRC-ATL105-PDF-001:4362	ENT-FIELD-TABLE-K-013-2 / 648	NOT_DECLARED
SC-10155	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-013-3: In TABLE Card Expiration Date (Table ID 013), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 4 digits lde / table_field_constraint	REQ-SRC-ATL105-PDF-001:4363	ENT-FIELD-TABLE-K-013-3 / 648	NOT_DECLARED
SC-10156	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-016-1: In TABLE BUYPASS Card Type Code (Table ID 016), field 1 (Table ID) is defined as: Table ID: Fixed Value: 016 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4364	ENT-FIELD-TABLE-K-016-1 / 649	NOT_DECLARED
SC-10157	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-016-2: In TABLE BUYPASS Card Type Code (Table ID 016), field 2 (Table Length) is defined as: Table Length: Fixed length, field / table_field_constraint	REQ-SRC-ATL105-PDF-001:4365	ENT-FIELD-TABLE-K-016-2 / 649	NOT_DECLARED
SC-10158	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-016-3: In TABLE BUYPASS Card Type Code (Table ID 016), field 3 (Maximum Length) is defined as: Maximum Length: Len.: 3 Indicate / table_field_constraint	REQ-SRC-ATL105-PDF-001:4366	ENT-FIELD-TABLE-K-016-3 / 649	NOT_DECLARED
SC-10159	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-1: In TABLE PIN on Receipt Information (Table ID 017), field 1 (Table ID) is defined as: Table ID: Fixed Value: 017 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4367	ENT-FIELD-TABLE-K-017-1 / 649	NOT_DECLARED
SC-10160	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-2: In TABLE PIN on Receipt Information (Table ID 017), field 2 (Table Length) is defined as: Table Length: . / table_field_constraint	REQ-SRC-ATL105-PDF-001:4368	ENT-FIELD-TABLE-K-017-2 / 649	NOT_DECLARED
SC-10161	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-3: In TABLE PIN on Receipt Information (Table ID 017), field 3 (Maximum Length) is defined as: Maximum Length: Variable len / table_field_constraint	REQ-SRC-ATL105-PDF-001:4369	ENT-FIELD-TABLE-K-017-3 / 649	NOT_DECLARED
SC-10162	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-1: In TABLE PINless Debit Information (Table ID), field 1 (Additional Information Indicator) is defined as: Additional Inf / table_field_constraint	REQ-SRC-ATL105-PDF-001:4370	ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-1 / 649	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10163	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-2: In TABLE PINless Debit Information (Table ID), field 2 (Table Length) is defined as: Table Length: Fixed len: 003 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4371	ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-2 / 649	NOT_DECLARED
SC-10164	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-3: In TABLE PINless Debit Information (Table ID), field 3 (Card Accepted As) is defined as: Card Accepted As: This field i / table_field_constraint	REQ-SRC-ATL105-PDF-001:4372	ENT-FIELD-TABLE-K-017-SUB-PINLESS_DEBIT_INFORMATION-3 / 649	NOT_DECLARED
SC-10165	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-019-1: In TABLE Visa Spend Qualified Indicator Information (Table ID 019), field 1 (Table ID) is defined as: Table ID: Fixed Va / table_field_constraint	REQ-SRC-ATL105-PDF-001:4373	ENT-FIELD-TABLE-K-019-1 / 650	NOT_DECLARED
SC-10166	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-019-2: In TABLE Visa Spend Qualified Indicator Information (Table ID 019), field 2 (Table Length) is defined as: Table Length: / table_field_constraint	REQ-SRC-ATL105-PDF-001:4374	ENT-FIELD-TABLE-K-019-2 / 650	NOT_DECLARED
SC-10167	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-019-3: In TABLE Visa Spend Qualified Indicator Information (Table ID 019), field 3 (Spend Qualified Indicator) is defined as: S / table_field_constraint	REQ-SRC-ATL105-PDF-001:4375	ENT-FIELD-TABLE-K-019-3 / 650	NOT_DECLARED
SC-10168	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-020-1: In TABLE Host Prompts Information (Table ID 020), field 1 (Table ID) is defined as: Table ID: Fixed Value: 020 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4376	ENT-FIELD-TABLE-K-020-1 / 650	NOT_DECLARED
SC-10169	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-020-2: In TABLE Host Prompts Information (Table ID 020), field 2 (Table Length) is defined as: Table Length: Variable length of / table_field_constraint	REQ-SRC-ATL105-PDF-001:4377	ENT-FIELD-TABLE-K-020-2 / 650	NOT_DECLARED
SC-10170	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-020-3: In TABLE Host Prompts Information (Table ID 020), field 3 (Table Data) is defined as: Table Data: Identifies the additio / table_field_constraint	REQ-SRC-ATL105-PDF-001:4378	ENT-FIELD-TABLE-K-020-3 / 650	NOT_DECLARED
SC-10171	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-021-1: In TABLE Re-Price Data Response Information (Table ID 021), field 1 (Table ID) is defined as: Table ID: Fixed Value: 021 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4379	ENT-FIELD-TABLE-K-021-1 / 652	NOT_DECLARED
SC-10172	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-021-2: In TABLE Re-Price Data Response Information (Table ID 021), field 2 (Table Length) is defined as: Table Length: Variable / table_field_constraint	REQ-SRC-ATL105-PDF-001:4380	ENT-FIELD-TABLE-K-021-2 / 652	NOT_DECLARED
SC-10173	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-021-3: In TABLE Re-Price Data Response Information (Table ID 021), field 3 (Table Data) is defined as: Table Data: Lists the di / table_field_constraint	REQ-SRC-ATL105-PDF-001:4381	ENT-FIELD-TABLE-K-021-3 / 652	NOT_DECLARED
SC-10174	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-022-1: In TABLE CAVV Result (Table ID 022), field 1 (Table ID) is defined as: Table ID: Fixed value: 022 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4382	ENT-FIELD-TABLE-K-022-1 / 653	NOT_DECLARED
SC-10175	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-022-2: In TABLE CAVV Result (Table ID 022), field 2 (Table Length) is defined as: Table Length: Length 3 bytes / table_field_constraint	REQ-SRC-ATL105-PDF-001:4383	ENT-FIELD-TABLE-K-022-2 / 653	NOT_DECLARED
SC-10176	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-022-3: In TABLE CAVV Result (Table ID 022), field 3 (CAVV Result) is defined as: CAVV Result: Fixed Length: 1 byte Specifies th / table_field_constraint	REQ-SRC-ATL105-PDF-001:4384	ENT-FIELD-TABLE-K-022-3 / 653	NOT_DECLARED
SC-10177	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-023-1: In TABLE MCX Reference Number (Table ID 023), field 1 (Table ID) is defined as: Table ID: Fixed value: 023 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4385	ENT-FIELD-TABLE-K-023-1 / 653	NOT_DECLARED
SC-10178	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-024-1: In TABLE Carwash Indicator (Table ID 024), field 1 (Table ID) is defined as: Table ID: Fixed value: 024 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4386	ENT-FIELD-TABLE-K-024-1 / 654	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10179	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-024-2: In TABLE Carwash Indicator (Table ID 024), field 2 (Table Length) is defined as: Table Length: Fixed Value: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4387	ENT-FIELD-TABLE-K-024-2 / 654	NOT_DECLARED
SC-10180	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-024-3: In TABLE Carwash Indicator (Table ID 024), field 3 (Table Data) is defined as: Table Data: Single character indicator th / table_field_constraint	REQ-SRC-ATL105-PDF-001:4388	ENT-FIELD-TABLE-K-024-3 / 654	NOT_DECLARED
SC-10181	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-025-1: In TABLE Language Indicator (Table ID 025), field 1 (Table ID) is defined as: Table ID: Fixed value: 025 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4389	ENT-FIELD-TABLE-K-025-1 / 654	NOT_DECLARED
SC-10182	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-025-2: In TABLE Language Indicator (Table ID 025), field 2 (Table Length) is defined as: Table Length: Fixed Value: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4390	ENT-FIELD-TABLE-K-025-2 / 654	NOT_DECLARED
SC-10183	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-025-3: In TABLE Language Indicator (Table ID 025), field 3 (Table Data) is defined as: Table Data: Single character indicator t / table_field_constraint	REQ-SRC-ATL105-PDF-001:4391	ENT-FIELD-TABLE-K-025-3 / 654	NOT_DECLARED
SC-10184	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-026-1: In TABLE DST Response (Table ID 026), field 1 (Table ID) is defined as: Table ID: Fixed value: 026 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4392	ENT-FIELD-TABLE-K-026-1 / 654	NOT_DECLARED
SC-10185	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-026-2: In TABLE DST Response (Table ID 026), field 2 (Table Length) is defined as: Table Length: Fixed Value: 016 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4393	ENT-FIELD-TABLE-K-026-2 / 654	NOT_DECLARED
SC-10186	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-026-3: In TABLE DST Response (Table ID 026), field 3 (Table Data) is defined as: Table Data: DST Challenge Response consisting / table_field_constraint	REQ-SRC-ATL105-PDF-001:4394	ENT-FIELD-TABLE-K-026-3 / 654	NOT_DECLARED
SC-10187	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-027-1: In TABLE Universal Unique Identifier (Table ID 027), field 1 (Table ID) is defined as: Table ID: Fixed value: 027 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4395	ENT-FIELD-TABLE-K-027-1 / 654	NOT_DECLARED
SC-10188	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-027-2: In TABLE Universal Unique Identifier (Table ID 027), field 2 (Table) is defined as: Table: Variable length of up to 41 a / table_field_constraint	REQ-SRC-ATL105-PDF-001:4396	ENT-FIELD-TABLE-K-027-2 / 654	NOT_DECLARED
SC-10189	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-028-1: In TABLE Transaction Identifier (Table ID 028), field 1 (Table ID) is defined as: Table ID: Fixed value: 028 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4397	ENT-FIELD-TABLE-K-028-1 / 655	NOT_DECLARED
SC-10190	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-028-2: In TABLE Transaction Identifier (Table ID 028), field 2 (Table Length) is defined as: Table Length: Fixed Value: 015 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4398	ENT-FIELD-TABLE-K-028-2 / 655	NOT_DECLARED
SC-10191	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-028-3: In TABLE Transaction Identifier (Table ID 028), field 3 (Table Data) is defined as: Table Data: Transaction Identifier N / table_field_constraint	REQ-SRC-ATL105-PDF-001:4399	ENT-FIELD-TABLE-K-028-3 / 655	NOT_DECLARED
SC-10192	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-029-1: In TABLE Table ID 029 - Reserved for Internal Use (Table ID 029), field 1 (Table ID) is defined as: Table ID: Fixed Valu / table_field_constraint	REQ-SRC-ATL105-PDF-001:4400	ENT-FIELD-TABLE-K-029-1 / 655	NOT_DECLARED
SC-10193	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-029-2: In TABLE Table ID 029 - Reserved for Internal Use (Table ID 029), field 2 (Table Length) is defined as: Table Length: Fi / table_field_constraint	REQ-SRC-ATL105-PDF-001:4401	ENT-FIELD-TABLE-K-029-2 / 655	NOT_DECLARED
SC-10194	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-029-3: In TABLE Table ID 029 - Reserved for Internal Use (Table ID 029), field 3 (Table Data) is defined as: Table Data: Identi / table_field_constraint	REQ-SRC-ATL105-PDF-001:4402	ENT-FIELD-TABLE-K-029-3 / 655	NOT_DECLARED
SC-10195	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-030-1: In TABLE Merchant Advice Code (Table ID 030), field 1 (Table ID) is defined as: Table ID: Fixed Value: 030 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4403	ENT-FIELD-TABLE-K-030-1 / 656	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10196	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-030-2: In TABLE Merchant Advice Code (Table ID 030), field 2 (Table Length) is defined as: Table Length: Fixed Length: 002 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4404	ENT-FIELD-TABLE-K-030-2 / 656	NOT_DECLARED
SC-10197	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-030-3: In TABLE Merchant Advice Code (Table ID 030), field 3 (Table Data) is defined as: Table Data: Indicates Merchant Advice / table_field_constraint	REQ-SRC-ATL105-PDF-001:4405	ENT-FIELD-TABLE-K-030-3 / 656	NOT_DECLARED
SC-10198	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-031-1: In TABLE DAF Indicator (Table ID 031), field 1 (Table ID) is defined as: Table ID: Fixed Value: 031 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4406	ENT-FIELD-TABLE-K-031-1 / 657	NOT_DECLARED
SC-10199	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-031-2: In TABLE DAF Indicator (Table ID 031), field 2 (Table Length) is defined as: Table Length: Fixed Length: 002 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4407	ENT-FIELD-TABLE-K-031-2 / 657	NOT_DECLARED
SC-10200	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-031-3: In TABLE DAF Indicator (Table ID 031), field 3 (Table Data) is defined as: Table Data: Indicates DAF indicator received / table_field_constraint	REQ-SRC-ATL105-PDF-001:4408	ENT-FIELD-TABLE-K-031-3 / 657	NOT_DECLARED
SC-10201	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-032-1: In TABLE Agreement ID (Table ID 032), field 1 (Table ID) is defined as: Table ID: Fixed Value: 032 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4409	ENT-FIELD-TABLE-K-032-1 / 658	NOT_DECLARED
SC-10202	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-032-2: In TABLE Agreement ID (Table ID 032), field 2 (Table Length) is defined as: Table Length: Fixed Length: 004 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4410	ENT-FIELD-TABLE-K-032-2 / 658	NOT_DECLARED
SC-10203	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-032-3: In TABLE Agreement ID (Table ID 032), field 3 (Table Data) is defined as: Table Data: Indicates Agreement ID received fr / table_field_constraint	REQ-SRC-ATL105-PDF-001:4411	ENT-FIELD-TABLE-K-032-3 / 658	NOT_DECLARED
SC-10204	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-034-1: In TABLE Host-based Purchase Restriction (Table ID 034), field 1 (Table ID) is defined as: Table ID: Fixed Value: 034 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4412	ENT-FIELD-TABLE-K-034-1 / 658	NOT_DECLARED
SC-10205	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-034-2: In TABLE Host-based Purchase Restriction (Table ID 034), field 2 (Table Length) is defined as: Table Length: Length: 3 b / table_field_constraint	REQ-SRC-ATL105-PDF-001:4413	ENT-FIELD-TABLE-K-034-2 / 658	NOT_DECLARED
SC-10206	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-034-3: In TABLE Host-based Purchase Restriction (Table ID 034), field 3 (Table Data) is defined as: Table Data: Variable length / table_field_constraint	REQ-SRC-ATL105-PDF-001:4414	ENT-FIELD-TABLE-K-034-3 / 658	NOT_DECLARED
SC-10207	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-1: In TABLE Cardholder Additional Information Result Code (Table ID 035), field 1 (Table ID) is defined as: Table ID: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4415	ENT-FIELD-TABLE-K-035-1 / 659	NOT_DECLARED
SC-10208	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-2: In TABLE Cardholder Additional Information Result Code (Table ID 035), field 2 (Table Length) is defined as: Table Lentg / table_field_constraint	REQ-SRC-ATL105-PDF-001:4416	ENT-FIELD-TABLE-K-035-2 / 659	NOT_DECLARED
SC-10209	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-3: In TABLE Cardholder Additional Information Result Code (Table ID 035), field 3 (Table Data) is defined as: Table Data: M / table_field_constraint	REQ-SRC-ATL105-PDF-001:4417	ENT-FIELD-TABLE-K-035-3 / 659	NOT_DECLARED
SC-10210	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_01-1: In TABLE Sub Table ID "01" (Table ID), field 1 (Sub- Table ID) is defined as: Sub- Table ID: Fixed Value: 01 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4418	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_01-1 / 659	NOT_DECLARED
SC-10211	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_01-2: In TABLE Sub Table ID "01" (Table ID), field 2 (Sub- Table Length) is defined as: Sub- Table Length: Fixed Value: 03 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4419	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_01-2 / 659	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10212	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_01-3: In TABLE Sub Table ID "01" (Table ID), field 3 (Sub- Table Data) is defined as: Sub- Table Data: This field contains th / table_field_constraint	REQ-SRC-ATL105-PDF-001:4420	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_01-3 / 659	NOT_DECLARED
SC-10213	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_02-1: In TABLE Sub Table ID "02" (Table ID), field 1 (Sub- Table ID) is defined as: Sub- Table ID: Fixed value: 02 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4421	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_02-1 / 660	NOT_DECLARED
SC-10214	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_02-2: In TABLE Sub Table ID "02" (Table ID), field 2 (Sub- Table Length) is defined as: Sub- Table Length: Fixed value: 01 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4422	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_02-2 / 660	NOT_DECLARED
SC-10215	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_02-3: In TABLE Sub Table ID "02" (Table ID), field 3 (Sub- Table Data) is defined as: Sub- Table Data: This field contains th / table_field_constraint	REQ-SRC-ATL105-PDF-001:4423	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_02-3 / 660	NOT_DECLARED
SC-10216	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_03-1: In TABLE Sub Table ID "03" (Table ID), field 1 (Sub- Table ID) is defined as: Sub- Table ID: Fixed value: 03 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4424	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_03-1 / 660	NOT_DECLARED
SC-10217	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_03-2: In TABLE Sub Table ID "03" (Table ID), field 2 (Sub- Table Length) is defined as: Sub- Table Length: Fixed value: 01 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4425	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_03-2 / 660	NOT_DECLARED
SC-10218	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-035-SUB-SUB_TABLE_ID_03-3: In TABLE Sub Table ID "03" (Table ID), field 3 (Sub- Table Data) is defined as: Sub- Table Data: This field contains th / table_field_constraint	REQ-SRC-ATL105-PDF-001:4426	ENT-FIELD-TABLE-K-035-SUB-SUB_TABL E_ID_03-3 / 660	NOT_DECLARED
SC-10219	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-036-1: In TABLE Account Type (Table ID 036), field 1 (Table ID) is defined as: Table ID: Fixed Value: 036 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4427	ENT-FIELD-TABLE-K-036-1 / 661	NOT_DECLARED
SC-10220	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-036-2: In TABLE Account Type (Table ID 036), field 2 (Table Length) is defined as: Table Length: Fixed Value: 002 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4428	ENT-FIELD-TABLE-K-036-2 / 661	NOT_DECLARED
SC-10221	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-036-3: In TABLE Account Type (Table ID 036), field 3 (Table Data) is defined as: Table Data: This field identifies the 'from' a / table_field_constraint	REQ-SRC-ATL105-PDF-001:4429	ENT-FIELD-TABLE-K-036-3 / 661	NOT_DECLARED
SC-10222	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-037-1: In TABLE Account Funding Source (Table ID 037), field 1 (Table ID) is defined as: Table ID: Fixed Value: 037 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4430	ENT-FIELD-TABLE-K-037-1 / 661	NOT_DECLARED
SC-10223	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-037-2: In TABLE Account Funding Source (Table ID 037), field 2 (Table Length) is defined as: Table Length: Fixed Value: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4431	ENT-FIELD-TABLE-K-037-2 / 661	NOT_DECLARED
SC-10224	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-038-1: In TABLE Transaction Link Identifier (Table ID 038), field 1 (Table ID) is defined as: Table ID: Fixed value: 038 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4432	ENT-FIELD-TABLE-K-038-1 / 662	NOT_DECLARED
SC-10225	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-038-2: In TABLE Transaction Link Identifier (Table ID 038), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4433	ENT-FIELD-TABLE-K-038-2 / 662	NOT_DECLARED
SC-10226	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-038-3: In TABLE Transaction Link Identifier (Table ID 038), field 3 (Maximu m Length) is defined as: Maximu m Length: Len: 22 T / table_field_constraint	REQ-SRC-ATL105-PDF-001:4434	ENT-FIELD-TABLE-K-038-3 / 662	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10227	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-039-1: In TABLE Transaction Link Action Indicator (Table ID 039), field 1 (Table ID) is defined as: Table ID: Fixed Value: 039 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4435	ENT-FIELD-TABLE-K-039-1 / 662	NOT_DECLARED
SC-10228	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-039-2: In TABLE Transaction Link Action Indicator (Table ID 039), field 2 (Table Length) is defined as: Table Length: Fixed Len / table_field_constraint	REQ-SRC-ATL105-PDF-001:4436	ENT-FIELD-TABLE-K-039-2 / 662	NOT_DECLARED
SC-10229	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-039-3: In TABLE Transaction Link Action Indicator (Table ID 039), field 3 (Table Data) is defined as: Table Data: This one-byte / table_field_constraint	REQ-SRC-ATL105-PDF-001:4437	ENT-FIELD-TABLE-K-039-3 / 662	NOT_DECLARED
SC-10230	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-040-1: In TABLE Fraud Score (Table ID 040), field 1 (Table ID) is defined as: Table ID: Fixed value: 040 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4438	ENT-FIELD-TABLE-K-040-1 / 663	NOT_DECLARED
SC-10231	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-040-2: In TABLE Fraud Score (Table ID 040), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4439	ENT-FIELD-TABLE-K-040-2 / 663	NOT_DECLARED
SC-10232	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-040-3: In TABLE Fraud Score (Table ID 040), field 3 (Maximum Length) is defined as: Maximum Length: Len: 3 This field contains / table_field_constraint	REQ-SRC-ATL105-PDF-001:4440	ENT-FIELD-TABLE-K-040-3 / 663	NOT_DECLARED
SC-10233	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-041-1: In TABLE Fraud Score Reason Code (Table ID 041), field 1 (Table ID) is defined as: Table ID: Fixed value: 041 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4441	ENT-FIELD-TABLE-K-041-1 / 663	NOT_DECLARED
SC-10234	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-041-2: In TABLE Fraud Score Reason Code (Table ID 041), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4442	ENT-FIELD-TABLE-K-041-2 / 663	NOT_DECLARED
SC-10235	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-041-3: In TABLE Fraud Score Reason Code (Table ID 041), field 3 (Maximum Length) is defined as: Maximum Length: Len: 2 This field / table_field_constraint	REQ-SRC-ATL105-PDF-001:4443	ENT-FIELD-TABLE-K-041-3 / 663	NOT_DECLARED
SC-10236	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-042-1: In TABLE Authentication Data Quality Indicator (Table ID 042), field 1 (Table ID) is defined as: Table ID: Fixed Value: / table_field_constraint	REQ-SRC-ATL105-PDF-001:4444	ENT-FIELD-TABLE-K-042-1 / 663	NOT_DECLARED
SC-10237	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-042-2: In TABLE Authentication Data Quality Indicator (Table ID 042), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4445	ENT-FIELD-TABLE-K-042-2 / 663	NOT_DECLARED
SC-10238	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-043-1: In TABLE Token Update First Use Indicator (Table ID 043), field 1 (Table ID) is defined as: Table ID: Fixed Value: 043 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4446	ENT-FIELD-TABLE-K-043-1 / 664	NOT_DECLARED
SC-10239	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-043-2: In TABLE Token Update First Use Indicator (Table ID 043), field 2 (Table Length) is defined as: Table Length: Fixed Length / table_field_constraint	REQ-SRC-ATL105-PDF-001:4447	ENT-FIELD-TABLE-K-043-2 / 664	NOT_DECLARED
SC-10240	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-043-3: In TABLE Token Update First Use Indicator (Table ID 043), field 3 (Table Data) is defined as: Table Data: This field indicates / table_field_constraint	REQ-SRC-ATL105-PDF-001:4448	ENT-FIELD-TABLE-K-043-3 / 664	NOT_DECLARED
SC-10241	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-044-1: In TABLE Merchant Transaction ID (Table ID 044), field 1 (Table ID) is defined as: Table ID: Fixed value: 044 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4449	ENT-FIELD-TABLE-K-044-1 / 665	NOT_DECLARED
SC-10242	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-044-2: In TABLE Merchant Transaction ID (Table ID 044), field 2 (Table Length) is defined as: Table Length: Fixed / table_field_constraint	REQ-SRC-ATL105-PDF-001:4450	ENT-FIELD-TABLE-K-044-2 / 665	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10243	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-044-3: In TABLE Merchant Tran ID (Table ID 044), field 3 (Table Data) is defined as: Table Data: Variable length up to 95 bytes / table_field_constraint	REQ-SRC-ATL105-PDF-001:4451	ENT-FIELD-TABLE-K-044-3 / 665	NOT_DECLARED
SC-10244	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-045-1: In TABLE Applied Special Service (Table ID 045), field 1 (Table ID) is defined as: Table ID: Fixed value: 045 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4452	ENT-FIELD-TABLE-K-045-1 / 665	NOT_DECLARED
SC-10245	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-045-2: In TABLE Applied Special Service (Table ID 045), field 2 (Table Length) is defined as: Table Length: Fixed Length: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4453	ENT-FIELD-TABLE-K-045-2 / 665	NOT_DECLARED
SC-10246	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-045-3: In TABLE Applied Special Service (Table ID 045), field 3 (Table Data) is defined as: Table Data: Identify if the merchan / table_field_constraint	REQ-SRC-ATL105-PDF-001:4454	ENT-FIELD-TABLE-K-045-3 / 665	NOT_DECLARED
SC-10247	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-046-1: In TABLE Voyager Restriction Code (Table ID 046), field 1 (Table ID) is defined as: Table ID: Fixed value: 046 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4455	ENT-FIELD-TABLE-K-046-1 / 665	NOT_DECLARED
SC-10248	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-046-2: In TABLE Voyager Restriction Code (Table ID 046), field 2 (Table Length) is defined as: Table Length: Fixed Length: 001 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4456	ENT-FIELD-TABLE-K-046-2 / 665	NOT_DECLARED
SC-10249	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-046-3: In TABLE Voyager Restriction Code (Table ID 046), field 3 (Table Data) is defined as: Table Data: Contains product restr / table_field_constraint	REQ-SRC-ATL105-PDF-001:4457	ENT-FIELD-TABLE-K-046-3 / 665	NOT_DECLARED
SC-10250	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-047-1: In TABLE Additional Information Data Layouts (Table ID 047), field 1 (Table ID) is defined as: Table ID: Fixed Value: 04 / table_field_constraint	REQ-SRC-ATL105-PDF-001:4458	ENT-FIELD-TABLE-K-047-1 / 666	NOT_DECLARED
SC-10251	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-047-2: In TABLE Additional Information Data Layouts (Table ID 047), field 2 (Table Length) is defined as: Table Length: Fixed L / table_field_constraint	REQ-SRC-ATL105-PDF-001:4459	ENT-FIELD-TABLE-K-047-2 / 666	NOT_DECLARED
SC-10252	Response deferred	Table Field Constraint — ENT-FIELD-TABLE-K-047-3: In TABLE Additional Information Data Layouts (Table ID 047), field 3 (Table Data) is defined as: Table Data: This one-by / table_field_constraint	REQ-SRC-ATL105-PDF-001:4460	ENT-FIELD-TABLE-K-047-3 / 666	NOT_DECLARED
SC-10274	Response deferred	Relationship — REL-ENT-SEG-112-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Additional Information Data Segment (Data Segment No. 112). / relationship	REQ-SRC-ATL105-PDF-001:4482	REL-ENT-SEG-112-FINANCIAL_TRANSA CTION_RESPONSE / 216	NOT_DECLARED
SC-10280	Response deferred	Relationship — REL-ENT-SEG-115-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Print Data Segment (Data Segment No. 115). / relationship	REQ-SRC-ATL105-PDF-001:4488	REL-ENT-SEG-115-FINANCIAL_TRANSA CTION_RESPONSE / 217	NOT_DECLARED
SC-10282	Response deferred	Relationship — REL-ENT-SEG-118-PROPRIETARY_DATA_LOAD_RESPONSE: The Proprietary Data Load Response transaction includes Proprietary Data Load Segment (Data Segment No. 118). / relationship	REQ-SRC-ATL105-PDF-001:4490	REL-ENT-SEG-118-PROPRIETARY_DATA_ LOAD_RESPONSE / 217	NOT_DECLARED
SC-10283	Response deferred	Relationship — REL-ENT-SEG-120-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Print Data 2 Segment (Data Segment No. 120). / relationship	REQ-SRC-ATL105-PDF-001:4491	REL-ENT-SEG-120-FINANCIAL_TRANSA CTION_RESPONSE / 217	NOT_DECLARED
SC-10286	Response deferred	Relationship — REL-ENT-SEG-134-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Transaction Attributes Segment (Data Segment No. 134). / relationship	REQ-SRC-ATL105-PDF-001:4494	REL-ENT-SEG-134-FINANCIAL_TRANSA CTION_RESPONSE / 217	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10289	Response deferred	Relationship — REL-ENT-SEG-136-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Moneris Data Segment (Response) (Data Segment No. 136). / relationship	REQ-SRC-ATL105-PDF-001:4497	REL-ENT-SEG-136-FINANCIAL_TRANSACTION_RESPONSE / 217	NOT_DECLARED
SC-10294	Response deferred	Relationship — REL-ENT-SEG-146-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Enhanced Fleet Data Segment (Response) (Data Segment No. 146). / relationship	REQ-SRC-ATL105-PDF-001:4502	REL-ENT-SEG-146-FINANCIAL_TRANSACTION_RESPONSE / 218	NOT_DECLARED
SC-10295	Response deferred	Relationship — REL-ENT-SEG-148-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes WEX Available Product Fleet Information (Data Segment No. 148). / relationship	REQ-SRC-ATL105-PDF-001:4503	REL-ENT-SEG-148-FINANCIAL_TRANSACTION_RESPONSE / 218	NOT_DECLARED
SC-10298	Response deferred	Relationship — REL-ENT-SEG-152-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Response InComm OTC Market Basket Data (Data Segment No. 152). / relationship	REQ-SRC-ATL105-PDF-001:4506	REL-ENT-SEG-152-FINANCIAL_TRANSACTION_RESPONSE / 218	NOT_DECLARED
SC-10301	Response deferred	Relationship — REL-ENT-SEG-155-FINANCIAL_TRANSACTION_RESPONSE: The Financial Transaction Response transaction includes Real Time Account Updater Response Segment (Data Segment No. 155) / relationship	REQ-SRC-ATL105-PDF-001:4509	REL-ENT-SEG-155-FINANCIAL_TRANSACTION_RESPONSE / 218	NOT_DECLARED
SC-10304	Response deferred	Relationship — REL-ENT-ELEM-1-ENT-ELEM-66: ENT-ELEM-1 depends on ENT-ELEM-66; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4512	REL-ENT-ELEM-1-ENT-ELEM-66 / 355	NOT_DECLARED
SC-10307	Response deferred	Relationship — REL-ENT-ELEM-4-Data_Segment_No_DL1_Merchant_Data_Segment: ENT-ELEM-4 depends on Data Segment No. DL1, Merchant Data Segment; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4515	REL-ENT-ELEM-4-Data_Segment_No_DL1_Merchant_Data_Segment / 360	NOT_DECLARED
SC-10316	Response deferred	Relationship — REL-ENT-ELEM-14-Table_Load_response: ENT-ELEM-14 depends on Table Load response; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4524	REL-ENT-ELEM-14-Table_Load_response / 367	NOT_DECLARED
SC-10321	Response deferred	Relationship — REL-ENT-ELEM-30-Load_Request: ENT-ELEM-30 depends on Load Request; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4529	REL-ENT-ELEM-30-Load_Request / 373	NOT_DECLARED
SC-10322	Response deferred	Relationship — REL-ENT-ELEM-30-ENT-ELEM-155: ENT-ELEM-30 depends on ENT-ELEM-155; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4530	REL-ENT-ELEM-30-ENT-ELEM-155 / 373	NOT_DECLARED
SC-10323	Response deferred	Relationship — REL-ENT-ELEM-30-EMV_Financial_Transaction_Request: ENT-ELEM-30 depends on EMV Financial Transaction Request; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4531	REL-ENT-ELEM-30-EMV_Financial_Transaction_Request / 373	NOT_DECLARED
SC-10328	Transaction unresolved	Relationship — REL-ENT-ELEM-52-ENT-ELEM-51: ENT-ELEM-52 depends on ENT-ELEM-51; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4536	REL-ENT-ELEM-52-ENT-ELEM-51 / 382	NOT_DECLARED
SC-10329	Response deferred	Relationship — REL-ENT-ELEM-54-ENT-SEG-DL1: ENT-ELEM-54 depends on ENT-SEG-DL1; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4537	REL-ENT-ELEM-54-ENT-SEG-DL1 / 383	NOT_DECLARED
SC-10332	Transaction unresolved	Relationship — REL-ENT-ELEM-56-ENT-ELEM-38: ENT-ELEM-56 depends on ENT-ELEM-38; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4540	REL-ENT-ELEM-56-ENT-ELEM-38 / 385	NOT_DECLARED
SC-10334	Response deferred	Relationship — REL-ENT-ELEM-59-Field_No_8: ENT-ELEM-59 depends on Field No. 8; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4542	REL-ENT-ELEM-59-Field_No_8 / 386	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10335	Response deferred	Relationship — REL-ENT-ELEM-61-Data_Element_No_168_Count_of_Receipt_Text_Line: ENT-ELEM-61 depends on Data Element No. 168, Count of Receipt Text Line; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4543	REL-ENT-ELEM-61-Data_Element_No_168_Count_of_Receipt_Text_Line / 387	NOT_DECLARED
SC-10339	Response deferred	Relationship — REL-ENT-ELEM-75-Log-on_Indicator: ENT-ELEM-75 depends on Log-on Indicator; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4547	REL-ENT-ELEM-75-Log-on_Indicator / 392	NOT_DECLARED
SC-10340	Response deferred	Relationship — REL-ENT-ELEM-75-Delimiter: ENT-ELEM-75 depends on Delimiter; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4548	REL-ENT-ELEM-75-Delimiter / 392	NOT_DECLARED
SC-10350	Response deferred	Relationship — REL-ENT-ELEM-91-ENT-SEG-DL4: ENT-ELEM-91 depends on ENT-SEG-DL4; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4558	REL-ENT-ELEM-91-ENT-SEG-DL4 / 405	NOT_DECLARED
SC-10351	Response deferred	Relationship — REL-ENT-ELEM-92-ENT-SEG-DL4: ENT-ELEM-92 depends on ENT-SEG-DL4; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4559	REL-ENT-ELEM-92-ENT-SEG-DL4 / 405	NOT_DECLARED
SC-10352	Response deferred	Relationship — REL-ENT-ELEM-92-ENT-SEG-DL5: ENT-ELEM-92 depends on ENT-SEG-DL5; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4560	REL-ENT-ELEM-92-ENT-SEG-DL5 / 405	NOT_DECLARED
SC-10353	Response deferred	Relationship — REL-ENT-ELEM-93-ENT-SEG-DL4: ENT-ELEM-93 depends on ENT-SEG-DL4; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4561	REL-ENT-ELEM-93-ENT-SEG-DL4 / 406	NOT_DECLARED
SC-10354	Response deferred	Relationship — REL-ENT-ELEM-93-ENT-SEG-DL5: ENT-ELEM-93 depends on ENT-SEG-DL5; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4562	REL-ENT-ELEM-93-ENT-SEG-DL5 / 406	NOT_DECLARED
SC-10355	Response deferred	Relationship — REL-ENT-ELEM-94-ENT-SEG-DL4: ENT-ELEM-94 depends on ENT-SEG-DL4; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4563	REL-ENT-ELEM-94-ENT-SEG-DL4 / 406	NOT_DECLARED
SC-10356	Response deferred	Relationship — REL-ENT-ELEM-94-ENT-SEG-DL5: ENT-ELEM-94 depends on ENT-SEG-DL5; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4564	REL-ENT-ELEM-94-ENT-SEG-DL5 / 406	NOT_DECLARED
SC-10357	Response deferred	Relationship — REL-ENT-ELEM-95-ENT-SEG-DL4: ENT-ELEM-95 depends on ENT-SEG-DL4; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4565	REL-ENT-ELEM-95-ENT-SEG-DL4 / 407	NOT_DECLARED
SC-10358	Response deferred	Relationship — REL-ENT-ELEM-95-ENT-SEG-DL5: ENT-ELEM-95 depends on ENT-SEG-DL5; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4566	REL-ENT-ELEM-95-ENT-SEG-DL5 / 407	NOT_DECLARED
SC-10362	Transaction unresolved	Relationship — REL-ENT-ELEM-97-Table_Load_Response: ENT-ELEM-97 depends on Table Load Response; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4570	REL-ENT-ELEM-97-Table_Load_Response / 407	NOT_DECLARED
SC-10364	Response deferred	Relationship — REL-ENT-ELEM-101-ENT-ELEM-61: ENT-ELEM-101 depends on ENT-ELEM-61; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4572	REL-ENT-ELEM-101-ENT-ELEM-61 / 409	NOT_DECLARED
SC-10365	Response deferred	Relationship — REL-ENT-ELEM-101-Declined_Totals_Response: ENT-ELEM-101 depends on Declined Totals Response; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4573	REL-ENT-ELEM-101-Declined_Totals_Response / 409	NOT_DECLARED
SC-10366	Response deferred	Relationship — REL-ENT-ELEM-101-TransArmor_PKI_Encryption_and_Tokenization_and_TransArmor_Token_Only_Financial_Transaction_Response: ENT-ELEM-101 depends on TransArmor PKI Encryption and Tokenization and TransArmor Token Only Financial Transaction Respo / relationship	REQ-SRC-ATL105-PDF-001:4574	REL-ENT-ELEM-101-TransArmor_PKI_Encryption_and_Tokenization_and_TransArmor_Token_Only_Financial_Transaction_Response / 409	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10386	Response deferred	Relationship — REL-ENT-ELEM-115-ENT-SEG-112: ENT-ELEM-115 depends on ENT-SEG-112; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4594	REL-ENT-ELEM-115-ENT-SEG-112 / 424	NOT_DECLARED
SC-10387	Response deferred	Relationship — REL-ENT-ELEM-117-ENT-ELEM-118: ENT-ELEM-117 depends on ENT-ELEM-118; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4595	REL-ENT-ELEM-117-ENT-ELEM-118 / 429	NOT_DECLARED
SC-10388	Response deferred	Relationship — REL-ENT-ELEM-118-ENT-ELEM-116: ENT-ELEM-118 depends on ENT-ELEM-116; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4596	REL-ENT-ELEM-118-ENT-ELEM-116 / 429	NOT_DECLARED
SC-10401	Transaction unresolved	Relationship — REL-ENT-ELEM-155-ENT-ELEM-157: ENT-ELEM-155 depends on ENT-ELEM-157; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4609	REL-ENT-ELEM-155-ENT-ELEM-157 / 452	NOT_DECLARED
SC-10402	Transaction unresolved	Relationship — REL-ENT-ELEM-156-ENT-ELEM-157: ENT-ELEM-156 depends on ENT-ELEM-157; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4610	REL-ENT-ELEM-156-ENT-ELEM-157 / 452	NOT_DECLARED
SC-10403	Transaction unresolved	Relationship — REL-ENT-ELEM-157-ENT-ELEM-155: ENT-ELEM-157 depends on ENT-ELEM-155; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4611	REL-ENT-ELEM-157-ENT-ELEM-155 / 453	NOT_DECLARED
SC-10405	Response deferred	Relationship — REL-ENT-ELEM-166-Element_No_165_Start_Date_or_End_Date: ENT-ELEM-166 depends on Element No. 165, Start Date or End Date; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4613	REL-ENT-ELEM-166-Element_No_165_Start_Date_or_End_Date / 460	NOT_DECLARED
SC-10418	Transaction unresolved	Relationship — REL-ENT-ELEM-183-Prompt_Code_904_Host_Discount_Data_: ENT-ELEM-183 depends on Prompt Code 904 (Host Discount Data); the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4626	REL-ENT-ELEM-183-Prompt_Code_904_Host_Discount_Data_ / 468	NOT_DECLARED
SC-10419	Transaction unresolved	Relationship — REL-ENT-ELEM-184-Prompt_Code_904_Host_Discount_Data_: ENT-ELEM-184 depends on Prompt Code 904 (Host Discount Data); the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4627	REL-ENT-ELEM-184-Prompt_Code_904_Host_Discount_Data_ / 469	NOT_DECLARED
SC-10420	Transaction unresolved	Relationship — REL-ENT-ELEM-185-Prompt_Code_904_Host_Discount_Data_: ENT-ELEM-185 depends on Prompt Code 904 (Host Discount Data); the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4628	REL-ENT-ELEM-185-Prompt_Code_904_Host_Discount_Data_ / 469	NOT_DECLARED
SC-10421	Transaction unresolved	Relationship — REL-ENT-ELEM-186-Prompt_Code_904_Host_Discount_Data_: ENT-ELEM-186 depends on Prompt Code 904 (Host Discount Data); the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4629	REL-ENT-ELEM-186-Prompt_Code_904_Host_Discount_Data_ / 469	NOT_DECLARED
SC-10426	Transaction unresolved	Relationship — REL-ENT-ELEM-192-EMV_Additional_Information: ENT-ELEM-192 depends on EMV Additional Information; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4634	REL-ENT-ELEM-192-EMV_Additional_Information / 473	NOT_DECLARED
SC-10428	Transaction unresolved	Relationship — REL-ENT-ELEM-212-ENT-ELEM-211: ENT-ELEM-212 depends on ENT-ELEM-211; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4636	REL-ENT-ELEM-212-ENT-ELEM-211 / 482	NOT_DECLARED
SC-10435	Transaction unresolved	Relationship — REL-ENT-ELEM-236-ENT-SEG-DL8: ENT-ELEM-236 depends on ENT-SEG-DL8; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4643	REL-ENT-ELEM-236-ENT-SEG-DL8 / 489	NOT_DECLARED
SC-10437	Response deferred	Relationship — REL-ENT-ELEM-240-WEX_Available_Product_Fleet_Indicator: ENT-ELEM-240 depends on WEX Available Product Fleet Indicator; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4645	REL-ENT-ELEM-240-WEX_Available_Product_Fleet_Indicator / 491	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10467	Response deferred	Relationship — REL-ENT-FIELD-131-3-Request: ENT-FIELD-131-3 depends on Request; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4675	REL-ENT-FIELD-131-3-Request / 269	NOT_DECLARED
SC-10468	Response deferred	Relationship — REL-ENT-FIELD-131-4-EMV_Chip_Data: ENT-FIELD-131-4 depends on EMV Chip Data; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4676	REL-ENT-FIELD-131-4-EMV_Chip_Data / 269	NOT_DECLARED
SC-10494	Response deferred	Relationship — REL-ENT-FIELD-148-3-Restriction_Code: ENT-FIELD-148-3 depends on Restriction Code; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4702	REL-ENT-FIELD-148-3-Restriction_Code / 302	NOT_DECLARED
SC-10501	Response deferred	Relationship — REL-ENT-FIELD-DL1-7-Field_No_8: ENT-FIELD-DL1-7 depends on Field No. 8; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4709	REL-ENT-FIELD-DL1-7-Field_No_8 / 324	NOT_DECLARED
SC-10502	Response deferred	Relationship — REL-ENT-FIELD-DL7-2-ENT-ELEM-24: ENT-FIELD-DL7-2 depends on ENT-ELEM-24; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4710	REL-ENT-FIELD-DL7-2-ENT-ELEM-24 / 332	NOT_DECLARED
SC-10503	Response deferred	Relationship — REL-ENT-FIELD-DL8-2-ENT-ELEM-24: ENT-FIELD-DL8-2 depends on ENT-ELEM-24; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4711	REL-ENT-FIELD-DL8-2-ENT-ELEM-24 / 333	NOT_DECLARED
SC-10504	Transaction unresolved	Relationship — REL-ENT-FIELD-DL8-6-ENT-ELEM-233: ENT-FIELD-DL8-6 depends on ENT-ELEM-233; the documented dependency must hold. / relationship	REQ-SRC-ATL105-PDF-001:4712	REL-ENT-FIELD-DL8-6-ENT-ELEM-233 / 333	NOT_DECLARED
SC-10505	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '042' — Value 042 represents Authentication Data Quality Indicator for data el / relationship	REQ-SRC-ATL105-PDF-001:4713	ENT-ELEM-116 / 8	NOT_DECLARED
SC-10506	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '043' — Value 043 represents Token Update First Use Indicator for data element / relationship	REQ-SRC-ATL105-PDF-001:4714	ENT-ELEM-116 / 8	NOT_DECLARED
SC-10516	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '164' — Card Type value 164 enables Auto Close in a device. / relationship	REQ-SRC-ATL105-PDF-001:4724	ENT-ELEM-14 / 77	NOT_DECLARED
SC-10518	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'F' — Response Code F indicates approval, partial amount approved. / relationship	REQ-SRC-ATL105-PDF-001:4726	ENT-ELEM-83 / 82	NOT_DECLARED
SC-10529	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'AX' — Amex card type abbreviation for receipt printing / relationship	REQ-SRC-ATL105-PDF-001:4737	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10530	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'DB' — Debit card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4738	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10531	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'DCI-DISC' — Diners Club card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4739	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10532	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'DS' — Discover Network card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4740	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10533	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'EB' — EBT card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4741	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10534	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'JCB-DISC' — JCB card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4742	ENT-ELEM-14 / 89	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10535	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'MC' — MasterCard card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4743	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10536	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'VISA' — Visa card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4744	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10537	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value 'STAR' — STAR Signature Debit card type abbreviation / relationship	REQ-SRC-ATL105-PDF-001:4745	ENT-ELEM-14 / 89	NOT_DECLARED
SC-10544	Response deferred	Relationship — ENT-ELEM-7: Data element 7 accepts documented value '74' — eWIC Nevada (74) is a supported Authorizer Code value. / relationship	REQ-SRC-ATL105-PDF-001:4752	ENT-ELEM-7 / 118	NOT_DECLARED
SC-10545	Response deferred	Relationship — ENT-ELEM-7: Data element 7 accepts documented value '75' — eWIC Kentucky (75) is a supported Authorizer Code value. / relationship	REQ-SRC-ATL105-PDF-001:4753	ENT-ELEM-7 / 118	NOT_DECLARED
SC-10546	Response deferred	Relationship — ENT-ELEM-7: Data element 7 accepts documented value '83' — ACS WIC (83) is a supported Authorizer Code value. / relationship	REQ-SRC-ATL105-PDF-001:4754	ENT-ELEM-7 / 118	NOT_DECLARED
SC-10581	Response deferred	Relationship — ENT-SEG-112: The Financial Transaction Response transaction includes Additional Information Data Segment (Data Segment No. 112). / relationship	REQ-SRC-ATL105-PDF-001:4789	ENT-SEG-112 / 167	NOT_DECLARED
SC-10582	Response deferred	Relationship — ENT-SEG-115: The Financial Transaction Response transaction includes Print Data Segment (Data Segment No. 115). / relationship	REQ-SRC-ATL105-PDF-001:4790	ENT-SEG-115 / 167	NOT_DECLARED
SC-10608	Transaction unresolved	Relationship — ENT-ELEM-120: Data element 120 accepts documented value 'COMMTTEST' — COMMTTEST is the required value for Network Management Message in / relationship	REQ-SRC-ATL105-PDF-001:4816	ENT-ELEM-120 / 184	NOT_DECLARED
SC-10610	Response deferred	Relationship — ENT-SEG-DL1: The Table Load Response transaction includes Merchant Data Segment (Data Segment No. DL1). / relationship	REQ-SRC-ATL105-PDF-001:4818	ENT-SEG-DL1 / 188	NOT_DECLARED
SC-10611	Response deferred	Relationship — ENT-SEG-DL2: The Table Load Response transaction includes Dial String Data Segment (Data Segment No. DL2). / relationship	REQ-SRC-ATL105-PDF-001:4819	ENT-SEG-DL2 / 188	NOT_DECLARED
SC-10612	Response deferred	Relationship — ENT-SEG-DL3: The Table Load Response transaction includes Date and Time Data Segment (Data Segment No. DL3). / relationship	REQ-SRC-ATL105-PDF-001:4820	ENT-SEG-DL3 / 189	NOT_DECLARED
SC-10613	Response deferred	Relationship — ENT-SEG-DL6: The Table Load Response transaction includes Store and Forward Data Segment (Data Segment No. DL6). / relationship	REQ-SRC-ATL105-PDF-001:4821	ENT-SEG-DL6 / 189	NOT_DECLARED
SC-10615	Response deferred	Relationship — ENT-SEG-DL4: The Software Load Response transaction includes Software Dial Load Data Segment (Data Segment No. DL4). / relationship	REQ-SRC-ATL105-PDF-001:4823	ENT-SEG-DL4 / 195	NOT_DECLARED
SC-10616	Response deferred	Relationship — ENT-SEG-DL5: The Software Load Response transaction includes Software IP Load Data Segment (Data Segment No. DL5). / relationship	REQ-SRC-ATL105-PDF-001:4824	ENT-SEG-DL5 / 195	NOT_DECLARED
SC-10625	Response deferred	Relationship — ENT-SEG-131: The EMV Financial Transaction Response transaction includes EMV Response Data Segment (Data Segment No. 131). / relationship	REQ-SRC-ATL105-PDF-001:4833	ENT-SEG-131 / 205	NOT_DECLARED
SC-10626	Response deferred	Relationship — ENT-SEG-134: The EMV Financial Transaction Response transaction includes Transaction Attributes Segment (Data Segment No. 134). / relationship	REQ-SRC-ATL105-PDF-001:4834	ENT-SEG-134 / 205	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10628	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '&' — Data Type Indicator value '&' indicates new CA Public Key file returned. / relationship	REQ-SRC-ATL105-PDF-001:4836	ENT-ELEM-24 / 213	NOT_DECLARED
SC-10629	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'M' — Response Code M indicates approved key load, more data pending. / relationship	REQ-SRC-ATL105-PDF-001:4837	ENT-ELEM-83 / 213	NOT_DECLARED
SC-10630	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'L' — Response Code L indicates approved key load, last block. / relationship	REQ-SRC-ATL105-PDF-001:4838	ENT-ELEM-83 / 213	NOT_DECLARED
SC-10631	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'X' — Response Code X indicates key update not required or rejected request. / relationship	REQ-SRC-ATL105-PDF-001:4839	ENT-ELEM-83 / 213	NOT_DECLARED
SC-10632	Response deferred	Relationship — ENT-SEG-116: The Software Load Response transaction includes TransArmor Load Data Segment (Data Segment No. 116). / relationship	REQ-SRC-ATL105-PDF-001:4840	ENT-SEG-116 / 217	NOT_DECLARED
SC-10633	Response deferred	Relationship — ENT-SEG-120: The Financial Transaction Response transaction includes Print Data 2 Segment (Data Segment No. 120). / relationship	REQ-SRC-ATL105-PDF-001:4841	ENT-SEG-120 / 217	NOT_DECLARED
SC-10634	Response deferred	Relationship — ENT-SEG-136: The Financial Transaction Response transaction includes Moneris Data Segment (Response) (Data Segment No. 136). / relationship	REQ-SRC-ATL105-PDF-001:4842	ENT-SEG-136 / 217	NOT_DECLARED
SC-10635	Response deferred	Relationship — ENT-SEG-148: The Financial Transaction Response transaction includes WEX Available Product Fleet Information (Data Segment No. 148). / relationship	REQ-SRC-ATL105-PDF-001:4843	ENT-SEG-148 / 218	NOT_DECLARED
SC-10636	Response deferred	Relationship — ENT-SEG-155: The Financial Transaction Response transaction includes Real Time Account Updater Response Segment (Data Segment No. 155 / relationship	REQ-SRC-ATL105-PDF-001:4844	ENT-SEG-155 / 218	NOT_DECLARED
SC-10639	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'DLS' — DLS denotes Driver License State/Province Abbreviation, max leng / relationship	REQ-SRC-ATL105-PDF-001:4847	No rule / 224	NOT_DECLARED
SC-10640	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'DLN' — DLN denotes Driver License name, max length an22. / relationship	REQ-SRC-ATL105-PDF-001:4848	No rule / 224	NOT_DECLARED
SC-10641	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'PON' — PON denotes Work Order/P.O. Number, max length an31. / relationship	REQ-SRC-ATL105-PDF-001:4849	No rule / 224	NOT_DECLARED
SC-10642	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'INV' — INV denotes Invoice Number, max length an31. / relationship	REQ-SRC-ATL105-PDF-001:4850	No rule / 224	NOT_DECLARED
SC-10643	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'TRP' — TRP denotes Trip Number, max length an15. / relationship	REQ-SRC-ATL105-PDF-001:4851	No rule / 224	NOT_DECLARED
SC-10644	Transaction unresolved	Relationship — None: Data element Fleet Tag accepts documented value 'UNT' — UNT denotes Unit Number, max length an31. / relationship	REQ-SRC-ATL105-PDF-001:4852	No rule / 224	NOT_DECLARED
SC-10675	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'T' — Response Code T means approved, no more load data pending. / relationship	REQ-SRC-ATL105-PDF-001:4883	ENT-ELEM-83 / 255	NOT_DECLARED
SC-10676	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'U' — Response Code U means declined, no more load data pending. / relationship	REQ-SRC-ATL105-PDF-001:4884	ENT-ELEM-83 / 255	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10702	Response deferred	Relationship — ENT-ELEM-198: Data element 198 accepts documented value 'D' — Settlement Type value D means Dual message. / relationship	REQ-SRC-ATL105-PDF-001:4910	ENT-ELEM-198 / 273	NOT_DECLARED
SC-10703	Response deferred	Relationship — ENT-ELEM-198: Data element 198 accepts documented value 'S' — Settlement Type value S means Single message. / relationship	REQ-SRC-ATL105-PDF-001:4911	ENT-ELEM-198 / 273	NOT_DECLARED
SC-10704	Response deferred	Relationship — ENT-ELEM-198: Data element 198 accepts documented value 'X' — Settlement Type value X means Non-traditional Signature Debit. / relationship	REQ-SRC-ATL105-PDF-001:4912	ENT-ELEM-198 / 273	NOT_DECLARED
SC-10705	Response deferred	Relationship — ENT-ELEM-199: Data element 199 accepts documented value 'T' — Signature Required value T means signature required. / relationship	REQ-SRC-ATL105-PDF-001:4913	ENT-ELEM-199 / 273	NOT_DECLARED
SC-10706	Response deferred	Relationship — ENT-ELEM-199: Data element 199 accepts documented value 'F' — Signature Required value F means signature not required. / relationship	REQ-SRC-ATL105-PDF-001:4914	ENT-ELEM-199 / 273	NOT_DECLARED
SC-10707	Response deferred	Relationship — ENT-ELEM-199: Data element 199 accepts documented value 'Space' — Signature Required value Space means device logic determines require / relationship	REQ-SRC-ATL105-PDF-001:4915	ENT-ELEM-199 / 273	NOT_DECLARED
SC-10708	Response deferred	Relationship — ENT-SEG-141: The Financial Transaction Response transaction includes Moneris Day End Bath Close Segment Format (Request) (Data Segmen / relationship	REQ-SRC-ATL105-PDF-001:4916	ENT-SEG-141 / 279	NOT_DECLARED
SC-10711	Transaction unresolved	Relationship — None: Data element Table ID accepts documented value '001' — Table ID fixed value 001 for Enhanced Fleet Request Flags. / relationship	REQ-SRC-ATL105-PDF-001:4919	No rule / 286	NOT_DECLARED
SC-10712	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF10 (AUID)' — Voyager EMV prompt token DF10 identifies Voyager ID f / relationship	REQ-SRC-ATL105-PDF-001:4920	No rule / 289	NOT_DECLARED
SC-10713	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF11 (VHID)' — Voyager EMV prompt token DF11 identifies Vehicle ID f / relationship	REQ-SRC-ATL105-PDF-001:4921	No rule / 289	NOT_DECLARED
SC-10714	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF12 (DRID)' — Voyager EMV prompt token DF12 identifies Driver ID fi / relationship	REQ-SRC-ATL105-PDF-001:4922	No rule / 289	NOT_DECLARED
SC-10715	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF13 (ODRD)' — Voyager EMV prompt token DF13 identifies Odometer fie / relationship	REQ-SRC-ATL105-PDF-001:4923	No rule / 289	NOT_DECLARED
SC-10716	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF20 (TRLR)' — Voyager EMV prompt token DF20 identifies Trailer ID f / relationship	REQ-SRC-ATL105-PDF-001:4924	No rule / 289	NOT_DECLARED
SC-10717	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF21 (HRRD)' — Voyager EMV prompt token DF21 identifies Reefer Hours / relationship	REQ-SRC-ATL105-PDF-001:4925	No rule / 289	NOT_DECLARED
SC-10718	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF22 (TRIP)' — Voyager EMV prompt token DF22 identifies Trip Number / relationship	REQ-SRC-ATL105-PDF-001:4926	No rule / 289	NOT_DECLARED
SC-10719	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF23 (EXID)' — Voyager EMV prompt token DF23 identifies Extended Dri / relationship	REQ-SRC-ATL105-PDF-001:4927	No rule / 289	NOT_DECLARED
SC-10720	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF24 (UNIT)' — Voyager EMV prompt token DF24 identifies Unit ID fiel / relationship	REQ-SRC-ATL105-PDF-001:4928	No rule / 289	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10721	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF25 (PONB)' — Voyager EMV prompt token DF25 identifies Contract/PO / relationship	REQ-SRC-ATL105-PDF-001:4929	No rule / 289	NOT_DECLARED
SC-10722	Transaction unresolved	Relationship — None: Data element Prompt Token accepts documented value 'DF26 (DLIC)' — Voyager EMV prompt token DF26 identifies Driver Licen / relationship	REQ-SRC-ATL105-PDF-001:4930	No rule / 289	NOT_DECLARED
SC-10745	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'CP' — Cost Plus settlement indicator flag value. / relationship	REQ-SRC-ATL105-PDF-001:4953	No rule / 295	NOT_DECLARED
SC-10746	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'DB' — Direct Bill settlement indicator flag value. / relationship	REQ-SRC-ATL105-PDF-001:4954	No rule / 295	NOT_DECLARED
SC-10747	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'DF' — Direct Bill Funded (Reserved) flag value. / relationship	REQ-SRC-ATL105-PDF-001:4955	No rule / 295	NOT_DECLARED
SC-10748	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'RC' — Recourse (Reserved) flag value. / relationship	REQ-SRC-ATL105-PDF-001:4956	No rule / 295	NOT_DECLARED
SC-10749	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'RF' — Recourse Funded (Reserved) flag value. / relationship	REQ-SRC-ATL105-PDF-001:4957	No rule / 295	NOT_DECLARED
SC-10750	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'FN' — Funded settlement indicator flag value. / relationship	REQ-SRC-ATL105-PDF-001:4958	No rule / 295	NOT_DECLARED
SC-10752	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '00' — 00 indicates no fuel product restriction. / relationship	REQ-SRC-ATL105-PDF-001:4960	No rule / 302	NOT_DECLARED
SC-10753	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '01' — 01 indicates any gasoline. / relationship	REQ-SRC-ATL105-PDF-001:4961	No rule / 302	NOT_DECLARED
SC-10754	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '06' — 06 indicates biodiesels. / relationship	REQ-SRC-ATL105-PDF-001:4962	No rule / 302	NOT_DECLARED
SC-10755	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '07' — 07 indicates any diesel including reefer. / relationship	REQ-SRC-ATL105-PDF-001:4963	No rule / 302	NOT_DECLARED
SC-10756	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '08' — 08 indicates any off-road diesel including reefer. / relationship	REQ-SRC-ATL105-PDF-001:4964	No rule / 302	NOT_DECLARED
SC-10757	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '10' — 10 indicates alternative fuels. / relationship	REQ-SRC-ATL105-PDF-001:4965	No rule / 302	NOT_DECLARED
SC-10758	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '11' — 11 indicates hybrid (gas and electric). / relationship	REQ-SRC-ATL105-PDF-001:4966	No rule / 302	NOT_DECLARED
SC-10759	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '12' — 12 indicates aviation fuels. / relationship	REQ-SRC-ATL105-PDF-001:4967	No rule / 302	NOT_DECLARED
SC-10760	Transaction unresolved	Relationship — None: Data element Restriction Code accepts documented value '13' — 13 indicates marine fuels. / relationship	REQ-SRC-ATL105-PDF-001:4968	No rule / 302	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10761	Response deferred	Relationship — ENT-SEG-149: The Financial Transaction Response transaction includes Fuel Price Update Request Segment (Data Segment No. 149). / relationship	REQ-SRC-ATL105-PDF-001:4969	ENT-SEG-149 / 303	NOT_DECLARED
SC-10763	Transaction unresolved	Relationship — None: Data element Element No. 85 (Segment Type) accepts documented value '153' — Segment Type fixed value is 153 for this seg / relationship	REQ-SRC-ATL105-PDF-001:4971	No rule / 307	NOT_DECLARED
SC-10764	Transaction unresolved	Relationship — None: Data element Account Updater Card Status accepts documented value 'A' — A = New Account Number & Expiration Date. / relationship	REQ-SRC-ATL105-PDF-001:4972	No rule / 311	NOT_DECLARED
SC-10765	Transaction unresolved	Relationship — None: Data element Account Updater Card Status accepts documented value 'E' — E = New Expiration Date. / relationship	REQ-SRC-ATL105-PDF-001:4973	No rule / 311	NOT_DECLARED
SC-10766	Transaction unresolved	Relationship — None: Data element Account Updater Card Status accepts documented value 'Q' — Q = Contact Cardholder. / relationship	REQ-SRC-ATL105-PDF-001:4974	No rule / 311	NOT_DECLARED
SC-10767	Transaction unresolved	Relationship — None: Data element Account Updater Card Status accepts documented value 'C' — C = Closed. / relationship	REQ-SRC-ATL105-PDF-001:4975	No rule / 311	NOT_DECLARED
SC-10768	Transaction unresolved	Relationship — None: Data element Account Updater Card Status accepts documented value 'U' — U = Unknown Card. / relationship	REQ-SRC-ATL105-PDF-001:4976	No rule / 311	NOT_DECLARED
SC-10769	Transaction unresolved	Relationship — None: Data element Account Updater Result Code accepts documented value 'VAU001' — VAU001 indicates transaction contained a to / relationship	REQ-SRC-ATL105-PDF-001:4977	No rule / 313	NOT_DECLARED
SC-10770	Transaction unresolved	Relationship — None: Data element Account Updater Result Code accepts documented value 'VAU002' — VAU002 indicates Real Time VAU supported on / relationship	REQ-SRC-ATL105-PDF-001:4978	No rule / 313	NOT_DECLARED
SC-10771	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'Y' — 'Y' indicates EV charging data is present. / relationship	REQ-SRC-ATL105-PDF-001:4979	No rule / 314	NOT_DECLARED
SC-10772	Transaction unresolved	Relationship — None: Data element Charging Reason Code accepts documented value '010' — For Visa, value 010 means Other Error (Abnormal compl / relationship	REQ-SRC-ATL105-PDF-001:4980	No rule / 316	NOT_DECLARED
SC-10774	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '001' — 001 = AC - J1772 Type 1 connector. / relationship	REQ-SRC-ATL105-PDF-001:4982	No rule / 319	NOT_DECLARED
SC-10775	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '002' — 002 = AC - Mennekes - Type 2 connector. / relationship	REQ-SRC-ATL105-PDF-001:4983	No rule / 319	NOT_DECLARED
SC-10776	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '003' — 003 = AC - GB/T connector. / relationship	REQ-SRC-ATL105-PDF-001:4984	No rule / 319	NOT_DECLARED
SC-10777	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '100' — 100 = DC - CCS1 connector. / relationship	REQ-SRC-ATL105-PDF-001:4985	No rule / 319	NOT_DECLARED
SC-10778	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '101' — 101 = DC - CHAdeMO connector. / relationship	REQ-SRC-ATL105-PDF-001:4986	No rule / 319	NOT_DECLARED
SC-10779	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '102' — 102 = DC - CCS2 connector. / relationship	REQ-SRC-ATL105-PDF-001:4987	No rule / 319	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10780	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '103' — 103 = DC - GB/T connector. / relationship	REQ-SRC-ATL105-PDF-001:4988	No rule / 319	NOT_DECLARED
SC-10781	Transaction unresolved	Relationship — None: Data element Connector Type accepts documented value '200' — 200 = Tesla connector. / relationship	REQ-SRC-ATL105-PDF-001:4989	No rule / 319	NOT_DECLARED
SC-10782	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '^' — Data Type Indicator fixed value is '^'. / relationship	REQ-SRC-ATL105-PDF-001:4990	ENT-ELEM-24 / 332	NOT_DECLARED
SC-10783	Response deferred	Relationship — ENT-ELEM-1: Data element ENT-ELEM-1 accepts documented value 'B' — B character represents a 1-second pause in Access Code. / relationship	REQ-SRC-ATL105-PDF-001:4991	ENT-ELEM-1 / 355	NOT_DECLARED
SC-10784	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '095' — Card Type 095 indicates Express Code transaction. / relationship	REQ-SRC-ATL105-PDF-001:4992	ENT-ELEM-14 / 359	NOT_DECLARED
SC-10785	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '096' — Card Type 096 indicates ComCheck transaction. / relationship	REQ-SRC-ATL105-PDF-001:4993	ENT-ELEM-14 / 359	NOT_DECLARED
SC-10786	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '093' — Card Type 093 indicates Money Code/Check transaction. / relationship	REQ-SRC-ATL105-PDF-001:4994	ENT-ELEM-14 / 359	NOT_DECLARED
SC-10794	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '#' — Identifies Merchant Data Segment DL1. / relationship	REQ-SRC-ATL105-PDF-001:5002	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10795	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '!' — Identifies Dial String Data Segment DL2. / relationship	REQ-SRC-ATL105-PDF-001:5003	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10796	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value ':' — Identifies Date and Time Data Segment DL3. / relationship	REQ-SRC-ATL105-PDF-001:5004	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10797	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '@' — Identifies Software Dial Load Data Segment DL4. / relationship	REQ-SRC-ATL105-PDF-001:5005	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10798	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '\$' — Identifies Software IP Load Data Segment DL5. / relationship	REQ-SRC-ATL105-PDF-001:5006	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10799	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '\' — Identifies Store and Forward Data Segment DL6. / relationship	REQ-SRC-ATL105-PDF-001:5007	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10800	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '^' — Identifies Supplemental Terminal Data Segment DL7. / relationship	REQ-SRC-ATL105-PDF-001:5008	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10801	Response deferred	Relationship — ENT-ELEM-24: Data element 24 accepts documented value '%' — Identifies EMV Terminal Floor Limits Data Segment DL8. / relationship	REQ-SRC-ATL105-PDF-001:5009	ENT-ELEM-24 / 371	NOT_DECLARED
SC-10802	Response deferred	Relationship — ENT-ELEM-27: Data element ENT-ELEM-27 accepts documented value 'A' — Indicates end of first dial string in Dial String Data Segment D / relationship	REQ-SRC-ATL105-PDF-001:5010	ENT-ELEM-27 / 372	NOT_DECLARED
SC-10803	Response deferred	Relationship — ENT-ELEM-27: Data element ENT-ELEM-27 accepts documented value 'F' — Indicates end of second dial string in Dial String Data Segment / relationship	REQ-SRC-ATL105-PDF-001:5011	ENT-ELEM-27 / 372	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10804	Response deferred	Relationship — ENT-ELEM-28: Data element 28 accepts documented value '1' — Value 1 indicates transaction dial strings for Dial String Type. / relationship	REQ-SRC-ATL105-PDF-001:5012	ENT-ELEM-28 / 373	NOT_DECLARED
SC-10805	Response deferred	Relationship — ENT-ELEM-30: Data element 30 accepts documented value '0' — Code 0 indicates no download request for Download Indicator. / relationship	REQ-SRC-ATL105-PDF-001:5013	ENT-ELEM-30 / 373	NOT_DECLARED
SC-10806	Response deferred	Relationship — ENT-ELEM-34: Data element End-of-Data Indicator accepts documented value '~' — Valid value for End-of-Data Indicator is tilde charact / relationship	REQ-SRC-ATL105-PDF-001:5014	ENT-ELEM-34 / 375	NOT_DECLARED
SC-10814	Response deferred	Relationship — ENT-ELEM-61: Data element 61 accepts documented value '1' — Terminal Display/Printer Message appears once in Financial Transaction Re / relationship	REQ-SRC-ATL105-PDF-001:5022	ENT-ELEM-61 / 387	NOT_DECLARED
SC-10815	Response deferred	Relationship — ENT-ELEM-61: Data element 61 accepts documented value '2' — Terminal Display/Printer Message appears twice in Financial Transaction R / relationship	REQ-SRC-ATL105-PDF-001:5023	ENT-ELEM-61 / 387	NOT_DECLARED
SC-10816	Response deferred	Relationship — ENT-ELEM-61: Data element 61 accepts documented value '3' — Terminal Display/Printer Message appears three times in Financial Transac / relationship	REQ-SRC-ATL105-PDF-001:5024	ENT-ELEM-61 / 387	NOT_DECLARED
SC-10817	Response deferred	Relationship — ENT-ELEM-8: Data element ENT-ELEM-8 accepts documented value '0' — Code 0 indicates Approved-Purchase/Capture. / relationship	REQ-SRC-ATL105-PDF-001:5025	ENT-ELEM-8 / 397	NOT_DECLARED
SC-10818	Response deferred	Relationship — ENT-ELEM-8: Data element ENT-ELEM-8 accepts documented value 'F' — Code F indicates Approved-Partial approval, relates to Partial Ap / relationship	REQ-SRC-ATL105-PDF-001:5026	ENT-ELEM-8 / 397	NOT_DECLARED
SC-10819	Response deferred	Relationship — ENT-ELEM-8: Data element ENT-ELEM-8 accepts documented value 'K' — Code K indicates Approved-TransArmor Load. / relationship	REQ-SRC-ATL105-PDF-001:5027	ENT-ELEM-8 / 397	NOT_DECLARED
SC-10820	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'O' — Response Code O indicates Approved-Proprietary data load, more p / relationship	REQ-SRC-ATL105-PDF-001:5028	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10821	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'P' — Response Code P indicates Successful Signing/Signed Key Load Req / relationship	REQ-SRC-ATL105-PDF-001:5029	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10822	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'S' — Response Code S indicates Declined-Retry the transaction. / relationship	REQ-SRC-ATL105-PDF-001:5030	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10823	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'T' — Response Code T indicates Approved-Proprietary data load, no mor / relationship	REQ-SRC-ATL105-PDF-001:5031	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10824	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'U' — Response Code U indicates Declined-Proprietary data load, no mor / relationship	REQ-SRC-ATL105-PDF-001:5032	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10825	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'V' — Response Code V indicates Declined-Totals with Proprietary Cust / relationship	REQ-SRC-ATL105-PDF-001:5033	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10826	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'W' — Response Code W indicates Approved-Totals with Proprietary Cust / relationship	REQ-SRC-ATL105-PDF-001:5034	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10827	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'X' — Response Code X indicates Declined-Proprietary data load or Not / relationship	REQ-SRC-ATL105-PDF-001:5035	ENT-ELEM-83 / 398	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10828	Response deferred	Relationship — ENT-ELEM-83: Data element ENT-ELEM-83 accepts documented value 'Y' — Response Code Y indicates Approved-Proprietary data load, procee / relationship	REQ-SRC-ATL105-PDF-001:5036	ENT-ELEM-83 / 398	NOT_DECLARED
SC-10856	Response deferred	Relationship — ENT-ELEM-94: Data element 94 accepts documented value 'F' — F indicates full application load. / relationship	REQ-SRC-ATL105-PDF-001:5064	ENT-ELEM-94 / 406	NOT_DECLARED
SC-10857	Response deferred	Relationship — ENT-ELEM-94: Data element 94 accepts documented value 'P' — P indicates partial application load. / relationship	REQ-SRC-ATL105-PDF-001:5065	ENT-ELEM-94 / 406	NOT_DECLARED
SC-10858	Transaction unresolved	Relationship — ENT-ELEM-97: Data element 97 accepts documented value ')' — Start-of-Data Block Indicator fixed value is ')'. / relationship	REQ-SRC-ATL105-PDF-001:5066	ENT-ELEM-97 / 407	NOT_DECLARED
SC-10879	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '001' — Universal Product Code (UPC) indicator value for Ad / relationship	REQ-SRC-ATL105-PDF-001:5087	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10880	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '002' — Program Identifier indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5088	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10881	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '003' — Address verification service (AVS) indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5089	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10882	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '004' — Card verification (CVV, CVV2, CVC2, CID, DTVV) indi / relationship	REQ-SRC-ATL105-PDF-001:5090	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10883	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '005' — Point-of-service entry mode indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5091	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10884	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '006' — Currency code indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5092	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10885	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '007' — Standard Industrial Classification (SIC) indicator / relationship	REQ-SRC-ATL105-PDF-001:5093	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10886	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '008' — Balance transfer-stored value gift card account num / relationship	REQ-SRC-ATL105-PDF-001:5094	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10887	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '009' — Partial Approval Indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5095	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10888	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '010' — Visa Trusted Agent Program (TAP) indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5096	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10889	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '011' — Tax Collector indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5097	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10890	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '012' — Market-Specific Data indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5098	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10891	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '013' — Special Payments indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5099	ENT-ELEM-118 / 416	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10892	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '014' — User Data Information value. / relationship	REQ-SRC-ATL105-PDF-001:5100	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10893	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '015' — Discover Network Retrieval Reference Number indicat / relationship	REQ-SRC-ATL105-PDF-001:5101	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10894	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '016' — Visa payWave card data indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5102	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10895	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '017' — Suspected Fraud Reversal indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5103	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10896	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '018' — Card Acceptor Terminal Identifier Information Indic / relationship	REQ-SRC-ATL105-PDF-001:5104	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10897	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '019' — Recharge Type Information value. / relationship	REQ-SRC-ATL105-PDF-001:5105	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10898	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '020' — Top Up Phone Number Information value. / relationship	REQ-SRC-ATL105-PDF-001:5106	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10899	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '021' — Settlement Data Acceptance Flag value. / relationship	REQ-SRC-ATL105-PDF-001:5107	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10900	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '022' — Originating Device Type Indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5108	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10901	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '024' — Manual Check MICR Type value. / relationship	REQ-SRC-ATL105-PDF-001:5109	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10902	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '025' — Gift Card Number value. / relationship	REQ-SRC-ATL105-PDF-001:5110	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10903	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '026' — Order ID value. / relationship	REQ-SRC-ATL105-PDF-001:5111	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10904	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '027' — Customer Name value. / relationship	REQ-SRC-ATL105-PDF-001:5112	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10905	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '028' — Use Unique ID value. / relationship	REQ-SRC-ATL105-PDF-001:5113	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10906	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '030' — POS Condition Code value. / relationship	REQ-SRC-ATL105-PDF-001:5114	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10907	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '031' — Point-of-Service Terminal Capability Code value. / relationship	REQ-SRC-ATL105-PDF-001:5115	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10908	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '032' — POS Additional Data Information value. / relationship	REQ-SRC-ATL105-PDF-001:5116	ENT-ELEM-118 / 416	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-10909	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '034' — Name Verification Service (NVS) Indicator value. / relationship	REQ-SRC-ATL105-PDF-001:5117	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10910	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '035' — Verified By Visa Data value. / relationship	REQ-SRC-ATL105-PDF-001:5118	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10911	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '036' — MasterCard UCAF Data value. / relationship	REQ-SRC-ATL105-PDF-001:5119	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10912	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '037' — MCX Checkout Token value. / relationship	REQ-SRC-ATL105-PDF-001:5120	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10913	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '038' — Paydiant Tender ID value. / relationship	REQ-SRC-ATL105-PDF-001:5121	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10914	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '039' — Fraud Enhanced Data value. / relationship	REQ-SRC-ATL105-PDF-001:5122	ENT-ELEM-118 / 416	NOT_DECLARED
SC-10990	Response deferred	Relationship — ENT-ELEM-115: Data element ENT-ELEM-115 accepts documented value '0' — Value 0 means no Additional Information Data Segment follows. / relationship	REQ-SRC-ATL105-PDF-001:5198	ENT-ELEM-115 / 425	NOT_DECLARED
SC-10991	Response deferred	Relationship — ENT-ELEM-115: Data element ENT-ELEM-115 accepts documented value '1' — Value 1 means an Additional Information Data Segment follows. / relationship	REQ-SRC-ATL105-PDF-001:5199	ENT-ELEM-115 / 425	NOT_DECLARED
SC-10992	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '001' — Value 001 indicates balance information. / relationship	REQ-SRC-ATL105-PDF-001:5200	ENT-ELEM-116 / 426	NOT_DECLARED
SC-10993	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '003' — Value 003 indicates AVS information. / relationship	REQ-SRC-ATL105-PDF-001:5201	ENT-ELEM-116 / 426	NOT_DECLARED
SC-10994	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '004' — Value 004 indicates CVV information. / relationship	REQ-SRC-ATL105-PDF-001:5202	ENT-ELEM-116 / 426	NOT_DECLARED
SC-10995	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '009' — Value 009 indicates Visa product result information. / relationship	REQ-SRC-ATL105-PDF-001:5203	ENT-ELEM-116 / 426	NOT_DECLARED
SC-10996	Response deferred	Relationship — ENT-ELEM-118: Data element Additional Information accepts documented value '029' — PAR (Payment Account Reference) Data value code. / relationship	REQ-SRC-ATL105-PDF-001:5204	ENT-ELEM-118 / 427	NOT_DECLARED
SC-10997	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '010' — Value 010 indicates loyalty information included. / relationship	REQ-SRC-ATL105-PDF-001:5205	ENT-ELEM-116 / 430	NOT_DECLARED
SC-10998	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '011' — Value 011 indicates user data information included. / relationship	REQ-SRC-ATL105-PDF-001:5206	ENT-ELEM-116 / 430	NOT_DECLARED
SC-10999	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '012' — Value 012 indicates Discover Retrieval Reference Number included. / relationship	REQ-SRC-ATL105-PDF-001:5207	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11000	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '013' — Value 013 indicates Expiration Date included. / relationship	REQ-SRC-ATL105-PDF-001:5208	ENT-ELEM-116 / 430	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11001	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '016' — Value 016 indicates PIN-on-Receipt Information included. / relationship	REQ-SRC-ATL105-PDF-001:5209	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11002	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '017' — Value 017 indicates BUYPASS Host Card Type included. / relationship	REQ-SRC-ATL105-PDF-001:5210	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11003	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '018' — Value 018 indicates PINless transaction processing info included. / relationship	REQ-SRC-ATL105-PDF-001:5211	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11004	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '019' — Value 019 indicates Visa Spend Qualified Indicator included. / relationship	REQ-SRC-ATL105-PDF-001:5212	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11005	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '020' — Value 020 indicates Host Prompts Information included. / relationship	REQ-SRC-ATL105-PDF-001:5213	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11006	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '021' — Value 021 indicates Re-Price Data Response Information included. / relationship	REQ-SRC-ATL105-PDF-001:5214	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11007	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '022' — Value 022 indicates CAVV Result Information included. / relationship	REQ-SRC-ATL105-PDF-001:5215	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11008	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '023' — Value 023 indicates MCX Reference Number Information included. / relationship	REQ-SRC-ATL105-PDF-001:5216	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11009	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '024' — Value 024 indicates Carwash Indicator Information included. / relationship	REQ-SRC-ATL105-PDF-001:5217	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11010	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '025' — Value 025 indicates Language Indicator Information included. / relationship	REQ-SRC-ATL105-PDF-001:5218	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11011	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '026' — Value 026 indicates DST Response Information included. / relationship	REQ-SRC-ATL105-PDF-001:5219	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11012	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '027' — Value 027 indicates Universal Unique Identifier included. / relationship	REQ-SRC-ATL105-PDF-001:5220	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11013	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '028' — Value 028 indicates Transaction Identifier Information included. / relationship	REQ-SRC-ATL105-PDF-001:5221	ENT-ELEM-116 / 430	NOT_DECLARED
SC-11014	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '029' — PAR Data Information included when indicator is 029. / relationship	REQ-SRC-ATL105-PDF-001:5222	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11015	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '030' — Merchant Advice code included when indicator is 030. / relationship	REQ-SRC-ATL105-PDF-001:5223	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11016	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '031' — DAF Indicator included when indicator is 031. / relationship	REQ-SRC-ATL105-PDF-001:5224	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11017	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '032' — Agreement ID included when indicator is 032. / relationship	REQ-SRC-ATL105-PDF-001:5225	ENT-ELEM-116 / 431	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11018	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '034' — Host-based Purchase Restriction included when indicator is 034. / relationship	REQ-SRC-ATL105-PDF-001:5226	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11019	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '035' — Cardholder Additional Information Result Code included when indicator / relationship	REQ-SRC-ATL105-PDF-001:5227	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11020	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '036' — Account Type included when indicator is 036. / relationship	REQ-SRC-ATL105-PDF-001:5228	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11021	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '037' — Account Funding Source included when indicator is 037. / relationship	REQ-SRC-ATL105-PDF-001:5229	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11022	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '038' — Transaction Link Identifier included when indicator is 038. / relationship	REQ-SRC-ATL105-PDF-001:5230	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11023	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '039' — Transaction Link Action Indicator included when indicator is 039. / relationship	REQ-SRC-ATL105-PDF-001:5231	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11024	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '040' — Fraud Score included when indicator is 040. / relationship	REQ-SRC-ATL105-PDF-001:5232	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11025	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '041' — Fraud Score Reason Code included when indicator is 041. / relationship	REQ-SRC-ATL105-PDF-001:5233	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11026	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '044' — Merchant Tran ID included when indicator is 044. / relationship	REQ-SRC-ATL105-PDF-001:5234	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11027	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '045' — Applied Special Service included when indicator is 045. / relationship	REQ-SRC-ATL105-PDF-001:5235	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11028	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '046' — Voyager Restriction Code included when indicator is 046. / relationship	REQ-SRC-ATL105-PDF-001:5236	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11029	Response deferred	Relationship — ENT-ELEM-116: Data element 116 accepts documented value '047' — Visa Category Code included when indicator is 047. / relationship	REQ-SRC-ATL105-PDF-001:5237	ENT-ELEM-116 / 431	NOT_DECLARED
SC-11030	Transaction unresolved	Relationship — ENT-ELEM-120: Data element Network Management Message accepts documented value 'COMMTST' — Only valid value for Network Management Me / relationship	REQ-SRC-ATL105-PDF-001:5238	ENT-ELEM-120 / 432	NOT_DECLARED
SC-11061	Transaction unresolved	Relationship — None: Data element Item Action Code accepts documented value '00' — Approved value for Item Action Code. / relationship	REQ-SRC-ATL105-PDF-001:5269	No rule / 450	NOT_DECLARED
SC-11062	Transaction unresolved	Relationship — None: Data element Item Action Code accepts documented value '05' — Add record value for Item Action Code. / relationship	REQ-SRC-ATL105-PDF-001:5270	No rule / 450	NOT_DECLARED
SC-11063	Transaction unresolved	Relationship — None: Data element Item Action Code accepts documented value '06' — Delete record value for Item Action Code. / relationship	REQ-SRC-ATL105-PDF-001:5271	No rule / 450	NOT_DECLARED
SC-11064	Transaction unresolved	Relationship — None: Data element TAG accepts documented value '50' — TAG value 50 means HIP purchase/return amount, used in requests. / relationship	REQ-SRC-ATL105-PDF-001:5272	No rule / 458	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11065	Transaction unresolved	Relationship — None: Data element TAG accepts documented value 'IT' — TAG value IT means HIP Internet purchase shipping address/zip code. / relationship	REQ-SRC-ATL105-PDF-001:5273	No rule / 458	NOT_DECLARED
SC-11066	Transaction unresolved	Relationship — None: Data element TAG accepts documented value '51' — TAG value 51 means HIP incentive earned/returned, used in responses. / relationship	REQ-SRC-ATL105-PDF-001:5274	No rule / 458	NOT_DECLARED
SC-11067	Transaction unresolved	Relationship — None: Data element TAG accepts documented value '52' — TAG value 52 means HIP month-to-date incentive earned. / relationship	REQ-SRC-ATL105-PDF-001:5275	No rule / 458	NOT_DECLARED
SC-11068	Transaction unresolved	Relationship — None: Data element AMOUNT TYPE accepts documented value '50' — HIP purchase/return amount valid for requests. / relationship	REQ-SRC-ATL105-PDF-001:5276	No rule / 459	NOT_DECLARED
SC-11069	Transaction unresolved	Relationship — None: Data element AMOUNT TYPE accepts documented value '51' — HIP incentive earned/returned valid for responses. / relationship	REQ-SRC-ATL105-PDF-001:5277	No rule / 459	NOT_DECLARED
SC-11070	Transaction unresolved	Relationship — None: Data element AMOUNT TYPE accepts documented value '52' — HIP month-to-date incentive earned valid for responses. / relationship	REQ-SRC-ATL105-PDF-001:5278	No rule / 459	NOT_DECLARED
SC-11085	Transaction unresolved	Relationship — ENT-ELEM-191: Data element ENT-ELEM-191 accepts documented value '001' — Code 001 indicates EMV table data. / relationship	REQ-SRC-ATL105-PDF-001:5293	ENT-ELEM-191 / 472	NOT_DECLARED
SC-11086	Response deferred	Relationship — ENT-ELEM-198: Data element Settlement Type accepts documented value 'D' — D indicates transaction processed Dual message (credit). / relationship	REQ-SRC-ATL105-PDF-001:5294	ENT-ELEM-198 / 476	NOT_DECLARED
SC-11087	Response deferred	Relationship — ENT-ELEM-198: Data element Settlement Type accepts documented value 'S' — S indicates transaction processed Single message (debit). / relationship	REQ-SRC-ATL105-PDF-001:5295	ENT-ELEM-198 / 476	NOT_DECLARED
SC-11088	Response deferred	Relationship — ENT-ELEM-198: Data element Settlement Type accepts documented value 'X' — X indicates transaction processed Dual message (non-traditio / relationship	REQ-SRC-ATL105-PDF-001:5296	ENT-ELEM-198 / 476	NOT_DECLARED
SC-11089	Response deferred	Relationship — ENT-ELEM-199: Data element Signature Required accepts documented value 'T' — T indicates signature is required. / relationship	REQ-SRC-ATL105-PDF-001:5297	ENT-ELEM-199 / 477	NOT_DECLARED
SC-11090	Response deferred	Relationship — ENT-ELEM-199: Data element Signature Required accepts documented value 'F' — F indicates signature is not required. / relationship	REQ-SRC-ATL105-PDF-001:5298	ENT-ELEM-199 / 477	NOT_DECLARED
SC-11091	Response deferred	Relationship — ENT-ELEM-199: Data element Signature Required accepts documented value 'Space' — Space indicates device software logic determines sign / relationship	REQ-SRC-ATL105-PDF-001:5299	ENT-ELEM-199 / 477	NOT_DECLARED
SC-11102	Transaction unresolved	Relationship — ENT-ELEM-205: Data element Load Subtype accepts documented value 'M' — Value M represents Moneris Key Load for Load Subtype field. / relationship	REQ-SRC-ATL105-PDF-001:5310	ENT-ELEM-205 / 480	NOT_DECLARED
SC-11140	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '00-34' — Authorizer Code values 00-34 correspond to specific authorize / relationship	REQ-SRC-ATL105-PDF-001:5348	ENT-ELEM-7 / 504	NOT_DECLARED
SC-11141	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '77' — Authorizer Code 77 = Sinclair, type Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5349	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11142	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '78' — Authorizer Code 78 = A Toda Hora Global, type Debit. / relationship	REQ-SRC-ATL105-PDF-001:5350	ENT-ELEM-7 / 506	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11143	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '79' — Authorizer Code 79 = ACS Direct, type EBT. / relationship	REQ-SRC-ATL105-PDF-001:5351	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11144	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '80' — Authorizer Code 80 = BUYCheck, type Check. / relationship	REQ-SRC-ATL105-PDF-001:5352	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11145	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '81' — Authorizer Code 81 = WEX OTR Fleet, type Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5353	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11146	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '82' — Authorizer Code 82 = EDS, type EBT. / relationship	REQ-SRC-ATL105-PDF-001:5354	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11147	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '83' — Authorizer Code 83 = ACS WIC, type WIC. / relationship	REQ-SRC-ATL105-PDF-001:5355	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11148	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '84' — Authorizer Code 84 = STAR Single Message, type Signature Debit. / relationship	REQ-SRC-ATL105-PDF-001:5356	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11149	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '85' — Authorizer Code 85 = STAR Dual Message, type Signature Debit. / relationship	REQ-SRC-ATL105-PDF-001:5357	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11150	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '86' — Authorizer Code 86 = Armed Forces Financial Network Direct, type / relationship	REQ-SRC-ATL105-PDF-001:5358	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11151	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '87' — Authorizer Code 87 = Comdata Corporation, type Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5359	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11152	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '88' — Authorizer Code 88 = Optis (Omaha) Cycle, type Debit. / relationship	REQ-SRC-ATL105-PDF-001:5360	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11153	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '89' — Authorizer Code 89 = LMLTM Check Service, type Check. / relationship	REQ-SRC-ATL105-PDF-001:5361	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11154	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '91' — Authorizer Code 91 = PreSolutions, type Phone. / relationship	REQ-SRC-ATL105-PDF-001:5362	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11155	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '92' — Authorizer Code 92 = Alliance Data Systems, type Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5363	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11156	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '94' — Authorizer Code 94 = Voyager, type Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5364	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11157	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '95' — Authorizer Code 95 = Unocal Corporation, type Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5365	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11158	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '96' — Authorizer Code 96 = Fleet One, type Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5366	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11159	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '97' — Authorizer Code 97 = Jeanie Direct, type Debit. / relationship	REQ-SRC-ATL105-PDF-001:5367	ENT-ELEM-7 / 506	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11160	Response deferred	Relationship — ENT-ELEM-7: Data element ENT-ELEM-7 accepts documented value '98' — Authorizer Code 98 = Optum, type Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5368	ENT-ELEM-7 / 506	NOT_DECLARED
SC-11164	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '001' — Code 001 = BUYPASS fleet, Fleet card type. / relationship	REQ-SRC-ATL105-PDF-001:5372	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11165	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '011' — Code 011 = Debit checking, Debit and Follow-Up Signature Debit / relationship	REQ-SRC-ATL105-PDF-001:5373	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11166	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '012' — Code 012 = Debit saving, Debit. / relationship	REQ-SRC-ATL105-PDF-001:5374	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11167	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '013' — Code 013 = Debit ACH, Debit. / relationship	REQ-SRC-ATL105-PDF-001:5375	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11168	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '020' — Code 020 = Visa Fleet Credit, Fleet/Credit and Signature Debit / relationship	REQ-SRC-ATL105-PDF-001:5376	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11169	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '040' — Code 040 = Loyalty, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5377	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11170	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '041' — Code 041 = Certegy (Formerly Telecredit), Check. / relationship	REQ-SRC-ATL105-PDF-001:5378	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11171	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '045' — Code 045 = Generic check, Check. / relationship	REQ-SRC-ATL105-PDF-001:5379	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11172	Response deferred	Relationship — ENT-ELEM-14: Data element ENT-ELEM-14 accepts documented value '046' — Code 046 = ECA/TeleCheck Service, Check. / relationship	REQ-SRC-ATL105-PDF-001:5380	ENT-ELEM-14 / 511	NOT_DECLARED
SC-11173	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '050' — Card Type 050 = Valero Energy Corporation, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5381	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11174	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '051' — Card Type 051 = Shell, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5382	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11175	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '052' — Card Type 052 = ExxonMobil Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5383	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11176	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '053' — Card Type 053 = ExxonMobil Fleet, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5384	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11177	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '055' — Card Type 055 = Valero UCC, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5385	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11178	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '056' — Card Type 056 = Generic proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5386	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11179	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '057' — Card Type 057 = Sohio/Gulf, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5387	ENT-ELEM-14 / 512	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11180	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '058' — Card Type 058 = Cenex, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5388	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11181	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '059' — Card Type 059 = Wright Express, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5389	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11182	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '060' — Card Type 060 = Voyager, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5390	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11183	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '061' — Card Type 061 = Car Care One, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5391	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11184	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '064' — Card Type 064 = Tesoro Petroleum Corporation, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5392	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11185	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '070' — Card Type 070 = Valero Fleet, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5393	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11186	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '071' — Card Type 071 = Fleet One, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5394	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11187	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '072' — Card Type 072 = Tesoro UCC, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5395	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11188	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '073' — Card Type 073 = EBT food stamps, EBT. / relationship	REQ-SRC-ATL105-PDF-001:5396	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11189	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '074' — Card Type 074 = EBT cash benefits, EBT. / relationship	REQ-SRC-ATL105-PDF-001:5397	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11190	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '075' — Card Type 075 = Citgo fleet, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5398	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11191	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '077' — Card Type 077 = Unocal, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5399	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11192	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '078' — Card Type 078 = Phone, Stored value. / relationship	REQ-SRC-ATL105-PDF-001:5400	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11193	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '079' — Card Type 079 = Stored value, Stored value. / relationship	REQ-SRC-ATL105-PDF-001:5401	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11194	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '080' — Card Type 080 = MasterCard fleet, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5402	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11195	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '081' — Card Type 081 = Fuelman/Gascard, Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5403	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11196	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '084' — Card Type 084 = Sinclair, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5404	ENT-ELEM-14 / 512	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11197	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '085' — Card Type 085 = Sunoco, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5405	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11198	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '086' — Card Type 086 = eWIC, EBT. / relationship	REQ-SRC-ATL105-PDF-001:5406	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11199	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '088' — Card Type 088 = EBT childcare provider payment. / relationship	REQ-SRC-ATL105-PDF-001:5407	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11200	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '090' — Card Type 090 = Conoco, Proprietary. / relationship	REQ-SRC-ATL105-PDF-001:5408	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11201	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '091' — Card Type 091 = NGFC Card (Next Generation Fleet Card). / relationship	REQ-SRC-ATL105-PDF-001:5409	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11202	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '092' — Card Type 092 = WEX OTR Card. / relationship	REQ-SRC-ATL105-PDF-001:5410	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11203	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '093' — Card Type 093 = Money Code, WEX OTR Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5411	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11204	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '094' — Card Type 094 = COMDATA Card. / relationship	REQ-SRC-ATL105-PDF-001:5412	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11205	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '095' — Card Type 095 = Comdata Express Check, COMDATA Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5413	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11206	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '096' — Card Type 096 = Comdata ComCheck Check, COMDATA Fleet. / relationship	REQ-SRC-ATL105-PDF-001:5414	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11207	Response deferred	Relationship — ENT-ELEM-14: Data element 14 accepts documented value '127' — Code 127 = Address verification system, triggers ZIP Code prompt for ma / relationship	REQ-SRC-ATL105-PDF-001:5415	ENT-ELEM-14 / 512	NOT_DECLARED
SC-11208	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '148' — Card Type code 148 = PAN truncation in Table Load Response. / relationship	REQ-SRC-ATL105-PDF-001:5416	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11209	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '150' — Card Type code 150 = Debit Convenience Fee. / relationship	REQ-SRC-ATL105-PDF-001:5417	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11210	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '162' — Card Type code 162 = Address verification system. / relationship	REQ-SRC-ATL105-PDF-001:5418	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11211	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '163' — Card Type code 163 = Address verification system with ZIP+4. / relationship	REQ-SRC-ATL105-PDF-001:5419	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11212	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '164' — Card Type code 164 = Auto close. / relationship	REQ-SRC-ATL105-PDF-001:5420	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11213	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '165' — Card Type code 165 = Gift card. / relationship	REQ-SRC-ATL105-PDF-001:5421	ENT-ELEM-14 / 513	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11214	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '166' — Card Type code 166 disables Return/Refund function. / relationship	REQ-SRC-ATL105-PDF-001:5422	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11215	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '167' — Card Type code 167 disables Void/Reversal function. / relationship	REQ-SRC-ATL105-PDF-001:5423	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11216	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '168' — Card Type code 168 disables Preauthorization except proprietary / relationship	REQ-SRC-ATL105-PDF-001:5424	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11217	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '171' — Card Type code 171 enables BUYPASS TAP. / relationship	REQ-SRC-ATL105-PDF-001:5425	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11218	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '173' — Card Type code 173 enables Store and Forward blocking. / relationship	REQ-SRC-ATL105-PDF-001:5426	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11219	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '174' — Card Type code 174 prompts for card verification data for inside / relationship	REQ-SRC-ATL105-PDF-001:5427	ENT-ELEM-14 / 513	NOT_DECLARED
SC-11220	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '001' — BUYPASS fleet card type code, Fleet category. / relationship	REQ-SRC-ATL105-PDF-001:5428	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11221	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '011' — Debit checking card type code. / relationship	REQ-SRC-ATL105-PDF-001:5429	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11222	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '012' — Debit saving card type code. / relationship	REQ-SRC-ATL105-PDF-001:5430	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11223	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '013' — Debit ACH card type code. / relationship	REQ-SRC-ATL105-PDF-001:5431	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11224	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '020' — Credit card type code. / relationship	REQ-SRC-ATL105-PDF-001:5432	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11225	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '040' — Loyalty card type, Proprietary category. / relationship	REQ-SRC-ATL105-PDF-001:5433	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11226	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '041' — Certegy (formerly Telecredit) Check card type. / relationship	REQ-SRC-ATL105-PDF-001:5434	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11227	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '045' — Generic check card type code. / relationship	REQ-SRC-ATL105-PDF-001:5435	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11228	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '046' — ECA/TeleCheck Service check card type code. / relationship	REQ-SRC-ATL105-PDF-001:5436	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11229	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '050' — Valero Energy Corporation Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5437	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11230	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '051' — Shell Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5438	ENT-ELEM-14 / 514	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11231	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '052' — ExxonMobil Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5439	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11232	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '053' — ExxonMobil Fleet card type. / relationship	REQ-SRC-ATL105-PDF-001:5440	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11233	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '055' — Valero UCC Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5441	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11234	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '056' — Generic proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5442	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11235	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '057' — Sohio/Gulf Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5443	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11236	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '058' — Cenex Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5444	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11237	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '059' — Wright Express Fleet card type. / relationship	REQ-SRC-ATL105-PDF-001:5445	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11238	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '060' — Voyager Fleet card type. / relationship	REQ-SRC-ATL105-PDF-001:5446	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11239	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '061' — Car Care One Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5447	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11240	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '064' — Tesoro Petroleum Corporation Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5448	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11241	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '070' — Valero Fleet card type. / relationship	REQ-SRC-ATL105-PDF-001:5449	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11242	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '071' — Fleet One card type. / relationship	REQ-SRC-ATL105-PDF-001:5450	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11243	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '072' — Tesoro UCC Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5451	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11244	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '073' — EBT food stamps card type. / relationship	REQ-SRC-ATL105-PDF-001:5452	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11245	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '074' — EBT cash benefits card type. / relationship	REQ-SRC-ATL105-PDF-001:5453	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11246	Response deferred	Relationship — ENT-ELEM-14: Data element Card Type accepts documented value '075' — Citgo fleet Proprietary card type. / relationship	REQ-SRC-ATL105-PDF-001:5454	ENT-ELEM-14 / 514	NOT_DECLARED
SC-11301	Transaction unresolved	Relationship — ENT-ELEM-26: Data element Decline Code accepts documented value '4I' — Decline code for timed-out transaction requiring retry. / relationship	REQ-SRC-ATL105-PDF-001:5509	ENT-ELEM-26 / 542	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11302	Transaction unresolved	Relationship — ENT-ELEM-26: Data element Decline Code accepts documented value '6C' — Decline code for timed-out transaction requiring retry. / relationship	REQ-SRC-ATL105-PDF-001:5510	ENT-ELEM-26 / 542	NOT_DECLARED
SC-11303	Transaction unresolved	Relationship — ENT-ELEM-26: Data element Decline Code accepts documented value 'K=' — Decline code indicating merchant must stop Visa recurring paym / relationship	REQ-SRC-ATL105-PDF-001:5511	ENT-ELEM-26 / 542	NOT_DECLARED
SC-11304	Transaction unresolved	Relationship — ENT-ELEM-26: Data element Decline Code accepts documented value 'K#' — Decline code indicating merchant must not resubmit transaction / relationship	REQ-SRC-ATL105-PDF-001:5512	ENT-ELEM-26 / 542	NOT_DECLARED
SC-11305	Transaction unresolved	Relationship — ENT-ELEM-26: Data element Decline Code accepts documented value '4M' — Decline code for failed TransArmor token retrieval. / relationship	REQ-SRC-ATL105-PDF-001:5513	ENT-ELEM-26 / 542	NOT_DECLARED
SC-11306	Transaction unresolved	Relationship — None: Data element Table ID accepts documented value '001' — Table ID value 001 indicates UPC Information layout. / relationship	REQ-SRC-ATL105-PDF-001:5514	No rule / 545	NOT_DECLARED
SC-11307	Transaction unresolved	Relationship — None: Data element Table ID accepts documented value '002' — Table ID value 002 indicates Program Identifier Information layout / relationship	REQ-SRC-ATL105-PDF-001:5515	No rule / 545	NOT_DECLARED
SC-11327	Transaction unresolved	Relationship — None: Data element Table Data (Tax Collector Information) accepts documented value 'Y' — Y indicates transaction taxable with / relationship	REQ-SRC-ATL105-PDF-001:5535	No rule / 551	NOT_DECLARED
SC-11328	Transaction unresolved	Relationship — None: Data element Table Data (Tax Collector Information) accepts documented value 'N' — N indicates transaction nontaxable. / relationship	REQ-SRC-ATL105-PDF-001:5536	No rule / 551	NOT_DECLARED
SC-11329	Transaction unresolved	Relationship — None: Data element Table Data (Market-Specific Data Indicator Information) accepts documented value 'M' — M indicates Medical / relationship	REQ-SRC-ATL105-PDF-001:5537	No rule / 551	NOT_DECLARED
SC-11330	Transaction unresolved	Relationship — None: Data element Table Data (Market-Specific Data Indicator Information) accepts documented value 'B' — B indicates Bill Pay / relationship	REQ-SRC-ATL105-PDF-001:5538	No rule / 551	NOT_DECLARED
SC-11331	Transaction unresolved	Relationship — None: Data element Table Data (Market-Specific Data Indicator Information) accepts documented value 'E' — E indicates eCommerc / relationship	REQ-SRC-ATL105-PDF-001:5539	No rule / 551	NOT_DECLARED
SC-11332	Transaction unresolved	Relationship — None: Data element Table Data (Market-Specific Data Indicator Information) accepts documented value 'H' — H indicates Hotel. / relationship	REQ-SRC-ATL105-PDF-001:5540	No rule / 551	NOT_DECLARED
SC-11333	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'R' — R indicates recurring payment, valid only for specific card types / relationship	REQ-SRC-ATL105-PDF-001:5541	No rule / 552	NOT_DECLARED
SC-11334	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value 'I' — I indicates installment payment special payment data. / relationship	REQ-SRC-ATL105-PDF-001:5542	No rule / 552	NOT_DECLARED
SC-11335	Transaction unresolved	Relationship — None: Data element Customer Exclusive Data Tag accepts documented value '9F7C' — Customer Exclusive Data Tag fixed value is 9F / relationship	REQ-SRC-ATL105-PDF-001:5543	No rule / 554	NOT_DECLARED
SC-11336	Transaction unresolved	Relationship — None: Data element Form Factor Indicator Tag accepts documented value '9F6E' — Form Factor Indicator Tag fixed value is 9F6E. / relationship	REQ-SRC-ATL105-PDF-001:5544	No rule / 554	NOT_DECLARED
SC-11337	Transaction unresolved	Relationship — None: Data element Issuer Application Data Tag accepts documented value '9F10' — Issuer Application Data Tag fixed value is 9F / relationship	REQ-SRC-ATL105-PDF-001:5545	No rule / 554	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11338	Transaction unresolved	Relationship — None: Data element Unpredictable Number Tag accepts documented value '9F37' — Unpredictable Number Tag fixed value is 9F37. / relationship	REQ-SRC-ATL105-PDF-001:5546	No rule / 554	NOT_DECLARED
SC-11339	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '34' — Table Data value 34 indicates Suspected Fraud Reversal Indicator / relationship	REQ-SRC-ATL105-PDF-001:5547	No rule / 554	NOT_DECLARED
SC-11347	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '00' — 00 = Card (Default) for Originating Device Type Indicator. / relationship	REQ-SRC-ATL105-PDF-001:5555	No rule / 557	NOT_DECLARED
SC-11348	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '01' — 01 = MNO controlled removable secure element personalized for Mo / relationship	REQ-SRC-ATL105-PDF-001:5556	No rule / 557	NOT_DECLARED
SC-11349	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '02' — 02 = Key fob. / relationship	REQ-SRC-ATL105-PDF-001:5557	No rule / 557	NOT_DECLARED
SC-11350	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '03' — 03 = Watch. / relationship	REQ-SRC-ATL105-PDF-001:5558	No rule / 557	NOT_DECLARED
SC-11351	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '04' — 04 = Mobile Tag. / relationship	REQ-SRC-ATL105-PDF-001:5559	No rule / 557	NOT_DECLARED
SC-11352	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '05' — 05 = Wristband. / relationship	REQ-SRC-ATL105-PDF-001:5560	No rule / 557	NOT_DECLARED
SC-11353	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '06' — 06 = Mobile Phone Case or Sleeve. / relationship	REQ-SRC-ATL105-PDF-001:5561	No rule / 557	NOT_DECLARED
SC-11354	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '07' — 07 = Mobile Phone or Smartphone with fixed secure element contro / relationship	REQ-SRC-ATL105-PDF-001:5562	No rule / 557	NOT_DECLARED
SC-11355	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '08' — 08 = Removable secure element not controlled by MNO, e.g. memory / relationship	REQ-SRC-ATL105-PDF-001:5563	No rule / 557	NOT_DECLARED
SC-11356	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '09' — 09 = Mobile Phone or Smartphone with fixed secure element not co / relationship	REQ-SRC-ATL105-PDF-001:5564	No rule / 557	NOT_DECLARED
SC-11357	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '10' — 10 = MNO controlled removable secure element personalized for Ta / relationship	REQ-SRC-ATL105-PDF-001:5565	No rule / 557	NOT_DECLARED
SC-11358	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '11' — 11 = Tablet or E-Book with fixed secure element controlled by MN / relationship	REQ-SRC-ATL105-PDF-001:5566	No rule / 557	NOT_DECLARED
SC-11359	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '12' — 12 = Removable secure element not controlled by MNO, e.g. SD Car / relationship	REQ-SRC-ATL105-PDF-001:5567	No rule / 557	NOT_DECLARED
SC-11360	Transaction unresolved	Relationship — None: Data element Table Data accepts documented value '13' — 13 = Tablet or E-Book with fixed secure element not controlled b / relationship	REQ-SRC-ATL105-PDF-001:5568	No rule / 557	NOT_DECLARED
SC-11361	Transaction unresolved	Relationship — None: Data element Originating Device Type Indicator accepts documented value '20' — Value 20 indicates Card as originating de / relationship	REQ-SRC-ATL105-PDF-001:5569	No rule / 558	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11362	Transaction unresolved	Relationship — None: Data element Originating Device Type Indicator accepts documented value '32' — Value 32 indicates Vehicle as originating / relationship	REQ-SRC-ATL105-PDF-001:5570	No rule / 558	NOT_DECLARED
SC-11373	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value 'M' — M indicates mPOS terminal type. / relationship	REQ-SRC-ATL105-PDF-001:5581	No rule / 563	NOT_DECLARED
SC-11374	Transaction unresolved	Relationship — None: Data element Goods Sold Data accepts documented value '1000' — Value 1000 indicates Gift Card is one of the products pur / relationship	REQ-SRC-ATL105-PDF-001:5582	No rule / 564	NOT_DECLARED
SC-11375	Transaction unresolved	Relationship — None: Data element Payment Tokenization Support accepts documented value '1' — NFC Tokenization supported. / relationship	REQ-SRC-ATL105-PDF-001:5583	No rule / 566	NOT_DECLARED
SC-11376	Transaction unresolved	Relationship — None: Data element Payment Tokenization Support accepts documented value '2' — NFC Tokenization not supported. / relationship	REQ-SRC-ATL105-PDF-001:5584	No rule / 566	NOT_DECLARED
SC-11377	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '01' — Value 01 indicates Apple Pay wallet. / relationship	REQ-SRC-ATL105-PDF-001:5585	No rule / 567	NOT_DECLARED
SC-11378	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '02' — Value 02 indicates Android Pay wallet. / relationship	REQ-SRC-ATL105-PDF-001:5586	No rule / 567	NOT_DECLARED
SC-11379	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '03' — Value 03 indicates Samsung Pay wallet. / relationship	REQ-SRC-ATL105-PDF-001:5587	No rule / 567	NOT_DECLARED
SC-11380	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '04' — Value 04 indicates Walmart Pay wallet. / relationship	REQ-SRC-ATL105-PDF-001:5588	No rule / 567	NOT_DECLARED
SC-11381	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '05' — Value 05 indicates Walmart Scan&Go wallet. / relationship	REQ-SRC-ATL105-PDF-001:5589	No rule / 567	NOT_DECLARED
SC-11382	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '06' — Value 06 indicates Sam's Club Scan&Go wallet. / relationship	REQ-SRC-ATL105-PDF-001:5590	No rule / 567	NOT_DECLARED
SC-11383	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '07' — Value 07 indicates Click to Pay wallet. / relationship	REQ-SRC-ATL105-PDF-001:5591	No rule / 567	NOT_DECLARED
SC-11384	Transaction unresolved	Relationship — None: Data element Wallet Identifier accepts documented value '08' — Value 08 indicates WEX (Wright Express) Wallet. / relationship	REQ-SRC-ATL105-PDF-001:5592	No rule / 567	NOT_DECLARED
SC-11385	Transaction unresolved	Relationship — None: Data element Sub-Table Data accepts documented value 'I' — 'I' indicates Initial transaction for Customer COF establishm / relationship	REQ-SRC-ATL105-PDF-001:5593	No rule / 568	NOT_DECLARED
SC-11386	Transaction unresolved	Relationship — None: Data element Sub-Table Data accepts documented value 'C' — 'C' indicates Credential on File transaction. / relationship	REQ-SRC-ATL105-PDF-001:5594	No rule / 568	NOT_DECLARED
SC-11387	Transaction unresolved	Relationship — None: Data element Sub Table ID accepts documented value '09' — Sub Table ID 09 identifies the Estimated Auth Indicator. / relationship	REQ-SRC-ATL105-PDF-001:5595	No rule / 568	NOT_DECLARED
SC-11388	Transaction unresolved	Relationship — None: Data element Sub-Table Data accepts documented value '1' — Value '1' indicates Estimated Auth Indicator, see Appendix AE / relationship	REQ-SRC-ATL105-PDF-001:5596	No rule / 568	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11389	Transaction unresolved	Relationship — None: Data element Alternate Routing Fallback Indicator accepts documented value 'Y' — Y means alternate routing to credit sup / relationship	REQ-SRC-ATL105-PDF-001:5597	No rule / 570	NOT_DECLARED
SC-11390	Transaction unresolved	Relationship — None: Data element Alternate Routing Fallback Indicator accepts documented value 'N' — N means no alternate routing; decline i / relationship	REQ-SRC-ATL105-PDF-001:5598	No rule / 570	NOT_DECLARED
SC-11391	Transaction unresolved	Relationship — None: Data element Sub Table 13 (Cryptocurrency) accepts documented value 'Y' — Y indicates cryptocurrency purchase. / relationship	REQ-SRC-ATL105-PDF-001:5599	No rule / 571	NOT_DECLARED
SC-11392	Transaction unresolved	Relationship — None: Data element Sub Table 13 (Cryptocurrency) accepts documented value 'H' — H indicates high risk security indicator. / relationship	REQ-SRC-ATL105-PDF-001:5600	No rule / 571	NOT_DECLARED
SC-11393	Transaction unresolved	Relationship — None: Data element Sub Table 14 (PAR Request Indicator) accepts documented value 'Y' — Y indicates PAR data request. / relationship	REQ-SRC-ATL105-PDF-001:5601	No rule / 571	NOT_DECLARED
SC-11394	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'RP' — Retail Plus re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5602	No rule / 572	NOT_DECLARED
SC-11395	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'RM' — Retail Minus re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5603	No rule / 572	NOT_DECLARED
SC-11396	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'CM' — Cost Minus re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5604	No rule / 572	NOT_DECLARED
SC-11397	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'CP' — Cost Plus re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5605	No rule / 572	NOT_DECLARED
SC-11398	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'BO' — Best Of re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5606	No rule / 572	NOT_DECLARED
SC-11399	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'OD' — Other Discount re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5607	No rule / 572	NOT_DECLARED
SC-11400	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'RT' — Retail Price re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5608	No rule / 572	NOT_DECLARED
SC-11401	Transaction unresolved	Relationship — None: Data element Re-Price Type accepts documented value 'FP' — Fixed Price re-price type. / relationship	REQ-SRC-ATL105-PDF-001:5609	No rule / 572	NOT_DECLARED
SC-11402	Transaction unresolved	Relationship — None: Data element Product Code Set accepts documented value '001' — NACS product code set. / relationship	REQ-SRC-ATL105-PDF-001:5610	No rule / 572	NOT_DECLARED
SC-11416	Transaction unresolved	Relationship — None: Data element Sub-Table ID 06 (Mobile terminal classification code) accepts documented value 'AC' — mPOS Accessory/dongle / relationship	REQ-SRC-ATL105-PDF-001:5624	No rule / 585	NOT_DECLARED
SC-11417	Transaction unresolved	Relationship — None: Data element Sub-Table ID 06 (Mobile terminal classification code) accepts documented value 'AS' — mPOS Accessory/dongle / relationship	REQ-SRC-ATL105-PDF-001:5625	No rule / 585	NOT_DECLARED
SC-11418	Transaction unresolved	Relationship — None: Data element Sub-Table ID 06 (Mobile terminal classification code) accepts documented value 'CC' — CPoC mobile device ba / relationship	REQ-SRC-ATL105-PDF-001:5626	No rule / 585	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11419	Transaction unresolved	Relationship — None: Data element Sub-Table ID 06 (Mobile terminal classification code) accepts documented value 'CS' — CPoC mobile device ba / relationship	REQ-SRC-ATL105-PDF-001:5627	No rule / 585	NOT_DECLARED
SC-11420	Transaction unresolved	Relationship — None: Data element Merchant Advice Code Acceptance Indicator (Sub-Table 07) accepts documented value 'Y' — Y indicates merchan / relationship	REQ-SRC-ATL105-PDF-001:5628	No rule / 586	NOT_DECLARED
SC-11421	Transaction unresolved	Relationship — None: Data element InComm OTC Transaction Code (Sub-Table 09) accepts documented value '310' — 310 = Benefit Eligibility & Bal / relationship	REQ-SRC-ATL105-PDF-001:5629	No rule / 586	NOT_DECLARED
SC-11422	Transaction unresolved	Relationship — None: Data element InComm OTC Transaction Code (Sub-Table 09) accepts documented value '910' — 910 = Item Qualification. / relationship	REQ-SRC-ATL105-PDF-001:5630	No rule / 586	NOT_DECLARED
SC-11423	Transaction unresolved	Relationship — None: Data element InComm OTC Transaction Code (Sub-Table 09) accepts documented value '920' — 920 = Limited Spend. / relationship	REQ-SRC-ATL105-PDF-001:5631	No rule / 586	NOT_DECLARED
SC-11424	Transaction unresolved	Relationship — None: Data element InComm OTC Transaction Code (Sub-Table 09) accepts documented value '200' — 200 = Limited Spend Refund. / relationship	REQ-SRC-ATL105-PDF-001:5632	No rule / 586	NOT_DECLARED
SC-11425	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Installment Payment Type) accepts documented value 'S' — S indicates Merchant Installment P / relationship	REQ-SRC-ATL105-PDF-001:5633	No rule / 588	NOT_DECLARED
SC-11426	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Installment Payment Type) accepts documented value 'T' — T indicates Third Party Installmen / relationship	REQ-SRC-ATL105-PDF-001:5634	No rule / 588	NOT_DECLARED
SC-11427	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Installment Payment Type) accepts documented value 'V' — V indicates Issuer Installment Pay / relationship	REQ-SRC-ATL105-PDF-001:5635	No rule / 588	NOT_DECLARED
SC-11428	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Delayed Card Sale Indicator) accepts documented value 'D' — D indicates Delayed Card Sale. / relationship	REQ-SRC-ATL105-PDF-001:5636	No rule / 588	NOT_DECLARED
SC-11434	Transaction unresolved	Relationship — None: Data element Additional TransArmor Data Table ID accepts documented value '052' — Table ID fixed value of 052 for Additi / relationship	REQ-SRC-ATL105-PDF-001:5642	No rule / 595	NOT_DECLARED
SC-11435	Transaction unresolved	Relationship — None: Data element Sub-Table ID 01 (KSN) accepts documented value '01' — Sub-Table ID fixed value 01 indicates KSN purpose. / relationship	REQ-SRC-ATL105-PDF-001:5643	No rule / 595	NOT_DECLARED
SC-11436	Transaction unresolved	Relationship — None: Data element Sub-Table ID 02 (Device Type) accepts documented value '02' — Sub-Table ID fixed value 02 indicates Device / relationship	REQ-SRC-ATL105-PDF-001:5644	No rule / 595	NOT_DECLARED
SC-11437	Transaction unresolved	Relationship — None: Data element Payment Type accepts documented value 'F' — Fixed value code for Payment Type. / relationship	REQ-SRC-ATL105-PDF-001:5645	No rule / 599	NOT_DECLARED
SC-11438	Transaction unresolved	Relationship — None: Data element Payment Type accepts documented value 'V' — Variable value code for Payment Type. / relationship	REQ-SRC-ATL105-PDF-001:5646	No rule / 599	NOT_DECLARED
SC-11439	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '01' — 01 = Daily recurring payment type value. / relationship	REQ-SRC-ATL105-PDF-001:5647	No rule / 601	NOT_DECLARED
SC-11440	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '08' — 08 = Unscheduled (Type of MIT) recurring payment val / relationship	REQ-SRC-ATL105-PDF-001:5648	No rule / 601	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11441	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '09' — 09 = Ten Days, Visa-specific recurring payment value / relationship	REQ-SRC-ATL105-PDF-001:5649	No rule / 601	NOT_DECLARED
SC-11442	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '12' — 12 = Trimester, Visa-specific recurring payment valu / relationship	REQ-SRC-ATL105-PDF-001:5650	No rule / 601	NOT_DECLARED
SC-11443	Transaction unresolved	Relationship — None: Data element Validation Flag accepts documented value '1' — Value 1 indicates Validated. / relationship	REQ-SRC-ATL105-PDF-001:5651	No rule / 602	NOT_DECLARED
SC-11444	Transaction unresolved	Relationship — None: Data element Validation Flag accepts documented value '0' — Value 0 indicates Not Validated. / relationship	REQ-SRC-ATL105-PDF-001:5652	No rule / 602	NOT_DECLARED
SC-11445	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'C101' — Cardholder-initiated Credential-on- / relationship	REQ-SRC-ATL105-PDF-001:5653	No rule / 603	NOT_DECLARED
SC-11446	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'C102' — Cardholder-initiated Standing Order / relationship	REQ-SRC-ATL105-PDF-001:5654	No rule / 603	NOT_DECLARED
SC-11447	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'C103' — Cardholder-initiated Subscription s / relationship	REQ-SRC-ATL105-PDF-001:5655	No rule / 603	NOT_DECLARED
SC-11448	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'C104' — Cardholder-initiated Installment sc / relationship	REQ-SRC-ATL105-PDF-001:5656	No rule / 603	NOT_DECLARED
SC-11449	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'M101' — Merchant-initiated Unscheduled Cred / relationship	REQ-SRC-ATL105-PDF-001:5657	No rule / 603	NOT_DECLARED
SC-11450	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'M102' — Merchant-initiated Standing Order s / relationship	REQ-SRC-ATL105-PDF-001:5658	No rule / 603	NOT_DECLARED
SC-11451	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'M103' — Merchant-initiated Subscription sce / relationship	REQ-SRC-ATL105-PDF-001:5659	No rule / 603	NOT_DECLARED
SC-11452	Transaction unresolved	Relationship — None: Data element MIT/CIT Category and Subcategory Data accepts documented value 'M104' — Merchant-initiated Installment scen / relationship	REQ-SRC-ATL105-PDF-001:5660	No rule / 603	NOT_DECLARED
SC-11453	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '1' — Value 1 = Registration/first transaction. / relationship	REQ-SRC-ATL105-PDF-001:5661	No rule / 604	NOT_DECLARED
SC-11454	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '2' — Value 2 = Subsequent transaction. / relationship	REQ-SRC-ATL105-PDF-001:5662	No rule / 604	NOT_DECLARED
SC-11455	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '3' — Value 3 = Modification. / relationship	REQ-SRC-ATL105-PDF-001:5663	No rule / 604	NOT_DECLARED
SC-11456	Transaction unresolved	Relationship — None: Data element Recurring Payment Type accepts documented value '4' — Value 4 = Cancellation. / relationship	REQ-SRC-ATL105-PDF-001:5664	No rule / 604	NOT_DECLARED
SC-11457	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '25' — Value 25 indicates cardholder authenticated via Verified by V / relationship	REQ-SRC-ATL105-PDF-001:5665	No rule / 605	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11458	Transaction unresolved	Relationship — None: Data element Sub-Table ID accepts documented value '01' — Account Updater Request Indicator sub-table has fixed Sub-Tabl / relationship	REQ-SRC-ATL105-PDF-001:5666	No rule / 607	NOT_DECLARED
SC-11459	Transaction unresolved	Relationship — None: Data element Account Updater Request Indicator accepts documented value 'Y' — Y means send all account update informatio / relationship	REQ-SRC-ATL105-PDF-001:5667	No rule / 608	NOT_DECLARED
SC-11460	Transaction unresolved	Relationship — None: Data element Account Updater Request Indicator accepts documented value 'I' — I means send only indicators notifying mer / relationship	REQ-SRC-ATL105-PDF-001:5668	No rule / 608	NOT_DECLARED
SC-11461	Transaction unresolved	Relationship — None: Data element Auth Optimization Override Indicator accepts documented value 'O' — O means override, do not perform Auth O / relationship	REQ-SRC-ATL105-PDF-001:5669	No rule / 608	NOT_DECLARED
SC-11462	Transaction unresolved	Relationship — None: Data element Sub-Table ID 01 - Digital Commerce Domain Identifier accepts documented value '2' — Value 2 indicates Acqui / relationship	REQ-SRC-ATL105-PDF-001:5670	No rule / 617	NOT_DECLARED
SC-11463	Transaction unresolved	Relationship — None: Data element Sub-Table ID 01 - Digital Commerce Domain Identifier accepts documented value '0' — Value 0 indicates Multi / relationship	REQ-SRC-ATL105-PDF-001:5671	No rule / 617	NOT_DECLARED
SC-11464	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Sub Table ID 02) accepts documented value '0' — Value 0 represents Multi-Program digital co / relationship	REQ-SRC-ATL105-PDF-001:5672	No rule / 618	NOT_DECLARED
SC-11465	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Sub Table ID 02) accepts documented value '3' — Value 3 represents In-store Biometric progr / relationship	REQ-SRC-ATL105-PDF-001:5673	No rule / 618	NOT_DECLARED
SC-11466	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Sub Table ID 02) accepts documented value '4' — Value 4 represents Next Generation POI prog / relationship	REQ-SRC-ATL105-PDF-001:5674	No rule / 618	NOT_DECLARED
SC-11467	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Sub Table ID 02) accepts documented value '5' — Value 5 represents Mastercard QR Pay by Lin / relationship	REQ-SRC-ATL105-PDF-001:5675	No rule / 618	NOT_DECLARED
SC-11468	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Sub Table ID 02) accepts documented value '6' — Value 6 represents Mastercard QR X QR progr / relationship	REQ-SRC-ATL105-PDF-001:5676	No rule / 618	NOT_DECLARED
SC-11483	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '0' — Unspecified PIN entry capability. / relationship	REQ-SRC-ATL105-PDF-001:5691	No rule / 632	NOT_DECLARED
SC-11484	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '1' — PIN entry capability including EMV Contac / relationship	REQ-SRC-ATL105-PDF-001:5692	No rule / 632	NOT_DECLARED
SC-11485	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '2' — No PIN entry capability including EMV Con / relationship	REQ-SRC-ATL105-PDF-001:5693	No rule / 632	NOT_DECLARED
SC-11486	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '3' — mPOS Software-based PIN Entry Capability. / relationship	REQ-SRC-ATL105-PDF-001:5694	No rule / 632	NOT_DECLARED
SC-11487	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '6' — PIN pad inoperative. / relationship	REQ-SRC-ATL105-PDF-001:5695	No rule / 632	NOT_DECLARED
SC-11488	Transaction unresolved	Relationship — None: Data element Terminal PIN Entry Capability Mode accepts documented value '8' — Contactless Magnetic Stripe Read Capabili / relationship	REQ-SRC-ATL105-PDF-001:5696	No rule / 632	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11489	Response deferred	Relationship — ENT-ELEM-118: Data element 118 accepts documented value '001' — Code 001 denotes balance information layout for Additional Information / relationship	REQ-SRC-ATL105-PDF-001:5697	ENT-ELEM-118 / 633	NOT_DECLARED
SC-11490	Response deferred	Relationship — ENT-ELEM-118: Data element 118 accepts documented value '003' — Code 003 denotes AVS/NVS information layout. / relationship	REQ-SRC-ATL105-PDF-001:5698	ENT-ELEM-118 / 633	NOT_DECLARED
SC-11491	Response deferred	Relationship — ENT-ELEM-118: Data element 118 accepts documented value '004' — Code 004 denotes CVV-type verification information layout. / relationship	REQ-SRC-ATL105-PDF-001:5699	ENT-ELEM-118 / 633	NOT_DECLARED
SC-11492	Response deferred	Relationship — ENT-ELEM-118: Data element 118 accepts documented value '016' — Code 016 denotes BUYPASS Card Type Code layout. / relationship	REQ-SRC-ATL105-PDF-001:5700	ENT-ELEM-118 / 633	NOT_DECLARED
SC-11493	Response deferred	Relationship — ENT-ELEM-118: Data element 118 accepts documented value '022' — Code 022 denotes CAVV Result information layout. / relationship	REQ-SRC-ATL105-PDF-001:5701	ENT-ELEM-118 / 633	NOT_DECLARED
SC-11494	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'Y' — American Express CID match code. / relationship	REQ-SRC-ATL105-PDF-001:5702	No rule / 641	NOT_DECLARED
SC-11495	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'N' — Nonmatch code across multiple networks. / relationship	REQ-SRC-ATL105-PDF-001:5703	No rule / 641	NOT_DECLARED
SC-11496	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'U' — CID not checked or issuer not certified/unregistered. / relationship	REQ-SRC-ATL105-PDF-001:5704	No rule / 641	NOT_DECLARED
SC-11497	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'M' — Match code for Discover, MasterCard, Visa. / relationship	REQ-SRC-ATL105-PDF-001:5705	No rule / 641	NOT_DECLARED
SC-11498	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'P' — Not processed code for Discover and MasterCard. / relationship	REQ-SRC-ATL105-PDF-001:5706	No rule / 641	NOT_DECLARED
SC-11499	Transaction unresolved	Relationship — None: Data element CVV Response Code accepts documented value 'S' — Discover: CID should be present but merchant indicated abs / relationship	REQ-SRC-ATL105-PDF-001:5707	No rule / 641	NOT_DECLARED
SC-11500	Transaction unresolved	Relationship — None: Data element CVV2 Result Code accepts documented value 'P' — P = Not Performed for CVV2/dCVV2 verification. / relationship	REQ-SRC-ATL105-PDF-001:5708	No rule / 642	NOT_DECLARED
SC-11501	Transaction unresolved	Relationship — None: Data element CVV2 Result Code accepts documented value 'S' — S = System Error (Retry). / relationship	REQ-SRC-ATL105-PDF-001:5709	No rule / 642	NOT_DECLARED
SC-11502	Transaction unresolved	Relationship — None: Data element CVV2 Result Code accepts documented value 'U' — U = Unable to Verify. / relationship	REQ-SRC-ATL105-PDF-001:5710	No rule / 642	NOT_DECLARED
SC-11503	Transaction unresolved	Relationship — None: Data element STAR CVV2 Result Code accepts documented value 'M' — STAR code M = Match. / relationship	REQ-SRC-ATL105-PDF-001:5711	No rule / 642	NOT_DECLARED
SC-11504	Transaction unresolved	Relationship — None: Data element STAR CVV2 Result Code accepts documented value 'N' — STAR code N = No match. / relationship	REQ-SRC-ATL105-PDF-001:5712	No rule / 642	NOT_DECLARED
SC-11505	Transaction unresolved	Relationship — None: Data element STAR CVV2 Result Code accepts documented value 'P' — STAR code P = Not processed. / relationship	REQ-SRC-ATL105-PDF-001:5713	No rule / 642	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11506	Transaction unresolved	Relationship — None: Data element STAR CVV2 Result Code accepts documented value 'S' — STAR code S = Merchant/Cardholder states expected CVV2 / relationship	REQ-SRC-ATL105-PDF-001:5714	No rule / 642	NOT_DECLARED
SC-11507	Transaction unresolved	Relationship — None: Data element STAR CVV2 Result Code accepts documented value 'U' — STAR code U = No keys, not certified, or both. / relationship	REQ-SRC-ATL105-PDF-001:5715	No rule / 642	NOT_DECLARED
SC-11508	Transaction unresolved	Relationship — None: Data element ACCEL CVV2 Result Code accepts documented value 'Blank' — ACCEL blank = Validation not attempted. / relationship	REQ-SRC-ATL105-PDF-001:5716	No rule / 642	NOT_DECLARED
SC-11509	Transaction unresolved	Relationship — None: Data element ACCEL CVV2 Result Code accepts documented value 'N' — ACCEL N = CVV2/CVC2 Failed validation. / relationship	REQ-SRC-ATL105-PDF-001:5717	No rule / 642	NOT_DECLARED
SC-11510	Transaction unresolved	Relationship — None: Data element ACCEL CVV2 Result Code accepts documented value 'Y' — ACCEL Y = CVV2/CVC2 Passed validation. / relationship	REQ-SRC-ATL105-PDF-001:5718	No rule / 642	NOT_DECLARED
SC-11511	Transaction unresolved	Relationship — None: Data element Loyalty Processing Status accepts documented value '000' — Success status code for loyalty processing. / relationship	REQ-SRC-ATL105-PDF-001:5719	No rule / 646	NOT_DECLARED
SC-11512	Transaction unresolved	Relationship — None: Data element Loyalty Processing Status accepts documented value '900' — System failure status code for loyalty processin / relationship	REQ-SRC-ATL105-PDF-001:5720	No rule / 646	NOT_DECLARED
SC-11513	Transaction unresolved	Relationship — None: Data element Card Accepted As accepts documented value '020' — Credit card or Signature Debit routed to Credit Authorize / relationship	REQ-SRC-ATL105-PDF-001:5721	No rule / 649	NOT_DECLARED
SC-11514	Transaction unresolved	Relationship — None: Data element Card Accepted As accepts documented value '011' — Debit card or Signature Debit routed to Debit Authorizer. / relationship	REQ-SRC-ATL105-PDF-001:5722	No rule / 649	NOT_DECLARED
SC-11515	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'USE' — USE tag means User ID prompt. / relationship	REQ-SRC-ATL105-PDF-001:5723	No rule / 651	NOT_DECLARED
SC-11516	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'VID' — VID tag means Vehicle ID prompt. / relationship	REQ-SRC-ATL105-PDF-001:5724	No rule / 651	NOT_DECLARED
SC-11517	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DRV' — DRV tag means Driver ID prompt. / relationship	REQ-SRC-ATL105-PDF-001:5725	No rule / 651	NOT_DECLARED
SC-11518	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'ODO' — ODO tag means Odometer prompt. / relationship	REQ-SRC-ATL105-PDF-001:5726	No rule / 651	NOT_DECLARED
SC-11519	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'LIC' — LIC tag means Driver License Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5727	No rule / 651	NOT_DECLARED
SC-11520	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DLS' — DLS tag means Driver License State/Province Abbre / relationship	REQ-SRC-ATL105-PDF-001:5728	No rule / 651	NOT_DECLARED
SC-11521	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DLN' — DLN tag means Driver License Naming prompt. / relationship	REQ-SRC-ATL105-PDF-001:5729	No rule / 651	NOT_DECLARED
SC-11522	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'PON' — PON tag means Work Order/P.O. Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5730	No rule / 651	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11523	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'INV' — INV tag means Invoice Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5731	No rule / 651	NOT_DECLARED
SC-11524	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'TRP' — TRP tag means Trip Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5732	No rule / 651	NOT_DECLARED
SC-11525	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'UNT' — UNT tag means Unit Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5733	No rule / 651	NOT_DECLARED
SC-11526	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'TLH' — TLH tag means Trailer hours/Refer hours prompt. / relationship	REQ-SRC-ATL105-PDF-001:5734	No rule / 651	NOT_DECLARED
SC-11527	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DOB' — DOB tag means Date Of Birth prompt. / relationship	REQ-SRC-ATL105-PDF-001:5735	No rule / 651	NOT_DECLARED
SC-11528	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'ZIP' — ZIP tag means ZIP/Postal Code prompt. / relationship	REQ-SRC-ATL105-PDF-001:5736	No rule / 651	NOT_DECLARED
SC-11529	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DAT' — DAT tag means Data prompt. / relationship	REQ-SRC-ATL105-PDF-001:5737	No rule / 651	NOT_DECLARED
SC-11530	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'END' — END tag means Entered Data (Alphanumeric) prompt. / relationship	REQ-SRC-ATL105-PDF-001:5738	No rule / 651	NOT_DECLARED
SC-11531	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'JOB' — JOB tag means Job Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5739	No rule / 651	NOT_DECLARED
SC-11532	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'MID' — MID tag means Maintenance ID prompt. / relationship	REQ-SRC-ATL105-PDF-001:5740	No rule / 651	NOT_DECLARED
SC-11533	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'DPT' — DPT tag means Department prompt. / relationship	REQ-SRC-ATL105-PDF-001:5741	No rule / 651	NOT_DECLARED
SC-11534	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'VIN' — VIN tag means VIN prompt. / relationship	REQ-SRC-ATL105-PDF-001:5742	No rule / 651	NOT_DECLARED
SC-11535	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'TRA' — TRA tag means Tractor Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5743	No rule / 651	NOT_DECLARED
SC-11536	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'HUB' — HUB tag means Hubometer prompt. / relationship	REQ-SRC-ATL105-PDF-001:5744	No rule / 651	NOT_DECLARED
SC-11537	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'TLR' — TLR tag means Trailer Number prompt. / relationship	REQ-SRC-ATL105-PDF-001:5745	No rule / 651	NOT_DECLARED
SC-11538	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'CBA' — CBA tag means Cashback Amount prompt. / relationship	REQ-SRC-ATL105-PDF-001:5746	No rule / 651	NOT_DECLARED
SC-11539	Transaction unresolved	Relationship — None: Data element Host Prompts Information accepts documented value 'VHT' — VHT tag means Vehicle Tag prompt. / relationship	REQ-SRC-ATL105-PDF-001:5747	No rule / 651	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11540	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '1' — CAVV failed verification-cardholder authentication. / relationship	REQ-SRC-ATL105-PDF-001:5748	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11541	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '2' — CAVV passed verification-cardholder authentication. / relationship	REQ-SRC-ATL105-PDF-001:5749	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11542	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '3' — CAVV passed verification-attempted authentication. / relationship	REQ-SRC-ATL105-PDF-001:5750	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11543	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '4' — CAVV failed verification-attempted authentication. / relationship	REQ-SRC-ATL105-PDF-001:5751	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11544	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '5' — Reserved for future use. / relationship	REQ-SRC-ATL105-PDF-001:5752	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11545	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '6' — CAVV not verified; issuer not participating in CAVV verification / relationship	REQ-SRC-ATL105-PDF-001:5753	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11546	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '7' — CAVV failed verification-attempt. / relationship	REQ-SRC-ATL105-PDF-001:5754	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11547	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '8' — CAVV passed verification-attempt. / relationship	REQ-SRC-ATL105-PDF-001:5755	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11548	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value '9' — CAVV failed verification-attempt. / relationship	REQ-SRC-ATL105-PDF-001:5756	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11549	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value 'A' — CAVV passed verification-attempt. / relationship	REQ-SRC-ATL105-PDF-001:5757	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11550	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value 'B' — CAVV passed verification-information only, no liability shift. / relationship	REQ-SRC-ATL105-PDF-001:5758	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11551	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value 'C' — CAVV was not verified-attempted authentication. / relationship	REQ-SRC-ATL105-PDF-001:5759	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11552	Response deferred	Relationship — ENT-TABLE-K-022: Data element CAVV Result accepts documented value 'D' — CAVV was not verified-cardholder authentication. / relationship	REQ-SRC-ATL105-PDF-001:5760	ENT-TABLE-K-022 / 653	NOT_DECLARED
SC-11553	Transaction unresolved	Relationship — None: Data element Additional Information Table ID accepts documented value '024' — Table ID 024 identifies Carwash Indicator / relationship	REQ-SRC-ATL105-PDF-001:5761	No rule / 654	NOT_DECLARED
SC-11554	Transaction unresolved	Relationship — None: Data element Additional Information Table ID accepts documented value '025' — Table ID 025 identifies Language Indicator / relationship	REQ-SRC-ATL105-PDF-001:5762	No rule / 654	NOT_DECLARED
SC-11555	Transaction unresolved	Relationship — None: Data element Additional Information Table ID accepts documented value '026' — Table ID 026 identifies DST Response sub-e / relationship	REQ-SRC-ATL105-PDF-001:5763	No rule / 654	NOT_DECLARED
SC-11556	Transaction unresolved	Relationship — None: Data element Additional Information Table ID accepts documented value '027' — Table ID 027 identifies Universal Unique I / relationship	REQ-SRC-ATL105-PDF-001:5764	No rule / 654	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11557	Transaction unresolved	Relationship — None: Data element Additional Information Table ID accepts documented value '012' — Table ID 012 identifies receipt reference / relationship	REQ-SRC-ATL105-PDF-001:5765	No rule / 654	NOT_DECLARED
SC-11558	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '01' — 01 = DAF (Digital Authentication Framework) Indicator. / relationship	REQ-SRC-ATL105-PDF-001:5766	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11559	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '02' — 02 = Visa Secure. / relationship	REQ-SRC-ATL105-PDF-001:5767	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11560	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '03' — 03 = Visa Data Only. / relationship	REQ-SRC-ATL105-PDF-001:5768	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11561	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '04' — 04 = Visa Payment Passkey with Visa secure. / relationship	REQ-SRC-ATL105-PDF-001:5769	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11562	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '05' — 05 = Visa Payment Passkey with VTS. / relationship	REQ-SRC-ATL105-PDF-001:5770	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11563	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '06' — 06 = IDX 3rd Party. / relationship	REQ-SRC-ATL105-PDF-001:5771	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11564	Response deferred	Relationship — ENT-TABLE-K-031: Data element DAF Indicator accepts documented value '07' — 07 = VTS Data Only. / relationship	REQ-SRC-ATL105-PDF-001:5772	ENT-TABLE-K-031 / 657	NOT_DECLARED
SC-11565	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Cardholder Account Name result codes) accepts documented value 'M' — M indicates Match for / relationship	REQ-SRC-ATL105-PDF-001:5773	No rule / 659	NOT_DECLARED
SC-11566	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Cardholder Account Name result codes) accepts documented value 'P' — P indicates Partial Ma / relationship	REQ-SRC-ATL105-PDF-001:5774	No rule / 659	NOT_DECLARED
SC-11567	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Cardholder Account Name result codes) accepts documented value 'N' — N indicates No Match f / relationship	REQ-SRC-ATL105-PDF-001:5775	No rule / 659	NOT_DECLARED
SC-11568	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Cardholder Account Name result codes) accepts documented value 'SPACES' — SPACES indicates / relationship	REQ-SRC-ATL105-PDF-001:5776	No rule / 659	NOT_DECLARED
SC-11569	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Phone result code) accepts documented value '1' — 1 indicates Verified for Cardholder Phone / relationship	REQ-SRC-ATL105-PDF-001:5777	No rule / 660	NOT_DECLARED
SC-11570	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Phone result code) accepts documented value '2' — 2 indicates Failed for Cardholder Phone r / relationship	REQ-SRC-ATL105-PDF-001:5778	No rule / 660	NOT_DECLARED
SC-11571	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Phone result code) accepts documented value '3' — 3 indicates Not performed for Cardholder / relationship	REQ-SRC-ATL105-PDF-001:5779	No rule / 660	NOT_DECLARED
SC-11572	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Email result code) accepts documented value '1' — 1 indicates Verified for Cardholder Email / relationship	REQ-SRC-ATL105-PDF-001:5780	No rule / 660	NOT_DECLARED
SC-11573	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Email result code) accepts documented value '2' — 2 indicates Failed for Cardholder Email r / relationship	REQ-SRC-ATL105-PDF-001:5781	No rule / 660	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11574	Transaction unresolved	Relationship — None: Data element Sub-Table Data (Email result code) accepts documented value '3' — 3 indicates Not performed for Cardholder / relationship	REQ-SRC-ATL105-PDF-001:5782	No rule / 660	NOT_DECLARED
SC-11575	Response deferred	Relationship — ENT-TABLE-K-037: Data element Account Funding Source accepts documented value 'C' — C indicates Credit account funding source. / relationship	REQ-SRC-ATL105-PDF-001:5783	ENT-TABLE-K-037 / 662	NOT_DECLARED
SC-11576	Response deferred	Relationship — ENT-TABLE-K-037: Data element Account Funding Source accepts documented value 'D' — D indicates Debit account funding source. / relationship	REQ-SRC-ATL105-PDF-001:5784	ENT-TABLE-K-037 / 662	NOT_DECLARED
SC-11577	Response deferred	Relationship — ENT-TABLE-K-037: Data element Account Funding Source accepts documented value 'P' — P indicates Prepaid account funding source. / relationship	REQ-SRC-ATL105-PDF-001:5785	ENT-TABLE-K-037 / 662	NOT_DECLARED
SC-11578	Response deferred	Relationship — ENT-TABLE-K-039: Data element Transaction Link Action Indicator accepts documented value '1' — Value 1 means customer did not provide the / relationship	REQ-SRC-ATL105-PDF-001:5786	ENT-TABLE-K-039 / 662	NOT_DECLARED
SC-11579	Response deferred	Relationship — ENT-TABLE-K-042: Data element Authentication Data Quality Indicator accepts documented value '1' — Does not meet Visa Secure authenticati / relationship	REQ-SRC-ATL105-PDF-001:5787	ENT-TABLE-K-042 / 664	NOT_DECLARED
SC-11580	Response deferred	Relationship — ENT-TABLE-K-042: Data element Authentication Data Quality Indicator accepts documented value '2' — Meets Visa Secure authentication data / relationship	REQ-SRC-ATL105-PDF-001:5788	ENT-TABLE-K-042 / 664	NOT_DECLARED
SC-11581	Response deferred	Relationship — ENT-TABLE-K-043: Data element Token Update First Use Indicator accepts documented value 'Y' — First use since underlying PAN or expiratio / relationship	REQ-SRC-ATL105-PDF-001:5789	ENT-TABLE-K-043 / 664	NOT_DECLARED
SC-11592	Transaction unresolved	Relationship — None: Data element TAG accepts documented value '50' — TAG value 50 indicates HIP purchase/return amount subelement. / relationship	REQ-SRC-ATL105-PDF-001:5800	No rule / 678	NOT_DECLARED
SC-11593	Response deferred	Relationship — ENT-TABLE-K-036: Data element Account Type accepts documented value '98' — Account Type value 98 denotes HIP Account Type. / relationship	REQ-SRC-ATL105-PDF-001:5801	ENT-TABLE-K-036 / 678	NOT_DECLARED
SC-11598	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '00' — Administrative terminal. / relationship	REQ-SRC-ATL105-PDF-001:5806	No rule / 685	NOT_DECLARED
SC-11599	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '01' — Point-of-service terminal. / relationship	REQ-SRC-ATL105-PDF-001:5807	No rule / 685	NOT_DECLARED
SC-11600	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '02' — ATM. / relationship	REQ-SRC-ATL105-PDF-001:5808	No rule / 685	NOT_DECLARED
SC-11601	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '03' — Home terminal. / relationship	REQ-SRC-ATL105-PDF-001:5809	No rule / 685	NOT_DECLARED
SC-11602	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '04' — ECR. / relationship	REQ-SRC-ATL105-PDF-001:5810	No rule / 685	NOT_DECLARED
SC-11603	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '05' — Dial terminal. / relationship	REQ-SRC-ATL105-PDF-001:5811	No rule / 685	NOT_DECLARED
SC-11604	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '06' — Traveler's check machine. / relationship	REQ-SRC-ATL105-PDF-001:5812	No rule / 685	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11605	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '07' — Fuel machine. / relationship	REQ-SRC-ATL105-PDF-001:5813	No rule / 685	NOT_DECLARED
SC-11606	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '08' — Scrip machine. / relationship	REQ-SRC-ATL105-PDF-001:5814	No rule / 685	NOT_DECLARED
SC-11607	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '09' — Coupon machine. / relationship	REQ-SRC-ATL105-PDF-001:5815	No rule / 685	NOT_DECLARED
SC-11608	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '10' — Ticket machine. / relationship	REQ-SRC-ATL105-PDF-001:5816	No rule / 685	NOT_DECLARED
SC-11609	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '11' — Point-of-banking terminal. / relationship	REQ-SRC-ATL105-PDF-001:5817	No rule / 685	NOT_DECLARED
SC-11610	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '19' — Call Center Operator. / relationship	REQ-SRC-ATL105-PDF-001:5818	No rule / 685	NOT_DECLARED
SC-11611	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '20' — Voice response unit (VRU). / relationship	REQ-SRC-ATL105-PDF-001:5819	No rule / 685	NOT_DECLARED
SC-11612	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '21' — Channel encryption; cardholder certificate not used. / relationship	REQ-SRC-ATL105-PDF-001:5820	No rule / 685	NOT_DECLARED
SC-11613	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '24' — Digital secure remote payment with UCAF data transactions. / relationship	REQ-SRC-ATL105-PDF-001:5821	No rule / 685	NOT_DECLARED
SC-11614	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '25' — Internet nonrecurring, secure using Verified by Visa or 3DES. / relationship	REQ-SRC-ATL105-PDF-001:5822	No rule / 685	NOT_DECLARED
SC-11615	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '26' — Internet secure, 3DES attempted. / relationship	REQ-SRC-ATL105-PDF-001:5823	No rule / 685	NOT_DECLARED
SC-11616	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '27' — Internet secure using SSL. / relationship	REQ-SRC-ATL105-PDF-001:5824	No rule / 685	NOT_DECLARED
SC-11617	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '28' — Internet nonsecure. / relationship	REQ-SRC-ATL105-PDF-001:5825	No rule / 685	NOT_DECLARED
SC-11618	Transaction unresolved	Relationship — None: Data element Terminal Type accepts documented value '29' — Internet recurring payment after initial mobile device token / relationship	REQ-SRC-ATL105-PDF-001:5826	No rule / 685	NOT_DECLARED
SC-11619	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '0000' — Customer and card present. / relationship	REQ-SRC-ATL105-PDF-001:5827	No rule / 689	NOT_DECLARED
SC-11620	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '0100' — Customer present; card not present. / relationship	REQ-SRC-ATL105-PDF-001:5828	No rule / 689	NOT_DECLARED
SC-11621	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '1000' — Customer not present; card present. / relationship	REQ-SRC-ATL105-PDF-001:5829	No rule / 689	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11622	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '1100' — Customer not present; card not present. / relationship	REQ-SRC-ATL105-PDF-001:5830	No rule / 689	NOT_DECLARED
SC-11623	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '2100' — Mail and/or telephone order. / relationship	REQ-SRC-ATL105-PDF-001:5831	No rule / 689	NOT_DECLARED
SC-11624	Transaction unresolved	Relationship — None: Data element Presentation Type accepts documented value '8800' — Preauthorized purchase. / relationship	REQ-SRC-ATL105-PDF-001:5832	No rule / 689	NOT_DECLARED
SC-11625	Transaction unresolved	Relationship — None: Data element Security Condition accepts documented value '0' — No security concern. / relationship	REQ-SRC-ATL105-PDF-001:5833	No rule / 689	NOT_DECLARED
SC-11626	Transaction unresolved	Relationship — None: Data element Security Condition accepts documented value '1' — Suspected fraud. / relationship	REQ-SRC-ATL105-PDF-001:5834	No rule / 689	NOT_DECLARED
SC-11627	Transaction unresolved	Relationship — None: Data element Security Condition accepts documented value '2' — Identification verified. / relationship	REQ-SRC-ATL105-PDF-001:5835	No rule / 689	NOT_DECLARED
SC-11628	Transaction unresolved	Relationship — None: Data element Maximum Length accepts documented value 'EMVYES' — Indicates device can receive EMV Table Data in EMV Trans / relationship	REQ-SRC-ATL105-PDF-001:5836	No rule / 694	NOT_DECLARED
SC-11629	Transaction unresolved	Relationship — None: Data element Maximum Length accepts documented value 'EMVNOT' — Indicates device cannot receive EMV Table Data in EMV Tr / relationship	REQ-SRC-ATL105-PDF-001:5837	No rule / 694	NOT_DECLARED
SC-11630	Transaction unresolved	Relationship — None: Data element CAVV accepts documented value 'Verified-by-Visa only' — CAVV defined per Table ID 035 for Verified-by-Visa / relationship	REQ-SRC-ATL105-PDF-001:5838	No rule / 704	NOT_DECLARED
SC-11633	Response deferred	Relationship — ENT-ELEM-30: Data element 30 accepts documented value '8' — Download Indicator value 8 indicates Key ID update needed due to expiry. / relationship	REQ-SRC-ATL105-PDF-001:5841	ENT-ELEM-30 / 712	NOT_DECLARED
SC-11635	Response deferred	Relationship — ENT-ELEM-83: Data element 83 accepts documented value 'K' — Response Code K means Approved-TransArmor Load. / relationship	REQ-SRC-ATL105-PDF-001:5843	ENT-ELEM-83 / 712	NOT_DECLARED
SC-11636	Transaction unresolved	Relationship — ENT-ELEM-26: Data element 26 accepts documented value '4M' — Decline Code 4M for TransArmor token retrieval failure. / relationship	REQ-SRC-ATL105-PDF-001:5844	ENT-ELEM-26 / 712	NOT_DECLARED
SC-11637	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-55-PIN-BLOCK: PIN Block: Encrypted PIN block constructed from entered PIN and PAN fields, 4-12 digits. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5845	ENT-CONCEPT-55-PIN-BLOCK / 55	NOT_DECLARED
SC-11638	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-55-TEST-KEY: Test Key: Clear key components given to customer/vendor for PIN pad injection along with KSN. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5846	ENT-CONCEPT-55-TEST-KEY / 55	NOT_DECLARED
SC-11639	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-57-COMMTEST: COMMTEST: Network Management Message used in Communications Test Request. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5847	ENT-CONCEPT-57-COMMTEST / 57	NOT_DECLARED
SC-11640	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-57-COMM-TEST-PASSED: COMM_TEST_PASSED: Terminal Display Communications Message used in Communications Test Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5848	ENT-CONCEPT-57-COMM-TEST-PASSE D / 57	NOT_DECLARED
SC-11641	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-64-MANUAL-SLIDE-INDICATOR: Manual slide indicator: Example field stored in electronic journal indicating manual card slide. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5849	ENT-CONCEPT-64-MANUAL-SLIDE-INDI CATOR / 64	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11642	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-64-TRANSACTION-DAY: Transaction day: Example electronic journal field representing day of transaction, range 1-31. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5850	ENT-CONCEPT-64-TRANSACTION-DAY / 64	NOT_DECLARED
SC-11643	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-64-TRANSACTION-TIME: Transaction time: Example electronic journal field for time of transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5851	ENT-CONCEPT-64-TRANSACTION-TIME / 64	NOT_DECLARED
SC-11644	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-64-TOTAL-TRANSACTION-AMOUNT: Total transaction amount: Example electronic journal field for total amount of transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5852	ENT-CONCEPT-64-TOTAL-TRANSACTION-AMOUNT / 64	NOT_DECLARED
SC-11645	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-64-TRANSACTION-TYPE: Transaction type: Example electronic journal field: approval, reversal, or merchandise return. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5853	ENT-CONCEPT-64-TRANSACTION-TYPE / 64	NOT_DECLARED
SC-11654	Response deferred	Supplemental Entity — ENT-SEG-152: Incomm Market Basket Data (Response) Segment: Contains data returned from Incomm when the request segment is included. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5862	ENT-SEG-152 / 166	NOT_DECLARED
SC-11656	Transaction unresolved	Supplemental Entity — ENT-ELEM-97: Start-of-Data Block Indicator: Indicates the start of a data block; fixed value, sourced from Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5864	ENT-ELEM-97 / 195	NOT_DECLARED
SC-11657	Response deferred	Supplemental Entity — ENT-SEG-DL4: Software Dial Load Data Segment: Contains merchant-specific dial load data; sent only on Software Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5865	ENT-SEG-DL4 / 195	NOT_DECLARED
SC-11658	Response deferred	Supplemental Entity — ENT-SEG-DL5: Software IP Load Data Segment: Contains merchant-specific IP/URL address load data; sent only on Software Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5866	ENT-SEG-DL5 / 195	NOT_DECLARED
SC-11666	Transaction unresolved	Supplemental Entity — ENT-SEG-106: Reserved: Found only in the segment-transaction matrix (page 216); no matching Chapter 12 segment-definition heading loc / supplemental_entity	REQ-SRC-ATL105-PDF-001:5874	ENT-SEG-106 / 216	NOT_DECLARED
SC-11667	Transaction unresolved	Supplemental Entity — ENT-SEG-107: Reserved: Found only in the segment-transaction matrix (page 216); no matching Chapter 12 segment-definition heading loc / supplemental_entity	REQ-SRC-ATL105-PDF-001:5875	ENT-SEG-107 / 216	NOT_DECLARED
SC-11681	Response deferred	Supplemental Entity — ENT-SEG-112: Additional Information Data Segment: Segment 112 carries additional info like balances, AVS/CVV, loyalty, PAR, fraud sco / supplemental_entity	REQ-SRC-ATL105-PDF-001:5889	ENT-SEG-112 / 244	NOT_DECLARED
SC-11686	Response deferred	Supplemental Entity — ENT-SEG-115: Print Data Segment: Sent on Financial Transaction Response messages requiring large amounts of print data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5894	ENT-SEG-115 / 249	NOT_DECLARED
SC-11690	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-255-BLOCK-NUMBER: Block Number: Starts at 1, increments per segment of site configuration data sent. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5898	ENT-CONCEPT-255-BLOCK-NUMBER / 255	NOT_DECLARED
SC-11695	Response deferred	Supplemental Entity — ENT-SEG-120: Print Data 2 Segment: Sent only on Financial Transaction Response messages requiring large amounts of print data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5903	ENT-SEG-120 / 263	NOT_DECLARED
SC-11703	Response deferred	Supplemental Entity — ENT-SEG-131: EMV Response Data Segment: Data Segment No. 131, max 3834 alphanumeric chars, appears in Field No. 4, Data Section No. 3 / supplemental_entity	REQ-SRC-ATL105-PDF-001:5911	ENT-SEG-131 / 269	NOT_DECLARED
SC-11704	Transaction unresolved	Supplemental Entity — ENT-ELEM-191: EMV Additional Information Indicator: Identifies the type of EMV additional information being transmitted; sourced from / supplemental_entity	REQ-SRC-ATL105-PDF-001:5912	ENT-ELEM-191 / 270	NOT_DECLARED
SC-11705	Transaction unresolved	Supplemental Entity — ENT-ELEM-192: EMV Additional Information Length: Identifies the length of the EMV Additional Information; sourced from Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5913	ENT-ELEM-192 / 270	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11706	Response deferred	Supplemental Entity — ENT-ELEM-118: EMV Additional Information: Identifies the EMV additional information; sourced from Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5914	ENT-ELEM-118 / 270	NOT_DECLARED
SC-11708	Response deferred	Supplemental Entity — ENT-SEG-134: Transaction Attributes Data Segment: Originates at BUYPASS, max length 19 alphanumeric characters. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5916	ENT-SEG-134 / 273	NOT_DECLARED
SC-11711	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-287-TABLE-ID-NON-FUEL-PRODUCT-DATA: Table ID (Non-Fuel Product Data): Fixed value 002 identifying Non-Fuel Product Data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5919	ENT-CONCEPT-287-TABLE-ID-NON-FUEL-PRODUCT-DATA / 287	NOT_DECLARED
SC-11712	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-287-TABLE-LENGTH-NON-FUEL-PRODUCT-DATA: Table Length (Non-Fuel Product Data): Overall length of product data, max 350, including separators. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5920	ENT-CONCEPT-287-TABLE-LENGTH-NON-FUEL-PRODUCT-DATA / 287	NOT_DECLARED
SC-11713	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-287-PRODUCT-CATEGORY: Product Category: Identifies product category from PRODUCTS table of Dynamic Card Table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5921	ENT-CONCEPT-287-PRODUCT-CATEGORY / 287	NOT_DECLARED
SC-11714	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-287-QUANTITY-NON-FUEL-PRODUCT-DATA: Quantity (Non-Fuel Product Data): Quantity of the product in Non-Fuel Product Data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5922	ENT-CONCEPT-287-QUANTITY-NON-FUEL-PRODUCT-DATA / 287	NOT_DECLARED
SC-11715	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-287-AMOUNT-NON-FUEL-PRODUCT-DATA: Amount (Non-Fuel Product Data): Amount of product purchased, decimal point included, e.g. 10.00. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5923	ENT-CONCEPT-287-AMOUNT-NON-FUEL-PRODUCT-DATA / 287	NOT_DECLARED
SC-11716	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-TABLE-ID: Table ID: Fixed value 004 identifying prompt data table in Enhanced Fleet Data Layouts. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5924	ENT-CONCEPT-289-TABLE-ID / 289	NOT_DECLARED
SC-11717	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-TABLE-LENGTH: Table Length: Overall length of all prompt data including separator characters, max 200. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5925	ENT-CONCEPT-289-TABLE-LENGTH / 289	NOT_DECLARED
SC-11718	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-TABLE-DATA: Table Data: Prompt Data formatted with prompt tokens, separators, and responses. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5926	ENT-CONCEPT-289-TABLE-DATA / 289	NOT_DECLARED
SC-11719	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-PROMPT-TOKEN: Prompt Token: Identifies a prompt to which the terminal is responding. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5927	ENT-CONCEPT-289-PROMPT-TOKEN / 289	NOT_DECLARED
SC-11720	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-COLON: Colon: Separator ':' between prompt token and response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5928	ENT-CONCEPT-289-COLON / 289	NOT_DECLARED
SC-11721	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-289-PROMPT-RESPONSE: Prompt Response: Value provided in response to a prompt token. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5929	ENT-CONCEPT-289-PROMPT-RESPONSE / 289	NOT_DECLARED
SC-11722	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-292-CONEXXUS-PROMPT-CODE: Connexus Prompt Code: Universal prompt codes used by MasterCard Enhanced Fleet EMV transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5930	ENT-CONCEPT-292-CONEXXUS-PROMPT-CODE / 292	NOT_DECLARED
SC-11723	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-293-TABLE-ID: Table ID: Fixed value 006 for Money Code Payee Name enhanced fleet data layout. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5931	ENT-CONCEPT-293-TABLE-ID / 293	NOT_DECLARED
SC-11724	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-294-PAYEE-NAME: Payee Name: Payee Name in format Last Name,First Initial; optional for Money Code transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5932	ENT-CONCEPT-294-PAYEE-NAME / 294	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11725	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-294-MONEY-CODE-CHECK-NUMBER: Money Code Check Number: Money Code check number, Table ID 007, required for all Money Code transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5933	ENT-CONCEPT-294-MONEY-CODE-CHECK-NUMBER / 294	NOT_DECLARED
SC-11726	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-294-CASH-ADVANCE-LIMIT: Cash Advance Limit: Maximum dollar amount host should return for cash advance limit, Table ID 008. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5934	ENT-CONCEPT-294-CASH-ADVANCE-LIMIT / 294	NOT_DECLARED
SC-11730	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-ID-NON-FUEL-PRODUCT-LIMITS: Table ID (Non-fuel Product Limits): Fixed value 002 identifying non-fuel product limits table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5938	ENT-CONCEPT-296-TABLE-ID-NON-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11731	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-LENGTH-NON-FUEL-PRODUCT-LIMITS: Table Length (Non-fuel Product Limits): Overall length of product limits data, max 350. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5939	ENT-CONCEPT-296-TABLE-LENGTH-NON-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11732	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-DATA-NON-FUEL-PRODUCT-LIMITS: Table Data (Non-fuel Product Limits): Product limits data formatted with product category, amount, separators. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5940	ENT-CONCEPT-296-TABLE-DATA-NON-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11733	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-PRODUCT-CATEGORY: Product Category: Identifies an allowed product category corresponding to Dynamic Card Table PRODUCTS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5941	ENT-CONCEPT-296-PRODUCT-CATEGORY / 296	NOT_DECLARED
SC-11734	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-COLON: Colon: Separator character ':' between product category and amount data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5942	ENT-CONCEPT-296-COLON / 296	NOT_DECLARED
SC-11735	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-AMOUNT-PRODUCT-LIMITS: Amount (Product Limits): Amount of product category allowed; sum of products should not exceed this amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5943	ENT-CONCEPT-296-AMOUNT-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11736	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-ID-FUEL-PRODUCT-LIMITS: Table ID (Fuel Product Limits): Fixed value 003 identifying fuel product limits table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5944	ENT-CONCEPT-296-TABLE-ID-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11737	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-LENGTH-FUEL-PRODUCT-LIMITS: Table Length (Fuel Product Limits): Overall length of fuel product limits data, max 350. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5945	ENT-CONCEPT-296-TABLE-LENGTH-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11738	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-296-TABLE-DATA-FUEL-PRODUCT-LIMITS: Table Data (Fuel Product Limits): Product limits data for fuel products, formatted similarly to non-fuel table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5946	ENT-CONCEPT-296-TABLE-DATA-FUEL-PRODUCT-LIMITS / 296	NOT_DECLARED
SC-11739	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-TABLE-ID: Table ID: Fixed value 004 identifying Prompt Formats table in Enhanced Fleet Data response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5947	ENT-CONCEPT-297-TABLE-ID / 297	NOT_DECLARED
SC-11740	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-TABLE-LENGTH: Table Length: Variable value, max 200, overall length of all prompt formats including separators. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5948	ENT-CONCEPT-297-TABLE-LENGTH / 297	NOT_DECLARED
SC-11741	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-TABLE-DATA: Table Data: Prompt Formats data, formatted with prompt/colon/format structure. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5949	ENT-CONCEPT-297-TABLE-DATA / 297	NOT_DECLARED
SC-11742	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-PROMPT: Prompt: Identifies a prompt to which the terminal should respond. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5950	ENT-CONCEPT-297-PROMPT / 297	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11743	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-PROMPT-FORMAT: Prompt Format: Prompt format using edit masks separated by semicolons. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5951	ENT-CONCEPT-297-PROMPT-FORMAT / 297	NOT_DECLARED
SC-11745	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-297-TOTAL-PRICE: Total Price: Total currency allowed for this product, with decimal point included. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5953	ENT-CONCEPT-297-TOTAL-PRICE / 297	NOT_DECLARED
SC-11746	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-TABLE-ID-CUSTOMER-INFORMATION: Table ID (Customer Information): Fixed value 005 identifying Customer Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5954	ENT-CONCEPT-299-TABLE-ID-CUSTOMER-INFORMATION / 299	NOT_DECLARED
SC-11747	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-TABLE-LENGTH-CUSTOMER-INFORMATION: Table Length (Customer Information): Variable value with max length 070 for Customer Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5955	ENT-CONCEPT-299-TABLE-LENGTH-CUSTOMER-INFORMATION / 299	NOT_DECLARED
SC-11748	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-TABLE-DATA-CUSTOMER-INFORMATION: Table Data (Customer Information): Customer info formatted as name(25), city(15), state(2), account code remainder. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5956	ENT-CONCEPT-299-TABLE-DATA-CUSTOMER-INFORMATION / 299	NOT_DECLARED
SC-11749	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-TABLE-ID-ADDITIONAL-RESPONSE-DATA: Table ID (Additional Response Data): Fixed value 010 identifying Additional Response Data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5957	ENT-CONCEPT-299-TABLE-ID-ADDITIONAL-RESPONSE-DATA / 299	NOT_DECLARED
SC-11750	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-TABLE-LENGTH-ADDITIONAL-RESPONSE-DATA: Table Length (Additional Response Data): Variable value with max length 200 for Additional Response Data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5958	ENT-CONCEPT-299-TABLE-LENGTH-ADDITIONAL-RESPONSE-DATA / 299	NOT_DECLARED
SC-11751	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-DATA-LABEL: Data Label: Identifies type of data being returned in Additional Response Data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5959	ENT-CONCEPT-299-DATA-LABEL / 299	NOT_DECLARED
SC-11752	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-DATA-VALUE: Data Value: Data being returned, length varies based on Data Label. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5960	ENT-CONCEPT-299-DATA-VALUE / 299	NOT_DECLARED
SC-11753	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-FNAM: FNAM: Cardholder's First Name data label value. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5961	ENT-CONCEPT-299-FNAM / 299	NOT_DECLARED
SC-11754	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-LNAM: LNAM: Cardholder's Last Name data label value. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5962	ENT-CONCEPT-299-LNAM / 299	NOT_DECLARED
SC-11755	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-ATHN: ATHN: Transaction's Auth Number, differs from Approval Code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5963	ENT-CONCEPT-299-ATHN / 299	NOT_DECLARED
SC-11756	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-ACCT: ACCT: Account Code shown on Express Check Encashment Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5964	ENT-CONCEPT-299-ACCT / 299	NOT_DECLARED
SC-11757	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-299-DMSG: DMSG: Driver Message data label value. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5965	ENT-CONCEPT-299-DMSG / 299	NOT_DECLARED
SC-11758	Response deferred	Supplemental Entity — ENT-SEG-148: WEX Available Product Fleet Information Data Segment: Sends available product and fleet information from Wex to the term / supplemental_entity	REQ-SRC-ATL105-PDF-001:5966	ENT-SEG-148 / 301	NOT_DECLARED
SC-11759	Response deferred	Supplemental Entity — ENT-ELEM-240: Available Product Information: All of the available product information from WEX, sourced from Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5967	ENT-ELEM-240 / 302	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11760	Transaction unresolved	Supplemental Entity — ENT-SEG-150: Fuel Price Update Response Segment: Indicates success or failure of the Fuel Price Update Request. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5968	ENT-SEG-150 / 304	NOT_DECLARED
SC-11763	Response deferred	Supplemental Entity — ENT-CONCEPT-306-MARKET-BASKET-DATA: Market Basket Data: Describes market basket data for current OTC transaction; up to 10 PI/PU datasets. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5971	ENT-CONCEPT-306-MARKET-BASKET-DATA / 306	NOT_DECLARED
SC-11768	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-308-NETWORK-TOKEN-EXPIRATION-DATE: Network Token Expiration Date: Table Data element with Table ID 002 representing Network Token Expiration Date. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5976	ENT-CONCEPT-308-NETWORK-TOKEN-EXPIRATION-DATE / 308	NOT_DECLARED
SC-11769	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-308-NETWORK-TOKEN-PROVISIONAL-FEE-INDICATOR: Network Token Provisional Fee Indicator: Table Data element with Table ID 003 for provisional fee indicator. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5977	ENT-CONCEPT-308-NETWORK-TOKEN-PROVISIONAL-FEE-INDICATOR / 308	NOT_DECLARED
SC-11770	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-308-NETWORK-TOKEN-INPUT-INDICATOR: Network Token Input Indicator: Table Data element with Table ID 004 for input indicator. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5978	ENT-CONCEPT-308-NETWORK-TOKEN-INPUT-INDICATOR / 308	NOT_DECLARED
SC-11771	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-308-NETWORK-TOKEN-ELIGIBLE-INDICATOR: Network Token Eligible Indicator: Table Data element with Table ID 005 for eligible indicator. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5979	ENT-CONCEPT-308-NETWORK-TOKEN-ELIGIBLE-INDICATOR / 308	NOT_DECLARED
SC-11772	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-308-NETWORK-TOKEN-PAN-INDICATOR: Network Token PAN Indicator: Referenced Network Token Data Layout element with no attributes shown on page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5980	ENT-CONCEPT-308-NETWORK-TOKEN-PAN-INDICATOR / 308	NOT_DECLARED
SC-11773	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-309-TABLE-ID: Table ID: Fixed value: 006, part of a sub-table structure. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5981	ENT-CONCEPT-309-TABLE-ID / 309	NOT_DECLARED
SC-11774	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-309-TABLE-LENGTH: Table Length: Fixed value: 001, part of a sub-table structure. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5982	ENT-CONCEPT-309-TABLE-LENGTH / 309	NOT_DECLARED
SC-11775	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-309-TABLE-DATA: Table Data: Contains Network Token PAN Indicator data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5983	ENT-CONCEPT-309-TABLE-DATA / 309	NOT_DECLARED
SC-11776	Response deferred	Supplemental Entity — ENT-SEG-155: Real Time Account Updater Response Segment: Sent only when transaction qualifies for and uses First Data Auth Optimizer / supplemental_entity	REQ-SRC-ATL105-PDF-001:5984	ENT-SEG-155 / 310	NOT_DECLARED
SC-11777	Response deferred	Supplemental Entity — ENT-CONCEPT-310-ACCOUNT-UPDATER-CARD-NUMBER: Account Updater Card Number: Sub-structure with Table ID, Table Length, Table Data fields for new account number. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5985	ENT-CONCEPT-310-ACCOUNT-UPDATER-CARD-NUMBER / 310	NOT_DECLARED
SC-11778	Response deferred	Supplemental Entity — ENT-CONCEPT-310-ACCOUNT-UPDATER-TRANSARMOR-TOKEN: Account Updater TransArmor Token: Sub-structure with Table ID, Table Length fields for TransArmor token. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5986	ENT-CONCEPT-310-ACCOUNT-UPDATER-TRANSARMOR-TOKEN / 310	NOT_DECLARED
SC-11781	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-312-ORIGINAL-ASSOCIATION-RESPONSE-CODE: Original Association Response Code: Table Data field containing the original decline code from the Authorizing Network. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5989	ENT-CONCEPT-312-ORIGINAL-ASSOCIATION-RESPONSE-CODE / 312	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11782	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-312-ACCOUNT-UPDATER-RESULT-CODE: Account Updater Result Code: Table ID 006 field for Account Updater Result Code, partially defined on this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5990	ENT-CONCEPT-312-ACCOUNT-UPDATE R-RESULT-CODE / 312	NOT_DECLARED
SC-11783	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-313-ACCOUNT-UPDATER-RESULT-CODE: Account Updater Result Code: Result code received from Network or Card Issuer Auth Optimization request. / supplemental_entity	REQ-SRC-ATL105-PDF-001:5991	ENT-CONCEPT-313-ACCOUNT-UPDATE R-RESULT-CODE / 313	NOT_DECLARED
SC-11792	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-318-CARBON-FOOTPRINT: Carbon Footprint: Table ID 09; measures carbon dioxide equivalent avoidance savings for a purchase. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6000	ENT-CONCEPT-318-CARBON-FOOTPRINT / 318	NOT_DECLARED
SC-11793	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-318-ESTIMATED-VEHICLES-KM-MILES-AVAILABLE: Estimated Vehicles KM/Miles Available: Table ID 10; estimated mileage remaining after EV charging session completes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6001	ENT-CONCEPT-318-ESTIMATED-VEHICLES-KM-MILES-AVAILABLE / 318	NOT_DECLARED
SC-11794	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-318-MAXIMUM-POWER-DISPENSED: Maximum Power Dispensed: Table ID 11; maximum power dispensed during the charge session. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6002	ENT-CONCEPT-318-MAXIMUM-POWER-DISPENSED / 318	NOT_DECLARED
SC-11795	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-318-CONNECTOR-TYPE: Connector Type: Table ID 12, variable length 001-003; connector type for EV charging. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6003	ENT-CONCEPT-318-CONNECTOR-TYPE / 318	NOT_DECLARED
SC-11796	Transaction unresolved	Supplemental Entity — ENT-SEG-157: Adjusted Product Code Data Segment: Data Segment No. 157, used exclusively for Comdata cards, max 381 alphanumeric chara / supplemental_entity	REQ-SRC-ATL105-PDF-001:6004	ENT-SEG-157 / 320	NOT_DECLARED
SC-11797	Response deferred	Supplemental Entity — ENT-SEG-DL1: Merchant Data Segment: Max 399 alphanumeric chars, originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6005	ENT-SEG-DL1 / 324	NOT_DECLARED
SC-11798	Response deferred	Supplemental Entity — ENT-ELEM-14: Card Type: Identifies the card type accepted by the transmitting device. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6006	ENT-ELEM-14 / 325	NOT_DECLARED
SC-11799	Response deferred	Supplemental Entity — ENT-ELEM-34: End-of-Data Indicator: Indicates the end of the data segment; fixed value ~. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6007	ENT-ELEM-34 / 325	NOT_DECLARED
SC-11800	Response deferred	Supplemental Entity — ENT-SEG-DL2: Dial String Data Segment: Data Segment No. DL2, max 69 alphanumeric characters, originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6008	ENT-SEG-DL2 / 326	NOT_DECLARED
SC-11801	Response deferred	Supplemental Entity — ENT-ELEM-27: Dial String Terminator: Indicates end of second dial string, fixed value F, source Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6009	ENT-ELEM-27 / 327	NOT_DECLARED
SC-11802	Response deferred	Supplemental Entity — ENT-ELEM-34: End-of-Data Indicator: Indicates end of data segment, fixed value ~, source Host. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6010	ENT-ELEM-34 / 327	NOT_DECLARED
SC-11803	Response deferred	Supplemental Entity — ENT-SEG-DL3: Date and Time Data Segment: Data segment DL3 carrying BUYPASS day of week, date, and time; originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6011	ENT-SEG-DL3 / 328	NOT_DECLARED
SC-11804	Response deferred	Supplemental Entity — ENT-SEG-DL4: Software Dial Load Data Segment: Used to download an application from a device management system supported by BUYPASS; o / supplemental_entity	REQ-SRC-ATL105-PDF-001:6012	ENT-SEG-DL4 / 329	NOT_DECLARED
SC-11805	Response deferred	Supplemental Entity — ENT-SEG-DL5: Software IP Load Data Segment: Used to download an application from a BUYPASS-supported device management system. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6013	ENT-SEG-DL5 / 330	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11806	Response deferred	Supplemental Entity — ENT-SEG-DL6: Store and Forward Data Segment: Data Segment DL6, max 9 alphanumeric chars, originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6014	ENT-SEG-DL6 / 331	NOT_DECLARED
SC-11807	Transaction unresolved	Supplemental Entity — ENT-SEG-DL7: Supplemental Terminal Data Segment: Data Segment No. DL7, identified by special character '^', holds download data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6015	ENT-SEG-DL7 / 332	NOT_DECLARED
SC-11808	Transaction unresolved	Supplemental Entity — ENT-ELEM-232: Download Data: All or some of the Download Data in <tag><len><data> format. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6016	ENT-ELEM-232 / 332	NOT_DECLARED
SC-11809	Transaction unresolved	Supplemental Entity — ENT-SEG-DL8: EMV Terminal Floor Limits Data Segment: Contains floor limits per card type (RID) for a terminal; included based on term / supplemental_entity	REQ-SRC-ATL105-PDF-001:6017	ENT-SEG-DL8 / 333	NOT_DECLARED
SC-11811	Response deferred	Supplemental Entity — ENT-ELEM-1: Access Code: Identifies data dialed before phone number in Telephone Table Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6019	ENT-ELEM-1 / 355	NOT_DECLARED
SC-11813	Response deferred	Supplemental Entity — ENT-ELEM-3: Address Line 1: Identifies the street address of the transmitting device location. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6021	ENT-ELEM-3 / 360	NOT_DECLARED
SC-11814	Response deferred	Supplemental Entity — ENT-ELEM-4: Address Line 2: Identifies the city, state, and ZIP Code/ZIP+4 of the transmitting device location. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6022	ENT-ELEM-4 / 360	NOT_DECLARED
SC-11816	Response deferred	Supplemental Entity — ENT-ELEM-6: Approved Amount: Fixed nine digits with two decimal places, zero-filled, identifies amount approved by issuer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6024	ENT-ELEM-6 / 361	NOT_DECLARED
SC-11817	Response deferred	Supplemental Entity — ENT-ELEM-7: Authorizer Code: Fixed 2-digit numeric code identifying the authorizer, defined by BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6025	ENT-ELEM-7 / 362	NOT_DECLARED
SC-11818	Response deferred	Supplemental Entity — ENT-ELEM-8: Authorizer Response Code: Fixed 2-character alphanumeric, space-filled, identifies response type from authorizer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6026	ENT-ELEM-8 / 362	NOT_DECLARED
SC-11822	Response deferred	Supplemental Entity — ENT-ELEM-14: Card Type: Identifies card type, feature, or requested data type depending on transaction context. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6030	ENT-ELEM-14 / 367	NOT_DECLARED
SC-11828	Response deferred	Supplemental Entity — ENT-ELEM-21: Current Date: Fixed six digit MMDDYY field identifying current date, originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6036	ENT-ELEM-21 / 369	NOT_DECLARED
SC-11829	Response deferred	Supplemental Entity — ENT-ELEM-22: Current Time: Identifies the current time, originates at BUYPASS, fixed HHMM format. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6037	ENT-ELEM-22 / 370	NOT_DECLARED
SC-11830	Response deferred	Supplemental Entity — ENT-ELEM-23: Cut Time: Identifies merchant's end-of-day settlement time, fixed HHMM format. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6038	ENT-ELEM-23 / 370	NOT_DECLARED
SC-11831	Response deferred	Supplemental Entity — ENT-ELEM-24: Data Type Indicator: Identifies specific characteristics of the following data in a host response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6039	ENT-ELEM-24 / 371	NOT_DECLARED
SC-11832	Response deferred	Supplemental Entity — ENT-ELEM-25: Day of the Week: Identifies the current day of the week; originates at BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6040	ENT-ELEM-25 / 371	NOT_DECLARED
SC-11833	Transaction unresolved	Supplemental Entity — ENT-ELEM-26: Decline Code: Identifies the reason for the decline, defined by BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6041	ENT-ELEM-26 / 372	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11834	Response deferred	Supplemental Entity — ENT-ELEM-27: Dial String Terminator: Indicates the end of a dial string, fixed one alphanumeric character. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6042	ENT-ELEM-27 / 372	NOT_DECLARED
SC-11835	Response deferred	Supplemental Entity — ENT-ELEM-28: Dial String Type: Numeric, fixed length one digit, indicates transaction dial strings. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6043	ENT-ELEM-28 / 373	NOT_DECLARED
SC-11837	Response deferred	Supplemental Entity — ENT-ELEM-30: Download Indicator: Numeric, fixed one digit, indicates whether device should request a load and type. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6045	ENT-ELEM-30 / 373	NOT_DECLARED
SC-11841	Response deferred	Supplemental Entity — ENT-ELEM-34: End-of-Data Indicator: Single alpha character marking end of a data segment, value ~. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6049	ENT-ELEM-34 / 375	NOT_DECLARED
SC-11842	Transaction unresolved	Supplemental Entity — ENT-ELEM-35: End-of-Load Indicator: Single alpha character indicating end of a Table Load. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6050	ENT-ELEM-35 / 376	NOT_DECLARED
SC-11845	Transaction unresolved	Supplemental Entity — ENT-ELEM-38: Fee Amount: Identifies the fee amount calculated by BUYPASS, eight digits with two assumed decimals. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6053	ENT-ELEM-38 / 377	NOT_DECLARED
SC-11852	Response deferred	Supplemental Entity — ENT-ELEM-45: Initiation Date: Local date transaction was performed, fixed 6 digit MMDDYY. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6060	ENT-ELEM-45 / 380	NOT_DECLARED
SC-11853	Response deferred	Supplemental Entity — ENT-ELEM-46: Initiation Time: Local time transaction was performed, fixed 4 digit HHMM. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6061	ENT-ELEM-46 / 380	NOT_DECLARED
SC-11858	Transaction unresolved	Supplemental Entity — ENT-ELEM-51: Mail Text Data: Variable length alphanumeric data in Electronic Mail Response, up to 750 or 150 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6066	ENT-ELEM-51 / 382	NOT_DECLARED
SC-11859	Transaction unresolved	Supplemental Entity — ENT-ELEM-52: Mail Text Data Length: Fixed length three digit, zero-filled, right aligned length of Mail Text Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6067	ENT-ELEM-52 / 382	NOT_DECLARED
SC-11860	Response deferred	Supplemental Entity — ENT-ELEM-53: Merchant Name: Identifies the merchant associated with the transmitting device location. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6068	ENT-ELEM-53 / 383	NOT_DECLARED
SC-11861	Response deferred	Supplemental Entity — ENT-ELEM-54: Merchant Phone Number: Identifies the telephone number of the transmitting device location. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6069	ENT-ELEM-54 / 383	NOT_DECLARED
SC-11863	Transaction unresolved	Supplemental Entity — ENT-ELEM-56: Net Amount: Identifies difference between Grand Total and Fee Amount in a Totals Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6071	ENT-ELEM-56 / 385	NOT_DECLARED
SC-11864	Response deferred	Supplemental Entity — ENT-ELEM-57: New Software Version: Identifies the new software application version number, used in Software Dial/IP Load segments. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6072	ENT-ELEM-57 / 385	NOT_DECLARED
SC-11866	Response deferred	Supplemental Entity — ENT-ELEM-59: Number of Card Types: Number of times Field No. 8 repeats in the Merchant Data Segment. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6074	ENT-ELEM-59 / 386	NOT_DECLARED
SC-11867	Response deferred	Supplemental Entity — ENT-ELEM-61: Number of Print Lines: Indicates number of times Terminal Display/Printer Message appears in response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6075	ENT-ELEM-61 / 387	NOT_DECLARED
SC-11872	Response deferred	Supplemental Entity — ENT-ELEM-66: Pause Indicator: Indicates device should pause before proceeding, used for slow dial tone systems. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6080	ENT-ELEM-66 / 389	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11876	Response deferred	Supplemental Entity — ENT-ELEM-75: Phone Number: Identifies primary, secondary, or tertiary phone number used in transaction dialing. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6084	ENT-ELEM-75 / 392	NOT_DECLARED
SC-11885	Response deferred	Supplemental Entity — ENT-ELEM-82: Redial Count: Identifies number of times subsequent phone number in Data Segment DL2 can be redialed. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6093	ENT-ELEM-82 / 396	NOT_DECLARED
SC-11886	Response deferred	Supplemental Entity — ENT-ELEM-83: Response Code: Identifies approval/decline status depending on transaction type (financial, totals, email, test, TransAr / supplemental_entity	REQ-SRC-ATL105-PDF-001:6094	ENT-ELEM-83 / 396	NOT_DECLARED
SC-11887	Response deferred	Supplemental Entity — ENT-ELEM-8: Authorizer Response Code: Code describing transaction result such as approval, decline, or specific processing outcome. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6095	ENT-ELEM-8 / 397	NOT_DECLARED
SC-11895	Response deferred	Supplemental Entity — ENT-ELEM-91: Software Load Phone Number: Variable length up to 18 alphanumeric characters identifying device management system phone / supplemental_entity	REQ-SRC-ATL105-PDF-001:6103	ENT-ELEM-91 / 405	NOT_DECLARED
SC-11896	Response deferred	Supplemental Entity — ENT-ELEM-92: Software Load Request Date: Fixed length six digits (MMDDYY) identifying date device requests full application load. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6104	ENT-ELEM-92 / 405	NOT_DECLARED
SC-11897	Response deferred	Supplemental Entity — ENT-ELEM-93: Software Load Request Time: Fixed four-digit (HHMM) time the device requests a full application load. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6105	ENT-ELEM-93 / 406	NOT_DECLARED
SC-11898	Response deferred	Supplemental Entity — ENT-ELEM-94: Software Load Type: One alphanumeric character identifying type of software requested from device management system. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6106	ENT-ELEM-94 / 406	NOT_DECLARED
SC-11899	Response deferred	Supplemental Entity — ENT-ELEM-95: Software Terminal Record ID: Identifies the Software Terminal Record ID associated with the device management system. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6107	ENT-ELEM-95 / 407	NOT_DECLARED
SC-11901	Transaction unresolved	Supplemental Entity — ENT-ELEM-97: Start-of-Data Block Indicator: Indicates the start of a data block in a Table Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6109	ENT-ELEM-97 / 407	NOT_DECLARED
SC-11902	Response deferred	Supplemental Entity — ENT-ELEM-101: Terminal Display /Printer Message: Identifies a device display or printer message for the merchant from BUYPASS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6110	ENT-ELEM-101 / 409	NOT_DECLARED
SC-11912	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-FINAL-AMOUNT-INDICATOR: Final Amount Indicator: Listed element 040 in Transaction Attributes continuation list. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6120	ENT-CONCEPT-417-FINAL-AMOUNT-INDICATOR / 417	NOT_DECLARED
SC-11913	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-COUNTRY-SUBDIVISION: Country Subdivision: Listed element 041. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6121	ENT-CONCEPT-417-COUNTRY-SUBDIVISION / 417	NOT_DECLARED
SC-11914	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-CARDHOLDER-LANGUAGE: Cardholder Language: Listed element 042. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6122	ENT-CONCEPT-417-CARDHOLDER-LANGUAGE / 417	NOT_DECLARED
SC-11915	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-CARDHOLDER-POSTAL-CODE-FOR-AVS: Cardholder Postal Code (for AVS): Listed element 043. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6123	ENT-CONCEPT-417-CARDHOLDER-POSTAL-CODE-FOR-AVS / 417	NOT_DECLARED
SC-11916	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ORIGINAL-TRANSACTION-IDENTIFIER: Original Transaction Identifier: Listed element 044. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6124	ENT-CONCEPT-417-ORIGINAL-TRANSACTION-IDENTIFIER / 417	NOT_DECLARED
SC-11917	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-FIRST-AUTH-AMOUNT: First Auth Amount: Listed element 045. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6125	ENT-CONCEPT-417-FIRST-AUTH-AMOUNT / 417	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11918	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-PREVIOUS-TRANSACTION-ID: Previous Transaction ID: Listed element 046. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6126	ENT-CONCEPT-417-PREVIOUS-TRANSACTION-ID / 417	NOT_DECLARED
SC-11919	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-NAME: Soft Descriptor - Merchant Name: Listed element 047. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6127	ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-NAME / 417	NOT_DECLARED
SC-11920	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-MASTERCARD-AUTHENTICATION-DATA: MasterCard Authentication Data: Listed element 048. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6128	ENT-CONCEPT-417-MASTERCARD-AUTHENTICATION-DATA / 417	NOT_DECLARED
SC-11921	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-MERCHANT-SUPPLEMENTARY-DATA: Merchant Supplementary Data: Listed element 049. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6129	ENT-CONCEPT-417-MERCHANT-SUPPLEMENTARY-DATA / 417	NOT_DECLARED
SC-11922	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ADDITIONAL-SECURITY-CODE: Additional Security Code: Listed element 050. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6130	ENT-CONCEPT-417-ADDITIONAL-SECURITY-CODE / 417	NOT_DECLARED
SC-11923	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ADDITIONAL-CARD-ID: Additional Card ID: Listed element 051. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6131	ENT-CONCEPT-417-ADDITIONAL-CARD-ID / 417	NOT_DECLARED
SC-11924	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ADDITIONAL-TRANSARMOR-DATA: Additional TransArmor Data: Listed element 052. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6132	ENT-CONCEPT-417-ADDITIONAL-TRANSARMOR-DATA / 417	NOT_DECLARED
SC-11925	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-REMOTE-COMMERCE-ACCEPTOR-IDENTIFIER: Remote Commerce Acceptor Identifier: Listed element 053. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6133	ENT-CONCEPT-417-REMOTE-COMMERCE-ACCEPTOR-IDENTIFIER / 417	NOT_DECLARED
SC-11926	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-MERCHANT-TRAN-ID: Merchant Tran ID: Listed element 054. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6134	ENT-CONCEPT-417-MERCHANT-TRAN-ID / 417	NOT_DECLARED
SC-11927	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-EXPERIENCE-PROVIDER-VALUE: Experience Provider Value: Listed element 055. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6135	ENT-CONCEPT-417-EXPERIENCE-PROVIDER-VALUE / 417	NOT_DECLARED
SC-11928	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-STORED-CREDENTIALS-TRANSACTION-ADDITIONAL-DATA: Stored Credentials Transaction Additional Data: Listed element 056. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6136	ENT-CONCEPT-417-STORED-CREDENTIALS-TRANSACTION-ADDITIONAL-DATA / 417	NOT_DECLARED
SC-11929	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-CITY: Soft Descriptor Merchant City: Listed element 057. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6137	ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-CITY / 417	NOT_DECLARED
SC-11930	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-STATE: Soft Descriptor Merchant State: Listed element 058. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6138	ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-STATE / 417	NOT_DECLARED
SC-11931	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-COUNTRY: Soft Descriptor Merchant Country: Listed element 059. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6139	ENT-CONCEPT-417-SOFT-DESCRIPTOR-MERCHANT-COUNTRY / 417	NOT_DECLARED
SC-11932	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-REAL-TIME-ACCOUNT-UPDATER-REQUEST-DATA: Real Time Account Updater Request Data: Listed element 060. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6140	ENT-CONCEPT-417-REAL-TIME-ACCOUNT-UPDATER-REQUEST-DATA / 417	NOT_DECLARED
SC-11933	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-CUSTOMER-ADDITIONAL-INFORMATION: Customer Additional Information: Listed element 062. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6141	ENT-CONCEPT-417-CUSTOMER-ADDITIONAL-INFORMATION / 417	NOT_DECLARED
SC-11934	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-VISA-INCREMENTAL-AUTH-LODGING-DATA: Visa Incremental Auth Lodging Data: Listed element 063. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6142	ENT-CONCEPT-417-VISA-INCREMENTAL-AUTH-LODGING-DATA / 417	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11935	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-SERVICE-LOCATION-INFORMATION: Service Location Information: Listed element 064. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6143	ENT-CONCEPT-417-SERVICE-LOCATION-INFORMATION / 417	NOT_DECLARED
SC-11936	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-MERCHANT-PAYMENT-GATEWAY-ID-DATA: Merchant Payment Gateway ID Data: Listed element 065. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6144	ENT-CONCEPT-417-MERCHANT-PAYMENT-GATEWAY-ID-DATA / 417	NOT_DECLARED
SC-11937	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-DIGITAL-COMMERCE-DATA: Digital Commerce Data: Listed element 066. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6145	ENT-CONCEPT-417-DIGITAL-COMMERCE-DATA / 417	NOT_DECLARED
SC-11938	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ANTICIPATED-AMOUNT: Anticipated Amount: Listed element 067. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6146	ENT-CONCEPT-417-ANTICIPATED-AMOUNT / 417	NOT_DECLARED
SC-11939	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ADDITIONAL-TRANSACTION-FEE-1: Additional Transaction Fee 1: Listed element 068. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6147	ENT-CONCEPT-417-ADDITIONAL-TRANSACTION-FEE-1 / 417	NOT_DECLARED
SC-11940	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ADDITIONAL-TRANSACTION-FEE-2: Additional Transaction Fee 2: Listed element 069. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6148	ENT-CONCEPT-417-ADDITIONAL-TRANSACTION-FEE-2 / 417	NOT_DECLARED
SC-11941	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ANTICIPATED-COMPLETION-AMOUNT: Anticipated Completion Amount: Listed element 070. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6149	ENT-CONCEPT-417-ANTICIPATED-COMPLETION-AMOUNT / 417	NOT_DECLARED
SC-11942	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-ENABLER-VERIFICATION-VALUE: Enabler Verification Value: Listed element 071. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6150	ENT-CONCEPT-417-ENABLER-VERIFICATION-VALUE / 417	NOT_DECLARED
SC-11943	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-TRANSACTION-LINK-IDENTIFIER: Transaction Link Identifier: Listed element 072. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6151	ENT-CONCEPT-417-TRANSACTION-LINK-IDENTIFIER / 417	NOT_DECLARED
SC-11944	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-FUTURE-TRANSACTION-AMOUNT: Future Transaction Amount: Listed element 073. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6152	ENT-CONCEPT-417-FUTURE-TRANSACTION-AMOUNT / 417	NOT_DECLARED
SC-11945	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-DISCOUNT-PROGRAM-DATA: Discount Program Data: Listed element 075. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6153	ENT-CONCEPT-417-DISCOUNT-PROGRAM-DATA / 417	NOT_DECLARED
SC-11946	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-DISCOUNT-LINE-ITEM-DATA: Discount Line-Item Data: Listed element 076. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6154	ENT-CONCEPT-417-DISCOUNT-LINE-ITEM-DATA / 417	NOT_DECLARED
SC-11947	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-DISCOUNT-AMOUNT: Discount Amount: Listed element 077. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6155	ENT-CONCEPT-417-DISCOUNT-AMOUNT / 417	NOT_DECLARED
SC-11948	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-LINE-ITEM: Line Item: Listed element 078. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6156	ENT-CONCEPT-417-LINE-ITEM / 417	NOT_DECLARED
SC-11949	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-VISA-COMMERCIAL-CARD-DATA: Visa Commercial Card Data: Listed element 079. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6157	ENT-CONCEPT-417-VISA-COMMERCIAL-CARD-DATA / 417	NOT_DECLARED
SC-11950	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-STAGED-WALLET-ID: Staged Wallet ID: Listed element 080. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6158	ENT-CONCEPT-417-STAGED-WALLET-ID / 417	NOT_DECLARED
SC-11951	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-417-VISA-GATEWAY-ID: Visa Gateway ID: Listed element 081. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6159	ENT-CONCEPT-417-VISA-GATEWAY-ID / 417	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11954	Response deferred	Supplemental Entity — ENT-ELEM-114: Software Load IP/URL Address: Fixed 30 alphanumeric characters identifying terminal used to access device management sys / supplemental_entity	REQ-SRC-ATL105-PDF-001:6162	ENT-ELEM-114 / 424	NOT_DECLARED
SC-11955	Response deferred	Supplemental Entity — ENT-ELEM-115: Additional Information Data Segment Flag: Numeric 1-byte flag field; details continue on next page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6163	ENT-ELEM-115 / 424	NOT_DECLARED
SC-11956	Response deferred	Supplemental Entity — ENT-ELEM-115: Additional Information Data Segment Flag: Indicates whether an Additional Information Data Segment follows in the messag / supplemental_entity	REQ-SRC-ATL105-PDF-001:6164	ENT-ELEM-115 / 425	NOT_DECLARED
SC-11957	Response deferred	Supplemental Entity — ENT-ELEM-116: Additional Information Indicator: Identifies type of additional information transmitted in a Financial Transaction Respo / supplemental_entity	REQ-SRC-ATL105-PDF-001:6165	ENT-ELEM-116 / 426	NOT_DECLARED
SC-11958	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-TRANSACTION-LINK-IDENTIFIER: Transaction Link Identifier: Field numbered 038 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6166	ENT-CONCEPT-428-TRANSACTION-LIN K-IDENTIFIER / 428	NOT_DECLARED
SC-11959	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-TRANSACTION-LINK-ACTION-INDICATOR: Transaction Link Action Indicator: Field numbered 039 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6167	ENT-CONCEPT-428-TRANSACTION-LIN K-ACTION-INDICATOR / 428	NOT_DECLARED
SC-11960	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-FRAUD-SCORE: Fraud Score: Field numbered 040 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6168	ENT-CONCEPT-428-FRAUD-SCORE / 428	NOT_DECLARED
SC-11961	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-FRAUD-SCORE-REASON-CODE: Fraud Score Reason Code: Field numbered 041 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6169	ENT-CONCEPT-428-FRAUD-SCORE-REA SON-CODE / 428	NOT_DECLARED
SC-11962	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-AUTHENTICATION-DATA-QUALITY-INDICATOR: Authentication Data Quality Indicator: Field numbered 042 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6170	ENT-CONCEPT-428-AUTHENTICATION- DATA-QUALITY-INDICATOR / 428	NOT_DECLARED
SC-11963	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-TOKEN-UPDATE-FIRST-USE-INDICATOR: Token Update First Use Indicator: Field numbered 043 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6171	ENT-CONCEPT-428-TOKEN-UPDATE-FIR ST-USE-INDICATOR / 428	NOT_DECLARED
SC-11964	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-MERCHANT-TRAN-ID: Merchant Tran ID: Field numbered 044 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6172	ENT-CONCEPT-428-MERCHANT-TRAN-I D / 428	NOT_DECLARED
SC-11965	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-APPLIED-SPECIAL-SERVICE: Applied Special Service: Field numbered 045 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6173	ENT-CONCEPT-428-APPLIED-SPECIAL-S ERVICE / 428	NOT_DECLARED
SC-11966	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-VOYAGER-RESTRICTION-CODE: Voyager Restriction Code: Field numbered 046 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6174	ENT-CONCEPT-428-VOYAGER-RESTRIC TION-CODE / 428	NOT_DECLARED
SC-11967	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-428-VISA-CATEGORY-CODE: Visa Category Code: Field numbered 047 listed in element index. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6175	ENT-CONCEPT-428-VISA-CATEGORY-C ODE / 428	NOT_DECLARED
SC-11968	Response deferred	Supplemental Entity — ENT-ELEM-117: Additional Information Length: Identifies the length of Additional Information element, fixed 3 digit numeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6176	ENT-ELEM-117 / 429	NOT_DECLARED
SC-11969	Response deferred	Supplemental Entity — ENT-ELEM-118: Additional Information: Identifies additional data transmitted in the Financial Transaction response, variable alphanume / supplemental_entity	REQ-SRC-ATL105-PDF-001:6177	ENT-ELEM-118 / 429	NOT_DECLARED
SC-11970	Response deferred	Supplemental Entity — ENT-ELEM-118: Additional Information: Identifies additional data transmitted in Financial Transaction request or response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6178	ENT-ELEM-118 / 432	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-11971	Response deferred	Supplemental Entity — ENT-ELEM-119: Settlement Date: Identifies date of actual financial settlement for the transaction, format MMDD. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6179	ENT-ELEM-119 / 432	NOT_DECLARED
SC-11972	Transaction unresolved	Supplemental Entity — ENT-ELEM-120: Network Management Message: Identifies the communications test message from the transmitting device. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6180	ENT-ELEM-120 / 432	NOT_DECLARED
SC-12002	Response deferred	Supplemental Entity — ENT-ELEM-152: Print Data: Identifies the data to print at the device. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6210	ENT-ELEM-152 / 444	NOT_DECLARED
SC-12005	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-447-TOTAL-LENGTH: Total Length: Subelement identifying total count of bytes in subelement to follow, max value 2997. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6213	ENT-CONCEPT-447-TOTAL-LENGTH / 447	NOT_DECLARED
SC-12006	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-447-EARLIEST-WIC-BENEFIT-EXPIRATION-DATE: Earliest WIC Benefit Expiration Date: Identifies earliest date across WIC Prescription Balance data when benefits expire / supplemental_entity	REQ-SRC-ATL105-PDF-001:6214	ENT-CONCEPT-447-EARLIEST-WIC-BENEFIT-EXPIRATION-DATE / 447	NOT_DECLARED
SC-12007	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-448-WIC-PRESCRIPTION-BALANCE-INFORMATION: WIC Prescription Balance Information: Subelement identifying WIC Prescription Balance Information, data set identifier E / supplemental_entity	REQ-SRC-ATL105-PDF-001:6215	ENT-CONCEPT-448-WIC-PRESCRIPTION-BALANCE-INFORMATION / 448	NOT_DECLARED
SC-12008	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-448-CATEGORY: Category: Subfield of WIC Prescription Balance Information, bit number 4. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6216	ENT-CONCEPT-448-CATEGORY / 448	NOT_DECLARED
SC-12009	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-448-SUB-CATEGORY: Sub-category: Subfield of WIC Prescription Balance Information, bit number 6. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6217	ENT-CONCEPT-448-SUB-CATEGORY / 448	NOT_DECLARED
SC-12010	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-448-QUANTITY-ALLOWED: Quantity Allowed: Subfield of WIC Prescription Balance Information, bit number 11, format 999v99. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6218	ENT-CONCEPT-448-QUANTITY-ALLOWED / 448	NOT_DECLARED
SC-12011	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-449-WIC-UPC-EXCEPTION-DENIAL-INFORMATION: WIC UPC Exception/Denial Information: Subelement for WIC UPC exception/denial data, max 47 bytes, char type an. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6219	ENT-CONCEPT-449-WIC-UPC-EXCEPTION-DENIAL-INFORMATION / 449	NOT_DECLARED
SC-12012	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-450-ITEM-ACTION-CODE: Item Action Code: Code identifying WIC UPC/PLU exception or denial action, bit #8. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6220	ENT-CONCEPT-450-ITEM-ACTION-CODE / 450	NOT_DECLARED
SC-12013	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-450-ORIGINAL-ITEM-PRICE-OF-UPC-PLU: Original item price of UPC/PLU: Original price of UPC/PLU, format 9999v99, bit #9. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6221	ENT-CONCEPT-450-ORIGINAL-ITEM-PRICE-OF-UPC-PLU / 450	NOT_DECLARED
SC-12014	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-450-ORIGINAL-NUMBER-OF-UPC-S-PLU-S: Original number of UPC's/PLU's: Original quantity of UPC/PLU items, format 999v99, bit #10. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6222	ENT-CONCEPT-450-ORIGINAL-NUMBER-OF-UPC-S-PLU-S / 450	NOT_DECLARED
SC-12015	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-450-UPC-PLU-DATA-LENGTH: UPC/PLU data length: Length of UPC/PLU data, starting from the right-most digit, bit #11. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6223	ENT-CONCEPT-450-UPC-PLU-DATA-LENGTH / 450	NOT_DECLARED
SC-12016	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-451-WIC-UPC-PURCHASE-INFORMATION: WIC UPC Purchase Information: Subelement identifying WIC UPC Purchase Information, data set identifier PS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6224	ENT-CONCEPT-451-WIC-UPC-PURCHASE-INFORMATION / 451	NOT_DECLARED
SC-12017	Transaction unresolved	Supplemental Entity — ENT-ELEM-155: Key ID: Identifies Key ID associated with encryption key in TransArmor Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6225	ENT-ELEM-155 / 452	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12018	Transaction unresolved	Supplemental Entity — ENT-ELEM-156: Key Data Length: Length of following Key Data field in TransArmor Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6226	ENT-ELEM-156 / 452	NOT_DECLARED
SC-12019	Transaction unresolved	Supplemental Entity — ENT-ELEM-157: Key Data: Identifies new Encryption Key and Key ID in TransArmor Load Response or Error Message. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6227	ENT-ELEM-157 / 453	NOT_DECLARED
SC-12029	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-457-TOTAL-LENGTH: Total Length: Identifies total byte count of all Program Data subelement occurrences; appears once. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6237	ENT-CONCEPT-457-TOTAL-LENGTH / 457	NOT_DECLARED
SC-12045	Transaction unresolved	Supplemental Entity — ENT-ELEM-183: Card BIN Range, Beginning: Identifies the beginning card BIN range to apply the host discount data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6253	ENT-ELEM-183 / 468	NOT_DECLARED
SC-12046	Transaction unresolved	Supplemental Entity — ENT-ELEM-184: Card BIN Range, Ending: Identifies the ending card BIN range to apply the host discount data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6254	ENT-ELEM-184 / 469	NOT_DECLARED
SC-12047	Transaction unresolved	Supplemental Entity — ENT-ELEM-185: Discount Quantity Limit: Identifies the quantity limit for host discount data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6255	ENT-ELEM-185 / 469	NOT_DECLARED
SC-12048	Transaction unresolved	Supplemental Entity — ENT-ELEM-186: Discount Program Description: Identifies the program description of the host discount data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6256	ENT-ELEM-186 / 469	NOT_DECLARED
SC-12054	Transaction unresolved	Supplemental Entity — ENT-ELEM-191: EMV Additional Information Indicator: Identifies type of EMV additional information transmitted in Financial Transaction / supplemental_entity	REQ-SRC-ATL105-PDF-001:6262	ENT-ELEM-191 / 472	NOT_DECLARED
SC-12055	Transaction unresolved	Supplemental Entity — ENT-ELEM-192: EMV Additional Information Length: Fixed 3-digit numeric field identifying the length of EMV Additional Information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6263	ENT-ELEM-192 / 473	NOT_DECLARED
SC-12061	Response deferred	Supplemental Entity — ENT-ELEM-198: Settlement Type: Identifies if transaction processed as single or dual message. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6269	ENT-ELEM-198 / 476	NOT_DECLARED
SC-12062	Response deferred	Supplemental Entity — ENT-ELEM-199: Signature Required: Indicates if a signature is required for the transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6270	ENT-ELEM-199 / 477	NOT_DECLARED
SC-12063	Response deferred	Supplemental Entity — ENT-ELEM-200: Receipt Card Description: Text used on printed receipt to indicate card type. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6271	ENT-ELEM-200 / 477	NOT_DECLARED
SC-12068	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-480-AEVV-STATUS-CODE: AEVV Status Code: Code values for AEVV status: Failed, Passed, Reserved, Unchecked. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6276	ENT-CONCEPT-480-AEVV-STATUS-CODE / 480	NOT_DECLARED
SC-12069	Transaction unresolved	Supplemental Entity — ENT-ELEM-205: Load Subtype: Identifies the load subtype as Moneris; fixed length 1 byte AN. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6277	ENT-ELEM-205 / 480	NOT_DECLARED
SC-12070	Transaction unresolved	Supplemental Entity — ENT-ELEM-206: SPDH Header: Contains merchant, terminal, and transaction data required for MAC Encryption. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6278	ENT-ELEM-206 / 480	NOT_DECLARED
SC-12071	Transaction unresolved	Supplemental Entity — ENT-ELEM-207: Moneris Terminal Identifier: Identifies Moneris terminal in request and response messages; fixed 8 bytes AN. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6279	ENT-ELEM-207 / 480	NOT_DECLARED
SC-12072	Transaction unresolved	Supplemental Entity — ENT-ELEM-208: Moneris Merchant ID: Identifies Moneris merchant in request and response messages. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6280	ENT-ELEM-208 / 481	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12073	Transaction unresolved	Supplemental Entity — ENT-ELEM-209: Moneris Response Code: Required for MAC Encryption, obtained in transaction response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6281	ENT-ELEM-209 / 481	NOT_DECLARED
SC-12074	Transaction unresolved	Supplemental Entity — ENT-ELEM-210: MAC: Represents MAC for a transaction via algorithm supplied by Moneris. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6282	ENT-ELEM-210 / 481	NOT_DECLARED
SC-12075	Transaction unresolved	Supplemental Entity — ENT-ELEM-211: Moneris Key Indicators: Indicates which keys are included in Moneris Key Load Response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6283	ENT-ELEM-211 / 481	NOT_DECLARED
SC-12076	Transaction unresolved	Supplemental Entity — ENT-ELEM-211: Moneris Key Indicators: Character 2 indicates Data Encryption Key present; Character 3 indicates PIN Encryption Key pres / supplemental_entity	REQ-SRC-ATL105-PDF-001:6284	ENT-ELEM-211 / 482	NOT_DECLARED
SC-12077	Transaction unresolved	Supplemental Entity — ENT-ELEM-212: Moneris Key Data: Fixed 16-byte field containing keys used by terminal for PIN processing. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6285	ENT-ELEM-212 / 482	NOT_DECLARED
SC-12079	Transaction unresolved	Supplemental Entity — ENT-ELEM-214: Batch Number: Fixed 3-byte field identifying the batch number of a Moneris batch. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6287	ENT-ELEM-214 / 482	NOT_DECLARED
SC-12080	Transaction unresolved	Supplemental Entity — ENT-ELEM-215: Language Indicator: Indicates language from Moneris matrix, fixed length 1 byte. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6288	ENT-ELEM-215 / 483	NOT_DECLARED
SC-12081	Transaction unresolved	Supplemental Entity — ENT-ELEM-216: Response Display: Text of response to batch close request from Moneris, fixed 16 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6289	ENT-ELEM-216 / 483	NOT_DECLARED
SC-12082	Transaction unresolved	Supplemental Entity — ENT-ELEM-217: Number of Debits: Indicates number of debit transactions in a batch, valid 0001-9999. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6290	ENT-ELEM-217 / 483	NOT_DECLARED
SC-12083	Transaction unresolved	Supplemental Entity — ENT-ELEM-218: Debit Dollar Value: Dollar value of all debit transactions in a batch with leading sign and two decimals. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6291	ENT-ELEM-218 / 483	NOT_DECLARED
SC-12084	Transaction unresolved	Supplemental Entity — ENT-ELEM-219: Number of Credits: Indicates number of credit transactions in a batch. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6292	ENT-ELEM-219 / 484	NOT_DECLARED
SC-12085	Transaction unresolved	Supplemental Entity — ENT-ELEM-220: Credit Dollar Value: Indicates dollar value of all credit transactions in a batch, fixed 19 bytes with sign and two deci / supplemental_entity	REQ-SRC-ATL105-PDF-001:6293	ENT-ELEM-220 / 484	NOT_DECLARED
SC-12086	Transaction unresolved	Supplemental Entity — ENT-ELEM-221: Number of Corrections: Indicates number of correction transactions in a batch. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6294	ENT-ELEM-221 / 484	NOT_DECLARED
SC-12087	Transaction unresolved	Supplemental Entity — ENT-ELEM-222: Corrections Dollar Value: Indicates dollar value of all correction transactions in a batch, fixed 19 bytes with sign and / supplemental_entity	REQ-SRC-ATL105-PDF-001:6295	ENT-ELEM-222 / 484	NOT_DECLARED
SC-12098	Transaction unresolved	Supplemental Entity — ENT-ELEM-232: Download Data: Identifies all or some of the Download Data, alpha-numeric, up to 100 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6306	ENT-ELEM-232 / 488	NOT_DECLARED
SC-12099	Transaction unresolved	Supplemental Entity — ENT-ELEM-233: RID: Identifies EMV application via EMV Registered Application Provider identifier. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6307	ENT-ELEM-233 / 488	NOT_DECLARED
SC-12100	Transaction unresolved	Supplemental Entity — ENT-ELEM-234: Stand-in Indicator: Indicates stand-in processing type: None, Domestic only, or Domestic & Foreign. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6308	ENT-ELEM-234 / 488	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12101	Transaction unresolved	Supplemental Entity — ENT-ELEM-235: Floor Limit: Indicates maximum allowable stand-in value, fixed length 12 bytes, numeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6309	ENT-ELEM-235 / 489	NOT_DECLARED
SC-12102	Transaction unresolved	Supplemental Entity — ENT-ELEM-236: BUYPASS RID Card Type: Indicates BUYPASS card type associated with RID, fixed length 3 bytes, alphanumeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6310	ENT-ELEM-236 / 489	NOT_DECLARED
SC-12106	Response deferred	Supplemental Entity — ENT-ELEM-240: Available Product Information: Identifies available product/fleet information from WEX in Segment 148. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6314	ENT-ELEM-240 / 491	NOT_DECLARED
SC-12107	Transaction unresolved	Supplemental Entity — ENT-ELEM-241: Price Data: Identifies Fuel Price Data in Segment 149, including Cash and Credit unit prices. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6315	ENT-ELEM-241 / 491	NOT_DECLARED
SC-12110	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-496-MESSAGE-LENGTH: Message Length: Length of following data, high order byte first (big-endian). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6318	ENT-CONCEPT-496-MESSAGE-LENGTH / 496	NOT_DECLARED
SC-12111	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-496-TPDU-PROTOCOL-ID: TPDU Protocol ID: Always set to 0x60 per TCP/IP message header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6319	ENT-CONCEPT-496-TPDU-PROTOCOL-ID / 496	NOT_DECLARED
SC-12112	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-496-TPDU-DESTINATION-ADDRESS: TPDU Destination Address: Reserved for internal use in BUYPASS header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6320	ENT-CONCEPT-496-TPDU-DESTINATION-ADDRESS / 496	NOT_DECLARED
SC-12113	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-496-TPDU-SOURCE-ADDRESS: TPDU Source Address: Reserved for internal use in BUYPASS header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6321	ENT-CONCEPT-496-TPDU-SOURCE-ADDRESS / 496	NOT_DECLARED
SC-12129	Response deferred	Supplemental Entity — ENT-ELEM-7: Authorizer Code: Element No. 7 lists valid Authorizer Code values and names. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6337	ENT-ELEM-7 / 504	NOT_DECLARED
SC-12130	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-CARDHOLDER-LANGUAGE: Cardholder Language: Listed data element in Additional Information appendix list. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6338	ENT-CONCEPT-544-CARDHOLDER-LANGUAGE / 544	NOT_DECLARED
SC-12131	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-CARDHOLDER-POSTAL-CODE-FOR-AVS: Cardholder Postal Code (for AVS): Listed data element for AVS postal code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6339	ENT-CONCEPT-544-CARDHOLDER-POSTAL-CODE-FOR-AVS / 544	NOT_DECLARED
SC-12132	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ORIGINAL-TRANSACTION-IDENTIFIER: Original Transaction Identifier: Listed data element identifying original transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6340	ENT-CONCEPT-544-ORIGINAL-TRANSACTION-IDENTIFIER / 544	NOT_DECLARED
SC-12133	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-PREVIOUS-TRANSACTION-ID: Previous Transaction ID: Listed data element referencing previous transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6341	ENT-CONCEPT-544-PREVIOUS-TRANSACTION-ID / 544	NOT_DECLARED
SC-12134	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-FIRST-AUTH-AMOUNT: First Auth Amount: Listed data element for first authorization amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6342	ENT-CONCEPT-544-FIRST-AUTH-AMOUNT / 544	NOT_DECLARED
SC-12135	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-NAME: Soft Descriptor - Merchant Name: Listed data element for soft descriptor merchant name. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6343	ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-NAME / 544	NOT_DECLARED
SC-12136	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-MASTERCARD-AUTHENTICATION-DATA: MasterCard Authentication Data: Listed data element for MasterCard authentication. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6344	ENT-CONCEPT-544-MASTERCARD-AUTHENTICATION-DATA / 544	NOT_DECLARED
SC-12137	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-MERCHANT-SUPPLEMENTARY-DATA: Merchant Supplementary Data: Listed data element for merchant supplementary data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6345	ENT-CONCEPT-544-MERCHANT-SUPPLEMENTARY-DATA / 544	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12138	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ADDITIONAL-SECURITY-CODE: Additional Security Code: Listed data element for additional security code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6346	ENT-CONCEPT-544-ADDITIONAL-SECURITY-CODE / 544	NOT_DECLARED
SC-12139	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ADDITIONAL-CARD-ID: Additional Card ID: Listed data element for additional card ID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6347	ENT-CONCEPT-544-ADDITIONAL-CARD-ID / 544	NOT_DECLARED
SC-12140	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ADDITIONAL-TRANSARMOR-DATA: Additional TransArmor Data: Listed data element for TransArmor data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6348	ENT-CONCEPT-544-ADDITIONAL-TRANSARMOR-DATA / 544	NOT_DECLARED
SC-12141	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-REMOTE-COMMERCE-ACCEPTOR-IDENTIFIER: Remote Commerce Acceptor Identifier: Listed data element for remote commerce acceptor identifier. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6349	ENT-CONCEPT-544-REMOTE-COMMERCE-ACCEPTOR-IDENTIFIER / 544	NOT_DECLARED
SC-12142	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-MERCHANT-TRAN-ID: Merchant Tran ID: Listed data element for merchant transaction ID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6350	ENT-CONCEPT-544-MERCHANT-TRAN-ID / 544	NOT_DECLARED
SC-12143	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-EXPERIENCE-PROVIDER-VALUE: Experience Provider Value: Listed data element for experience provider value. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6351	ENT-CONCEPT-544-EXPERIENCE-PROVIDER-VALUE / 544	NOT_DECLARED
SC-12144	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-STORED-CREDENTIALS-TRANSACTION-ADDITIONAL-DATA: Stored Credentials Transaction Additional Data: Listed data element for stored credentials transaction data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6352	ENT-CONCEPT-544-STORED-CREDENTIALS-TRANSACTION-ADDITIONAL-DATA / 544	NOT_DECLARED
SC-12145	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-CITY: Soft Descriptor - Merchant City: Listed data element for soft descriptor merchant city. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6353	ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-CITY / 544	NOT_DECLARED
SC-12146	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-STATE: Soft Descriptor - Merchant State: Listed data element for soft descriptor merchant state. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6354	ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-STATE / 544	NOT_DECLARED
SC-12147	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-COUNTRY: Soft Descriptor - Merchant Country: Listed data element for soft descriptor merchant country. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6355	ENT-CONCEPT-544-SOFT-DESCRIPTOR-MERCHANT-COUNTRY / 544	NOT_DECLARED
SC-12148	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-REAL-TIME-ACCOUNT-UPDATER-REQUEST-DATA: Real Time Account Updater Request Data: Listed data element for account updater request data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6356	ENT-CONCEPT-544-REAL-TIME-ACCOUNT-UPDATER-REQUEST-DATA / 544	NOT_DECLARED
SC-12149	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-CARDHOLDER-ADDITIONAL-INFORMATION: Cardholder Additional Information: Listed data element for cardholder additional information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6357	ENT-CONCEPT-544-CARDHOLDER-ADDITIONAL-INFORMATION / 544	NOT_DECLARED
SC-12150	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-SERVICE-LOCATION-INFORMATION: Service Location Information: Listed data element for service location information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6358	ENT-CONCEPT-544-SERVICE-LOCATION-INFORMATION / 544	NOT_DECLARED
SC-12151	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-MERCHANT-PAYMENT-GATEWAY-ID-DATA: Merchant Payment Gateway ID Data: Listed data element for merchant payment gateway ID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6359	ENT-CONCEPT-544-MERCHANT-PAYMENT-GATEWAY-ID-DATA / 544	NOT_DECLARED
SC-12152	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-DIGITAL-COMMERCE-DATA: Digital Commerce Data: Listed data element for digital commerce data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6360	ENT-CONCEPT-544-DIGITAL-COMMERCE-DATA / 544	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12153	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ANTICIPATED-AMOUNT: Anticipated Amount: Listed data element for anticipated amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6361	ENT-CONCEPT-544-ANTICIPATED-AMOUNT / 544	NOT_DECLARED
SC-12154	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-EV-ADDITIONAL-TRANSACTION-FEE-1: EV- Additional Transaction Fee 1: Listed data element for EV additional transaction fee 1. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6362	ENT-CONCEPT-544-EV-ADDITIONAL-TRANSACTION-FEE-1 / 544	NOT_DECLARED
SC-12155	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-EV-ADDITIONAL-TRANSACTION-FEE-2: EV- Additional Transaction Fee 2: Listed data element for EV additional transaction fee 2. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6363	ENT-CONCEPT-544-EV-ADDITIONAL-TRANSACTION-FEE-2 / 544	NOT_DECLARED
SC-12156	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ANTICIPATED-COMPLETION-AMOUNT: Anticipated Completion Amount: Listed data element for anticipated completion amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6364	ENT-CONCEPT-544-ANTICIPATED-COMPLETION-AMOUNT / 544	NOT_DECLARED
SC-12157	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-ENABLER-VERIFICATION-VALUE: Enabler Verification Value: Listed data element for enabler verification value. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6365	ENT-CONCEPT-544-ENABLER-VERIFICATION-VALUE / 544	NOT_DECLARED
SC-12158	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-TRANSACTION-LINK-IDENTIFIER: Transaction Link Identifier: Listed data element for transaction link identifier. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6366	ENT-CONCEPT-544-TRANSACTION-LINK-IDENTIFIER / 544	NOT_DECLARED
SC-12159	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-FUTURE-TRANSACTION-AMOUNT: Future Transaction Amount: Listed data element for future transaction amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6367	ENT-CONCEPT-544-FUTURE-TRANSACTION-AMOUNT / 544	NOT_DECLARED
SC-12160	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-DISCOUNT-PROGRAM-DATA: Discount Program Data: Listed data element for discount program data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6368	ENT-CONCEPT-544-DISCOUNT-PROGRAM-DATA / 544	NOT_DECLARED
SC-12161	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-DISCOUNT-LINE-ITEM-DATA: Discount Line-Item Data: Listed data element for discount line-item data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6369	ENT-CONCEPT-544-DISCOUNT-LINE-ITEM-DATA / 544	NOT_DECLARED
SC-12162	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-DISCOUNT-AMOUNT: Discount Amount: Listed data element for discount amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6370	ENT-CONCEPT-544-DISCOUNT-AMOUNT / 544	NOT_DECLARED
SC-12163	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-LINE-ITEM: Line-Item: Listed data element for line-item data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6371	ENT-CONCEPT-544-LINE-ITEM / 544	NOT_DECLARED
SC-12164	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-VISA-COMMERCIAL-CARD-DATA: Visa Commercial Card Data: Listed data element for Visa commercial card data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6372	ENT-CONCEPT-544-VISA-COMMERCIAL-CARD-DATA / 544	NOT_DECLARED
SC-12165	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-STAGED-WALLET-ID: Staged Wallet Id: Listed data element for staged wallet ID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6373	ENT-CONCEPT-544-STAGED-WALLET-ID / 544	NOT_DECLARED
SC-12166	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-544-VISA-GATEWAY-ID: Visa Gateway Id: Listed data element for Visa gateway ID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6374	ENT-CONCEPT-544-VISA-GATEWAY-ID / 544	NOT_DECLARED
SC-12167	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-545-TABLE-ID-UPC-INFORMATION: Table ID (UPC Information): Fixed value 001 identifying UPC Information table within Variable Information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6375	ENT-CONCEPT-545-TABLE-ID-UPC-INFORMATION / 545	NOT_DECLARED
SC-12168	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-545-TABLE-LENGTH-UPC-INFORMATION: Table Length (UPC Information): Variable length field for UPC Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6376	ENT-CONCEPT-545-TABLE-LENGTH-UPC-INFORMATION / 545	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12169	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-545-TABLE-DATA-UPC-INFORMATION: Table Data (UPC Information): UPC Information table data, max length 35, holding UPC values. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6377	ENT-CONCEPT-545-TABLE-DATA-UPC-INFORMATION / 545	NOT_DECLARED
SC-12170	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-545-TABLE-ID-PROGRAM-IDENTIFIER-INFORMATION: Table ID (Program Identifier Information): Fixed value 002 identifying Program Identifier Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6378	ENT-CONCEPT-545-TABLE-ID-PROGRAM-IDENTIFIER-INFORMATION / 545	NOT_DECLARED
SC-12171	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-545-TABLE-LENGTH-PROGRAM-IDENTIFIER-INFORMATION: Table Length (Program Identifier Information): Variable length field for Program Identifier Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6379	ENT-CONCEPT-545-TABLE-LENGTH-PROGRAM-IDENTIFIER-INFORMATION / 545	NOT_DECLARED
SC-12172	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-546-PROGRAM-IDENTIFIER-INFORMATION: Program Identifier Information: Code identifying program type, part of Variable Information Data Layouts. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6380	ENT-CONCEPT-546-PROGRAM-IDENTIFIER-INFORMATION / 546	NOT_DECLARED
SC-12173	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-547-TABLE-ID-AVS-INFORMATION: Table ID (AVS Information): Fixed value 003 identifying AVS Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6381	ENT-CONCEPT-547-TABLE-ID-AVS-INFORMATION / 547	NOT_DECLARED
SC-12174	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-547-TABLE-DATA-AVS-INFORMATION: Table Data (AVS Information): Contains ZIP or ZIP+4 code plus street address information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6382	ENT-CONCEPT-547-TABLE-DATA-AVS-INFORMATION / 547	NOT_DECLARED
SC-12175	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-547-TABLE-ID-CARD-VERIFICATION-INFORMATION: Table ID (Card Verification Information): Fixed value 004 identifying Card Verification Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6383	ENT-CONCEPT-547-TABLE-ID-CARD-VERIFICATION-INFORMATION / 547	NOT_DECLARED
SC-12176	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-547-TABLE-DATA-CARD-VERIFICATION-INFORMATION: Table Data (Card Verification Information): Card verification value length varies by card brand, max 4 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6384	ENT-CONCEPT-547-TABLE-DATA-CARD-VERIFICATION-INFORMATION / 547	NOT_DECLARED
SC-12177	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-549-BALANCE-INFORMATION: Balance Information: Table containing Table ID, Table Length, and Table Data fields for balance info. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6385	ENT-CONCEPT-549-BALANCE-INFORMATION / 549	NOT_DECLARED
SC-12178	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-549-TABLE-ID: Table ID: Fixed value 008 identifying the Balance Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6386	ENT-CONCEPT-549-TABLE-ID / 549	NOT_DECLARED
SC-12179	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-549-TABLE-LENGTH: Table Length: Variable length field for Balance Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6387	ENT-CONCEPT-549-TABLE-LENGTH / 549	NOT_DECLARED
SC-12180	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-549-TABLE-DATA: Table Data: Identifies account number being reduced to \$0.00 via Balance Merge or Replace transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6388	ENT-CONCEPT-549-TABLE-DATA / 549	NOT_DECLARED
SC-12188	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-552-USER-DATA-INFORMATION-TABLE-DATA: User Data Information Table Data: User data in request, not forwarded to issuer, echoed in response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6396	ENT-CONCEPT-552-USER-DATA-INFORMATION-TABLE-DATA / 552	NOT_DECLARED
SC-12189	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-552-DISCOVER-NETWORK-RETRIEVAL-REFERENCE-NUMBER-TABLE-DATA: Discover Network Retrieval Reference Number Table Data: Indicates Discover Network Retrieval Reference Number from assoc / supplemental_entity	REQ-SRC-ATL105-PDF-001:6397	ENT-CONCEPT-552-DISCOVER-NETWORK-RETRIEVAL-REFERENCE-NUMBER-TABLE-DATA / 552	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12190	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-TABLE-ID: Table ID: Fixed value: 016 for Visa payWave Card Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6398	ENT-CONCEPT-553-TABLE-ID / 553	NOT_DECLARED
SC-12191	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-TABLE-LENGTH: Table Length: Variable length up to 230. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6399	ENT-CONCEPT-553-TABLE-LENGTH / 553	NOT_DECLARED
SC-12193	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-LENGTH-OF-TAGS: Length of Tags: Total length of all fields in usage tags. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6401	ENT-CONCEPT-553-LENGTH-OF-TAGS / 553	NOT_DECLARED
SC-12194	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-DATASET-ID: Dataset ID: Fixed value: 01. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6402	ENT-CONCEPT-553-DATASET-ID / 553	NOT_DECLARED
SC-12195	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-DATASET-LENGTH: Dataset Length: Length of Tags minus 5. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6403	ENT-CONCEPT-553-DATASET-LENGTH / 553	NOT_DECLARED
SC-12196	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-AMOUNT-AUTHORIZED-TAG: Amount Authorized Tag: Fixed value: 9F02. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6404	ENT-CONCEPT-553-AMOUNT-AUTHORIZED-TAG / 553	NOT_DECLARED
SC-12197	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-AMOUNT-AUTHORIZED-LEN: Amount Authorized Len: Fixed length: 12. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6405	ENT-CONCEPT-553-AMOUNT-AUTHORIZED-LEN / 553	NOT_DECLARED
SC-12198	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-AMOUNT-AUTHORIZED: Amount Authorized: Amount used to generate cryptogram. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6406	ENT-CONCEPT-553-AMOUNT-AUTHORIZED / 553	NOT_DECLARED
SC-12199	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM-TAG: Application Cryptogram Tag: Fixed value: 9F26. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6407	ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM-TAG / 553	NOT_DECLARED
SC-12200	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM-LEN: Application Cryptogram Len: Fixed length: 16. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6408	ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM-LEN / 553	NOT_DECLARED
SC-12201	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM: Application Cryptogram: Hex cryptogram used for authentication. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6409	ENT-CONCEPT-553-APPLICATION-CRYPTOGRAM / 553	NOT_DECLARED
SC-12202	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER-TAG: Application Transaction Counter Tag: Fixed value: 9F36. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6410	ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER-TAG / 553	NOT_DECLARED
SC-12203	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER-LEN: Application Transaction Counter Len: Fixed length: 04. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6411	ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER-LEN / 553	NOT_DECLARED
SC-12204	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER: Application Transaction Counter: Transaction count in Hex. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6412	ENT-CONCEPT-553-APPLICATION-TRANSACTION-COUNTER / 553	NOT_DECLARED
SC-12209	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-557-TABLE-ID: Table ID: Fixed value 022, identifies Originating Device Type Indicator table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6417	ENT-CONCEPT-557-TABLE-ID / 557	NOT_DECLARED
SC-12210	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-557-TABLE-LENGTH: Table Length: Fixed length field of 2 for Originating Device Type Indicator table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6418	ENT-CONCEPT-557-TABLE-LENGTH / 557	NOT_DECLARED
SC-12211	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-557-TABLE-DATA: Table Data: Indicates whether originating device type data is present, with coded values 00-13. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6419	ENT-CONCEPT-557-TABLE-DATA / 557	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12212	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-558-TABLE-ID: Table ID: Fixed value 024 for Manual Check MICR Type table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6420	ENT-CONCEPT-558-TABLE-ID / 558	NOT_DECLARED
SC-12213	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-558-TABLE-LENGTH: Table Length: Fixed length of 2 for Manual Check MICR Type table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6421	ENT-CONCEPT-558-TABLE-LENGTH / 558	NOT_DECLARED
SC-12214	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-559-GIFT-CARD-NUMBER: Gift Card Number: Indicates the Gift card number associated with the transaction; Table ID 025. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6422	ENT-CONCEPT-559-GIFT-CARD-NUMBER / 559	NOT_DECLARED
SC-12215	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-559-ORDER-ID: Order ID: Identifies multiple transactions part of a group, e.g. split tenders; Table ID 026. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6423	ENT-CONCEPT-559-ORDER-ID / 559	NOT_DECLARED
SC-12216	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-559-CUSTOMER-NAME: Customer Name: Indicates the customer name; Table ID 027. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6424	ENT-CONCEPT-559-CUSTOMER-NAME / 559	NOT_DECLARED
SC-12217	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-559-USE-UNIQUE-ID: Use Unique ID: Table ID fixed value 028; details continue on next page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6425	ENT-CONCEPT-559-USE-UNIQUE-ID / 559	NOT_DECLARED
SC-12218	Response deferred	Supplemental Entity — ENT-CONCEPT-560-USE-UNIQUE-IDENTIFIER: Use Unique Identifier: Identifies whether to return the Universal Unique Identifier in response; valid values Y, N, or s / supplemental_entity	REQ-SRC-ATL105-PDF-001:6426	ENT-CONCEPT-560-USE-UNIQUE-IDENTIFIER / 560	NOT_DECLARED
SC-12219	Response deferred	Supplemental Entity — ENT-CONCEPT-560-UNIVERSAL-UNIQUE-IDENTIFIER: Universal Unique Identifier: Unique identifier generated by First Data internal systems identifying a transaction, Table / supplemental_entity	REQ-SRC-ATL105-PDF-001:6427	ENT-CONCEPT-560-UNIVERSAL-UNIQUE-IDENTIFIER / 560	NOT_DECLARED
SC-12220	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-561-POS-CONDITION-CODE: POS Condition Code: Identifies device class, presentation data, security condition, and terminal type. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6428	ENT-CONCEPT-561-POS-CONDITION-CODE / 561	NOT_DECLARED
SC-12221	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-562-POINT-OF-SERVICE-TERMINAL-CAPABILITY-CODES: Point-of-Service Terminal Capability Codes: Identifies terminal capability code of the point-of-sale terminal; Table ID / supplemental_entity	REQ-SRC-ATL105-PDF-001:6429	ENT-CONCEPT-562-POINT-OF-SERVICE-TERMINAL-CAPABILITY-CODES / 562	NOT_DECLARED
SC-12222	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-562-POS-ADDITIONAL-INFORMATION-INDICATOR: POS Additional Information Indicator: Table with ID fixed value 032 and length 3. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6430	ENT-CONCEPT-562-POS-ADDITIONAL-INFORMATION-INDICATOR / 562	NOT_DECLARED
SC-12223	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-563-SUB-TABLE-ID-01-TERMINAL-TYPE: Sub Table ID 01 - Terminal Type: Sub-table data field indicating Terminal Type, valid value 'M' = mPOS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6431	ENT-CONCEPT-563-SUB-TABLE-ID-01-TERMINAL-TYPE / 563	NOT_DECLARED
SC-12224	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-563-SUB-TABLE-ID-02-PRODUCT-GROUP: Sub Table ID 02 - Product group: Sub-table identifying the Product group, fixed length 004. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6432	ENT-CONCEPT-563-SUB-TABLE-ID-02-PRODUCT-GROUP / 563	NOT_DECLARED
SC-12225	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-565-SUB-TABLE-ID-04-GATEWAY-IDENTIFIER: Sub-Table ID (04 - Gateway Identifier): Identifies the Gateway that presents the transaction, fixed value 04. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6433	ENT-CONCEPT-565-SUB-TABLE-ID-04-GATEWAY-IDENTIFIER / 565	NOT_DECLARED
SC-12226	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-565-SUB-TABLE-DATA-04-GATEWAY-IDENTIFIER: Sub-Table Data (04 - Gateway Identifier): Valid value '1' = FD uComm Gateway. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6434	ENT-CONCEPT-565-SUB-TABLE-DATA-04-GATEWAY-IDENTIFIER / 565	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12227	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-565-SUB-TABLE-ID-05-HOST-BASED-PROMPTING-INDICATOR: Sub-Table ID (05 - Host Based Prompting Indicator): Identifies if Host Based Prompting is supported for WEX, fixed value / supplemental_entity	REQ-SRC-ATL105-PDF-001:6435	ENT-CONCEPT-565-SUB-TABLE-ID-05-HOST-BASED-PROMPTING-INDICATOR / 565	NOT_DECLARED
SC-12228	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-565-SUB-TABLE-DATA-05-TERMINAL-TYPE: Sub-Table Data (05 - Terminal Type): Terminal Type indicating whether Host Prompts are supported (1) or not (0). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6436	ENT-CONCEPT-565-SUB-TABLE-DATA-05-TERMINAL-TYPE / 565	NOT_DECLARED
SC-12229	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-565-SUB-TABLE-ID-06-NFC-TOKENIZATION-INDICATOR: Sub-Table ID (06 - NFC Tokenization Indicator): Identifies if NFC Tokenization is supported, fixed value 06. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6437	ENT-CONCEPT-565-SUB-TABLE-ID-06-NFC-TOKENIZATION-INDICATOR / 565	NOT_DECLARED
SC-12233	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-569-WALLET-METHOD-INDICATOR: Wallet Method Indicator: Identifies wallet method used for a transaction in Sub Table ID 10. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6441	ENT-CONCEPT-569-WALLET-METHOD-INDICATOR / 569	NOT_DECLARED
SC-12234	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-569-ONLINE-REFUND-REFUND-AUTHORIZATION-INDICATOR: Online Refund/Refund Authorization Indicator: Indicates online refund/refund authorization used by merchants for merchant / supplemental_entity	REQ-SRC-ATL105-PDF-001:6442	ENT-CONCEPT-569-ONLINE-REFUND-REFUND-AUTHORIZATION-INDICATOR / 569	NOT_DECLARED
SC-12235	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-570-ALTERNATE-ROUTING-FALLBACK-INDICATOR: Alternate Routing Fallback Indicator: Indicates whether Debit CNP transaction can fall back to credit routing when debit / supplemental_entity	REQ-SRC-ATL105-PDF-001:6443	ENT-CONCEPT-570-ALTERNATE-ROUTING-FALLBACK-INDICATOR / 570	NOT_DECLARED
SC-12236	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-571-SUB-TABLE-13-CRYPTOCURRENCY: Sub Table 13 (Cryptocurrency): Sub table identifying cryptocurrency purchase indicator in a transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6444	ENT-CONCEPT-571-SUB-TABLE-13-CRYPTOCURRENCY / 571	NOT_DECLARED
SC-12237	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-571-SUB-TABLE-14-PAR-REQUEST-INDICATOR: Sub Table 14 (PAR Request Indicator): Sub table identifying Payment Account Reference request indicator. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6445	ENT-CONCEPT-571-SUB-TABLE-14-PAR-REQUEST-INDICATOR / 571	NOT_DECLARED
SC-12238	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-572-RE-PRICE-DATA-REQUEST-REQUEST-INFORMATION: Re-Price Data Request Information: Table with fixed ID 033 listing re-priceable products at the pump, up to 8 products. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6446	ENT-CONCEPT-572-RE-PRICE-DATA-REQUEST-REQUEST-INFORMATION / 572	NOT_DECLARED
SC-12239	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-572-PAR-INDICATOR: PAR Indicator: Merchants include this indicator if they opt to receive PAR data from the authorizer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6447	ENT-CONCEPT-572-PAR-INDICATOR / 572	NOT_DECLARED
SC-12240	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-573-NAME-VERIFICATION-SERVICE-NVS-INFORMATION: Name Verification Service (NVS) Information: Cardholder full name data, format varies by card type (Discover vs Visa). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6448	ENT-CONCEPT-573-NAME-VERIFICATION-SERVICE-NVS-INFORMATION / 573	NOT_DECLARED
SC-12241	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-573-VERIFIED-BY-VISA-DATA: Verified By Visa® Data: Table ID field with fixed value 035, length 3 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6449	ENT-CONCEPT-573-VERIFIED-BY-VISA-DATA / 573	NOT_DECLARED
SC-12242	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-575-MASTERCARD-UCAF-DATA: MasterCard UCAF Data: Table ID 036 field containing UCAF Security Level and related authentication data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6450	ENT-CONCEPT-575-MASTERCARD-UCAF-DATA / 575	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12246	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-577-FINAL-AMOUNT-INDICATOR: Final Amount Indicator: Indicates Settlement Amount may differ from original Authorization Amount on EMV transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6454	ENT-CONCEPT-577-FINAL-AMOUNT-INDICATOR / 577	NOT_DECLARED
SC-12247	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-577-COUNTRY-SUBDIVISION: Country Subdivision: Country subdivision value of terminal per ISO3166-2 standard. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6455	ENT-CONCEPT-577-COUNTRY-SUBDIVISION / 577	NOT_DECLARED
SC-12248	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-577-CARDHOLDER-LANGUAGE: Cardholder Language: Field header appears but description continues beyond this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6456	ENT-CONCEPT-577-CARDHOLDER-LANGUAGE / 577	NOT_DECLARED
SC-12249	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-578-CARDHOLDER-LANGUAGE: Cardholder Language: Table ID 042, cardholder language from ISO 639-2 standard. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6457	ENT-CONCEPT-578-CARDHOLDER-LANGUAGE / 578	NOT_DECLARED
SC-12250	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-578-CARDHOLDER-POSTAL-CODE-FOR-AVS: Cardholder Postal Code (for AVS): Table ID 043, postal code for AVS used for international locations outside US/Canada. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6458	ENT-CONCEPT-578-CARDHOLDER-POSTAL-CODE-FOR-AVS / 578	NOT_DECLARED
SC-12251	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-578-ORIGINAL-TRANSACTION-IDENTIFIER: Original Transaction Identifier: Table ID 044, original/previous transaction identifier for merchant-initiated COF trans / supplemental_entity	REQ-SRC-ATL105-PDF-001:6459	ENT-CONCEPT-578-ORIGINAL-TRANSACTION-IDENTIFIER / 578	NOT_DECLARED
SC-12252	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-579-PREVIOUS-TRANSACTION-ID: Previous Transaction ID: Table ID 046, variable length, max 16 chars; used for follow-up transaction linkage. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6460	ENT-CONCEPT-579-PREVIOUS-TRANSACTION-ID / 579	NOT_DECLARED
SC-12253	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-579-FIRST-AUTH-AMOUNT: First Auth Amount: Field header introduced but attributes/description not shown on this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6461	ENT-CONCEPT-579-FIRST-AUTH-AMOUNT / 579	NOT_DECLARED
SC-12254	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-580-FIRST-AUTHORIZATION-AMOUNT: First Authorization Amount: Table ID 045; indicates first authorized amount in subsequent merchant initiated transaction / supplemental_entity	REQ-SRC-ATL105-PDF-001:6462	ENT-CONCEPT-580-FIRST-AUTHORIZATION-AMOUNT / 580	NOT_DECLARED
SC-12255	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-580-SOFT-DESCRIPTOR-MERCHANT-NAME: Soft Descriptor - Merchant Name: Table ID 047; alternate merchant name field up to 38 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6463	ENT-CONCEPT-580-SOFT-DESCRIPTOR-MERCHANT-NAME / 580	NOT_DECLARED
SC-12256	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-580-MASTERCARD-AUTHENTICATION-DATA: MasterCard Authentication Data: Table ID 048 group containing Program Protocol data for authentication. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6464	ENT-CONCEPT-580-MASTERCARD-AUTHENTICATION-DATA / 580	NOT_DECLARED
SC-12257	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-580-PROGRAM-PROTOCOL: Program Protocol: Applicable to merchants sending e-Commerce transactions with 3D Secure or EMV 3D Secure authentication / supplemental_entity	REQ-SRC-ATL105-PDF-001:6465	ENT-CONCEPT-580-PROGRAM-PROTOCOL / 580	NOT_DECLARED
SC-12258	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-DIRECTORY-SERVER-TRANSACTION-ID: Directory Server Transaction ID: Universally unique transaction ID for merchants in MasterCard EMV 3D Secure program. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6466	ENT-CONCEPT-581-DIRECTORY-SERVER-TRANSACTION-ID / 581	NOT_DECLARED
SC-12259	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-ID: Merchant Supplementary Data Table ID: Fixed value 049 identifying the merchant supplementary data table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6467	ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-ID / 581	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12260	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-LENGTH: Merchant Supplementary Data Table Length: Length field, variable up to 500 bytes, for merchant supplementary data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6468	ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-LENGTH / 581	NOT_DECLARED
SC-12261	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-DATA: Merchant Supplementary Data Table Data: Maximum 500 bytes containing merchant supplementary data sub-table IDs. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6469	ENT-CONCEPT-581-MERCHANT-SUPPLEMENTARY-DATA-TABLE-DATA / 581	NOT_DECLARED
SC-12262	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-SUB-TABLE-ID: Sub-Table ID: Sub-table identifier with valid values 01-99 within Merchant Supplementary Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6470	ENT-CONCEPT-581-SUB-TABLE-ID / 581	NOT_DECLARED
SC-12263	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-SUB-TABLE-LENGTH: Sub-Table Length: Sub-table length with valid values 1-9 within Merchant Supplementary Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6471	ENT-CONCEPT-581-SUB-TABLE-LENGTH / 581	NOT_DECLARED
SC-12264	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-581-SUB-TABLE-DATA: Sub-Table Data: Sub-table data with maximum length of 9 bytes within Merchant Supplementary Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6472	ENT-CONCEPT-581-SUB-TABLE-DATA / 581	NOT_DECLARED
SC-12265	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-582-DEFERRED-TRANSACTION-INDICATOR-SUB-TABLE-01: Deferred Transaction Indicator (Sub-Table 01): Indicates a transaction occurred during connectivity interruption, approval / supplemental_entity	REQ-SRC-ATL105-PDF-001:6473	ENT-CONCEPT-582-DEFERRED-TRANSACTION-INDICATOR-SUB-TABLE-01 / 582	NOT_DECLARED
SC-12266	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-582-SUB-TABLE-ID-02-ENTITY-INITIATING-TRANSACTION: Sub-Table ID 02 (Entity Initiating Transaction): Sub-table identifying the entity initiating the transaction, fixed value / supplemental_entity	REQ-SRC-ATL105-PDF-001:6474	ENT-CONCEPT-582-SUB-TABLE-ID-02-ENTITY-INITIATING-TRANSACTION / 582	NOT_DECLARED
SC-12267	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-583-TRANSACTION-INITIATION-INDICATOR: Transaction Initiation Indicator: Indicates whether transaction was initiated by Merchant (MIT) or Cardholder (CIT). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6475	ENT-CONCEPT-583-TRANSACTION-INITIATION-INDICATOR / 583	NOT_DECLARED
SC-12268	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-583-SUB-TABLE-DATA-WEX-PRODUCT-SUPPORT-SUB-TABLE-ID-03: Sub-Table Data (WEX product support, Sub-Table ID 03): Indicates whether merchant supports receiving available WEX products / supplemental_entity	REQ-SRC-ATL105-PDF-001:6476	ENT-CONCEPT-583-SUB-TABLE-DATA-WEX-PRODUCT-SUPPORT-SUB-TABLE-ID-03 / 583	NOT_DECLARED
SC-12269	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-583-SUB-TABLE-DATA-BUSINESS-PAYMENT-TYPE-SUB-TABLE-ID-04: Sub-Table Data (Business payment type, Sub-Table ID 04): Indicates business payment type associated with transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6477	ENT-CONCEPT-583-SUB-TABLE-DATA-BUSINESS-PAYMENT-TYPE-SUB-TABLE-ID-04 / 583	NOT_DECLARED
SC-12272	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-586-MERCHANT-ADVICE-CODE-ACCEPTANCE-INDICATOR-SUB-TABLE-07: Merchant Advice Code Acceptance Indicator (Sub-Table 07): Indicates merchant accepts Merchant Advice Code from authorize / supplemental_entity	REQ-SRC-ATL105-PDF-001:6480	ENT-CONCEPT-586-MERCHANT-ADVICE-CODE-ACCEPTANCE-INDICATOR-SUB-TABLE-07 / 586	NOT_DECLARED
SC-12273	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-586-INCOMM-OTC-TRANSACTION-CODE-SUB-TABLE-09: InComm OTC Transaction Code (Sub-Table 09): Describes which InComm OTC transaction type is being used. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6481	ENT-CONCEPT-586-INCOMM-OTC-TRANSACTION-CODE-SUB-TABLE-09 / 586	NOT_DECLARED
SC-12274	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-586-DIGITAL-AUTHENTICATION-Framework-DAF-INDICATOR-SUB-TABLE-10: Digital Authentication Framework (DAF) Indicator (Sub-Table 10): Identifies Digital Authentication Framework indicator / supplemental_entity	REQ-SRC-ATL105-PDF-001:6482	ENT-CONCEPT-586-DIGITAL-AUTHENTICATION-Framework-DAF-INDICATOR-SUB-TABLE-10 / 586	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12275	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-587-DAF-INDICATOR-ACCEPTANCE-FLAG: DAF Indicator Acceptance Flag: Sub-table 10 data field indicating merchant accepts DAF indicator, 1 byte alphanumeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6483	ENT-CONCEPT-587-DAF-INDICATOR-A CCEPTANCE-FLAG / 587	NOT_DECLARED
SC-12276	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-587-AGREEMENT-ID-ACCEPTANCE-INDICATOR: Agreement ID Acceptance Indicator: Sub-table 11 data field indicating merchant accepts Agreement ID, 1 byte alphanumeric / supplemental_entity	REQ-SRC-ATL105-PDF-001:6484	ENT-CONCEPT-587-AGREEMENT-ID-AC CEPTANCE-INDICATOR / 587	NOT_DECLARED
SC-12277	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-588-SUB-TABLE-ID-13-INSTALLMENT-PAYMENT-TYPE: Sub-Table ID 13 (Installment Payment Type): Fixed value 13 identifying Installment Payment Type sub-table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6485	ENT-CONCEPT-588-SUB-TABLE-ID-13-I NSTALLMENT-PAYMENT-TYPE / 588	NOT_DECLARED
SC-12278	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-588-SUB-TABLE-DATA-INSTALLMENT-PAYMENT-TYPE: Sub-Table Data (Installment Payment Type): Indicates Installment Payment Type: S, T, or V. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6486	ENT-CONCEPT-588-SUB-TABLE-DATA-I NSTALLMENT-PAYMENT-TYPE / 588	NOT_DECLARED
SC-12279	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-588-SUB-TABLE-ID-16-DELAYED-CARD-SALE-INDICATOR: Sub-Table ID 16 (Delayed Card Sale Indicator): Fixed value 16 identifying Delayed Card Sale indicator sub-table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6487	ENT-CONCEPT-588-SUB-TABLE-ID-16-D ELAYED-CARD-SALE-INDICATOR / 588	NOT_DECLARED
SC-12280	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-588-SUB-TABLE-DATA-DELAYED-CARD-SALE-INDICATOR: Sub-Table Data (Delayed Card Sale Indicator): Indicates Delayed Card Sale with value D. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6488	ENT-CONCEPT-588-SUB-TABLE-DATA-D ELAYED-CARD-SALE-INDICATOR / 588	NOT_DECLARED
SC-12281	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-589-NO-SHOW-CHARGES-INDICATOR-SUB-TABLE-ID-17: No Show Charges Indicator (Sub Table ID 17): Sub-table indicating No Show Charges from merchant, Discover card type only / supplemental_entity	REQ-SRC-ATL105-PDF-001:6489	ENT-CONCEPT-589-NO-SHOW-CHARG ES-INDICATOR-SUB-TABLE-ID-17 / 589	NOT_DECLARED
SC-12282	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-589-PURCHASE-RESTRICTION-METHOD-SUB-TABLE-ID-18: Purchase Restriction Method (Sub Table ID 18): Indicates whether terminal supports chip or host based purchase restricti / supplemental_entity	REQ-SRC-ATL105-PDF-001:6490	ENT-CONCEPT-589-PURCHASE-RESTRIC TION-METHOD-SUB-TABLE-ID-18 / 589	NOT_DECLARED
SC-12283	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-590-SUB-TABLE-ID-20-ACCOUNT-TYPE-FUNDING-SOURCE-FLAG: Sub-Table ID 20 (Account Type/Funding Source Flag): Flag indicating if merchant can accept account type and funding sour / supplemental_entity	REQ-SRC-ATL105-PDF-001:6491	ENT-CONCEPT-590-SUB-TABLE-ID-20-A CCOUNT-TYPE-FUNDING-SOURCE-FLA G / 590	NOT_DECLARED
SC-12284	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-590-SUB-TABLE-ID-21-RECURRING-INSTALLMENT-INDICATOR: Sub-Table ID 21 (Recurring/Installment Indicator): Identifies Recurring or Installment transaction for card types other / supplemental_entity	REQ-SRC-ATL105-PDF-001:6492	ENT-CONCEPT-590-SUB-TABLE-ID-21-R ECURRING-INSTALLMENT-INDICATOR / 590	NOT_DECLARED
SC-12285	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-590-SUB-TABLE-ID-22-MASTERCARD-MAESTRO-TRANSACTION-LINK-IDENTIFIER-FLAG: Sub-Table ID 22 (MasterCard/Maestro Transaction Link Identifier Flag): Identifies whether MasterCard and Maestro Transac / supplemental_entity	REQ-SRC-ATL105-PDF-001:6493	ENT-CONCEPT-590-SUB-TABLE-ID-22- MASTERCARD-MAESTRO-TRANSACTION-LINK-IDENTIFIER-FLAG / 590	NOT_DECLARED
SC-12286	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-591-TRANSACTION-LINK-SUPPORT-INDICATOR-FOR-MAS TERCARD-AND-MAESTRO: Transaction Link Support Indicator for MasterCard and Maestro: Indicates MasterCard/Maestro Transaction Link Identifier / supplemental_entity	REQ-SRC-ATL105-PDF-001:6494	ENT-CONCEPT-591-TRANSACTION-LIN K-SUPPORT-INDICATOR-FOR-MASTERC ARD-AND-MAESTRO / 591	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12287	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-591-AUTHENTICATION-DATA-QUALITY-PROGRAM-ACCEPTANCE-FLAG: Authentication Data Quality Program Acceptance Flag: Indicates merchant accepts the Authentication Data Quality Indicato / supplemental_entity	REQ-SRC-ATL105-PDF-001:6495	ENT-CONCEPT-591-AUTHENTICATION-DATA-QUALITY-PROGRAM-ACCEPTANC E-FLAG / 591	NOT_DECLARED
SC-12288	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-591-SUB-TABLE-ID-23: Sub Table ID 23: Sub Table ID fixed value 23 identifying Authentication Data Quality Program from merchant. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6496	ENT-CONCEPT-591-SUB-TABLE-ID-23 / 591	NOT_DECLARED
SC-12289	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-591-SUB-TABLE-ID-24: Sub Table ID 24: Sub Table ID identifying Token Update First Use Acceptance Flag from merchant. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6497	ENT-CONCEPT-591-SUB-TABLE-ID-24 / 591	NOT_DECLARED
SC-12290	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-592-TOKEN-UPDATE-FIRST-USE-ACCEPTANCE-FLAG: Token Update First Use Acceptance Flag: Sub-table 24 field indicating merchant accepts Token Update First Use Indicator. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6498	ENT-CONCEPT-592-TOKEN-UPDATE-FIR ST-USE-ACCEPTANCE-FLAG / 592	NOT_DECLARED
SC-12291	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-592-MERCHANT-TRAN-ID-ACCEPTANCE-FLAG: Merchant Tran ID Acceptance Flag: Sub-table 25 flag indicating merchant can accept Merchant Tran ID in response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6499	ENT-CONCEPT-592-MERCHANT-TRAN-I D-ACCEPTANCE-FLAG / 592	NOT_DECLARED
SC-12292	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-592-TRANSACTION-LINK-ACTION-SUPPORT-INDICATOR: Transaction Link Action Support Indicator: Sub-table 26 flag indicating Transaction Link Action Indicators are desired i / supplemental_entity	REQ-SRC-ATL105-PDF-001:6500	ENT-CONCEPT-592-TRANSACTION-LIN K-ACTION-SUPPORT-INDICATOR / 592	NOT_DECLARED
SC-12293	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-593-SUB-TABLE-ID-27: Sub-Table ID 27: Flag indicating merchant can accept Applied Special Service Data from Visa. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6501	ENT-CONCEPT-593-SUB-TABLE-ID-27 / 593	NOT_DECLARED
SC-12294	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-593-SUB-TABLE-ID-28: Sub-Table ID 28: Flag indicating Voyager Restriction Codes desired in response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6502	ENT-CONCEPT-593-SUB-TABLE-ID-28 / 593	NOT_DECLARED
SC-12295	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-593-SUB-TABLE-ID-30: Sub-Table ID 30: Visa Category Code Support Indicator flag for Visa Category Codes in response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6503	ENT-CONCEPT-593-SUB-TABLE-ID-30 / 593	NOT_DECLARED
SC-12296	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-594-VISA-CATEGORY-CODE-SUPPORT-INDICATOR-SUB-TABLE-ID-30: Visa Category Code Support Indicator Sub-Table (ID 30): Sub-table indicating Visa Category Code will be returned in tran / supplemental_entity	REQ-SRC-ATL105-PDF-001:6504	ENT-CONCEPT-594-VISA-CATEGORY-C ODE-SUPPORT-INDICATOR-SUB-TABLE- ID-30 / 594	NOT_DECLARED
SC-12297	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-594-ADDITIONAL-SECURITY-CODE: Additional Security Code: Indicates whether an additional security code is sent from terminal, variable length 1-16 byte / supplemental_entity	REQ-SRC-ATL105-PDF-001:6505	ENT-CONCEPT-594-ADDITIONAL-SECU RITY-CODE / 594	NOT_DECLARED
SC-12298	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-594-ADDITIONAL-CARD-ID: Additional Card ID: Indicates whether merchant is sending an additional card ID, variable length 1-16 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6506	ENT-CONCEPT-594-ADDITIONAL-CARD -ID / 594	NOT_DECLARED
SC-12304	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-596-REMOTE-COMMERCE-ACCEPTOR-IDENTIFIER: Remote Commerce Acceptor Identifier: Merchant identifier such as website URL or reverse domain name shown during checkou / supplemental_entity	REQ-SRC-ATL105-PDF-001:6512	ENT-CONCEPT-596-REMOTE-COMMER CE-ACCEPTOR-IDENTIFIER / 596	NOT_DECLARED
SC-12305	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-596-MERCHANT-TRAN-ID: Merchant Tran ID: Value assigned by merchant to identify the transaction; Table ID 054. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6513	ENT-CONCEPT-596-MERCHANT-TRAN-I D / 596	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12306	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-596-EXPERIENCE-PROVIDER-VALUE: Experience Provider Value: Value received from UCOM for each Experience Provider; Table ID 055. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6514	ENT-CONCEPT-596-EXPERIENCE-PROVIDER-VALUE / 596	NOT_DECLARED
SC-12307	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-TABLE-ID-STORED-CREDENTIALS-ADDITIONAL-DATA-TABLE-056: Table ID (Stored Credentials Additional Data, Table 056): Fixed value 056 identifying the Stored Credentials Transaction / supplemental_entity	REQ-SRC-ATL105-PDF-001:6515	ENT-CONCEPT-597-TABLE-ID-STORED-CREDENTIALS-ADDITIONAL-DATA-TABLE-056 / 597	NOT_DECLARED
SC-12308	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-TABLE-LENGTH-STORED-CREDENTIALS: Table Length (Stored Credentials): 3-byte length field, variable length up to 200. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6516	ENT-CONCEPT-597-TABLE-LENGTH-STORED-CREDENTIALS / 597	NOT_DECLARED
SC-12309	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-TABLE-DATA-STORED-CREDENTIALS-ADDITIONAL-DATA: Table Data (Stored Credentials Additional Data): Up to 200 bytes containing additional data for MIT and CIT transactions / supplemental_entity	REQ-SRC-ATL105-PDF-001:6517	ENT-CONCEPT-597-TABLE-DATA-STORED-CREDENTIALS-ADDITIONAL-DATA / 597	NOT_DECLARED
SC-12310	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-SUB-TABLE-ID: Sub-Table ID: 2-digit sub-table identifier, valid values 01-24. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6518	ENT-CONCEPT-597-SUB-TABLE-ID / 597	NOT_DECLARED
SC-12311	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-SUB-TABLE-LENGTH: Sub-Table Length: 2-digit sub-table length field, valid values 01-35. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6519	ENT-CONCEPT-597-SUB-TABLE-LENGTH / 597	NOT_DECLARED
SC-12312	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-SUB-TABLE-DATA: Sub-Table Data: Sub-table data field, maximum length 35 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6520	ENT-CONCEPT-597-SUB-TABLE-DATA / 597	NOT_DECLARED
SC-12313	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-597-SUB-TABLE-ID-01-TOTAL-PAYMENT-COUNT: Sub-Table ID "01" Total payment count: Fixed value 01 for Total payment count sub-table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6521	ENT-CONCEPT-597-SUB-TABLE-ID-01-TOTAL-PAYMENT-COUNT / 597	NOT_DECLARED
SC-12316	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-599-PAYMENT-TYPE: Payment Type: Indicates whether a Recurring Payment or Installment is fixed or variable; Discover and Visa only. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6524	ENT-CONCEPT-599-PAYMENT-TYPE / 599	NOT_DECLARED
SC-12317	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-599-MIT-AMOUNT: MIT Amount: Amount of the Recurring Payment or Installment, same currency as Transaction Amount. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6525	ENT-CONCEPT-599-MIT-AMOUNT / 599	NOT_DECLARED
SC-12325	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-603-SEQUENCE-INDICATOR-SUB-TABLE-08: Sequence Indicator (Sub Table 08): Identifies sequence of transactions when multiple installment payments are submitted; / supplemental_entity	REQ-SRC-ATL105-PDF-001:6533	ENT-CONCEPT-603-SEQUENCE-INDICATOR-SUB-TABLE-08 / 603	NOT_DECLARED
SC-12326	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-603-MIT-CIT-CATEGORY-AND-SUBCATEGORY-DATA-SUB-TABLE-09: MIT/CIT Category and Subcategory Data (Sub Table 09): Indicates category and subcategory data for cardholder-initiated a / supplemental_entity	REQ-SRC-ATL105-PDF-001:6534	ENT-CONCEPT-603-MIT-CIT-CATEGORY-AND-SUBCATEGORY-DATA-SUB-TABLE-09 / 603	NOT_DECLARED
SC-12329	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-CITY: Soft Descriptor - Merchant City: Table ID 057 field holding merchant city, used for Discover Third Party Payment underly / supplemental_entity	REQ-SRC-ATL105-PDF-001:6537	ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-CITY / 606	NOT_DECLARED
SC-12330	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-STATE: Soft Descriptor - Merchant State: Table ID 058 field holding merchant state, used for Discover Third Party Payment under / supplemental_entity	REQ-SRC-ATL105-PDF-001:6538	ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-STATE / 606	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12331	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-COUNTRY: Soft Descriptor - Merchant Country: Table ID 059 field for merchant country soft descriptor, partial definition on this / supplemental_entity	REQ-SRC-ATL105-PDF-001:6539	ENT-CONCEPT-606-SOFT-DESCRIPTOR-MERCHANT-COUNTRY / 606	NOT_DECLARED
SC-12332	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-MERCHANT-COUNTRY-AN3: Merchant Country (An3): For Discover, Merchant Country for Third Party Payment providers; underlying retailer's country. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6540	ENT-CONCEPT-607-MERCHANT-COUNT RY-AN3 / 607	NOT_DECLARED
SC-12333	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-REAL-TIME-ACCOUNT-UPDATER-REQUEST-DATA: Real Time Account Updater Request Data: Table ID 060 holding sub-table IDs for Real Time Account Updater Request data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6541	ENT-CONCEPT-607-REAL-TIME-ACCOU NT-UPDATER-REQUEST-DATA / 607	NOT_DECLARED
SC-12334	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-SUB-TABLE-ID: Sub-Table ID: Sub-table identifier with valid values 01-25. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6542	ENT-CONCEPT-607-SUB-TABLE-ID / 607	NOT_DECLARED
SC-12335	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-SUB-TABLE-LENGTH: Sub-Table Length: Sub-table length field with valid values 01-25. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6543	ENT-CONCEPT-607-SUB-TABLE-LENGTH / 607	NOT_DECLARED
SC-12336	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-SUB-TABLE-DATA: Sub-Table Data: Sub-table data field, maximum length 25 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6544	ENT-CONCEPT-607-SUB-TABLE-DATA / 607	NOT_DECLARED
SC-12337	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-607-ACCOUNT-UPDATER-REQUEST-INDICATOR-SUB-TABLE-ID-01: Account Updater Request Indicator (Sub Table ID 01): Indicates whether merchant can accept updated cardholder account in / supplemental_entity	REQ-SRC-ATL105-PDF-001:6545	ENT-CONCEPT-607-ACCOUNT-UPDATE R-REQUEST-INDICATOR-SUB-TABLE-ID- 01 / 607	NOT_DECLARED
SC-12338	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-608-ACCOUNT-UPDATER-REQUEST-INDICATOR: Account Updater Request Indicator: Indicates whether merchant wants account update info sent (Y/I values). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6546	ENT-CONCEPT-608-ACCOUNT-UPDATE R-REQUEST-INDICATOR / 608	NOT_DECLARED
SC-12339	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-608-AUTH-OPTIMIZATION-OVERRIDE-INDICATOR: Auth Optimization Override Indicator: Sub-table 02 field indicating override of First Data Auth optimization services. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6547	ENT-CONCEPT-608-AUTH-OPTIMIZATI ON-OVERRIDE-INDICATOR / 608	NOT_DECLARED
SC-12340	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-608-CUSTOMER-ADDITIONAL-INFORMATION-DATA: Customer Additional Information Data: Table ID 062 field indicating whether Cardholder Additional Data is present. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6548	ENT-CONCEPT-608-CUSTOMER-ADDITI ONAL-INFORMATION-DATA / 608	NOT_DECLARED
SC-12341	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-608-CARDHOLDER-PHONE-NUMBER: Cardholder Phone number: Sub Table ID 01 under Customer Additional Information Data, cardholder phone number. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6549	ENT-CONCEPT-608-CARDHOLDER-PHO NE-NUMBER / 608	NOT_DECLARED
SC-12342	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-609-CARDHOLDER-PHONE-NUMBER-SUB-TABLE-01: Cardholder Phone Number (Sub-Table 01): Cardholder phone number for account verification; applicable only to Visa. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6550	ENT-CONCEPT-609-CARDHOLDER-PHO NE-NUMBER-SUB-TABLE-01 / 609	NOT_DECLARED
SC-12343	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-609-CARDHOLDER-EMAIL-ADDRESS-SUB-TABLE-02: Cardholder Email Address (Sub-Table 02): Cardholder email address for account verification; applicable only to Visa. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6551	ENT-CONCEPT-609-CARDHOLDER-EMA IL-ADDRESS-SUB-TABLE-02 / 609	NOT_DECLARED
SC-12344	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-609-ARRIVAL-DATE: Arrival Date: Arrival date in MMDD format; must be spaces if unused by merchant. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6552	ENT-CONCEPT-609-ARRIVAL-DATE / 609	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12345	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-609-DURATION: Duration: Number of days of stay; must be spaces if unused by merchant. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6553	ENT-CONCEPT-609-DURATION / 609	NOT_DECLARED
SC-12346	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-609-TERMINAL-TRANSACTION-NUMBER: Terminal Transaction Number: Tracks partial reversals and incomplete authorizations; mandatory for Lodging, Incremental / supplemental_entity	REQ-SRC-ATL105-PDF-001:6554	ENT-CONCEPT-609-TERMINAL-TRANSACTION-NUMBER / 609	NOT_DECLARED
SC-12347	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-610-PREFERRED-CUSTOMER-INDICATOR: Preferred Customer Indicator: Value P indicates preferred customer in Visa Incremental Auth example. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6555	ENT-CONCEPT-610-PREFERRED-CUSTOMER-INDICATOR / 610	NOT_DECLARED
SC-12348	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-614-SERVICE-LOCATION-INFORMATION: Service Location Information: Table ID 064 field receiving Service Location Additional Information for MasterCard/Maestr / supplemental_entity	REQ-SRC-ATL105-PDF-001:6556	ENT-CONCEPT-614-SERVICE-LOCATION-INFORMATION / 614	NOT_DECLARED
SC-12349	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-614-SERVICE-LOCATION-CITY-NAME: Service Location City Name: Sub-table ID 01 identifying the name of the city where cardholder service location is. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6557	ENT-CONCEPT-614-SERVICE-LOCATION-CITY-NAME / 614	NOT_DECLARED
SC-12350	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-615-SERVICE-LOCATION-CITY-NAME: Service Location City Name: City/town/village name for service location, required when different from Acceptor City Name / supplemental_entity	REQ-SRC-ATL105-PDF-001:6558	ENT-CONCEPT-615-SERVICE-LOCATION-CITY-NAME / 615	NOT_DECLARED
SC-12351	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-615-SERVICE-LOCATION-COUNTRY-SUBDIVISION-CODE: Service Location Country Subdivision Code: State/subdivision code for service location, required when different from Acc / supplemental_entity	REQ-SRC-ATL105-PDF-001:6559	ENT-CONCEPT-615-SERVICE-LOCATION-COUNTRY-SUBDIVISION-CODE / 615	NOT_DECLARED
SC-12352	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-615-SERVICE-LOCATION-COUNTRY-CODE: Service Location Country Code: Identifies Service Location Country Code, sub-table fixed value 03. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6560	ENT-CONCEPT-615-SERVICE-LOCATION-COUNTRY-CODE / 615	NOT_DECLARED
SC-12353	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-616-SERVICE-LOCATION-POSTAL-CODE: Service Location Postal Code: Postal code of service location, required when different from Acceptor Postal Code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6561	ENT-CONCEPT-616-SERVICE-LOCATION-POSTAL-CODE / 616	NOT_DECLARED
SC-12354	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-616-SERVICE-LOCATION-COUNTRY-CODE: Service Location Country Code: Country code of service location, required when different from Acceptor Country Code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6562	ENT-CONCEPT-616-SERVICE-LOCATION-COUNTRY-CODE / 616	NOT_DECLARED
SC-12355	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-616-MERCHANT-PAYMENT-GATEWAY-ID: Merchant Payment Gateway ID: Merchant Payment Gateway ID for MasterCard/Maestro, Table ID 065. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6563	ENT-CONCEPT-616-MERCHANT-PAYMENT-GATEWAY-ID / 616	NOT_DECLARED
SC-12356	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-617-DIGITAL-COMMERCE-DATA-TABLE-ID-066: Digital Commerce Data (Table ID 066): Table indicating digital commerce solutions data from merchant, min 006 max 200. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6564	ENT-CONCEPT-617-DIGITAL-COMMERCE-DATA-TABLE-ID-066 / 617	NOT_DECLARED
SC-12357	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-617-SUB-TABLE-ID-01-DIGITAL-COMMERCE-DOMAIN-IDENTIFIER: Sub-Table ID 01 - Digital Commerce Domain Identifier: Identifies entity responsible for populating digital commerce solu / supplemental_entity	REQ-SRC-ATL105-PDF-001:6565	ENT-CONCEPT-617-SUB-TABLE-ID-01-DIGITAL-COMMERCE-DOMAIN-IDENTIFIER / 617	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12358	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-618-DIGITAL-COMMERCE-PROGRAM-TYPE-SUB-TABLE-ID-02: Digital Commerce Program Type (Sub Table ID 02): Sub-table identifying digital commerce program type for MasterCard/Maes / supplemental_entity	REQ-SRC-ATL105-PDF-001:6566	ENT-CONCEPT-618-DIGITAL-COMMERCE-PROGRAM-TYPE-SUB-TABLE-ID-02 / 618	NOT_DECLARED
SC-12359	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-618-DIGITAL-COMMERCE-PROGRAM-TYPE-DETAILS-SUB-TABLE-ID-03: Digital Commerce Program Type Details (Sub Table ID 03): Sub-table identifying check-in entity type and entity name for / supplemental_entity	REQ-SRC-ATL105-PDF-001:6567	ENT-CONCEPT-618-DIGITAL-COMMERCE-PROGRAM-TYPE-DETAILS-SUB-TABLE-ID-03 / 618	NOT_DECLARED
SC-12360	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-619-DIGITAL-COMMERCE-CHECK-IN-DETAILS-SUB-TABLE-ID-04: Digital Commerce Check-in Details (Sub Table ID 04): Identifies method a check-in entity uses to validate cardholder pre / supplemental_entity	REQ-SRC-ATL105-PDF-001:6568	ENT-CONCEPT-619-DIGITAL-COMMERCE-CHECK-IN-DETAILS-SUB-TABLE-ID-04 / 619	NOT_DECLARED
SC-12361	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-619-ANTICIPATED-AMOUNT: Anticipated Amount: 12-character right-justified amount for verification/product eligibility transactions, Visa only. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6569	ENT-CONCEPT-619-ANTICIPATED-AMOUNT / 619	NOT_DECLARED
SC-12362	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-619-EV-ADDITIONAL-TRANSACTION-FEE-1: EV-Additional Transaction Fee 1: Fixed value table ID 068 field, details continue on next page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6570	ENT-CONCEPT-619-EV-ADDITIONAL-TRANSACTION-FEE-1 / 619	NOT_DECLARED
SC-12363	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-620-EV-ADDITIONAL-TRANSACTION-FEE-1: EV-Additional Transaction Fee 1: Identifies Additional Transaction Fee 1 for EV transactions, table ID 068. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6571	ENT-CONCEPT-620-EV-ADDITIONAL-TRANSACTION-FEE-1 / 620	NOT_DECLARED
SC-12364	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-620-EV-ADDITIONAL-TRANSACTION-FEE-2: EV-Additional Transaction Fee 2: Identifies Additional Transaction Fee 2 for EV transactions, table ID 069. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6572	ENT-CONCEPT-620-EV-ADDITIONAL-TRANSACTION-FEE-2 / 620	NOT_DECLARED
SC-12365	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-620-ANTICIPATED-COMPLETION-AMOUNT: Anticipated Completion Amount: Anticipated amount of completion transaction sent in debit authorization requests, table / supplemental_entity	REQ-SRC-ATL105-PDF-001:6573	ENT-CONCEPT-620-ANTICIPATED-COMPLETION-AMOUNT / 620	NOT_DECLARED
SC-12366	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-620-ENABLER-VERIFICATION-VALUE: Enabler Verification Value: Fixed length 005 field, table ID 071. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6574	ENT-CONCEPT-620-ENABLER-VERIFICATION-VALUE / 620	NOT_DECLARED
SC-12367	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-621-VISA-ENABLER-ID-TABLE-005: Visa Enabler ID (table 005): Network-assigned 5-byte value identifying enablers for Visa/Interlink. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6575	ENT-CONCEPT-621-VISA-ENABLER-ID-TABLE-005 / 621	NOT_DECLARED
SC-12368	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-621-TRANSACTION-LINK-IDENTIFIER: Transaction Link Identifier: Table ID 072 identifying transaction link for MasterCard/Maestro subsequent transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6576	ENT-CONCEPT-621-TRANSACTION-LINK-IDENTIFIER / 621	NOT_DECLARED
SC-12369	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-621-FUTURE-TRANSACTION-AMOUNT: Future Transaction Amount: Table ID 073 indicating anticipated amount of a future completion for MasterCard. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6577	ENT-CONCEPT-621-FUTURE-TRANSACTION-AMOUNT / 621	NOT_DECLARED
SC-12370	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-622-DISCOUNT-PROGRAM-DATA: Discount Program Data: TLV field identifying Visa Merchant Discount Program data, 53 bytes variable. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6578	ENT-CONCEPT-622-DISCOUNT-PROGRAM-DATA / 622	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12371	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-622-DISCOUNT-LINE-ITEM-DATA: Discount Line-Item Data: Field header appearing after Discount Program Data, continues on next page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6579	ENT-CONCEPT-622-DISCOUNT-LINE-ITEM-DATA / 622	NOT_DECLARED
SC-12372	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-NUMBER-OF-LINE-ITEMS: Number of Line Items: Number of line items included in the additional field, value range 0-5. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6580	ENT-CONCEPT-623-NUMBER-OF-LINE-ITEMS / 623	NOT_DECLARED
SC-12374	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-DISCOUNT-RATE-PERCENTAGE: Discount Rate-Percentage: Discount rate in percentage with two implied decimal places, padded with leading zero. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6582	ENT-CONCEPT-623-DISCOUNT-RATE-PERCENTAGE / 623	NOT_DECLARED
SC-12375	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-DISCOUNT-RATE-UNIT-DISCOUNT: Discount Rate-Unit Discount: Unit discount amount in retail minus discount model, padded with leading zero. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6583	ENT-CONCEPT-623-DISCOUNT-RATE-UNIT-DISCOUNT / 623	NOT_DECLARED
SC-12376	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-FLAT-DISCOUNT-RATE: Flat Discount Rate: Flat discount rate for the product code, padded with leading zero. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6584	ENT-CONCEPT-623-FLAT-DISCOUNT-RATE / 623	NOT_DECLARED
SC-12377	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-TOTAL-DISCOUNT-AMOUNT: Total Discount Amount: Total discount amount for the line item, padded with leading zero. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6585	ENT-CONCEPT-623-TOTAL-DISCOUNT-AMOUNT / 623	NOT_DECLARED
SC-12378	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-NET-FUEL-PRICE: Net Fuel Price: Net line item price less taxes exempted or discounts, four decimal places implied. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6586	ENT-CONCEPT-623-NET-FUEL-PRICE / 623	NOT_DECLARED
SC-12379	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-TABLE-ID-076: Table ID 076: Table ID fixed value 076 containing line-item level discount data for fuel product codes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6587	ENT-CONCEPT-623-TABLE-ID-076 / 623	NOT_DECLARED
SC-12380	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-623-TABLE-ID-077: Table ID 077: Table ID fixed value 077, length 3 bytes, continues onto next page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6588	ENT-CONCEPT-623-TABLE-ID-077 / 623	NOT_DECLARED
SC-12381	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-624-TABLE-ID-078: Table ID 078: Table ID fixed value 078, used for Visa fleet line-item details and MasterCard Enhanced Fleet non-fuel pro / supplemental_entity	REQ-SRC-ATL105-PDF-001:6589	ENT-CONCEPT-624-TABLE-ID-078 / 624	NOT_DECLARED
SC-12382	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-624-PRODUCTCODETAG: ProductCodeTag: Tag identifying the Fuel Product Code within the line item sub-table structure. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6590	ENT-CONCEPT-624-PRODUCTCODETAG / 624	NOT_DECLARED
SC-12383	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-PRODUCT-CODE: Product Code: Numeric 3-digit product code received from POS, with leading zeros. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6591	ENT-CONCEPT-625-PRODUCT-CODE / 625	NOT_DECLARED
SC-12384	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-PRODUCT-LENGTH: Product Length: Numeric 3-digit length field for product line item group. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6592	ENT-CONCEPT-625-PRODUCT-LENGTH / 625	NOT_DECLARED
SC-12385	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-SUB-TABLE-ID: Sub-Table ID: Fixed value identifying sub-table type, e.g. 01 for Service Type. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6593	ENT-CONCEPT-625-SUB-TABLE-ID / 625	NOT_DECLARED
SC-12386	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-SUB-TABLE-LENGTH: Sub-Table Length: Fixed value indicating length of sub-table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6594	ENT-CONCEPT-625-SUB-TABLE-LENGTH / 625	NOT_DECLARED
SC-12387	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-SUB-TABLE-DATA: Sub-Table Data: Contains service type values: FLSV, HSDI, or SLSV. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6595	ENT-CONCEPT-625-SUB-TABLE-DATA / 625	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12388	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-625-PRODUCT-CATEGORY-DESCRIPTION: Product Category/Description: Optional field for product category or detailed description, fixed length 35. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6596	ENT-CONCEPT-625-PRODUCT-CATEGORY-DESCRIPTION / 625	NOT_DECLARED
SC-12389	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-626-LOCAL-TAX-INCLUDED-INDICATOR-SUB-TABLE-ID-04: Local Tax Included Indicator (Sub Table ID 04): Indicates whether unit cost includes local tax, value 1=True. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6597	ENT-CONCEPT-626-LOCAL-TAX-INCLUDED-INDICATOR-SUB-TABLE-ID-04 / 626	NOT_DECLARED
SC-12390	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-626-LOCAL-TAX-AMOUNT-SUB-TABLE-ID-05: Local Tax Amount (Sub Table ID 05): Local tax amount when tag 04 is True; two implied decimal places. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6598	ENT-CONCEPT-626-LOCAL-TAX-AMOUNT-SUB-TABLE-ID-05 / 626	NOT_DECLARED
SC-12391	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-626-LOCAL-TAX-RATE-SUB-TABLE-ID-06: Local Tax Rate (Sub Table ID 06): VAT/Local tax rate percentage for fuel purchased; two implied decimal places. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6599	ENT-CONCEPT-626-LOCAL-TAX-RATE-SUB-TABLE-ID-06 / 626	NOT_DECLARED
SC-12392	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-626-TAXABLE-INDICATOR-SUB-TABLE-ID-03: Taxable Indicator (Sub Table ID 03): Indicates whether the item is taxable, 0=False, 1=True. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6600	ENT-CONCEPT-626-TAXABLE-INDICATOR-SUB-TABLE-ID-03 / 626	NOT_DECLARED
SC-12393	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-627-OTHER-TAX-INCLUDED-INDICATOR: Other Tax Included Indicator: Sub table 10 indicates whether unit cost includes national tax. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6601	ENT-CONCEPT-627-OTHER-TAX-INCLUDED-INDICATOR / 627	NOT_DECLARED
SC-12394	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-627-OTHER-TAX-AMOUNT: Other Tax Amount: Sub table 11 contains other tax amount, two decimal places implied. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6602	ENT-CONCEPT-627-OTHER-TAX-AMOUNT / 627	NOT_DECLARED
SC-12395	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-627-OTHER-TAX-RATE: Other Tax Rate: Sub table 12 contains other tax rate percentage for fuel purchased, two decimals implied. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6603	ENT-CONCEPT-627-OTHER-TAX-RATE / 627	NOT_DECLARED
SC-12397	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-628-VISA-COMMERCIAL-CARD-DATA-TABLE-079: Visa Commercial Card Data (Table 079): Primary table for future Visa commercial card aggregate data, Table ID 079. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6605	ENT-CONCEPT-628-VISA-COMMERCIAL-CARD-DATA-TABLE-079 / 628	NOT_DECLARED
SC-12398	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-628-LOCAL-TAX-INCLUDED-INDICATOR-SUB-TABLE-01: Local Tax Included Indicator (Sub Table 01): Indicates whether unit cost includes local tax, value 1=True. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6606	ENT-CONCEPT-628-LOCAL-TAX-INCLUDED-INDICATOR-SUB-TABLE-01 / 628	NOT_DECLARED
SC-12399	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-628-LOCAL-TAX-AMOUNT-SUB-TABLE-02: Local Tax Amount (Sub Table 02): Amount of local tax, two decimal places implied, used when Sub Table 01 = 1. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6607	ENT-CONCEPT-628-LOCAL-TAX-AMOUNT-SUB-TABLE-02 / 628	NOT_DECLARED
SC-12400	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-628-LOCAL-TAX-RATE-SUB-TABLE-03: Local Tax Rate (Sub Table 03): Sub table 03 header for local tax rate, details not fully shown on this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6608	ENT-CONCEPT-628-LOCAL-TAX-RATE-SUB-TABLE-03 / 628	NOT_DECLARED
SC-12402	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-629-OTHER-TAX-INCLUDED-INDICATOR: Other Tax Included Indicator: Sub-table 07 indicates whether unit cost includes national tax. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6610	ENT-CONCEPT-629-OTHER-TAX-INCLUDED-INDICATOR / 629	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12403	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-629-OTHER-TAX-AMOUNT: Other Tax Amount: Sub-table 08 contains amount of other tax when tag 07 is True. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6611	ENT-CONCEPT-629-OTHER-TAX-AMOUNT / 629	NOT_DECLARED
SC-12404	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-629-OTHER-TAX-RATE: Other Tax Rate: Sub-table 09 contains other tax rate percentage for fuel purchased, two decimals implied. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6612	ENT-CONCEPT-629-OTHER-TAX-RATE / 629	NOT_DECLARED
SC-12405	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-629-STAGED-WALLET-ID: Staged Wallet ID: Field name listed with no further detail on this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6613	ENT-CONCEPT-629-STAGED-WALLET-ID / 629	NOT_DECLARED
SC-12406	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-630-VISA-GATEWAY-ID: Visa Gateway ID: Table ID 080, fixed length 11, contains staged digital wallet ID identifying wallet provider. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6614	ENT-CONCEPT-630-VISA-GATEWAY-ID / 630	NOT_DECLARED
SC-12407	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-630-GATEWAY-PROVIDER-INDICATOR: Gateway Provider Indicator: Table ID 081, indicates whether transaction initiated by merchant or third-party gateway pro / supplemental_entity	REQ-SRC-ATL105-PDF-001:6615	ENT-CONCEPT-630-GATEWAY-PROVIDER-INDICATOR / 630	NOT_DECLARED
SC-12408	Response deferred	Supplemental Entity — ENT-CONCEPT-635-BALANCE-INFORMATION-TABLE-ID: Balance Information Table ID: Fixed value 001 identifying balance information table in Additional Information data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6616	ENT-CONCEPT-635-BALANCE-INFORMATION-TABLE-ID / 635	NOT_DECLARED
SC-12409	Response deferred	Supplemental Entity — ENT-CONCEPT-635-RESERVED-INDICATOR-INFORMATION-TABLE-ID: Reserved Indicator Information Table ID: Fixed value 002 identifying reserved indicator information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6617	ENT-CONCEPT-635-RESERVED-INDICATOR-INFORMATION-TABLE-ID / 635	NOT_DECLARED
SC-12410	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-636-TABLE-ID: Table ID: Fixed value 003 identifying the AVS/NVS/Both table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6618	ENT-CONCEPT-636-TABLE-ID / 636	NOT_DECLARED
SC-12411	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-636-TABLE-LENGTH: Table Length: Fixed-length field indicating length of AVS/NVS table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6619	ENT-CONCEPT-636-TABLE-LENGTH / 636	NOT_DECLARED
SC-12412	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-636-MAXIMUM-LENGTH: Maximum Length: Variable length up to 10 digits identifying AVS, NVS, or both response from authorizer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6620	ENT-CONCEPT-636-MAXIMUM-LENGTH / 636	NOT_DECLARED
SC-12413	Response deferred	Supplemental Entity — ENT-CONCEPT-641-TABLE-ID-CVV-INFORMATION: Table ID (CVV Information): Fixed value 004 identifying CVV Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6621	ENT-CONCEPT-641-TABLE-ID-CVV-INFORMATION / 641	NOT_DECLARED
SC-12414	Response deferred	Supplemental Entity — ENT-CONCEPT-641-TABLE-LENGTH-CVV-INFORMATION: Table Length (CVV Information): Fixed length value for CVV Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6622	ENT-CONCEPT-641-TABLE-LENGTH-CVV-INFORMATION / 641	NOT_DECLARED
SC-12415	Response deferred	Supplemental Entity — ENT-CONCEPT-641-CVV-RESPONSE-CODE: CVV Response Code: Single character code identifying CVV response from the authorizer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6623	ENT-CONCEPT-641-CVV-RESPONSE-CODE / 641	NOT_DECLARED
SC-12419	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-644-RETURN-CHECK-FEE: Return Check Fee: Return Check Fee data from ECA/TeleCheck service, length 6. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6627	ENT-CONCEPT-644-RETURN-CHECK-FEE / 644	NOT_DECLARED
SC-12420	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-644-RETURN-FEE-DATA: Return Fee Data: Return Fee Data from ECA/TeleCheck service, length 100. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6628	ENT-CONCEPT-644-RETURN-FEE-DATA / 644	NOT_DECLARED
SC-12421	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-LOYALTY-PROCESSING-STATUS: Loyalty Processing Status: Code indicating result of loyalty processing, e.g. success, failed, account not found. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6629	ENT-CONCEPT-645-LOYALTY-PROCESSING-STATUS / 645	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12422	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-NEW-POINTS: New Points: Points to be accumulated for loyalty program. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6630	ENT-CONCEPT-645-NEW-POINTS / 645	NOT_DECLARED
SC-12423	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-TOTAL-POINTS: Total Points: Program point balance total. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6631	ENT-CONCEPT-645-TOTAL-POINTS / 645	NOT_DECLARED
SC-12424	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-ADJUSTED-SALE-AMOUNT: Adjusted Sale Amount: Net result after discount applied. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6632	ENT-CONCEPT-645-ADJUSTED-SALE-A MOUNT / 645	NOT_DECLARED
SC-12425	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-DISCOUNTED-SALE-AMOUNT: Discounted Sale Amount: Discount amount applied to sale. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6633	ENT-CONCEPT-645-DISCOUNTED-SALE -AMOUNT / 645	NOT_DECLARED
SC-12426	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-LOYALTY-PRINT-DATA: Loyalty Print Data: Receipt printing information for loyalty. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6634	ENT-CONCEPT-645-LOYALTY-PRINT-DA TA / 645	NOT_DECLARED
SC-12427	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-TABLE-ID: Table ID: Fixed value 008 identifying loyalty information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6635	ENT-CONCEPT-645-TABLE-ID / 645	NOT_DECLARED
SC-12428	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-TABLE-LENGTH: Table Length: Fixed length field for loyalty information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6636	ENT-CONCEPT-645-TABLE-LENGTH / 645	NOT_DECLARED
SC-12429	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-645-MAXIMUM-LENGTH: Maximum Length: Maximum length 229, identifies additional information for loyalty cards. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6637	ENT-CONCEPT-645-MAXIMUM-LENGTH / 645	NOT_DECLARED
SC-12430	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-646-VISA-PRODUCT-RESULT-INFORMATION-TABLE-ID: Visa® Product Result Information Table ID: Table ID fixed value 009 identifies Visa card-level product result. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6638	ENT-CONCEPT-646-VISA-PRODUCT-RES ULT-INFORMATION-TABLE-ID / 646	NOT_DECLARED
SC-12431	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-646-LOYALTY-INFORMATION-TABLE-ID: Loyalty Information Table ID: Table ID fixed value 010 identifies additional loyalty card information. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6639	ENT-CONCEPT-646-LOYALTY-INFORMA TION-TABLE-ID / 646	NOT_DECLARED
SC-12432	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-646-LOYALTY-PROCESSING-STATUS: Loyalty Processing Status: Numeric code indicating loyalty processing result status. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6640	ENT-CONCEPT-646-LOYALTY-PROCESSI NG-STATUS / 646	NOT_DECLARED
SC-12433	Response deferred	Supplemental Entity — ENT-CONCEPT-647-USER-DATA-INFORMATION: User Data Information: User data received in request and echoed back in response; not forwarded to issuer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6641	ENT-CONCEPT-647-USER-DATA-INFOR MATION / 647	NOT_DECLARED
SC-12434	Response deferred	Supplemental Entity — ENT-CONCEPT-647-DISCOVER-NETWORK-RETRIEVAL-REFERENCE-NUMBER: Discover Network Retrieval Reference Number: Identifies the Discover Network Retrieval Reference Number. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6642	ENT-CONCEPT-647-DISCOVER-NETWO RK-RETRIEVAL-REFERENCE-NUMBER / 647	NOT_DECLARED
SC-12435	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-648-CARD-EXPIRATION-DATE: Card Expiration Date: Identifies expiration date in TA-VE processing transaction; Table ID fixed value 013. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6643	ENT-CONCEPT-648-CARD-EXPIRATION- DATE / 648	NOT_DECLARED
SC-12436	Response deferred	Supplemental Entity — ENT-CONCEPT-649-BUYPASS-CARD-TYPE-CODE-TABLE-016: BUYPASS Card Type Code (Table 016): Indicates the BUYPASS Card Type Code in the transaction. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6644	ENT-CONCEPT-649-BUYPASS-CARD-TY PE-CODE-TABLE-016 / 649	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12437	Response deferred	Supplemental Entity — ENT-CONCEPT-649-PIN-ON-RECEIPT-INFORMATION-TABLE-017: PIN on Receipt Information (Table 017): Identifies receipt data printed on transaction receipt for PIN on Receipt transa / supplemental_entity	REQ-SRC-ATL105-PDF-001:6645	ENT-CONCEPT-649-PIN-ON-RECEIPT-INFORMATION-TABLE-017 / 649	NOT_DECLARED
SC-12438	Response deferred	Supplemental Entity — ENT-CONCEPT-649-PINLESS-DEBIT-INFORMATION-TABLE-018: PINless Debit Information (Table 018): Contains Card Accepted As field indicating credit or debit processing. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6646	ENT-CONCEPT-649-PINLESS-DEBIT-INFORMATION-TABLE-018 / 649	NOT_DECLARED
SC-12439	Response deferred	Supplemental Entity — ENT-CONCEPT-649-CARD-ACCEPTED-AS: Card Accepted As: Indicates whether transaction was processed as credit (020) or debit (011). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6647	ENT-CONCEPT-649-CARD-ACCEPTED-AS / 649	NOT_DECLARED
SC-12440	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-650-SPEND-QUALIFIED-INDICATOR: Spend Qualified Indicator: Identifies Visa spend qualified indicator for annual POS spending requirements. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6648	ENT-CONCEPT-650-SPEND-QUALIFIED-INDICATOR / 650	NOT_DECLARED
SC-12441	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-650-HOST-PROMPTS-TABLE-DATA: Host Prompts Table Data: Identifies additional prompts to request and send on Completion message. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6649	ENT-CONCEPT-650-HOST-PROMPTS-TABLE-DATA / 650	NOT_DECLARED
SC-12442	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-TABLE-ID: Table ID: Fixed value 021 identifying Re-Price Data Response Information table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6650	ENT-CONCEPT-652-TABLE-ID / 652	NOT_DECLARED
SC-12443	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-TABLE-LENGTH: Table Length: Variable length up to 133 alphanumeric characters. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6651	ENT-CONCEPT-652-TABLE-LENGTH / 652	NOT_DECLARED
SC-12444	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-TABLE-DATA: Table Data: Lists products available at pump for re-pricing, max 8 products. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6652	ENT-CONCEPT-652-TABLE-DATA / 652	NOT_DECLARED
SC-12445	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-NBR-OF-PRODUCTS: Nbr of Products: Number of products sub-field within Table Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6653	ENT-CONCEPT-652-NBR-OF-PRODUCTS / 652	NOT_DECLARED
SC-12446	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-RE-PRICE-TYPE: Re-Price Type: Code indicating type of re-pricing (RP, RM, CM, CP, BO, OD, RT, FP). / supplemental_entity	REQ-SRC-ATL105-PDF-001:6654	ENT-CONCEPT-652-RE-PRICE-TYPE / 652	NOT_DECLARED
SC-12447	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-UNIT-OF-MEASURE: Unit Of Measure: Same as unit of measure sent in product data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6655	ENT-CONCEPT-652-UNIT-OF-MEASURE / 652	NOT_DECLARED
SC-12448	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-DECIMAL-IDENTIFIER-PRC: Decimal Identifier Prc: Identifies the number of decimals in the unit price field. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6656	ENT-CONCEPT-652-DECIMAL-IDENTIFIER-PRC / 652	NOT_DECLARED
SC-12449	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-UNIT-PRICE: Unit Price: Price per unit, up to 8 bytes. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6657	ENT-CONCEPT-652-UNIT-PRICE / 652	NOT_DECLARED
SC-12450	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-DELIMITER: Delimiter: Delimiter character '\' separating product data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6658	ENT-CONCEPT-652-DELIMITER / 652	NOT_DECLARED
SC-12451	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-652-PRODUCT-CODE-SET: Product Code Set: Code set identifier, e.g. 001 for NACS. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6659	ENT-CONCEPT-652-PRODUCT-CODE-SET / 652	NOT_DECLARED
SC-12452	Response deferred	Supplemental Entity — ENT-CONCEPT-653-CAVV-RESULT-TABLE-ID: CAVV Result Table ID: Fixed value 022 identifying the CAVV Result sub-table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6660	ENT-CONCEPT-653-CAVV-RESULT-TABLE-ID / 653	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12453	Response deferred	Supplemental Entity — ENT-CONCEPT-653-CAVV-RESULT: CAVV Result: Specifies the CAVV response received from the issuer. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6661	ENT-CONCEPT-653-CAVV-RESULT / 653	NOT_DECLARED
SC-12454	Response deferred	Supplemental Entity — ENT-CONCEPT-653-MCX-REFERENCE-NUMBER-TABLE-ID: MCX Reference Number Table ID: Fixed value 023 identifying the MCX Reference Number sub-table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6662	ENT-CONCEPT-653-MCX-REFERENCE-NUMBER-TABLE-ID / 653	NOT_DECLARED
SC-12455	Response deferred	Supplemental Entity — ENT-CONCEPT-654-CARWASH-INDICATOR: Carwash Indicator: Single character indicator specifying user's carwash preference, Table ID 024. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6663	ENT-CONCEPT-654-CARWASH-INDICATOR / 654	NOT_DECLARED
SC-12456	Response deferred	Supplemental Entity — ENT-CONCEPT-654-LANGUAGE-INDICATOR: Language Indicator: Single character indicator specifying user's language preference, Table ID 025. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6664	ENT-CONCEPT-654-LANGUAGE-INDICATOR / 654	NOT_DECLARED
SC-12457	Response deferred	Supplemental Entity — ENT-CONCEPT-654-DST-RESPONSE: DST Response: DST Challenge Response: 10 bytes challenge value plus 6 bytes response value, Table ID 026. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6665	ENT-CONCEPT-654-DST-RESPONSE / 654	NOT_DECLARED
SC-12458	Response deferred	Supplemental Entity — ENT-CONCEPT-654-UNIVERSAL-UNIQUE-IDENTIFIER: Universal Unique Identifier: Variable length field of up to 41 alphanumeric special characters, Table ID 027. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6666	ENT-CONCEPT-654-UNIVERSAL-UNIQUE-IDENTIFIER / 654	NOT_DECLARED
SC-12459	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-655-UNIVERSAL-UNIQUE-IDENTIFIER: Universal Unique Identifier: Unique identifier generated by First Data systems identifying a transaction, Table ID 028. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6667	ENT-CONCEPT-655-UNIVERSAL-UNIQUE-IDENTIFIER / 655	NOT_DECLARED
SC-12460	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-655-TRANSACTION-IDENTIFIER: Transaction Identifier: Table ID 015 field returned for Visa/Amex Credential on File merchant-initiated transactions. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6668	ENT-CONCEPT-655-TRANSACTION-IDENTIFIER / 655	NOT_DECLARED
SC-12461	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-655-PAYMENT-ACCOUNT-REFERENCE-PAR: Payment Account Reference (PAR): Table ID 029 field with PAR data received from authorizer, fixed 29 characters. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6669	ENT-CONCEPT-655-PAYMENT-ACCOUNT-REFERENCE-PAR / 655	NOT_DECLARED
SC-12462	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-656-MERCHANT-ADVICE-CODE: Merchant Advice Code: Indicates Merchant Advice Code received from the authorizer network, fixed 2 bytes alphanumeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6670	ENT-CONCEPT-656-MERCHANT-ADVICE-CODE / 656	NOT_DECLARED
SC-12463	Response deferred	Supplemental Entity — ENT-CONCEPT-657-DAF-INDICATOR: DAF Indicator: Indicates DAF indicator received from the authorizer network, 2-byte alphanumeric. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6671	ENT-CONCEPT-657-DAF-INDICATOR / 657	NOT_DECLARED
SC-12464	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-658-AGREEMENT-ID: Agreement ID: Table ID 032; Agreement ID from authorizer network, 4 bytes, left-aligned space filled. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6672	ENT-CONCEPT-658-AGREEMENT-ID / 658	NOT_DECLARED
SC-12465	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-658-HOST-BASED-PURCHASE-RESTRICTION: Host-based Purchase Restriction: Table ID 034; variable length up to 32 bytes containing purchase restrictions from netw / supplemental_entity	REQ-SRC-ATL105-PDF-001:6673	ENT-CONCEPT-658-HOST-BASED-PURCHASE-RESTRICTION / 658	NOT_DECLARED
SC-12466	Response deferred	Supplemental Entity — ENT-CONCEPT-659-CARDHOLDER-ADDITIONAL-INFORMATION-RESULT-CODE-TABLE-ID-035: Cardholder Additional Information Result Code (Table ID 035): Sub-table within Additional Information segment indicating / supplemental_entity	REQ-SRC-ATL105-PDF-001:6674	ENT-CONCEPT-659-CARDHOLDER-ADDITIONAL-INFORMATION-RESULT-CODE-TABLE-ID-035 / 659	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12467	Response deferred	Supplemental Entity — ENT-CONCEPT-659-SUB-TABLE-DATA-CARDHOLDER-ACCOUNT-NAME-RESULT-CODES: Sub-Table Data (Cardholder Account Name result codes): 3-byte result codes for First, Last, Middle name match from Visa / supplemental_entity	REQ-SRC-ATL105-PDF-001:6675	ENT-CONCEPT-659-SUB-TABLE-DATA-CARDHOLDER-ACCOUNT-NAME-RESULT-CODES / 659	NOT_DECLARED
SC-12468	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-661-ACCOUNT-TYPE-TABLE-ID-036: Account Type (Table ID 036): Identifies the 'from' account type received from network, applicable only to Visa. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6676	ENT-CONCEPT-661-ACCOUNT-TYPE-TABLE-ID-036 / 661	NOT_DECLARED
SC-12469	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-661-ACCOUNT-FUNDING-SOURCE-TABLE-ID-037: Account Funding Source (Table ID 037): Additional Information sub-table for Account Funding Source, fixed length 001. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6677	ENT-CONCEPT-661-ACCOUNT-FUNDING-SOURCE-TABLE-ID-037 / 661	NOT_DECLARED
SC-12470	Response deferred	Supplemental Entity — ENT-CONCEPT-662-ACCOUNT-FUNDING-SOURCE: Account Funding Source: Product account funding source value from Visa: Credit, Debit, or Prepaid. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6678	ENT-CONCEPT-662-ACCOUNT-FUNDING-SOURCE / 662	NOT_DECLARED
SC-12471	Response deferred	Supplemental Entity — ENT-CONCEPT-662-TRANSACTION-LINK-IDENTIFIER: Transaction Link Identifier: Table ID 038; contains Transaction Link Identifier, maps to Moneris Real Time Unique ID 9e. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6679	ENT-CONCEPT-662-TRANSACTION-LINK-IDENTIFIER / 662	NOT_DECLARED
SC-12472	Response deferred	Supplemental Entity — ENT-CONCEPT-662-TRANSACTION-LINK-ACTION-INDICATOR: Transaction Link Action Indicator: Table ID 039; one-byte field indicating Transaction Link Action Indicator from Master / supplemental_entity	REQ-SRC-ATL105-PDF-001:6680	ENT-CONCEPT-662-TRANSACTION-LINK-ACTION-INDICATOR / 662	NOT_DECLARED
SC-12473	Response deferred	Supplemental Entity — ENT-CONCEPT-663-FRAUD-SCORE: Fraud Score: Table ID 040; contains fraud score returned by MasterCard. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6681	ENT-CONCEPT-663-FRAUD-SCORE / 663	NOT_DECLARED
SC-12474	Response deferred	Supplemental Entity — ENT-CONCEPT-663-FRAUD-SCORE-REASON-CODE: Fraud Score Reason Code: Table ID 041; explains reason code for fraud score in table ID 040. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6682	ENT-CONCEPT-663-FRAUD-SCORE-REASON-CODE / 663	NOT_DECLARED
SC-12475	Response deferred	Supplemental Entity — ENT-CONCEPT-663-AUTHENTICATION-DATA-QUALITY-INDICATOR: Authentication Data Quality Indicator: Table ID 042, fixed value field in Additional Information data layout. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6683	ENT-CONCEPT-663-AUTHENTICATION-DATA-QUALITY-INDICATOR / 663	NOT_DECLARED
SC-12476	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-664-AUTHENTICATION-DATA-QUALITY-INDICATOR: Authentication Data Quality Indicator: Indicates whether a transaction meets Visa Secure Data Authentication Data Quality / supplemental_entity	REQ-SRC-ATL105-PDF-001:6684	ENT-CONCEPT-664-AUTHENTICATION-DATA-QUALITY-INDICATOR / 664	NOT_DECLARED
SC-12477	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-664-TOKEN-UPDATE-FIRST-USE-INDICATOR: Token Update First Use Indicator: Indicates first use of network token since PAN or expiration date update in Digital Cr / supplemental_entity	REQ-SRC-ATL105-PDF-001:6685	ENT-CONCEPT-664-TOKEN-UPDATE-FIRST-USE-INDICATOR / 664	NOT_DECLARED
SC-12478	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-665-MERCHANT-TRAN-ID: Merchant Transaction ID: Table ID 044, merchant-assigned transaction ID for Visa e-commerce/card-on-file tokens. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6686	ENT-CONCEPT-665-MERCHANT-TRANSACTION-ID / 665	NOT_DECLARED
SC-12479	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-665-APPLIED-SPECIAL-SERVICE: Applied Special Service: Table ID 045, identifies if merchant used eligible authentication or data sharing method. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6687	ENT-CONCEPT-665-APPLIED-SPECIAL-SERVICE / 665	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12480	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-665-VOYAGER-RESTRICTION-CODE: Voyager Restriction Code: Table ID 046, contains product restriction from Voyager in unspecified format. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6688	ENT-CONCEPT-665-VOYAGER-RESTRICT ION-CODE / 665	NOT_DECLARED
SC-12481	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-665-VISA-CATEGORY-CODE: Visa Category Code: Field header introduced at page end; body text not present on this page. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6689	ENT-CONCEPT-665-VISA-CATEGORY-C ODE / 665	NOT_DECLARED
SC-12482	Response deferred	Supplemental Entity — ENT-CONCEPT-666-VISA-DECLINED-RESPONSE-CATEGORY-CODE: Visa Declined Response Category Code: One-byte field indicating category of a Visa 'declined' response code. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6690	ENT-CONCEPT-666-VISA-DECLINED-RE SPONSE-CATEGORY-CODE / 666	NOT_DECLARED
SC-12484	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-692-INDEX: Index: Identifies the Certification Authority Public Key in conjunction with the RID. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6692	ENT-CONCEPT-692-INDEX / 692	NOT_DECLARED
SC-12485	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-692-MODULUS: Modulus: Value of the modulus part of the Certification Authority Public Key. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6693	ENT-CONCEPT-692-MODULUS / 692	NOT_DECLARED
SC-12486	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-692-EXPONENT: Exponent: Value of the exponent part of the Certification Authority Public Key. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6694	ENT-CONCEPT-692-EXPONENT / 692	NOT_DECLARED
SC-12487	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-692-CERTIFICATION-AUTHORITY-PUBLIC-KEY-CHECK-SUM: Certification Authority Public Key Check Sum: Check value calculated via SHA-1 over RID, Index, Modulus, and Exponent. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6695	ENT-CONCEPT-692-CERTIFICATION-AU THORITY-PUBLIC-KEY-CHECK-SUM / 692	NOT_DECLARED
SC-12488	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-694-TABLE-ID: Table ID: Fixed value 001 identifying EMV Table Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6696	ENT-CONCEPT-694-TABLE-ID / 694	NOT_DECLARED
SC-12489	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-694-TABLE-LENGTH: Table Length: Fixed length field for EMV Table Data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6697	ENT-CONCEPT-694-TABLE-LENGTH / 694	NOT_DECLARED
SC-12490	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-694-MAXIMUM-LENGTH: Maximum Length: Len 6 field identifying EMV table data for chip processing when system unable to go online. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6698	ENT-CONCEPT-694-MAXIMUM-LENGTH / 694	NOT_DECLARED
SC-12491	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-695-TABLE-ID: Table ID: Fixed value 002 for Card Authentication Results Code table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6699	ENT-CONCEPT-695-TABLE-ID / 695	NOT_DECLARED
SC-12492	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-695-TABLE-LENGTH: Table Length: Fixed length field for CARC table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6700	ENT-CONCEPT-695-TABLE-LENGTH / 695	NOT_DECLARED
SC-12493	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-695-MAXIMUM-LENGTH: Maximum Length: Length 1, identifies CARC value returned by Visa in Bit 44.8 of response. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6701	ENT-CONCEPT-695-MAXIMUM-LENGTH / 695	NOT_DECLARED
SC-12511	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-TERMINAL-CAPABILITIES-AND-CONTACTLESS-PROCESSING: Terminal Capabilities and Contactless Processing: Table of Terminal Capabilities and Contactless Processing Flags requir / supplemental_entity	REQ-SRC-ATL105-PDF-001:6719	ENT-CONCEPT-699-TERMINAL-CAPABIL ITIES-AND-CONTACTLESS-PROCESSING / 699	NOT_DECLARED
SC-12512	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-SPDH-HEADER-TABLE-DATA: SPDH Header Table Data: Composite field containing Device Type, Transmission Number, Terminal ID, Filler, Clerk ID, Date / supplemental_entity	REQ-SRC-ATL105-PDF-001:6720	ENT-CONCEPT-699-SPDH-HEADER-TAB LE-DATA / 699	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12513	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-MONERIS-TERMINAL-ID-TABLE: Moneris Terminal ID Table: Table containing Moneris Terminal ID as provided by Moneris. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6721	ENT-CONCEPT-699-MONERIS-TERMINAL-ID-TABLE / 699	NOT_DECLARED
SC-12514	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-DEVICE-TYPE: Device Type: Alphanumeric sub-field within SPDH Header table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6722	ENT-CONCEPT-699-DEVICE-TYPE / 699	NOT_DECLARED
SC-12515	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-TRANSMISSION-NUMBER: Transmission Number: Numeric sub-field within SPDH Header table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6723	ENT-CONCEPT-699-TRANSMISSION-NUMBER / 699	NOT_DECLARED
SC-12516	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-FILLER: Filler: Alphanumeric filler sub-field within SPDH Header table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6724	ENT-CONCEPT-699-FILLER / 699	NOT_DECLARED
SC-12517	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-LOCAL-DATE-TIME: Local Date/Time: Alphanumeric sub-field representing local date and time within SPDH Header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6725	ENT-CONCEPT-699-LOCAL-DATE-TIME / 699	NOT_DECLARED
SC-12518	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-MESSAGE-TYPE: Message Type: Alphanumeric sub-field indicating message type within SPDH Header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6726	ENT-CONCEPT-699-MESSAGE-TYPE / 699	NOT_DECLARED
SC-12519	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-MESSAGE-SUBTYPE: Message Subtype: Alphanumeric sub-field indicating message subtype within SPDH Header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6727	ENT-CONCEPT-699-MESSAGE-SUBTYPE / 699	NOT_DECLARED
SC-12520	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-TRANSACTION-CODE: Transaction Code: Numeric sub-field representing transaction code within SPDH Header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6728	ENT-CONCEPT-699-TRANSACTION-CODE / 699	NOT_DECLARED
SC-12521	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-699-PROCESSING-FLAGS: Processing Flags: Numeric sub-field representing processing flags within SPDH Header. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6729	ENT-CONCEPT-699-PROCESSING-FLAGS / 699	NOT_DECLARED
SC-12522	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-700-ENCRYPTION-KEY: Encryption Key: Table data with key indicators and up to three 16-byte keys for Moneris. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6730	ENT-CONCEPT-700-ENCRYPTION-KEY / 700	NOT_DECLARED
SC-12523	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-ID-SITE-LANGUAGE: Table ID (Site Language): Fixed value 001 identifying the Site Language table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6731	ENT-CONCEPT-701-TABLE-ID-SITE-LANGUAGE / 701	NOT_DECLARED
SC-12524	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-LENGTH-SITE-LANGUAGE: Table Length (Site Language): Fixed value 003 representing length of Site Language table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6732	ENT-CONCEPT-701-TABLE-LENGTH-SITE-LANGUAGE / 701	NOT_DECLARED
SC-12525	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-DATA-SITE-LANGUAGE: Table Data (Site Language): ISO 639-2 language code associated with this terminal. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6733	ENT-CONCEPT-701-TABLE-DATA-SITE-LANGUAGE / 701	NOT_DECLARED
SC-12526	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-ID-POSTAL-CODE: Table ID (Postal Code): Fixed value 002 identifying the Postal Code table. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6734	ENT-CONCEPT-701-TABLE-ID-POSTAL-CODE / 701	NOT_DECLARED
SC-12527	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-LENGTH-POSTAL-CODE: Table Length (Postal Code): Fixed value 013 representing length of Postal Code table data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6735	ENT-CONCEPT-701-TABLE-LENGTH-POSTAL-CODE / 701	NOT_DECLARED
SC-12528	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-701-TABLE-DATA-POSTAL-CODE: Table Data (Postal Code): Identifies the 13 character international postal code for the device. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6736	ENT-CONCEPT-701-TABLE-DATA-POSTAL-CODE / 701	NOT_DECLARED
SC-12529	Transaction unresolved	Supplemental Entity — ENT-CONCEPT-704-SAFEKEY-DATA: SafeKey Data: SafeKey data sent with indicator 'SK' followed by 56 bytes base64 formatted data. / supplemental_entity	REQ-SRC-ATL105-PDF-001:6737	ENT-CONCEPT-704-SAFEKEY-DATA / 704	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12530	Response deferred	Narrative Rule — ENT-ELEM-1: Access Code must contain one or more B characters to indicate a longer than standard pause. / narrative_rule	REQ-SRC-ATL105-PDF-001:6738	ENT-ELEM-1 / 355	NOT_DECLARED
SC-12533	Response deferred	Narrative Rule — ENT-ELEM-6: Approved Amount must not equal the requested amount. / narrative_rule	REQ-SRC-ATL105-PDF-001:6741	ENT-ELEM-6 / 361	NOT_DECLARED
SC-12536	Response deferred	Narrative Rule — ENT-ELEM-14: Card Type must be a valid Card Type code. / narrative_rule	REQ-SRC-ATL105-PDF-001:6744	ENT-ELEM-14 / 367	NOT_DECLARED
SC-12539	Response deferred	Narrative Rule — ENT-ELEM-21: Current Date must originate at BUYPASS. / narrative_rule	REQ-SRC-ATL105-PDF-001:6747	ENT-ELEM-21 / 369	NOT_DECLARED
SC-12540	Response deferred	Narrative Rule — ENT-ELEM-22: Current Time must include adjustments for time zone. / narrative_rule	REQ-SRC-ATL105-PDF-001:6748	ENT-ELEM-22 / 370	NOT_DECLARED
SC-12541	Response deferred	Narrative Rule — ENT-ELEM-23: Device must start settlement procedure 30 minutes prior to merchant's cut time when using automatic cut time and settle / narrative_rule	REQ-SRC-ATL105-PDF-001:6749	ENT-ELEM-23 / 370	NOT_DECLARED
SC-12542	Response deferred	Narrative Rule — ENT-ELEM-24: Data Type Indicator must be present when used for TransArmor PKI Encryption and Tokenization. / narrative_rule	REQ-SRC-ATL105-PDF-001:6750	ENT-ELEM-24 / 371	NOT_DECLARED
SC-12543	Response deferred	Narrative Rule — ENT-ELEM-25: Day of the Week must originate at BUYPASS. / narrative_rule	REQ-SRC-ATL105-PDF-001:6751	ENT-ELEM-25 / 371	NOT_DECLARED
SC-12544	Transaction unresolved	Narrative Rule — ENT-ELEM-26: Decline Code must be defined by BUYPASS. / narrative_rule	REQ-SRC-ATL105-PDF-001:6752	ENT-ELEM-26 / 372	NOT_DECLARED
SC-12545	Response deferred	Narrative Rule — ENT-ELEM-28: Dial String Type must equal fixed value 1. / narrative_rule	REQ-SRC-ATL105-PDF-001:6753	ENT-ELEM-28 / 373	NOT_DECLARED
SC-12546	Response deferred	Narrative Rule — ENT-ELEM-30: Download Indicator must indicate device needs to update Key ID/Key when required for TransArmor PKI Encryption and Token / narrative_rule	REQ-SRC-ATL105-PDF-001:6754	ENT-ELEM-30 / 373	NOT_DECLARED
SC-12549	Response deferred	Narrative Rule — ENT-ELEM-34: End-of-Data Indicator must be used in the Merchant Data Segment (No. DL1). / narrative_rule	REQ-SRC-ATL105-PDF-001:6757	ENT-ELEM-34 / 375	NOT_DECLARED
SC-12550	Transaction unresolved	Narrative Rule — ENT-ELEM-35: End-of-Load Indicator must be used in the Table Load Response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6758	ENT-ELEM-35 / 376	NOT_DECLARED
SC-12556	Response deferred	Narrative Rule — ENT-ELEM-45: Initiation Date must be calculated using the BUYPASS system clock. / narrative_rule	REQ-SRC-ATL105-PDF-001:6764	ENT-ELEM-45 / 380	NOT_DECLARED
SC-12557	Response deferred	Narrative Rule — ENT-ELEM-46: Initiation Time must be calculated using the BUYPASS system clock. / narrative_rule	REQ-SRC-ATL105-PDF-001:6765	ENT-ELEM-46 / 380	NOT_DECLARED
SC-12561	Response deferred	Narrative Rule — ENT-ELEM-54: Merchant Phone Number must be used in Data Segment No. DL1, Merchant Data Segment. / narrative_rule	REQ-SRC-ATL105-PDF-001:6769	ENT-ELEM-54 / 383	NOT_DECLARED
SC-12563	Response deferred	Narrative Rule — ENT-ELEM-57: New Software Version must be used in the Software Dial Load Data Segment (No. DL4). / narrative_rule	REQ-SRC-ATL105-PDF-001:6771	ENT-ELEM-57 / 385	NOT_DECLARED
SC-12571	Response deferred	Narrative Rule — ENT-ELEM-75: Transaction dialing must begin with the primary Phone Number. / narrative_rule	REQ-SRC-ATL105-PDF-001:6779	ENT-ELEM-75 / 392	NOT_DECLARED
SC-12580	Response deferred	Narrative Rule — ENT-ELEM-91: Software Load Phone Number must be used in the Software Dial Load Data Segment (No. DL4). / narrative_rule	REQ-SRC-ATL105-PDF-001:6788	ENT-ELEM-91 / 405	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12581	Response deferred	Narrative Rule — ENT-ELEM-94: Software Load Type must be used in the Software Dial Load Data Segment (No. DL4). / narrative_rule	REQ-SRC-ATL105-PDF-001:6789	ENT-ELEM-94 / 406	NOT_DECLARED
SC-12582	Response deferred	Narrative Rule — ENT-ELEM-95: Software Terminal Record ID must be used in the Software Dial Load Data Segment (No. DL4). / narrative_rule	REQ-SRC-ATL105-PDF-001:6790	ENT-ELEM-95 / 407	NOT_DECLARED
SC-12584	Response deferred	Narrative Rule — ENT-ELEM-98: Store Number must not be displayed when the data is masked by all asterisks. / narrative_rule	REQ-SRC-ATL105-PDF-001:6792	ENT-ELEM-98 / 408	NOT_DECLARED
SC-12586	Response deferred	Narrative Rule — ENT-ELEM-101: Terminal Display/Printer Message must print exactly what is sent. / narrative_rule	REQ-SRC-ATL105-PDF-001:6794	ENT-ELEM-101 / 409	NOT_DECLARED
SC-12596	Response deferred	Narrative Rule — ENT-ELEM-114: Software Load IP/URL Address must be used in the Software IP Load Data Segment (No. DL5). / narrative_rule	REQ-SRC-ATL105-PDF-001:6804	ENT-ELEM-114 / 424	NOT_DECLARED
SC-12597	Response deferred	Narrative Rule — ENT-ELEM-115: Additional Information Data Segment Flag must be used in the Financial Transaction Response / narrative_rule	REQ-SRC-ATL105-PDF-001:6805	ENT-ELEM-115 / 424	NOT_DECLARED
SC-12598	Response deferred	Narrative Rule — ENT-ELEM-116: Additional Information Indicator must initiate transmittal of balance information (001) in a Financial Transaction Respo / narrative_rule	REQ-SRC-ATL105-PDF-001:6806	ENT-ELEM-116 / 426	NOT_DECLARED
SC-12599	Response deferred	Narrative Rule — ENT-ELEM-117: Additional Information Length must be used in the Additional Information Data Segment (No. 112). / narrative_rule	REQ-SRC-ATL105-PDF-001:6807	ENT-ELEM-117 / 429	NOT_DECLARED
SC-12600	Response deferred	Narrative Rule — ENT-ELEM-118: Additional Information must contain gift card, EBT card, credit card, or phone card balance information when Additional / narrative_rule	REQ-SRC-ATL105-PDF-001:6808	ENT-ELEM-118 / 429	NOT_DECLARED
SC-12614	Transaction unresolved	Narrative Rule — ENT-ELEM-155: Key ID must be required in the TransArmor Load Response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6822	ENT-ELEM-155 / 452	NOT_DECLARED
SC-12615	Transaction unresolved	Narrative Rule — ENT-ELEM-156: Key Data Length must be required in the TransArmor Load Response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6823	ENT-ELEM-156 / 452	NOT_DECLARED
SC-12616	Transaction unresolved	Narrative Rule — ENT-ELEM-157: Key Data must be required in the TransArmor Load Response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6824	ENT-ELEM-157 / 453	NOT_DECLARED
SC-12625	Response deferred	Narrative Rule — ENT-ELEM-166: Start Time or End Time must appear in Proprietary Data Load Segment 118. / narrative_rule	REQ-SRC-ATL105-PDF-001:6833	ENT-ELEM-166 / 460	NOT_DECLARED
SC-12640	Transaction unresolved	Narrative Rule — ENT-ELEM-183: Card BIN Range, Beginning must appear in Proprietary Load Response Data, Prompt Code 904. / narrative_rule	REQ-SRC-ATL105-PDF-001:6848	ENT-ELEM-183 / 468	NOT_DECLARED
SC-12641	Transaction unresolved	Narrative Rule — ENT-ELEM-184: Card BIN Range, Ending must appear in Proprietary Load Response Data, Prompt Code 904. / narrative_rule	REQ-SRC-ATL105-PDF-001:6849	ENT-ELEM-184 / 469	NOT_DECLARED
SC-12642	Transaction unresolved	Narrative Rule — ENT-ELEM-185: Discount Quantity Limit must appear in Proprietary Load Response Data, Prompt Code 904. / narrative_rule	REQ-SRC-ATL105-PDF-001:6850	ENT-ELEM-185 / 469	NOT_DECLARED
SC-12643	Transaction unresolved	Narrative Rule — ENT-ELEM-186: Discount Program Description must appear in Proprietary Load Response Data, Prompt Code 904. / narrative_rule	REQ-SRC-ATL105-PDF-001:6851	ENT-ELEM-186 / 469	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-12653	Response deferred	Narrative Rule — ENT-ELEM-198: Settlement Type must be present in the Common AID EMV and non-traditional Signature Debit Financial Transaction Response / narrative_rule	REQ-SRC-ATL105-PDF-001:6861	ENT-ELEM-198 / 476	NOT_DECLARED
SC-12654	Response deferred	Narrative Rule — ENT-ELEM-199: Signature Required must be present in the Common AID EMV and non-traditional Signature Debit Financial Transaction Respo / narrative_rule	REQ-SRC-ATL105-PDF-001:6862	ENT-ELEM-199 / 477	NOT_DECLARED
SC-12655	Response deferred	Narrative Rule — ENT-ELEM-200: Receipt Card Description must be present in the Common AID EMV and non-traditional Signature Debit Financial Transaction / narrative_rule	REQ-SRC-ATL105-PDF-001:6863	ENT-ELEM-200 / 477	NOT_DECLARED
SC-12659	Transaction unresolved	Narrative Rule — ENT-ELEM-205: Load Subtype must appear in the Moneris Key Load Request. / narrative_rule	REQ-SRC-ATL105-PDF-001:6867	ENT-ELEM-205 / 480	NOT_DECLARED
SC-12660	Transaction unresolved	Narrative Rule — ENT-ELEM-206: SPDH Header must appear in the Moneris Key Load request message. / narrative_rule	REQ-SRC-ATL105-PDF-001:6868	ENT-ELEM-206 / 480	NOT_DECLARED
SC-12661	Transaction unresolved	Narrative Rule — ENT-ELEM-207: Moneris Terminal Identifier must be obtained from Moneris during terminal initialization. / narrative_rule	REQ-SRC-ATL105-PDF-001:6869	ENT-ELEM-207 / 480	NOT_DECLARED
SC-12662	Transaction unresolved	Narrative Rule — ENT-ELEM-208: Moneris Merchant ID must be obtained from Moneris during terminal initialization. / narrative_rule	REQ-SRC-ATL105-PDF-001:6870	ENT-ELEM-208 / 481	NOT_DECLARED
SC-12663	Transaction unresolved	Narrative Rule — ENT-ELEM-209: Moneris Response Code must be obtained from Moneris in the transaction response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6871	ENT-ELEM-209 / 481	NOT_DECLARED
SC-12664	Transaction unresolved	Narrative Rule — ENT-ELEM-210: MAC must be sent in the transaction request for Moneris debit transactions. / narrative_rule	REQ-SRC-ATL105-PDF-001:6872	ENT-ELEM-210 / 481	NOT_DECLARED
SC-12665	Transaction unresolved	Narrative Rule — ENT-ELEM-211: Moneris Key Indicators must be set based on presence of keys in transaction response. / narrative_rule	REQ-SRC-ATL105-PDF-001:6873	ENT-ELEM-211 / 481	NOT_DECLARED
SC-12666	Transaction unresolved	Narrative Rule — ENT-ELEM-212: Moneris Key Data must include one iteration for each "Y" in Moneris Key Indicators. / narrative_rule	REQ-SRC-ATL105-PDF-001:6874	ENT-ELEM-212 / 482	NOT_DECLARED
SC-12678	Response deferred	Narrative Rule — ENT-ELEM-240: Segment must be returned to the terminal during response when WEX Available Product Fleet Indicator is set to '4' during / narrative_rule	REQ-SRC-ATL105-PDF-001:6886	ENT-ELEM-240 / 491	NOT_DECLARED
SC-1849	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1850	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1851	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=102, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1852	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=103, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-1853	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=104, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1854	Response deferred	Positive — Financial Transaction Response — Segment Length=(No. 123), Segment Type=105, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1855	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1856	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1857	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1858	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1859	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1860	Response deferred	Positive — Financial Transaction Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1861	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1862	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1863	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1864	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1865	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-1866	Response deferred	Positive — Financial Transaction Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1867	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1868	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1869	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1870	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1871	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1872	Response deferred	Positive — Financial Transaction Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1873	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1874	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1875	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1876	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1877	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1878	Response deferred	Positive — Financial Transaction Response — Segment Length=111), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-1879	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1880	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1881	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1882	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1883	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1884	Response deferred	Positive — Financial Transaction Response — Segment Length=157), Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1885	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1886	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1887	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1888	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1889	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1890	Response deferred	Positive — Financial Transaction Response — Segment Length=Data Length Data Segment, Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1891	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=100, Signature Required=F / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-1892	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=101, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1893	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=102, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1894	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=103, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1895	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=104, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1896	Response deferred	Positive — Financial Transaction Response — Segment Length=®, Segment Type=105, Signature Required=T / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1897	Response deferred	Positive — Financial Transaction Response — Segment Type=100, Signature Required=T, Segment Length=Data Length Data Segment / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-1898	Response deferred	Positive — Financial Transaction Response — Segment Type=101, Signature Required=F, Segment Length=Data Length Data Segment / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:214	No rule / No page	FAIL
SC-2593	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0001, Information Byte=0, Prompt Code, Pending=0901, Segment Length=(No. 123), Segment Type=100, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2594	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0002, Information Byte=1, Prompt Code, Pending=0902, Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2595	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0003, Information Byte=?, Prompt Code, Pending=0904, Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=102, Sequence Number=the ATL105 message format / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2596	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0004, Prompt Code, Pending=0981, Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103, Information Byte=0, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2597	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0005, Segment Length=111), Segment Type=104, Prompt Code, Pending=0901, Information Byte=0, Sequence Number=the ATL105 message format / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2598	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Card Table Type=0006, Segment Length=157), Segment Type=105, Prompt Code, Pending=0901, Information Byte=0, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2599	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Segment Length=Data Length Data Segment, Card Table Type=0001, Prompt Code, Pending=0902, Information Byte=0, Segment Type=101, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2600	Response deferred	Positive — Proprietary Data Load Response — Block Number=000, Segment Length=®, Card Table Type=0001, Prompt Code, Pending=0904, Information Byte=0, Segment Type=102, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2601	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0001, Information Byte=0, Prompt Code, Pending=0901, Segment Length=(No. 123), Segment Type=100, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2602	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0002, Information Byte=1, Prompt Code, Pending=0902, Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2603	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0003, Information Byte=?, Prompt Code, Pending=0904, Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=102, Sequence Number=the ATL105 message format / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2604	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0004, Prompt Code, Pending=0981, Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103, Information Byte=1, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2605	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0005, Segment Length=111), Segment Type=104, Prompt Code, Pending=0902, Information Byte=1, Sequence Number=the ATL105 message format / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2606	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Card Table Type=0006, Segment Length=157), Segment Type=105, Prompt Code, Pending=0902, Information Byte=1, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2607	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Segment Length=Data Length Data Segment, Card Table Type=0001, Prompt Code, Pending=0981, Information Byte=1, Segment Type=100, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2608	Response deferred	Positive — Proprietary Data Load Response — Block Number=001, Segment Length=®, Card Table Type=0002, Prompt Code, Pending=0901, Information Byte=0, Segment Type=100, Sequence Number=100000-199999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2609	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0002, Prompt Code, Pending=0904, Information Byte=0, Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=100, Sequence Number=000001-999999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2610	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0002, Prompt Code, Pending=0981, Information Byte=0, Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=100, Sequence Number=000001-999999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2611	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0003, Prompt Code, Pending=0901, Information Byte=0, Segment Length=(No. 123), Segment Type=101, Sequence Number=100000-199999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2612	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0003, Prompt Code, Pending=0902, Information Byte=1, Segment Length=(No. 123), Segment Type=102, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2613	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0003, Prompt Code, Pending=0981, Information Byte=1, Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=101, Sequence Number=100000-199999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2614	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0004, Prompt Code, Pending=0901, Information Byte=1, Segment Length=®, Segment Type=101, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2615	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0004, Prompt Code, Pending=0902, Information Byte=?, Segment Length=(No. 123), Segment Type=100, Sequence Number=000001-999999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2616	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0004, Prompt Code, Pending=0904, Information Byte=1, Segment Length=(No. 123), Segment Type=103, Block Number=000, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2617	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0005, Prompt Code, Pending=0904, Information Byte=?, Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101, Sequence Number=100000-199999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2618	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0005, Prompt Code, Pending=0981, Information Byte=?, Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2619	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0006, Prompt Code, Pending=0904, Information Byte=?, Segment Length=111), Segment Type=104, Sequence Number=000001-999999, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2620	Response deferred	Positive — Proprietary Data Load Response — Card Table Type=0006, Prompt Code, Pending=0981, Information Byte=?, Segment Length=157), Segment Type=105, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2621	Response deferred	Positive — Proprietary Data Load Response — Information Byte=?, Card Table Type=0001, Prompt Code, Pending=0901, Segment Length=Data Length Data Segment, Segment Type=102, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2622	Response deferred	Positive — Proprietary Data Load Response — Information Byte=?, Card Table Type=0002, Segment Length=®, Prompt Code, Pending=0902, Segment Type=103, Sequence Number=the ATL105 message format, Block Number=000 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2623	Response deferred	Positive — Proprietary Data Load Response — Segment Length=(No. 123), Card Table Type=0002, Prompt Code, Pending=0981, Segment Type=104, Sequence Number=100000-199999, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2624	Response deferred	Positive — Proprietary Data Load Response — Segment Length=(No. 123), Card Table Type=0005, Segment Type=105, Prompt Code, Pending=0904, Sequence Number=000001-999999, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2625	Response deferred	Positive — Proprietary Data Load Response — Segment Length=(No. 123), Card Table Type=0006, Segment Type=100, Sequence Number=the ATL105 message format, Block Number=000, Information Byte=?, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2626	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-1009 Print Data Segment (No. 115), Card Table Type=0001, Prompt Code, Pending=0901, Segment Type=102, Sequence Number=the ATL105 message format, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2627	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-1009 Print Data Segment (No. 115), Card Table Type=0003, Prompt Code, Pending=0981, Segment Type=103, Sequence Number=000001-999999, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2628	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-1009 Print Data Segment (No. 115), Card Table Type=0004, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2629	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-1009 Print Data Segment (No. 115), Card Table Type=0006, Segment Type=105, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2630	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-409 Totals Data Segment (No. 105), Card Table Type=0001, Prompt Code, Pending=0901, Segment Type=103, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2631	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-409 Totals Data Segment (No. 105), Card Table Type=0004, Prompt Code, Pending=0902, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2632	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-409 Totals Data Segment (No. 105), Card Table Type=0005, Segment Type=105, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2633	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-409 Totals Data Segment (No. 105), Card Table Type=0006, Segment Type=101, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2634	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-61 Fleet Data Segment (No. 101), Card Table Type=0001, Prompt Code, Pending=0901, Segment Type=100, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2635	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-61 Fleet Data Segment (No. 101), Card Table Type=0002, Prompt Code, Pending=0902, Segment Type=101, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2636	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-61 Fleet Data Segment (No. 101), Card Table Type=0003, Prompt Code, Pending=0904, Segment Type=102, Sequence Number=100000-199999, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2637	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-61 Fleet Data Segment (No. 101), Card Table Type=0006, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2638	Response deferred	Positive — Proprietary Data Load Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=105, Card Table Type=0001, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2639	Response deferred	Positive — Proprietary Data Load Response — Segment Length=111), Card Table Type=0001, Prompt Code, Pending=0981, Segment Type=100, Sequence Number=100000-199999, Block Number=000, Information Byte=? / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2640	Response deferred	Positive — Proprietary Data Load Response — Segment Length=111), Card Table Type=0002, Segment Type=101, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2641	Response deferred	Positive — Proprietary Data Load Response — Segment Length=111), Card Table Type=0003, Segment Type=102, Prompt Code, Pending=0981, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2642	Response deferred	Positive — Proprietary Data Load Response — Segment Length=111), Card Table Type=0004, Segment Type=103, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2643	Response deferred	Positive — Proprietary Data Load Response — Segment Length=111), Segment Type=105, Card Table Type=0002, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2644	Response deferred	Positive — Proprietary Data Load Response — Segment Length=157), Card Table Type=0001, Prompt Code, Pending=0904, Segment Type=100, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2645	Response deferred	Positive — Proprietary Data Load Response — Segment Length=157), Card Table Type=0002, Segment Type=101, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2646	Response deferred	Positive — Proprietary Data Load Response — Segment Length=157), Card Table Type=0003, Segment Type=102, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2647	Response deferred	Positive — Proprietary Data Load Response — Segment Length=157), Card Table Type=0004, Segment Type=103, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2648	Response deferred	Positive — Proprietary Data Load Response — Segment Length=157), Card Table Type=0005, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2649	Response deferred	Positive — Proprietary Data Load Response — Segment Length=Data Length Data Segment, Card Table Type=0002, Prompt Code, Pending=0904, Segment Type=103, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2650	Response deferred	Positive — Proprietary Data Load Response — Segment Length=Data Length Data Segment, Card Table Type=0003, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2651	Response deferred	Positive — Proprietary Data Load Response — Segment Length=Data Length Data Segment, Card Table Type=0004, Segment Type=105, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2652	Response deferred	Positive — Proprietary Data Load Response — Segment Length=Data Length Data Segment, Card Table Type=0005, Segment Type=100, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2653	Response deferred	Positive — Proprietary Data Load Response — Segment Length=Data Length Data Segment, Card Table Type=0006, Segment Type=102, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2654	Response deferred	Positive — Proprietary Data Load Response — Segment Length=®, Card Table Type=0003, Prompt Code, Pending=0981, Segment Type=104, Block Number=000, Information Byte=?, Sequence Number=000001-999999 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2655	Response deferred	Positive — Proprietary Data Load Response — Segment Length=®, Card Table Type=0005, Segment Type=105, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2656	Response deferred	Positive — Proprietary Data Load Response — Segment Length=®, Card Table Type=0006, Segment Type=103, Block Number=000, Information Byte=?, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2657	Response deferred	Positive — Proprietary Data Load Response — Segment Type=100, Card Table Type=0003, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2658	Response deferred	Positive — Proprietary Data Load Response — Segment Type=102, Card Table Type=0002, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2659	Response deferred	Positive — Proprietary Data Load Response — Segment Type=102, Card Table Type=0004, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2660	Response deferred	Positive — Proprietary Data Load Response — Segment Type=102, Card Table Type=0005, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2661	Response deferred	Positive — Proprietary Data Load Response — Segment Type=104, Card Table Type=0001, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2662	Response deferred	Positive — Proprietary Data Load Response — Segment Type=105, Card Table Type=0003, Block Number=000, Information Byte=?, Segment Length=Data Length Data Segment, Sequence Number=000001-999999, Prompt Code, Pending=0901 / positive	REQ-SRC-ATL105-PDF-001:011 REQ-SRC-ATL105-PDF-001:052 REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095 REQ-SRC-ATL105-PDF-001:097 REQ-SRC-ATL105-PDF-001:198 REQ-SRC-ATL105-PDF-001:199	No rule / No page	FAIL
SC-2843	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2844	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2845	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2846	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2847	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2848	Response deferred	Positive — Totals Response — Segment Length=(No. 123), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2849	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2850	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2851	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2852	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2853	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2854	Response deferred	Positive — Totals Response — Segment Length=001-1009 Print Data Segment (No. 115), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2855	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2856	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2857	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2858	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2859	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2860	Response deferred	Positive — Totals Response — Segment Length=001-409 Totals Data Segment (No. 105), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2861	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2862	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2863	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2864	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2865	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2866	Response deferred	Positive — Totals Response — Segment Length=001-61 Fleet Data Segment (No. 101), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2867	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2868	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2869	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2870	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2871	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2872	Response deferred	Positive — Totals Response — Segment Length=111), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2873	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2874	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-2875	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2876	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2877	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2878	Response deferred	Positive — Totals Response — Segment Length=157), Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2879	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2880	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2881	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2882	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2883	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2884	Response deferred	Positive — Totals Response — Segment Length=Data Length Data Segment, Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2885	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=100 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2886	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=101 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2887	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=102 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2888	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=103 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2889	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=104 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-2890	Response deferred	Positive — Totals Response — Segment Length=®, Segment Type=105 / positive	REQ-SRC-ATL105-PDF-001:093 REQ-SRC-ATL105-PDF-001:095	No rule / No page	FAIL
SC-3071	Response deferred	Negative — Date & Time Load Response — Password violates: value exceeds documented max length (7 bytes, limit is 6) / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-3072	Response deferred	Negative — Date & Time Load Response — Password violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	PASS
SC-3073	Response deferred	Negative — Date & Time Load Response — Password violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	PASS
SC-3074	Response deferred	Negative — Date & Time Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3598	ENT-FIELD-DL1-1 / No page	PASS
SC-3075	Response deferred	Negative — Date & Time Load Response — Merchant Name violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3599	ENT-FIELD-DL1-2 / No page	PASS
SC-3076	Response deferred	Negative — Date & Time Load Response — Store Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3600	ENT-FIELD-DL1-3 / No page	PASS
SC-3077	Response deferred	Negative — Date & Time Load Response — Address Line 1 violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3601	ENT-FIELD-DL1-4 / No page	PASS
SC-3078	Response deferred	Negative — Date & Time Load Response — Address Line 2 violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3602	ENT-FIELD-DL1-5 / No page	PASS
SC-3079	Response deferred	Negative — Date & Time Load Response — Merchant Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3603	ENT-FIELD-DL1-6 / No page	PASS
SC-3080	Response deferred	Negative — Date & Time Load Response — Number of Card Types violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3604	ENT-FIELD-DL1-7 / No page	PASS
SC-3081	Response deferred	Negative — Date & Time Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3605	ENT-FIELD-DL2-1 / No page	FAIL
SC-3082	Response deferred	Negative — Date & Time Load Response — Dial String Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3606	ENT-FIELD-DL2-2 / No page	FAIL
SC-3083	Response deferred	Negative — Date & Time Load Response — Redial Count violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3608	ENT-FIELD-DL2-3 / No page	FAIL
SC-3084	Response deferred	Negative — Date & Time Load Response — Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3612	ENT-FIELD-DL2-6 / No page	FAIL
SC-3085	Response deferred	Negative — Date & Time Load Response — Dial String Terminator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3613	ENT-FIELD-DL2-7 / No page	FAIL
SC-3086	Response deferred	Negative — Date & Time Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3615	ENT-FIELD-DL3-1 / No page	PASS
SC-3087	Response deferred	Negative — Date & Time Load Response — Day of the Week violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3616	ENT-FIELD-DL3-2 / No page	PASS
SC-3088	Response deferred	Negative — Date & Time Load Response — Current Date violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3617	ENT-FIELD-DL3-3 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-3089	Response deferred	Negative — Date & Time Load Response — Current Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3618	ENT-FIELD-DL3-4 / No page	PASS
SC-3090	Response deferred	Negative — Date & Time Load Response — Cut Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3619	ENT-FIELD-DL3-5 / No page	PASS
SC-3091	Response deferred	Negative — Date & Time Load Response — Password violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3620	ENT-FIELD-DL3-6 / No page	PASS
SC-3092	Response deferred	Negative — Date & Time Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3621	ENT-FIELD-DL3-7 / No page	PASS
SC-3093	Response deferred	Negative — Date & Time Load Response — Dial String Type violates: must equal fixed value '1' / negative	REQ-SRC-ATL105-PDF-001:3607	ENT-FIELD-DL2-2 / No page	PASS
SC-3094	Response deferred	Negative — Date & Time Load Response — Pause Indicator violates: must equal fixed value 'B' / negative	REQ-SRC-ATL105-PDF-001:3611	ENT-FIELD-DL2-5 / No page	PASS
SC-3095	Response deferred	Negative — Date & Time Load Response — Dial String Terminator violates: must equal fixed value 'A' / negative	REQ-SRC-ATL105-PDF-001:3614	ENT-FIELD-DL2-7 / No page	PASS
SC-3644	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: value exceeds documented max length (5 bytes, limit is 4) / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-3645	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:093	ENT-ELEM-84 / No page	FAIL
SC-3646	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-3647	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:095	ENT-ELEM-85 / No page	PASS
SC-3648	Response deferred	Negative — EMV Financial Transaction Response — CA Public Key File Checksum violates: value exceeds documented max length (26 bytes, limit is 25) / negative	REQ-SRC-ATL105-PDF-001:200	ENT-ELEM-187 / No page	PASS
SC-3649	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data Length violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS
SC-3650	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data Component Name: Value (ANSB ...255) The data of each Tag/Length/Value combination is up to 255 bytes long, depending on the length of the field specified by the preceding length portion of the sub element. For an example of this data element, please see Appendix R. EMV Chip Data. violates: value exceeds documented max length (1000 bytes, limit is 999) / negative	REQ-SRC-ATL105-PDF-001:204	ENT-ELEM-190 / No page	PASS
SC-3651	Response deferred	Negative — EMV Financial Transaction Response — Settlement Type violates: value exceeds documented max length (2 bytes, limit is 1) / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	FAIL
SC-3652	Response deferred	Negative — EMV Financial Transaction Response — Signature Required violates: value exceeds documented max length (2 bytes, limit is 1) / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-3653	Response deferred	Negative — EMV Financial Transaction Response — Signature Required violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:214	ENT-ELEM-199 / No page	PASS
SC-3654	Response deferred	Negative — EMV Financial Transaction Response — Receipt Card Description violates: value exceeds documented max length (11 bytes, limit is 10) / negative	REQ-SRC-ATL105-PDF-001:215	ENT-ELEM-200 / No page	PASS
SC-3655	Response deferred	Negative — EMV Financial Transaction Response — Moneris Data violates: value exceeds documented max length (101 bytes, limit is 100) / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-3656	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-3657	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-3658	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-3659	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-3660	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS
SC-3661	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS
SC-3662	Response deferred	Negative — EMV Financial Transaction Response — Settlement Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	PASS
SC-3663	Response deferred	Negative — EMV Financial Transaction Response — Settlement Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	PASS
SC-3664	Response deferred	Negative — EMV Financial Transaction Response — Signature Required violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS
SC-3665	Response deferred	Negative — EMV Financial Transaction Response — Signature Required violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS
SC-3666	Response deferred	Negative — EMV Financial Transaction Response — Moneris Data violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-3667	Response deferred	Negative — EMV Financial Transaction Response — Moneris Data violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-3668	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3372	ENT-FIELD-112-1 / No page	PASS
SC-3669	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3374	ENT-FIELD-112-2 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-3670	Response deferred	Negative — EMV Financial Transaction Response — Additional Information Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3375	ENT-FIELD-112-3 / No page	PASS
SC-3671	Response deferred	Negative — EMV Financial Transaction Response — Additional Information Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3376	ENT-FIELD-112-4 / No page	PASS
SC-3672	Response deferred	Negative — EMV Financial Transaction Response — Additional Information violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3377	ENT-FIELD-112-5 / No page	PASS
SC-3673	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3391	ENT-FIELD-115-1 / No page	PASS
SC-3674	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3393	ENT-FIELD-115-2 / No page	PASS
SC-3675	Response deferred	Negative — EMV Financial Transaction Response — Print Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3394	ENT-FIELD-115-3 / No page	PASS
SC-3676	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3430	ENT-FIELD-120-1 / No page	PASS
SC-3677	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3432	ENT-FIELD-120-2 / No page	PASS
SC-3678	Response deferred	Negative — EMV Financial Transaction Response — Print Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3433	ENT-FIELD-120-3 / No page	PASS
SC-3679	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3452	ENT-FIELD-131-1 / No page	PASS
SC-3680	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3454	ENT-FIELD-131-2 / No page	PASS
SC-3681	Response deferred	Negative — EMV Financial Transaction Response — CA Public Key File Checksum violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3455	ENT-FIELD-131-3 / No page	PASS
SC-3682	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3456	ENT-FIELD-131-4 / No page	PASS
SC-3683	Response deferred	Negative — EMV Financial Transaction Response — EMV Chip Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3457	ENT-FIELD-131-5 / No page	PASS
SC-3684	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3470	ENT-FIELD-134-1 / No page	PASS
SC-3685	Response deferred	Negative — EMV Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3472	ENT-FIELD-134-2 / No page	PASS
SC-3686	Response deferred	Negative — EMV Financial Transaction Response — Settlement Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3473	ENT-FIELD-134-3 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-3687	Response deferred	Negative — EMV Financial Transaction Response — Signature Required violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3474	ENT-FIELD-134-4 / No page	PASS
SC-3688	Response deferred	Negative — EMV Financial Transaction Response — Receipt Card Description violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3475	ENT-FIELD-134-5 / No page	PASS
SC-3689	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3480	ENT-FIELD-136-1 / No page	PASS
SC-3690	Response deferred	Negative — EMV Financial Transaction Response — Segment Length Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3482	ENT-FIELD-136-2 / No page	PASS
SC-3691	Response deferred	Negative — EMV Financial Transaction Response — Moneris Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3483	ENT-FIELD-136-3 / No page	PASS
SC-3692	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '112' / negative	REQ-SRC-ATL105-PDF-001:3373	ENT-FIELD-112-1 / No page	PASS
SC-3693	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '115' / negative	REQ-SRC-ATL105-PDF-001:3392	ENT-FIELD-115-1 / No page	PASS
SC-3694	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '120' / negative	REQ-SRC-ATL105-PDF-001:3431	ENT-FIELD-120-1 / No page	PASS
SC-3695	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '131' / negative	REQ-SRC-ATL105-PDF-001:3453	ENT-FIELD-131-1 / No page	PASS
SC-3696	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '134' / negative	REQ-SRC-ATL105-PDF-001:3471	ENT-FIELD-134-1 / No page	PASS
SC-3697	Response deferred	Negative — EMV Financial Transaction Response — Segment Type violates: must equal fixed value '136' / negative	REQ-SRC-ATL105-PDF-001:3481	ENT-FIELD-136-1 / No page	PASS
SC-4480	Response deferred	Negative — Financial Transaction Response — Segment Length violates: value exceeds documented max length (5 bytes, limit is 4) / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	FAIL
SC-4481	Response deferred	Negative — Financial Transaction Response — Segment Length violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:093	ENT-ELEM-84 / No page	PASS
SC-4482	Response deferred	Negative — Financial Transaction Response — Segment Type violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-4483	Response deferred	Negative — Financial Transaction Response — Segment Type violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:095	ENT-ELEM-85 / No page	PASS
SC-4484	Response deferred	Negative — Financial Transaction Response — CA Public Key File Checksum violates: value exceeds documented max length (26 bytes, limit is 25) / negative	REQ-SRC-ATL105-PDF-001:200	ENT-ELEM-187 / No page	FAIL
SC-4485	Response deferred	Negative — Financial Transaction Response — EMV Chip Data Length violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-4486	Response deferred	Negative — Financial Transaction Response — EMV Chip Data Component Name: Value (ANSB ...255) The data of each Tag/Length/Value combination is up to 255 bytes long, depending on the length of the field specified by the preceding length portion of the sub element. For an example of this data element, please see Appendix R. EMV Chip Data. violates: value exceeds documented max length (1000 bytes, limit is 999) / negative	REQ-SRC-ATL105-PDF-001:204	ENT-ELEM-190 / No page	PASS
SC-4487	Response deferred	Negative — Financial Transaction Response — Settlement Type violates: value exceeds documented max length (2 bytes, limit is 1) / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	FAIL
SC-4488	Response deferred	Negative — Financial Transaction Response — Signature Required violates: value exceeds documented max length (2 bytes, limit is 1) / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS
SC-4489	Response deferred	Negative — Financial Transaction Response — Signature Required violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:214	ENT-ELEM-199 / No page	PASS
SC-4490	Response deferred	Negative — Financial Transaction Response — Receipt Card Description violates: value exceeds documented max length (11 bytes, limit is 10) / negative	REQ-SRC-ATL105-PDF-001:215	ENT-ELEM-200 / No page	PASS
SC-4491	Response deferred	Negative — Financial Transaction Response — Moneris Data violates: value exceeds documented max length (101 bytes, limit is 100) / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-4492	Response deferred	Negative — Financial Transaction Response — Enhanced Fleet Data violates: value exceeds documented max length (1000 bytes, limit is 999) / negative	REQ-SRC-ATL105-PDF-001:259	ENT-ELEM-239 / No page	PASS
SC-4493	Response deferred	Negative — Financial Transaction Response — Segment Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-4494	Response deferred	Negative — Financial Transaction Response — Segment Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-4495	Response deferred	Negative — Financial Transaction Response — Segment Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-4496	Response deferred	Negative — Financial Transaction Response — Segment Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-4497	Response deferred	Negative — Financial Transaction Response — EMV Chip Data Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS
SC-4498	Response deferred	Negative — Financial Transaction Response — EMV Chip Data Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	PASS
SC-4499	Response deferred	Negative — Financial Transaction Response — Settlement Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	FAIL
SC-4500	Response deferred	Negative — Financial Transaction Response — Settlement Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	PASS
SC-4501	Response deferred	Negative — Financial Transaction Response — Signature Required violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-4502	Response deferred	Negative — Financial Transaction Response — Signature Required violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	PASS
SC-4503	Response deferred	Negative — Financial Transaction Response — Moneris Data violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-4504	Response deferred	Negative — Financial Transaction Response — Moneris Data violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	PASS
SC-4505	Response deferred	Negative — Financial Transaction Response — Enhanced Fleet Data violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:259	ENT-ELEM-239 / No page	PASS
SC-4506	Response deferred	Negative — Financial Transaction Response — Enhanced Fleet Data violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:259	ENT-ELEM-239 / No page	PASS
SC-4507	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3372	ENT-FIELD-112-1 / No page	PASS
SC-4508	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3374	ENT-FIELD-112-2 / No page	PASS
SC-4509	Response deferred	Negative — Financial Transaction Response — Additional Information Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3375	ENT-FIELD-112-3 / No page	PASS
SC-4510	Response deferred	Negative — Financial Transaction Response — Additional Information Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3376	ENT-FIELD-112-4 / No page	PASS
SC-4511	Response deferred	Negative — Financial Transaction Response — Additional Information violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3377	ENT-FIELD-112-5 / No page	PASS
SC-4512	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3391	ENT-FIELD-115-1 / No page	PASS
SC-4513	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3393	ENT-FIELD-115-2 / No page	PASS
SC-4514	Response deferred	Negative — Financial Transaction Response — Print Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3394	ENT-FIELD-115-3 / No page	PASS
SC-4515	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3430	ENT-FIELD-120-1 / No page	PASS
SC-4516	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3432	ENT-FIELD-120-2 / No page	PASS
SC-4517	Response deferred	Negative — Financial Transaction Response — Print Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3433	ENT-FIELD-120-3 / No page	PASS
SC-4518	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3452	ENT-FIELD-131-1 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-4519	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3454	ENT-FIELD-131-2 / No page	PASS
SC-4520	Response deferred	Negative — Financial Transaction Response — CA Public Key File Checksum violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3455	ENT-FIELD-131-3 / No page	PASS
SC-4521	Response deferred	Negative — Financial Transaction Response — EMV Chip Data Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3456	ENT-FIELD-131-4 / No page	PASS
SC-4522	Response deferred	Negative — Financial Transaction Response — EMV Chip Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3457	ENT-FIELD-131-5 / No page	PASS
SC-4523	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3470	ENT-FIELD-134-1 / No page	PASS
SC-4524	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3472	ENT-FIELD-134-2 / No page	PASS
SC-4525	Response deferred	Negative — Financial Transaction Response — Settlement Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3473	ENT-FIELD-134-3 / No page	PASS
SC-4526	Response deferred	Negative — Financial Transaction Response — Signature Required violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3474	ENT-FIELD-134-4 / No page	PASS
SC-4527	Response deferred	Negative — Financial Transaction Response — Receipt Card Description violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3475	ENT-FIELD-134-5 / No page	PASS
SC-4528	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3480	ENT-FIELD-136-1 / No page	PASS
SC-4529	Response deferred	Negative — Financial Transaction Response — Segment Length Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3482	ENT-FIELD-136-2 / No page	PASS
SC-4530	Response deferred	Negative — Financial Transaction Response — Moneris Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3483	ENT-FIELD-136-3 / No page	PASS
SC-4531	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3551	ENT-FIELD-146-1 / No page	PASS
SC-4532	Response deferred	Negative — Financial Transaction Response — Segment Length Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3553	ENT-FIELD-146-2 / No page	PASS
SC-4533	Response deferred	Negative — Financial Transaction Response — Enhanced Fleet Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3554	ENT-FIELD-146-3 / No page	PASS
SC-4534	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3555	ENT-FIELD-148-1 / No page	PASS
SC-4535	Response deferred	Negative — Financial Transaction Response — Segment Length Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3557	ENT-FIELD-148-2 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-4536	Response deferred	Negative — Financial Transaction Response — Available Product information violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3558	ENT-FIELD-148-3 / No page	PASS
SC-4537	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3573	ENT-FIELD-152-1 / No page	PASS
SC-4538	Response deferred	Negative — Financial Transaction Response — Segment Length Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3575	ENT-FIELD-152-2 / No page	PASS
SC-4539	Response deferred	Negative — Financial Transaction Response — Market Basket Data violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3576	ENT-FIELD-152-3 / No page	PASS
SC-4540	Response deferred	Negative — Financial Transaction Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3581	ENT-FIELD-155-1 / No page	PASS
SC-4541	Response deferred	Negative — Financial Transaction Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3583	ENT-FIELD-155-2 / No page	FAIL
SC-4542	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '112' / negative	REQ-SRC-ATL105-PDF-001:3373	ENT-FIELD-112-1 / No page	PASS
SC-4543	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '115' / negative	REQ-SRC-ATL105-PDF-001:3392	ENT-FIELD-115-1 / No page	PASS
SC-4544	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '120' / negative	REQ-SRC-ATL105-PDF-001:3431	ENT-FIELD-120-1 / No page	PASS
SC-4545	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '131' / negative	REQ-SRC-ATL105-PDF-001:3453	ENT-FIELD-131-1 / No page	PASS
SC-4546	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '134' / negative	REQ-SRC-ATL105-PDF-001:3471	ENT-FIELD-134-1 / No page	PASS
SC-4547	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '136' / negative	REQ-SRC-ATL105-PDF-001:3481	ENT-FIELD-136-1 / No page	PASS
SC-4548	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '146' / negative	REQ-SRC-ATL105-PDF-001:3552	ENT-FIELD-146-1 / No page	PASS
SC-4549	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '148' / negative	REQ-SRC-ATL105-PDF-001:3556	ENT-FIELD-148-1 / No page	PASS
SC-4550	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '152' / negative	REQ-SRC-ATL105-PDF-001:3574	ENT-FIELD-152-1 / No page	PASS
SC-4551	Response deferred	Negative — Financial Transaction Response — Segment Type violates: must equal fixed value '155' / negative	REQ-SRC-ATL105-PDF-001:3582	ENT-FIELD-155-1 / No page	PASS
SC-5040	Response deferred	Negative — Phone Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3605	ENT-FIELD-DL2-1 / No page	FAIL
SC-5041	Response deferred	Negative — Phone Load Response — Dial String Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3606	ENT-FIELD-DL2-2 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5042	Response deferred	Negative — Phone Load Response — Redial Count violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3608	ENT-FIELD-DL2-3 / No page	PASS
SC-5043	Response deferred	Negative — Phone Load Response — Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3612	ENT-FIELD-DL2-6 / No page	PASS
SC-5044	Response deferred	Negative — Phone Load Response — Dial String Terminator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3613	ENT-FIELD-DL2-7 / No page	PASS
SC-5045	Response deferred	Negative — Phone Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3638	ENT-FIELD-DL6-1 / No page	PASS
SC-5046	Response deferred	Negative — Phone Load Response — Start Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3639	ENT-FIELD-DL6-2 / No page	PASS
SC-5047	Response deferred	Negative — Phone Load Response — End Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3640	ENT-FIELD-DL6-3 / No page	PASS
SC-5048	Response deferred	Negative — Phone Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3641	ENT-FIELD-DL6-4 / No page	PASS
SC-5049	Response deferred	Negative — Phone Load Response — Dial String Type violates: must equal fixed value '1' / negative	REQ-SRC-ATL105-PDF-001:3607	ENT-FIELD-DL2-2 / No page	PASS
SC-5050	Response deferred	Negative — Phone Load Response — Pause Indicator violates: must equal fixed value 'B' / negative	REQ-SRC-ATL105-PDF-001:3611	ENT-FIELD-DL2-5 / No page	PASS
SC-5051	Response deferred	Negative — Phone Load Response — Dial String Terminator violates: must equal fixed value 'A' / negative	REQ-SRC-ATL105-PDF-001:3614	ENT-FIELD-DL2-7 / No page	PASS
SC-5093	Response deferred	Negative — Proprietary Data Load Response — Block Number violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:010	ENT-ELEM-11 / No page	PASS
SC-5094	Response deferred	Negative — Proprietary Data Load Response — Block Number violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:011	ENT-ELEM-11 / No page	PASS
SC-5095	Response deferred	Negative — Proprietary Data Load Response — Information Byte violates: value exceeds documented max length (2 bytes, limit is 1) / negative	REQ-SRC-ATL105-PDF-001:051	ENT-ELEM-44 / No page	PASS
SC-5096	Response deferred	Negative — Proprietary Data Load Response — Information Byte violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:052	ENT-ELEM-44 / No page	PASS
SC-5097	Response deferred	Negative — Proprietary Data Load Response — Prompt Code violates: value exceeds documented max length (5 bytes, limit is 4) / negative	REQ-SRC-ATL105-PDF-001:084	ENT-ELEM-78 / No page	PASS
SC-5098	Response deferred	Negative — Proprietary Data Load Response — Segment Length violates: value exceeds documented max length (5 bytes, limit is 4) / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	FAIL
SC-5099	Response deferred	Negative — Proprietary Data Load Response — Segment Length violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:093	ENT-ELEM-84 / No page	PASS
SC-5100	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-5101	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:095	ENT-ELEM-85 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5102	Response deferred	Negative — Proprietary Data Load Response — Sequence Number violates: value exceeds documented max length (7 bytes, limit is 6) / negative	REQ-SRC-ATL105-PDF-001:096	ENT-ELEM-86 / No page	PASS
SC-5103	Response deferred	Negative — Proprietary Data Load Response — Sequence Number violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:097	ENT-ELEM-86 / No page	PASS
SC-5104	Response deferred	Negative — Proprietary Data Load Response — Terminal Identifier violates: value exceeds documented max length (23 bytes, limit is 22) / negative	REQ-SRC-ATL105-PDF-001:115	ENT-ELEM-102 / No page	PASS
SC-5105	Response deferred	Negative — Proprietary Data Load Response — Card Table Type violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:198	ENT-ELEM-174 / No page	PASS
SC-5106	Response deferred	Negative — Proprietary Data Load Response — Prompt Code, Pending violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:199	ENT-ELEM-182 / No page	PASS
SC-5107	Response deferred	Negative — Proprietary Data Load Response — Block Number violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:010	ENT-ELEM-11 / No page	PASS
SC-5108	Response deferred	Negative — Proprietary Data Load Response — Block Number violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:010	ENT-ELEM-11 / No page	PASS
SC-5109	Response deferred	Negative — Proprietary Data Load Response — Information Byte violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:051	ENT-ELEM-44 / No page	PASS
SC-5110	Response deferred	Negative — Proprietary Data Load Response — Information Byte violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:051	ENT-ELEM-44 / No page	PASS
SC-5111	Response deferred	Negative — Proprietary Data Load Response — Prompt Code violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:084	ENT-ELEM-78 / No page	PASS
SC-5112	Response deferred	Negative — Proprietary Data Load Response — Prompt Code violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:084	ENT-ELEM-78 / No page	PASS
SC-5113	Response deferred	Negative — Proprietary Data Load Response — Segment Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-5114	Response deferred	Negative — Proprietary Data Load Response — Segment Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-5115	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-5116	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-5117	Response deferred	Negative — Proprietary Data Load Response — Sequence Number violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:096	ENT-ELEM-86 / No page	PASS
SC-5118	Response deferred	Negative — Proprietary Data Load Response — Sequence Number violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:096	ENT-ELEM-86 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5119	Response deferred	Negative — Proprietary Data Load Response — Terminal Identifier violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:115	ENT-ELEM-102 / No page	PASS
SC-5120	Response deferred	Negative — Proprietary Data Load Response — Terminal Identifier violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:115	ENT-ELEM-102 / No page	PASS
SC-5121	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3395	ENT-FIELD-118-1 / No page	PASS
SC-5122	Response deferred	Negative — Proprietary Data Load Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3397	ENT-FIELD-118-2 / No page	PASS
SC-5123	Response deferred	Negative — Proprietary Data Load Response — Sequence Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3398	ENT-FIELD-118-3 / No page	PASS
SC-5124	Response deferred	Negative — Proprietary Data Load Response — Information Byte violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3399	ENT-FIELD-118-4 / No page	PASS
SC-5125	Response deferred	Negative — Proprietary Data Load Response — Terminal Identifier violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3400	ENT-FIELD-118-5 / No page	PASS
SC-5126	Response deferred	Negative — Proprietary Data Load Response — Prompt Code violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3401	ENT-FIELD-118-6 / No page	PASS
SC-5127	Response deferred	Negative — Proprietary Data Load Response — Prompt Code, Pending violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3402	ENT-FIELD-118-7 / No page	PASS
SC-5128	Response deferred	Negative — Proprietary Data Load Response — Device Card Table Version violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3403	ENT-FIELD-118-8 / No page	PASS
SC-5129	Response deferred	Negative — Proprietary Data Load Response — Card Table Load Version violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3404	ENT-FIELD-118-9 / No page	PASS
SC-5130	Response deferred	Negative — Proprietary Data Load Response — Card Table Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3405	ENT-FIELD-118-10 / No page	PASS
SC-5131	Response deferred	Negative — Proprietary Data Load Response — Load Control Key violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3406	ENT-FIELD-118-11 / No page	PASS
SC-5132	Response deferred	Negative — Proprietary Data Load Response — Host Discount Timestamp violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3407	ENT-FIELD-118-12 / No page	PASS
SC-5133	Response deferred	Negative — Proprietary Data Load Response — Segment Type violates: must equal fixed value '118' / negative	REQ-SRC-ATL105-PDF-001:3396	ENT-FIELD-118-1 / No page	PASS
SC-5134	Response deferred	Negative — Software Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3622	ENT-FIELD-DL4-1 / No page	PASS
SC-5135	Response deferred	Negative — Software Load Response — New Software Version violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3623	ENT-FIELD-DL4-2 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5136	Response deferred	Negative — Software Load Response — Software Terminal Record ID violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3624	ENT-FIELD-DL4-3 / No page	PASS
SC-5137	Response deferred	Negative — Software Load Response — Software Load Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3625	ENT-FIELD-DL4-4 / No page	PASS
SC-5138	Response deferred	Negative — Software Load Response — Software Load Request Date violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3626	ENT-FIELD-DL4-5 / No page	PASS
SC-5139	Response deferred	Negative — Software Load Response — Software Load Request Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3627	ENT-FIELD-DL4-6 / No page	PASS
SC-5140	Response deferred	Negative — Software Load Response — Software Load Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3628	ENT-FIELD-DL4-7 / No page	PASS
SC-5141	Response deferred	Negative — Software Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3629	ENT-FIELD-DL4-8 / No page	PASS
SC-5142	Response deferred	Negative — Software Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3630	ENT-FIELD-DL5-1 / No page	PASS
SC-5143	Response deferred	Negative — Software Load Response — New Software Version violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3631	ENT-FIELD-DL5-2 / No page	PASS
SC-5144	Response deferred	Negative — Software Load Response — Software Terminal Record ID violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3632	ENT-FIELD-DL5-3 / No page	PASS
SC-5145	Response deferred	Negative — Software Load Response — Software Load IP/URL Address violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3633	ENT-FIELD-DL5-4 / No page	PASS
SC-5146	Response deferred	Negative — Software Load Response — Software Load Request Date violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3634	ENT-FIELD-DL5-5 / No page	PASS
SC-5147	Response deferred	Negative — Software Load Response — Software Load Request Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3635	ENT-FIELD-DL5-6 / No page	PASS
SC-5148	Response deferred	Negative — Software Load Response — Software Load Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3636	ENT-FIELD-DL5-7 / No page	PASS
SC-5149	Response deferred	Negative — Software Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3637	ENT-FIELD-DL5-8 / No page	PASS
SC-5150	Response deferred	Negative — Table Load Response — Password violates: value exceeds documented max length (7 bytes, limit is 6) / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	FAIL
SC-5151	Response deferred	Negative — Table Load Response — Password violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	PASS
SC-5152	Response deferred	Negative — Table Load Response — Password violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5153	Response deferred	Negative — Table Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3598	ENT-FIELD-DL1-1 / No page	PASS
SC-5154	Response deferred	Negative — Table Load Response — Merchant Name violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3599	ENT-FIELD-DL1-2 / No page	PASS
SC-5155	Response deferred	Negative — Table Load Response — Store Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3600	ENT-FIELD-DL1-3 / No page	PASS
SC-5156	Response deferred	Negative — Table Load Response — Address Line 1 violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3601	ENT-FIELD-DL1-4 / No page	PASS
SC-5157	Response deferred	Negative — Table Load Response — Address Line 2 violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3602	ENT-FIELD-DL1-5 / No page	PASS
SC-5158	Response deferred	Negative — Table Load Response — Merchant Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3603	ENT-FIELD-DL1-6 / No page	PASS
SC-5159	Response deferred	Negative — Table Load Response — Number of Card Types violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3604	ENT-FIELD-DL1-7 / No page	PASS
SC-5160	Response deferred	Negative — Table Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3605	ENT-FIELD-DL2-1 / No page	PASS
SC-5161	Response deferred	Negative — Table Load Response — Dial String Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3606	ENT-FIELD-DL2-2 / No page	FAIL
SC-5162	Response deferred	Negative — Table Load Response — Redial Count violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3608	ENT-FIELD-DL2-3 / No page	FAIL
SC-5163	Response deferred	Negative — Table Load Response — Phone Number violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3612	ENT-FIELD-DL2-6 / No page	FAIL
SC-5164	Response deferred	Negative — Table Load Response — Dial String Terminator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3613	ENT-FIELD-DL2-7 / No page	FAIL
SC-5165	Response deferred	Negative — Table Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3615	ENT-FIELD-DL3-1 / No page	FAIL
SC-5166	Response deferred	Negative — Table Load Response — Day of the Week violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3616	ENT-FIELD-DL3-2 / No page	FAIL
SC-5167	Response deferred	Negative — Table Load Response — Current Date violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3617	ENT-FIELD-DL3-3 / No page	FAIL
SC-5168	Response deferred	Negative — Table Load Response — Current Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3618	ENT-FIELD-DL3-4 / No page	FAIL
SC-5169	Response deferred	Negative — Table Load Response — Cut Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3619	ENT-FIELD-DL3-5 / No page	FAIL
SC-5170	Response deferred	Negative — Table Load Response — Password violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3620	ENT-FIELD-DL3-6 / No page	FAIL
SC-5171	Response deferred	Negative — Table Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3621	ENT-FIELD-DL3-7 / No page	PASS
SC-5172	Response deferred	Negative — Table Load Response — Data Type Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3638	ENT-FIELD-DL6-1 / No page	FAIL
SC-5173	Response deferred	Negative — Table Load Response — Start Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3639	ENT-FIELD-DL6-2 / No page	PASS
SC-5174	Response deferred	Negative — Table Load Response — End Time violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3640	ENT-FIELD-DL6-3 / No page	PASS

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5175	Response deferred	Negative — Table Load Response — End-of-Data Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3641	ENT-FIELD-DL6-4 / No page	PASS
SC-5176	Response deferred	Negative — Table Load Response — Dial String Type violates: must equal fixed value '1' / negative	REQ-SRC-ATL105-PDF-001:3607	ENT-FIELD-DL2-2 / No page	PASS
SC-5177	Response deferred	Negative — Table Load Response — Pause Indicator violates: must equal fixed value 'B' / negative	REQ-SRC-ATL105-PDF-001:3611	ENT-FIELD-DL2-5 / No page	PASS
SC-5178	Response deferred	Negative — Table Load Response — Dial String Terminator violates: must equal fixed value 'A' / negative	REQ-SRC-ATL105-PDF-001:3614	ENT-FIELD-DL2-7 / No page	PASS
SC-5251	Response deferred	Negative — Totals Response — Segment Length violates: value exceeds documented max length (5 bytes, limit is 4) / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-5252	Response deferred	Negative — Totals Response — Segment Length violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:093	ENT-ELEM-84 / No page	PASS
SC-5253	Response deferred	Negative — Totals Response — Segment Type violates: value exceeds documented max length (4 bytes, limit is 3) / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-5254	Response deferred	Negative — Totals Response — Segment Type violates: value outside the documented fixed list / negative	REQ-SRC-ATL105-PDF-001:095	ENT-ELEM-85 / No page	PASS
SC-5255	Response deferred	Negative — Totals Response — Segment Length violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	PASS
SC-5256	Response deferred	Negative — Totals Response — Segment Length violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	NEEDS_REVIEW
SC-5257	Response deferred	Negative — Totals Response — Segment Type violates: value contains a character outside its documented character_type / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	PASS
SC-5258	Response deferred	Negative — Totals Response — Segment Type violates: value is empty, violating minimum-length/mandatory-content / negative	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	NEEDS_REVIEW
SC-5259	Response deferred	Negative — Totals Response — Segment Type violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3372	ENT-FIELD-112-1 / No page	FAIL
SC-5260	Response deferred	Negative — Totals Response — Segment Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3374	ENT-FIELD-112-2 / No page	FAIL
SC-5261	Response deferred	Negative — Totals Response — Additional Information Indicator violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3375	ENT-FIELD-112-3 / No page	PASS
SC-5262	Response deferred	Negative — Totals Response — Additional Information Length violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3376	ENT-FIELD-112-4 / No page	PASS
SC-5263	Response deferred	Negative — Totals Response — Additional Information violates: mandatory field omitted / negative	REQ-SRC-ATL105-PDF-001:3377	ENT-FIELD-112-5 / No page	PASS
SC-5264	Response deferred	Negative — Totals Response — Segment Type violates: must equal fixed value '112' / negative	REQ-SRC-ATL105-PDF-001:3373	ENT-FIELD-112-1 / No page	PASS
SC-5340	Transaction unresolved	Flow — Authorization followed by Completion — orphan follow-on: Orphan completion with no prior authorization / negative	REQ-SRC-ATL105-PDF-001:6787	ENT-ELEM-86 / No page	FAIL

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5341	Transaction unresolved	Flow — Authorization, Completion, then Void — orphan follow-on: Orphan void with no prior authorization or completion / negative	REQ-SRC-ATL105-PDF-001:6787	ENT-ELEM-86 / No page	FAIL
SC-5342	Transaction unresolved	Flow — Timed-out transaction followed by Time-out Reversal — orphan follow-on: Orphan Time-out Reversal with no original financial transaction / negative	REQ-SRC-ATL105-PDF-001:6787	ENT-ELEM-86 / No page	FAIL
SC-5498	Response deferred	Boundary — Date & Time Load Response — Password = exactly 6 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	NOT_DECLARED
SC-5608	Response deferred	Boundary — EMV Financial Transaction Response — Segment Length = exactly 4 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	NOT_DECLARED
SC-5609	Response deferred	Boundary — EMV Financial Transaction Response — Segment Type = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	NOT_DECLARED
SC-5610	Response deferred	Boundary — EMV Financial Transaction Response — EMV Chip Data Length = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	NOT_DECLARED
SC-5611	Response deferred	Boundary — EMV Financial Transaction Response — Settlement Type = exactly 1 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	NOT_DECLARED
SC-5612	Response deferred	Boundary — EMV Financial Transaction Response — Signature Required = exactly 1 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	NOT_DECLARED
SC-5613	Response deferred	Boundary — EMV Financial Transaction Response — Moneris Data = exactly 100 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	NOT_DECLARED
SC-5774	Response deferred	Boundary — Financial Transaction Response — Segment Length = exactly 4 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	NOT_DECLARED
SC-5775	Response deferred	Boundary — Financial Transaction Response — Segment Type = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	NOT_DECLARED
SC-5776	Response deferred	Boundary — Financial Transaction Response — EMV Chip Data Length = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:203	ENT-ELEM-189 / No page	NOT_DECLARED
SC-5777	Response deferred	Boundary — Financial Transaction Response — Settlement Type = exactly 1 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:212	ENT-ELEM-198 / No page	NOT_DECLARED
SC-5778	Response deferred	Boundary — Financial Transaction Response — Signature Required = exactly 1 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:213	ENT-ELEM-199 / No page	NOT_DECLARED
SC-5779	Response deferred	Boundary — Financial Transaction Response — Moneris Data = exactly 100 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:229	ENT-ELEM-213 / No page	NOT_DECLARED
SC-5780	Response deferred	Boundary — Financial Transaction Response — Enhanced Fleet Data = exactly 999 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:259	ENT-ELEM-239 / No page	NOT_DECLARED
SC-5906	Response deferred	Boundary — Proprietary Data Load Response — Block Number = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:010	ENT-ELEM-11 / No page	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5907	Response deferred	Boundary — Proprietary Data Load Response — Information Byte = exactly 1 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:051	ENT-ELEM-44 / No page	NOT_DECLARED
SC-5908	Response deferred	Boundary — Proprietary Data Load Response — Prompt Code = exactly 4 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:084	ENT-ELEM-78 / No page	NOT_DECLARED
SC-5909	Response deferred	Boundary — Proprietary Data Load Response — Segment Length = exactly 4 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	NOT_DECLARED
SC-5910	Response deferred	Boundary — Proprietary Data Load Response — Segment Type = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	NOT_DECLARED
SC-5911	Response deferred	Boundary — Proprietary Data Load Response — Sequence Number = exactly 6 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:096	ENT-ELEM-86 / No page	NOT_DECLARED
SC-5912	Response deferred	Boundary — Proprietary Data Load Response — Terminal Identifier = exactly 22 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:115	ENT-ELEM-102 / No page	NOT_DECLARED
SC-5913	Response deferred	Boundary — Table Load Response — Password = exactly 6 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:075	ENT-ELEM-65 / No page	NOT_DECLARED
SC-5930	Response deferred	Boundary — Totals Response — Segment Length = exactly 4 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:092	ENT-ELEM-84 / No page	NOT_DECLARED
SC-5931	Response deferred	Boundary — Totals Response — Segment Type = exactly 3 bytes (documented max) / boundary	REQ-SRC-ATL105-PDF-001:094	ENT-ELEM-85 / No page	NOT_DECLARED
SC-5948	Response deferred	Field Constraint — ENT-ELEM-1: Access Code must be alphanumeric and must not exceed 12 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:001	ENT-ELEM-1 / 355	NOT_DECLARED
SC-5949	Response deferred	Field Constraint — ENT-ELEM-3: Address Line 1 must be alphanumeric and must not exceed 24 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:003	ENT-ELEM-3 / 360	NOT_DECLARED
SC-5950	Response deferred	Field Constraint — ENT-ELEM-4: Address Line 2 must be alphanumeric and must not exceed 21 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:004	ENT-ELEM-4 / 360	NOT_DECLARED
SC-5951	Response deferred	Field Constraint — ENT-ELEM-6: Approved Amount must be numeric and must not exceed 9 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:006	ENT-ELEM-6 / 361	NOT_DECLARED
SC-5952	Response deferred	Field Constraint — ENT-ELEM-7: Authorizer Code must be numeric and must not exceed 2 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:007	ENT-ELEM-7 / 362	NOT_DECLARED
SC-5953	Response deferred	Field Constraint — ENT-ELEM-7: Authorizer Code must be one of: 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, / field_constraint	REQ-SRC-ATL105-PDF-001:008	ENT-ELEM-7 / 362	NOT_DECLARED
SC-5954	Response deferred	Field Constraint — ENT-ELEM-8: Authorizer Response Code must be alphanumeric and must not exceed 2 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:009	ENT-ELEM-8 / 362	NOT_DECLARED
SC-5955	Response deferred	Field Constraint — ENT-ELEM-14: Card Type must be alphanumeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:016	ENT-ELEM-14 / 367	NOT_DECLARED
SC-5956	Response deferred	Field Constraint — ENT-ELEM-14: Card Type must be one of: 001, 011, 012, 013, 020, 040, 041, 045, 046, 050, 051, 052, 053, 055, 056, 057, 058, 059, 060, / field_constraint	REQ-SRC-ATL105-PDF-001:017	ENT-ELEM-14 / 367	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5957	Response deferred	Field Constraint — ENT-ELEM-21: Current Date must be numeric and must not exceed 6 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:024	ENT-ELEM-21 / 369	NOT_DECLARED
SC-5958	Response deferred	Field Constraint — ENT-ELEM-22: Current Time must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:025	ENT-ELEM-22 / 370	NOT_DECLARED
SC-5959	Response deferred	Field Constraint — ENT-ELEM-23: Cut Time must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:026	ENT-ELEM-23 / 370	NOT_DECLARED
SC-5960	Response deferred	Field Constraint — ENT-ELEM-24: Data Type Indicator must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:027	ENT-ELEM-24 / 371	NOT_DECLARED
SC-5961	Response deferred	Field Constraint — ENT-ELEM-24: Data Type Indicator must be one of: DL3), (No. DL4), (DL5), (No. DL6), Encryption and Tokenization, Encryption and T / field_constraint	REQ-SRC-ATL105-PDF-001:028	ENT-ELEM-24 / 371	NOT_DECLARED
SC-5962	Response deferred	Field Constraint — ENT-ELEM-25: Day of the Week must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:029	ENT-ELEM-25 / 371	NOT_DECLARED
SC-5963	Response deferred	Field Constraint — ENT-ELEM-25: Day of the Week must be one of: 0 Sunday, 1 Monday, 2 Tuesday, 3 Wednesday, 4 Thursday, 5 Friday, 6 Saturday. / field_constraint	REQ-SRC-ATL105-PDF-001:030	ENT-ELEM-25 / 371	NOT_DECLARED
SC-5964	Transaction unresolved	Field Constraint — ENT-ELEM-26: Decline Code must be alphanumeric and must not exceed 2 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:031	ENT-ELEM-26 / 372	NOT_DECLARED
SC-5965	Transaction unresolved	Field Constraint — ENT-ELEM-26: Decline Code must be one of: 2D, 3A, 3F, CB, FZ, I1, I2, I3, KS, W2, W3, 4I, 6C, 4M. / field_constraint	REQ-SRC-ATL105-PDF-001:032	ENT-ELEM-26 / 372	NOT_DECLARED
SC-5966	Response deferred	Field Constraint — ENT-ELEM-27: Dial String Terminator must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:033	ENT-ELEM-27 / 372	NOT_DECLARED
SC-5967	Response deferred	Field Constraint — ENT-ELEM-28: Dial String Type must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:034	ENT-ELEM-28 / 373	NOT_DECLARED
SC-5968	Response deferred	Field Constraint — ENT-ELEM-30: Download Indicator must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:036	ENT-ELEM-30 / 373	NOT_DECLARED
SC-5969	Response deferred	Field Constraint — ENT-ELEM-30: Download Indicator must be one of: 0 No Download Request, Key. / field_constraint	REQ-SRC-ATL105-PDF-001:037	ENT-ELEM-30 / 373	NOT_DECLARED
SC-5970	Response deferred	Field Constraint — ENT-ELEM-34: End-of-Data Indicator must be alphabetic and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:041	ENT-ELEM-34 / 375	NOT_DECLARED
SC-5971	Transaction unresolved	Field Constraint — ENT-ELEM-35: End-of-Load Indicator must be alphabetic and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:042	ENT-ELEM-35 / 376	NOT_DECLARED
SC-5972	Transaction unresolved	Field Constraint — ENT-ELEM-38: Fee Amount must be numeric and must not exceed 8 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:045	ENT-ELEM-38 / 377	NOT_DECLARED
SC-5973	Response deferred	Field Constraint — ENT-ELEM-45: Initiation Date must be numeric and must not exceed 6 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:053	ENT-ELEM-45 / 380	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5974	Response deferred	Field Constraint — ENT-ELEM-46: Initiation Time must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:054	ENT-ELEM-46 / 380	NOT_DECLARED
SC-5975	Transaction unresolved	Field Constraint — ENT-ELEM-51: Mail Text Data must be alphanumeric and must not exceed 750 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:060	ENT-ELEM-51 / 382	NOT_DECLARED
SC-5976	Transaction unresolved	Field Constraint — ENT-ELEM-52: Mail Text Data Length must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:061	ENT-ELEM-52 / 382	NOT_DECLARED
SC-5977	Transaction unresolved	Field Constraint — ENT-ELEM-52: Mail Text Data Length must be one of: For an IP response: 001-750, For a dial up response: 001-150. / field_constraint	REQ-SRC-ATL105-PDF-001:062	ENT-ELEM-52 / 382	NOT_DECLARED
SC-5978	Response deferred	Field Constraint — ENT-ELEM-53: Merchant Name must be alphanumeric and must not exceed 24 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:063	ENT-ELEM-53 / 383	NOT_DECLARED
SC-5979	Response deferred	Field Constraint — ENT-ELEM-54: Merchant Phone Number must be alphanumeric and must not exceed 13 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:064	ENT-ELEM-54 / 383	NOT_DECLARED
SC-5981	Transaction unresolved	Field Constraint — ENT-ELEM-56: Net Amount must be numeric and must not exceed 8 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:066	ENT-ELEM-56 / 385	NOT_DECLARED
SC-5982	Response deferred	Field Constraint — ENT-ELEM-57: New Software Version must be alphanumeric and must not exceed 8 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:067	ENT-ELEM-57 / 385	NOT_DECLARED
SC-5983	Response deferred	Field Constraint — ENT-ELEM-59: Number of Card Types must be numeric and must not exceed 2 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:069	ENT-ELEM-59 / 386	NOT_DECLARED
SC-5984	Response deferred	Field Constraint — ENT-ELEM-61: Number of Print Lines must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:070	ENT-ELEM-61 / 387	NOT_DECLARED
SC-5985	Response deferred	Field Constraint — ENT-ELEM-61: Number of Print Lines must be one of: Response., Response., Response.. / field_constraint	REQ-SRC-ATL105-PDF-001:071	ENT-ELEM-61 / 387	NOT_DECLARED
SC-5987	Response deferred	Field Constraint — ENT-ELEM-66: Pause Indicator must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:076	ENT-ELEM-66 / 389	NOT_DECLARED
SC-5988	Response deferred	Field Constraint — ENT-ELEM-75: Phone Number must be numeric and must not exceed 18 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:080	ENT-ELEM-75 / 392	NOT_DECLARED
SC-5989	Response deferred	Field Constraint — ENT-ELEM-82: Redial Count must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:089	ENT-ELEM-82 / 396	NOT_DECLARED
SC-5990	Response deferred	Field Constraint — ENT-ELEM-83: Response Code must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:090	ENT-ELEM-83 / 396	NOT_DECLARED
SC-5991	Response deferred	Field Constraint — ENT-ELEM-83: Response Code must be one of: Transaction Code Description, 0 Approved-Purchase/Capture, 1 Approved-Communications Test, / field_constraint	REQ-SRC-ATL105-PDF-001:091	ENT-ELEM-83 / 396	NOT_DECLARED
SC-5992	Response deferred	Field Constraint — ENT-ELEM-91: Software Load Phone Number must be alphanumeric and must not exceed 18 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:103	ENT-ELEM-91 / 405	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-5993	Response deferred	Field Constraint — ENT-ELEM-92: Software Load Request Date must be numeric and must not exceed 6 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:104	ENT-ELEM-92 / 405	NOT_DECLARED
SC-5994	Response deferred	Field Constraint — ENT-ELEM-93: Software Load Request Time must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:105	ENT-ELEM-93 / 406	NOT_DECLARED
SC-5995	Response deferred	Field Constraint — ENT-ELEM-94: Software Load Type must be alphabetic and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:106	ENT-ELEM-94 / 406	NOT_DECLARED
SC-5996	Response deferred	Field Constraint — ENT-ELEM-94: Software Load Type must be one of: F Full application load, P Partial application load. / field_constraint	REQ-SRC-ATL105-PDF-001:107	ENT-ELEM-94 / 406	NOT_DECLARED
SC-5997	Response deferred	Field Constraint — ENT-ELEM-95: Software Terminal Record ID must be alphanumeric and must not exceed 13 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:108	ENT-ELEM-95 / 407	NOT_DECLARED
SC-5998	Transaction unresolved	Field Constraint — ENT-ELEM-97: Start-of-Data Block Indicator must be alphabetic and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:110	ENT-ELEM-97 / 407	NOT_DECLARED
SC-5999	Response deferred	Field Constraint — ENT-ELEM-98: Store Number must be numeric and must not exceed 16 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:111	ENT-ELEM-98 / 408	NOT_DECLARED
SC-6000	Transaction unresolved	Field Constraint — ENT-ELEM-100: Terminal Display Communications Message must be alphabetic and must not exceed 16 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:113	ENT-ELEM-100 / 408	NOT_DECLARED
SC-6001	Response deferred	Field Constraint — ENT-ELEM-101: Terminal Display /Printer Message must be alphanumeric and must not exceed 31 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:114	ENT-ELEM-101 / 409	NOT_DECLARED
SC-6002	Response deferred	Field Constraint — ENT-ELEM-114: Software Load IP/URL Address must be alphanumeric and must not exceed 30 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:131	ENT-ELEM-114 / 424	NOT_DECLARED
SC-6003	Response deferred	Field Constraint — ENT-ELEM-114: Software Load IP/URL Address must be one of: 01-999, a-z, A-Z. / field_constraint	REQ-SRC-ATL105-PDF-001:132	ENT-ELEM-114 / 424	NOT_DECLARED
SC-6004	Response deferred	Field Constraint — ENT-ELEM-115: Additional Information Data Segment Flag must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:133	ENT-ELEM-115 / 424	NOT_DECLARED
SC-6005	Response deferred	Field Constraint — ENT-ELEM-116: Additional Information Indicator must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:134	ENT-ELEM-116 / 426	NOT_DECLARED
SC-6006	Response deferred	Field Constraint — ENT-ELEM-116: Additional Information Indicator must be one of: card, or phone card transactions, 002 Reserved, information, informatio / field_constraint	REQ-SRC-ATL105-PDF-001:135	ENT-ELEM-116 / 426	NOT_DECLARED
SC-6007	Response deferred	Field Constraint — ENT-ELEM-117: Additional Information Length must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:136	ENT-ELEM-117 / 429	NOT_DECLARED
SC-6008	Response deferred	Field Constraint — ENT-ELEM-118: Additional Information must be alphanumeric and must not exceed 984 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:137	ENT-ELEM-118 / 429	NOT_DECLARED
SC-6009	Response deferred	Field Constraint — ENT-ELEM-118: Additional Information must be one of: A, E, G, N, R, S, T, U, W, X, Y, Z, Zero, M, F, L, O. / field_constraint	REQ-SRC-ATL105-PDF-001:138	ENT-ELEM-118 / 429	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6010	Response deferred	Field Constraint — ENT-ELEM-119: Settlement Date must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:139	ENT-ELEM-119 / 432	NOT_DECLARED
SC-6011	Transaction unresolved	Field Constraint — ENT-ELEM-120: Network Management Message must be alphabetic and must not exceed 8 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:140	ENT-ELEM-120 / 432	NOT_DECLARED
SC-6012	Response deferred	Field Constraint — ENT-ELEM-152: Print Data must be alphanumeric with special characters and must not exceed 900 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:178	ENT-ELEM-152 / 444	NOT_DECLARED
SC-6013	Transaction unresolved	Field Constraint — ENT-ELEM-155: Key ID must be alphanumeric and must not exceed 11 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:182	ENT-ELEM-155 / 452	NOT_DECLARED
SC-6014	Transaction unresolved	Field Constraint — ENT-ELEM-156: Key Data Length must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:183	ENT-ELEM-156 / 452	NOT_DECLARED
SC-6015	Transaction unresolved	Field Constraint — ENT-ELEM-157: Key Data must be alphanumeric and must not exceed 999 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:184	ENT-ELEM-157 / 453	NOT_DECLARED
SC-6017	Response deferred	Field Constraint — ENT-ELEM-166: Start Time or End Time must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:194	ENT-ELEM-166 / 460	NOT_DECLARED
SC-6021	Transaction unresolved	Field Constraint — ENT-ELEM-191: EMV Additional Information Indicator must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:205	ENT-ELEM-191 / 472	NOT_DECLARED
SC-6022	Transaction unresolved	Field Constraint — ENT-ELEM-192: EMV Additional Information Length must be numeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:206	ENT-ELEM-192 / 473	NOT_DECLARED
SC-6028	Transaction unresolved	Field Constraint — ENT-ELEM-205: Load Subtype must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:221	ENT-ELEM-205 / 480	NOT_DECLARED
SC-6029	Transaction unresolved	Field Constraint — ENT-ELEM-206: SPDH Header must be alphanumeric and must not exceed 48 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:222	ENT-ELEM-206 / 480	NOT_DECLARED
SC-6030	Transaction unresolved	Field Constraint — ENT-ELEM-207: Moneris Terminal Identifier must be alphanumeric and must not exceed 8 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:223	ENT-ELEM-207 / 480	NOT_DECLARED
SC-6031	Transaction unresolved	Field Constraint — ENT-ELEM-208: Moneris Merchant ID must be alphanumeric and must not exceed 13 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:224	ENT-ELEM-208 / 481	NOT_DECLARED
SC-6032	Transaction unresolved	Field Constraint — ENT-ELEM-209: Moneris Response Code must be alphanumeric and must not exceed 2 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:225	ENT-ELEM-209 / 481	NOT_DECLARED
SC-6033	Transaction unresolved	Field Constraint — ENT-ELEM-210: MAC must be alphanumeric and must not exceed 16 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:226	ENT-ELEM-210 / 481	NOT_DECLARED
SC-6034	Transaction unresolved	Field Constraint — ENT-ELEM-211: Moneris Key Indicators must be alphanumeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:227	ENT-ELEM-211 / 481	NOT_DECLARED
SC-6035	Transaction unresolved	Field Constraint — ENT-ELEM-212: Moneris Key Data must be alphanumeric and must not exceed 16 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:228	ENT-ELEM-212 / 482	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6036	Transaction unresolved	Field Constraint — ENT-ELEM-214: Batch Number must be alphanumeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:230	ENT-ELEM-214 / 482	NOT_DECLARED
SC-6037	Transaction unresolved	Field Constraint — ENT-ELEM-215: Language Indicator must be alphanumeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:231	ENT-ELEM-215 / 483	NOT_DECLARED
SC-6038	Transaction unresolved	Field Constraint — ENT-ELEM-216: Response Display must be alphanumeric and must not exceed 16 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:232	ENT-ELEM-216 / 483	NOT_DECLARED
SC-6039	Transaction unresolved	Field Constraint — ENT-ELEM-217: Number of Debits must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:233	ENT-ELEM-217 / 483	NOT_DECLARED
SC-6040	Transaction unresolved	Field Constraint — ENT-ELEM-218: Debit Dollar Value must be alphanumeric and must not exceed 19 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:234	ENT-ELEM-218 / 483	NOT_DECLARED
SC-6041	Transaction unresolved	Field Constraint — ENT-ELEM-219: Number of Credits must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:235	ENT-ELEM-219 / 484	NOT_DECLARED
SC-6042	Transaction unresolved	Field Constraint — ENT-ELEM-220: Credit Dollar Value must be alphanumeric and must not exceed 19 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:236	ENT-ELEM-220 / 484	NOT_DECLARED
SC-6043	Transaction unresolved	Field Constraint — ENT-ELEM-221: Number of Corrections must be numeric and must not exceed 4 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:237	ENT-ELEM-221 / 484	NOT_DECLARED
SC-6044	Transaction unresolved	Field Constraint — ENT-ELEM-222: Corrections Dollar Value must be alphanumeric and must not exceed 19 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:238	ENT-ELEM-222 / 484	NOT_DECLARED
SC-6045	Transaction unresolved	Field Constraint — ENT-ELEM-233: RID must be alphanumeric and must not exceed 10 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:251	ENT-ELEM-233 / 488	NOT_DECLARED
SC-6046	Transaction unresolved	Field Constraint — ENT-ELEM-234: Stand-in Indicator must be numeric and must not exceed 1 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:252	ENT-ELEM-234 / 488	NOT_DECLARED
SC-6047	Transaction unresolved	Field Constraint — ENT-ELEM-234: Stand-in Indicator must be one of: 1 No Stand-in, 2 Domestic only Stand-in, 3 Domestic & Foreign Stand-in. / field_constraint	REQ-SRC-ATL105-PDF-001:253	ENT-ELEM-234 / 488	NOT_DECLARED
SC-6048	Transaction unresolved	Field Constraint — ENT-ELEM-235: Floor Limit must be numeric and must not exceed 12 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:254	ENT-ELEM-235 / 489	NOT_DECLARED
SC-6049	Transaction unresolved	Field Constraint — ENT-ELEM-236: BUYPASS RID Card Type must be alphanumeric and must not exceed 3 bytes. / field_constraint	REQ-SRC-ATL105-PDF-001:255	ENT-ELEM-236 / 489	NOT_DECLARED
SC-6054	Response deferred	Business Rule — BR-8-1: Value '042' (Authentication Data Quality Indicator) added for data element '116'. / business_rule	REQ-SRC-ATL105-PDF-001:262	BR-8-1 / 8	NOT_DECLARED
SC-6055	Response deferred	Business Rule — BR-8-2: Value '043' (Token Update First Use Indicator) added for data element '116'. / business_rule	REQ-SRC-ATL105-PDF-001:263	BR-8-2 / 8	NOT_DECLARED
SC-6056	Response deferred	Business Rule — BR-10-1: Values '040' and '041' added in data element 116 with associated processing rules in data element 118. / business_rule	REQ-SRC-ATL105-PDF-001:264	BR-10-1 / 10	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6057	Response deferred	Business Rule — BR-10-2: Value '038' added in data element 116 with associated processing rule in data element 118. / business_rule	REQ-SRC-ATL105-PDF-001:265	BR-10-2 / 10	NOT_DECLARED
SC-6059	Transaction unresolved	Business Rule — BR-10-4: Sub-table ID '22' added under table ID '049' (Merchant Supplementary Data) in Appendix I. / business_rule	REQ-SRC-ATL105-PDF-001:267	BR-10-4 / 10	NOT_DECLARED
SC-6060	Transaction unresolved	Business Rule — BR-10-5: Table ID '038' (MasterCard Transaction Link Identifier) added in Appendix K. / business_rule	REQ-SRC-ATL105-PDF-001:268	BR-10-5 / 10	NOT_DECLARED
SC-6067	Transaction unresolved	Business Rule — BR-11-5: Table IDs '68' and '69' added for EV-Additional Transaction Fee 1 and 2 in Appendix I. / business_rule	REQ-SRC-ATL105-PDF-001:275	BR-11-5 / 11	NOT_DECLARED
SC-6069	Transaction unresolved	Business Rule — BR-11-7: Terminal Transaction Number field updated with support for EV and added EV examples for Visa Incremental Auth transactio / business_rule	REQ-SRC-ATL105-PDF-001:277	BR-11-7 / 11	NOT_DECLARED
SC-6070	Transaction unresolved	Business Rule — BR-11-8: Verbiage added containing MCC applicable to Estimated and Incremental authorizations for EV transactions in Appendix AE. / business_rule	REQ-SRC-ATL105-PDF-001:278	BR-11-8 / 11	NOT_DECLARED
SC-6074	Response deferred	Business Rule — BR-16-2: Data element 116 codes '036' and '037' added with processing rules in data element 118 / business_rule	REQ-SRC-ATL105-PDF-001:282	BR-16-2 / 16	NOT_DECLARED
SC-6076	Transaction unresolved	Business Rule — BR-31-1: Sending PA-DSS sensitive information (e.g. PAN) in fields not designated for it is strictly prohibited. / business_rule	REQ-SRC-ATL105-PDF-001:284	BR-31-1 / 31	NOT_DECLARED
SC-6079	Transaction unresolved	Business Rule — BR-32-3: Decline Codes can prompt clerk/customer to call for authorization, reenter data, resubmit timed out transaction, or indi / business_rule	REQ-SRC-ATL105-PDF-001:287	BR-32-3 / 32	NOT_DECLARED
SC-6083	Response deferred	Business Rule — BR-32-7: Additional Information Data Layouts used with Additional Information Indicator (Element 116). / business_rule	REQ-SRC-ATL105-PDF-001:291	BR-32-7 / 32	NOT_DECLARED
SC-6084	Transaction unresolved	Business Rule — BR-36-1: Customer device starts a 30-second timer after forwarding request to BUYPASS network node. / business_rule	REQ-SRC-ATL105-PDF-001:292	BR-36-1 / 36	NOT_DECLARED
SC-6085	Response deferred	Business Rule — BR-36-2: BUYPASS determines card type and routes transaction to appropriate authorization center. / business_rule	REQ-SRC-ATL105-PDF-001:293	BR-36-2 / 36	NOT_DECLARED
SC-6086	Transaction unresolved	Business Rule — BR-37-1: A time-out reversal (TOR) is created for an unsuccessful financial transaction. / business_rule	REQ-SRC-ATL105-PDF-001:294	BR-37-1 / 37	NOT_DECLARED
SC-6087	Transaction unresolved	Business Rule — BR-37-2: A TOR never initiates a new financial transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:295	BR-37-2 / 37	NOT_DECLARED
SC-6088	Transaction unresolved	Business Rule — BR-37-3: A TOR is generated when a POS Purchase/Capture transaction is unsuccessful. / business_rule	REQ-SRC-ATL105-PDF-001:296	BR-37-3 / 37	NOT_DECLARED
SC-6089	Transaction unresolved	Business Rule — BR-37-4: A TOR is generated when a CAT Purchase/Capture transaction is unsuccessful. / business_rule	REQ-SRC-ATL105-PDF-001:297	BR-37-4 / 37	NOT_DECLARED
SC-6090	Transaction unresolved	Business Rule — BR-37-5: A TOR is generated when a Mail/Phone Purchase transaction is unsuccessful. / business_rule	REQ-SRC-ATL105-PDF-001:298	BR-37-5 / 37	NOT_DECLARED
SC-6091	Transaction unresolved	Business Rule — BR-37-6: A TOR is not supported for a Debit POS Capture transaction. / business_rule	REQ-SRC-ATL105-PDF-001:299	BR-37-6 / 37	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6092	Transaction unresolved	Business Rule — BR-37-7: A TOR is not supported for a Debit CAT Capture transaction. / business_rule	REQ-SRC-ATL105-PDF-001:300	BR-37-7 / 37	NOT_DECLARED
SC-6093	Transaction unresolved	Business Rule — BR-38-1: Customer's response interval is 30 seconds; a time-out occurs if no response arrives within it. / business_rule	REQ-SRC-ATL105-PDF-001:301	BR-38-1 / 38	NOT_DECLARED
SC-6094	Transaction unresolved	Business Rule — BR-38-2: A late response received after the 30-second interval expires is ignored. / business_rule	REQ-SRC-ATL105-PDF-001:302	BR-38-2 / 38	NOT_DECLARED
SC-6095	Transaction unresolved	Business Rule — BR-38-3: After more than three consecutive time-outs in an IP environment, line to BUYPASS is marked down and a health message se / business_rule	REQ-SRC-ATL105-PDF-001:303	BR-38-3 / 38	NOT_DECLARED
SC-6096	Transaction unresolved	Business Rule — BR-38-4: A TOR must be sent from the same device as the original financial transaction request that resulted in the TOR. / business_rule	REQ-SRC-ATL105-PDF-001:304	BR-38-4 / 38	NOT_DECLARED
SC-6097	Transaction unresolved	Business Rule — BR-38-5: Queued TOR is transmitted ahead of new financial transaction request when next transaction initiated from same device. / business_rule	REQ-SRC-ATL105-PDF-001:305	BR-38-5 / 38	NOT_DECLARED
SC-6098	Transaction unresolved	Business Rule — BR-38-6: If no new financial transaction occurs before end-of-day settlement, TOR should be sent immediately prior to settlement / business_rule	REQ-SRC-ATL105-PDF-001:306	BR-38-6 / 38	NOT_DECLARED
SC-6099	Transaction unresolved	Business Rule — BR-38-7: Off-line transactions are forwarded to BUYPASS only after a valid response is received for all queued TORs. / business_rule	REQ-SRC-ATL105-PDF-001:307	BR-38-7 / 38	NOT_DECLARED
SC-6103	Transaction unresolved	Business Rule — BR-38-11: Any BUYPASS response to a TOR, approval or decline, clears the TOR from the queue. / business_rule	REQ-SRC-ATL105-PDF-001:311	BR-38-11 / 38	NOT_DECLARED
SC-6104	Transaction unresolved	Business Rule — BR-38-12: If no valid response is received after three attempts on each available connection route, an error is logged and TOR cle / business_rule	REQ-SRC-ATL105-PDF-001:312	BR-38-12 / 38	NOT_DECLARED
SC-6105	Transaction unresolved	Business Rule — BR-38-13: BUYPASS declines a TOR request as an unmatched reversal if original transaction not received or already reversed. / business_rule	REQ-SRC-ATL105-PDF-001:313	BR-38-13 / 38	NOT_DECLARED
SC-6106	Transaction unresolved	Business Rule — BR-40-1: Customer host/controller/POS system starts a 30-second timer when sending TOR and new financial transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:314	BR-40-1 / 40	NOT_DECLARED
SC-6107	Transaction unresolved	Business Rule — BR-40-2: New financial transaction request is subject to a TOR if BUYPASS does not respond within 30-second interval. / business_rule	REQ-SRC-ATL105-PDF-001:315	BR-40-2 / 40	NOT_DECLARED
SC-6108	Transaction unresolved	Business Rule — BR-40-3: TOR precedes the new financial transaction request in the transmission. / business_rule	REQ-SRC-ATL105-PDF-001:316	BR-40-3 / 40	NOT_DECLARED
SC-6109	Transaction unresolved	Business Rule — BR-40-4: An approved or declined response to the TOR signifies completion of a TOR. / business_rule	REQ-SRC-ATL105-PDF-001:317	BR-40-4 / 40	NOT_DECLARED
SC-6111	Transaction unresolved	Business Rule — BR-41-2: If BUYPASS sends a late approval before receiving time-out reversal, host system generates a time-out reversal to the la / business_rule	REQ-SRC-ATL105-PDF-001:319	BR-41-2 / 41	NOT_DECLARED
SC-6112	Transaction unresolved	Business Rule — BR-41-3: Host system forwards off-line transactions to BUYPASS only after receiving responses for all associated TORs. / business_rule	REQ-SRC-ATL105-PDF-001:320	BR-41-3 / 41	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6114	Transaction unresolved	Business Rule — BR-42-1: Customer host/device should have a maximum number of retries for sending a TOR. / business_rule	REQ-SRC-ATL105-PDF-001:322	BR-42-1 / 42	NOT_DECLARED
SC-6115	Transaction unresolved	Business Rule — BR-42-2: Recommended TOR be forwarded at least 30 seconds after original transaction timed out. / business_rule	REQ-SRC-ATL105-PDF-001:323	BR-42-2 / 42	NOT_DECLARED
SC-6116	Transaction unresolved	Business Rule — BR-43-1: TOR must be sent from the same device as the original financial transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:324	BR-43-1 / 43	NOT_DECLARED
SC-6117	Transaction unresolved	Business Rule — BR-43-2: Queued TOR is transmitted ahead of the next financial transaction request from that device. / business_rule	REQ-SRC-ATL105-PDF-001:325	BR-43-2 / 43	NOT_DECLARED
SC-6118	Transaction unresolved	Business Rule — BR-43-3: If no new financial transaction occurs, TOR should be sent immediately prior to end-of-day settlement. / business_rule	REQ-SRC-ATL105-PDF-001:326	BR-43-3 / 43	NOT_DECLARED
SC-6122	Transaction unresolved	Business Rule — BR-43-7: Any response to a TOR, approval or decline, is valid and clears the TOR from the queue. / business_rule	REQ-SRC-ATL105-PDF-001:330	BR-43-7 / 43	NOT_DECLARED
SC-6123	Transaction unresolved	Business Rule — BR-43-8: BUYPASS declines a TOR as an unmatched reversal if the original transaction was not received or already reversed. / business_rule	REQ-SRC-ATL105-PDF-001:331	BR-43-8 / 43	NOT_DECLARED
SC-6124	Transaction unresolved	Business Rule — BR-43-9: Customer host/controller/POS starts a 30-second timer upon forwarding the financial transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:332	BR-43-9 / 43	NOT_DECLARED
SC-6125	Transaction unresolved	Business Rule — BR-45-1: A TOR should never be attempted more than 3 times. / business_rule	REQ-SRC-ATL105-PDF-001:333	BR-45-1 / 45	NOT_DECLARED
SC-6126	Transaction unresolved	Business Rule — BR-45-2: A TOR is complete with any host response except a timeout or no response. / business_rule	REQ-SRC-ATL105-PDF-001:334	BR-45-2 / 45	NOT_DECLARED
SC-6127	Transaction unresolved	Business Rule — BR-45-3: A TOR can only be sent for financial transactions. / business_rule	REQ-SRC-ATL105-PDF-001:335	BR-45-3 / 45	NOT_DECLARED
SC-6128	Transaction unresolved	Business Rule — BR-45-4: To remove hold on an authorization-only transaction, device must send a cancellation instead of a TOR. / business_rule	REQ-SRC-ATL105-PDF-001:336	BR-45-4 / 45	NOT_DECLARED
SC-6129	Transaction unresolved	Business Rule — BR-45-5: A TOR is not supported for a debit completion. / business_rule	REQ-SRC-ATL105-PDF-001:337	BR-45-5 / 45	NOT_DECLARED
SC-6130	Transaction unresolved	Business Rule — BR-45-6: Multiple transactions and TORs can be in-flight; device tracks status and queue. / business_rule	REQ-SRC-ATL105-PDF-001:338	BR-45-6 / 45	NOT_DECLARED
SC-6131	Transaction unresolved	Business Rule — BR-45-7: Device must finalize TOR processing before resubmitting a completion transaction. / business_rule	REQ-SRC-ATL105-PDF-001:339	BR-45-7 / 45	NOT_DECLARED
SC-6132	Transaction unresolved	Business Rule — BR-45-8: If completion resent before TOR processing completes, device risks voiding the resubmitted completion. / business_rule	REQ-SRC-ATL105-PDF-001:340	BR-45-8 / 45	NOT_DECLARED
SC-6133	Transaction unresolved	Business Rule — BR-45-9: A TOR must never be sent until the device's 30-second timeout has expired. / business_rule	REQ-SRC-ATL105-PDF-001:341	BR-45-9 / 45	NOT_DECLARED
SC-6134	Transaction unresolved	Business Rule — BR-45-10: Device must throttle multiple queued TORs, submitting no more than one every 30 seconds. / business_rule	REQ-SRC-ATL105-PDF-001:342	BR-45-10 / 45	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6135	Transaction unresolved	Business Rule — BR-45-11: A TOR should only be sent during the same business day as the original transaction. / business_rule	REQ-SRC-ATL105-PDF-001:343	BR-45-11 / 45	NOT_DECLARED
SC-6136	Transaction unresolved	Business Rule — BR-46-1: A terminal ID must be assigned to each Point-of Sale (POS) entry point. / business_rule	REQ-SRC-ATL105-PDF-001:344	BR-46-1 / 46	NOT_DECLARED
SC-6137	Transaction unresolved	Business Rule — BR-46-2: The terminal ID must be unique and the vendor must send it to BUYPASS in the Variable Information (Element No. / business_rule	REQ-SRC-ATL105-PDF-001:345	BR-46-2 / 46	NOT_DECLARED
SC-6141	Transaction unresolved	Business Rule — BR-46-6: Off-line/forced authorization key flag should default to off and be enabled/disabled via setup. / business_rule	REQ-SRC-ATL105-PDF-001:349	BR-46-6 / 46	NOT_DECLARED
SC-6142	Transaction unresolved	Business Rule — BR-46-7: A standalone password should be added to off-line/forced authorization key, independent of default software/terminal pas / business_rule	REQ-SRC-ATL105-PDF-001:350	BR-46-7 / 46	NOT_DECLARED
SC-6143	Transaction unresolved	Business Rule — BR-47-1: Any location generating more than 1,500 transactions per month must subscribe to dial backup. / business_rule	REQ-SRC-ATL105-PDF-001:351	BR-47-1 / 47	NOT_DECLARED
SC-6144	Transaction unresolved	Business Rule — BR-47-2: Any location generating more than 500,000 transactions per month must have at least two diverse connections supporting a / business_rule	REQ-SRC-ATL105-PDF-001:352	BR-47-2 / 47	NOT_DECLARED
SC-6145	Transaction unresolved	Business Rule — BR-47-3: Diverse connections must use different carriers and be directed to two separate First Data data centers. / business_rule	REQ-SRC-ATL105-PDF-001:353	BR-47-3 / 47	NOT_DECLARED
SC-6146	Transaction unresolved	Business Rule — BR-47-4: Transactions should be load-balanced across all connections. / business_rule	REQ-SRC-ATL105-PDF-001:354	BR-47-4 / 47	NOT_DECLARED
SC-6147	Transaction unresolved	Business Rule — BR-47-5: BUYPASS directs responses over the same circuit as the initiating customer request. / business_rule	REQ-SRC-ATL105-PDF-001:355	BR-47-5 / 47	NOT_DECLARED
SC-6149	Transaction unresolved	Business Rule — BR-51-2: All personnel are excluded from handling keys in the clear except during initial installation or device modification. / business_rule	REQ-SRC-ATL105-PDF-001:357	BR-51-2 / 51	NOT_DECLARED
SC-6150	Transaction unresolved	Business Rule — BR-51-3: PINs and cryptographic keys never appear in the clear. / business_rule	REQ-SRC-ATL105-PDF-001:358	BR-51-3 / 51	NOT_DECLARED
SC-6151	Transaction unresolved	Business Rule — BR-51-4: PINs and cryptographic keys are never retrievable by application programs. / business_rule	REQ-SRC-ATL105-PDF-001:359	BR-51-4 / 51	NOT_DECLARED
SC-6152	Transaction unresolved	Business Rule — BR-51-5: For DUKPT PIN encryption, customer devices and BUYPASS share the same derivation key (DKey). / business_rule	REQ-SRC-ATL105-PDF-001:360	BR-51-5 / 51	NOT_DECLARED
SC-6153	Transaction unresolved	Business Rule — BR-52-1: 3DES DUKPT PIN encryption does not require periodic exchange of PIN encryption keys unlike master session processing. / business_rule	REQ-SRC-ATL105-PDF-001:361	BR-52-1 / 52	NOT_DECLARED
SC-6154	Transaction unresolved	Business Rule — BR-52-2: A seed key and corresponding serial number can generate approximately one million unique PIN encryption keys. / business_rule	REQ-SRC-ATL105-PDF-001:362	BR-52-2 / 52	NOT_DECLARED
SC-6155	Transaction unresolved	Business Rule — BR-52-3: Hardware security modules must be used to encrypt all PINs, following ANSI PIN management standards. / business_rule	REQ-SRC-ATL105-PDF-001:363	BR-52-3 / 52	NOT_DECLARED
SC-6156	Transaction unresolved	Business Rule — BR-52-4: Transmission of a PIN among interface participants must use DES-encrypted ANSI PIN blocks. / business_rule	REQ-SRC-ATL105-PDF-001:364	BR-52-4 / 52	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6158	Transaction unresolved	Business Rule — BR-52-6: The cardholder's PIN must be 4 to 12 digits entered via a secure PIN pad. / business_rule	REQ-SRC-ATL105-PDF-001:366	BR-52-6 / 52	NOT_DECLARED
SC-6160	Transaction unresolved	Business Rule — BR-53-1: DES DUKPT must be defined. / business_rule	REQ-SRC-ATL105-PDF-001:368	BR-53-1 / 53	NOT_DECLARED
SC-6161	Transaction unresolved	Business Rule — BR-53-2: Pathway terminal configuration for PIN pad value must be defined for 3DES DUKPT. / business_rule	REQ-SRC-ATL105-PDF-001:369	BR-53-2 / 53	NOT_DECLARED
SC-6162	Transaction unresolved	Business Rule — BR-53-3: At the Bank FIID level, key representation for 3DES DUKPT must be defined. / business_rule	REQ-SRC-ATL105-PDF-001:370	BR-53-3 / 53	NOT_DECLARED
SC-6163	Transaction unresolved	Business Rule — BR-54-1: concatenated — these halves form a key part. / business_rule	REQ-SRC-ATL105-PDF-001:371	BR-54-1 / 54	NOT_DECLARED
SC-6164	Transaction unresolved	Business Rule — BR-54-2: DKey is comprised of two 16-hexadecimal character halves. / business_rule	REQ-SRC-ATL105-PDF-001:372	BR-54-2 / 54	NOT_DECLARED
SC-6165	Transaction unresolved	Business Rule — BR-54-3: BUYPASS supports 2- and 3-part keys. / business_rule	REQ-SRC-ATL105-PDF-001:373	BR-54-3 / 54	NOT_DECLARED
SC-6166	Transaction unresolved	Business Rule — BR-54-4: Key Sequence Number (KSN) is a 20-byte HEX field. / business_rule	REQ-SRC-ATL105-PDF-001:374	BR-54-4 / 54	NOT_DECLARED
SC-6167	Transaction unresolved	Business Rule — BR-54-5: The right-most 4 bytes (Transaction Counter) of IKSIN must be initialized to 0's. / business_rule	REQ-SRC-ATL105-PDF-001:375	BR-54-5 / 54	NOT_DECLARED
SC-6168	Transaction unresolved	Business Rule — BR-54-6: Each PIN-based transaction causes the KSN to increment. / business_rule	REQ-SRC-ATL105-PDF-001:376	BR-54-6 / 54	NOT_DECLARED
SC-6169	Transaction unresolved	Business Rule — BR-54-7: The key is changed at the PIN pad each time the KSN increments. / business_rule	REQ-SRC-ATL105-PDF-001:377	BR-54-7 / 54	NOT_DECLARED
SC-6170	Transaction unresolved	Business Rule — BR-54-8: IKSIN must follow format PPPPXXXXXXXXXEX0000 with PPPP as F's, X as 10-byte hex string, E even hex, Z zero, 0000 counter / business_rule	REQ-SRC-ATL105-PDF-001:378	BR-54-8 / 54	NOT_DECLARED
SC-6171	Transaction unresolved	Business Rule — BR-55-1: The block must be at least 4 digits and no greater than 12 digits in length. / business_rule	REQ-SRC-ATL105-PDF-001:379	BR-55-1 / 55	NOT_DECLARED
SC-6172	Transaction unresolved	Business Rule — BR-55-2: The PIN block must be at least 4 digits and no greater than 12 digits in length. / business_rule	REQ-SRC-ATL105-PDF-001:380	BR-55-2 / 55	NOT_DECLARED
SC-6173	Transaction unresolved	Business Rule — BR-55-3: A digit is a 4-bit binary number with value 0-15 (0-F16); numeric values stored as individual digits 0-9. / business_rule	REQ-SRC-ATL105-PDF-001:381	BR-55-3 / 55	NOT_DECLARED
SC-6174	Transaction unresolved	Business Rule — BR-55-4: C control field is always zero in the PIN field construction. / business_rule	REQ-SRC-ATL105-PDF-001:382	BR-55-4 / 55	NOT_DECLARED
SC-6175	Transaction unresolved	Business Rule — BR-55-5: L = length of entered PIN as a 4-bit binary number, value 4-12. / business_rule	REQ-SRC-ATL105-PDF-001:383	BR-55-5 / 55	NOT_DECLARED
SC-6176	Transaction unresolved	Business Rule — BR-55-6: N = entered PIN, left aligned, including any leading zeros. / business_rule	REQ-SRC-ATL105-PDF-001:384	BR-55-6 / 55	NOT_DECLARED
SC-6177	Transaction unresolved	Business Rule — BR-55-7: F = (14-L) pad digits of 1111 (F16) used to fill remaining PIN field positions. / business_rule	REQ-SRC-ATL105-PDF-001:385	BR-55-7 / 55	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6178	Transaction unresolved	Business Rule — BR-55-8: PAN field is calculated from Track 2 data by dropping the check digit before the field separator and using the remaining / business_rule	REQ-SRC-ATL105-PDF-001:386	BR-55-8 / 55	NOT_DECLARED
SC-6179	Transaction unresolved	Business Rule — BR-55-9: The last digit of the PAN is considered a check digit whether it is or not. / business_rule	REQ-SRC-ATL105-PDF-001:387	BR-55-9 / 55	NOT_DECLARED
SC-6180	Transaction unresolved	Business Rule — BR-55-10: PAN field control field C is always zero. / business_rule	REQ-SRC-ATL105-PDF-001:388	BR-55-10 / 55	NOT_DECLARED
SC-6182	Transaction unresolved	Business Rule — BR-56-2: 4R or 4< Decline Code may occur if encrypted PIN data is missing or not sent by PIN encryption device. / business_rule	REQ-SRC-ATL105-PDF-001:390	BR-56-2 / 56	NOT_DECLARED
SC-6183	Transaction unresolved	Business Rule — BR-56-3: Decline may occur if the KSN is missing or not sent by the PIN encryption device. / business_rule	REQ-SRC-ATL105-PDF-001:391	BR-56-3 / 56	NOT_DECLARED
SC-6184	Transaction unresolved	Business Rule — BR-56-4: Decline may occur if the KSN is not formatted correctly. / business_rule	REQ-SRC-ATL105-PDF-001:392	BR-56-4 / 56	NOT_DECLARED
SC-6185	Transaction unresolved	Business Rule — BR-56-5: Decline may occur if Terminal Profile PIN Encryption type is not set to UKP. / business_rule	REQ-SRC-ATL105-PDF-001:393	BR-56-5 / 56	NOT_DECLARED
SC-6186	Transaction unresolved	Business Rule — BR-56-6: Decline may occur if the PIN pad is encrypted incorrectly. / business_rule	REQ-SRC-ATL105-PDF-001:394	BR-56-6 / 56	NOT_DECLARED
SC-6187	Transaction unresolved	Business Rule — BR-56-7: Decline may occur if the KSN counter is not incrementing for each PIN transaction. / business_rule	REQ-SRC-ATL105-PDF-001:395	BR-56-7 / 56	NOT_DECLARED
SC-6188	Transaction unresolved	Business Rule — BR-56-8: Decline may occur if the KSN is not the correct length. / business_rule	REQ-SRC-ATL105-PDF-001:396	BR-56-8 / 56	NOT_DECLARED
SC-6189	Transaction unresolved	Business Rule — BR-56-9: Decline may occur if the BANK FIID is incorrect. / business_rule	REQ-SRC-ATL105-PDF-001:397	BR-56-9 / 56	NOT_DECLARED
SC-6190	Transaction unresolved	Business Rule — BR-57-1: Communications Test Request verifies the communications link between a customer device and BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:398	BR-57-1 / 57	NOT_DECLARED
SC-6191	Response deferred	Business Rule — BR-57-2: Communications Test Response is the response to the Communications Test Request, verifying the link. / business_rule	REQ-SRC-ATL105-PDF-001:399	BR-57-2 / 57	NOT_DECLARED
SC-6192	Transaction unresolved	Business Rule — BR-59-1: If transaction sent to BUYPASS fails other than host decline, may be resubmitted up to 3 more times or reformatted and r / business_rule	REQ-SRC-ATL105-PDF-001:400	BR-59-1 / 59	NOT_DECLARED
SC-6193	Transaction unresolved	Business Rule — BR-59-2: If transaction still not captured after retry attempts, it must be logged in the Daily Exception Log. / business_rule	REQ-SRC-ATL105-PDF-001:401	BR-59-2 / 59	NOT_DECLARED
SC-6194	Transaction unresolved	Business Rule — BR-59-3: The Daily Exception Log attempts to retransmit its information one more time before end-of-day settlement. / business_rule	REQ-SRC-ATL105-PDF-001:402	BR-59-3 / 59	NOT_DECLARED
SC-6195	Transaction unresolved	Business Rule — BR-59-4: The Daily Exception Log should print at the end of the day, along with the Totals Report. / business_rule	REQ-SRC-ATL105-PDF-001:403	BR-59-4 / 59	NOT_DECLARED
SC-6196	Transaction unresolved	Business Rule — BR-59-5: Controller-generated approval numbers for off-line transactions should start with LA0001 and increment by 1 per transact / business_rule	REQ-SRC-ATL105-PDF-001:404	BR-59-5 / 59	NOT_DECLARED
SC-6197	Transaction unresolved	Business Rule — BR-59-6: Off-line transaction parameters (dollar amount, number of transactions, total off-line dollar amount) should be configur / business_rule	REQ-SRC-ATL105-PDF-001:405	BR-59-6 / 59	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6198	Transaction unresolved	Business Rule — BR-60-1: PIN entry is required for debit and some fleet cards. / business_rule	REQ-SRC-ATL105-PDF-001:406	BR-60-1 / 60	NOT_DECLARED
SC-6199	Transaction unresolved	Business Rule — BR-60-2: If controller does not receive a Transaction Response from host, it should generate a Local Approval Response. / business_rule	REQ-SRC-ATL105-PDF-001:407	BR-60-2 / 60	NOT_DECLARED
SC-6200	Transaction unresolved	Business Rule — BR-60-3: If DLL flag is set in a host response message, controller connects to BUYPASS and requests a PIN encryption load once qu / business_rule	REQ-SRC-ATL105-PDF-001:408	BR-60-3 / 60	NOT_DECLARED
SC-6201	Transaction unresolved	Business Rule — BR-60-4: Preauthorization Request format must indicate transaction was initiated by a customer-activated device. / business_rule	REQ-SRC-ATL105-PDF-001:409	BR-60-4 / 60	NOT_DECLARED
SC-6202	Transaction unresolved	Business Rule — BR-60-5: Controller supplies Preauthorization amount, anticipated fuel type, and price per gallon; required for fuel limits and f / business_rule	REQ-SRC-ATL105-PDF-001:410	BR-60-5 / 60	NOT_DECLARED
SC-6203	Transaction unresolved	Business Rule — BR-60-6: Preauthorization amount, fuel type, and price per gallon are overridden when actual fuel is dispensed. / business_rule	REQ-SRC-ATL105-PDF-001:411	BR-60-6 / 60	NOT_DECLARED
SC-6204	Transaction unresolved	Business Rule — BR-60-7: If approval received, island device signals AFP system to dispense fuel up to preapproved Preauthorization amount. / business_rule	REQ-SRC-ATL105-PDF-001:412	BR-60-7 / 60	NOT_DECLARED
SC-6205	Transaction unresolved	Business Rule — BR-60-8: Controller services subsequent Authorization Requests only if still connected to BUYPASS and line disconnect timer has n / business_rule	REQ-SRC-ATL105-PDF-001:413	BR-60-8 / 60	NOT_DECLARED
SC-6206	Transaction unresolved	Business Rule — BR-60-9: If controller still connected to BUYPASS, it forwards queued preauthorization completions and updates electronic journal / business_rule	REQ-SRC-ATL105-PDF-001:414	BR-60-9 / 60	NOT_DECLARED
SC-6207	Response deferred	Business Rule — BR-61-1: For debit and stored value cards, transaction can be stored max 15 minutes before connecting to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:415	BR-61-1 / 61	NOT_DECLARED
SC-6208	Response deferred	Business Rule — BR-61-2: For credit cards, transaction can be stored max 55 minutes before connecting to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:416	BR-61-2 / 61	NOT_DECLARED
SC-6209	Response deferred	Business Rule — BR-61-3: For all other card types, transaction stored until next Authorization or other request initiating connection to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:417	BR-61-3 / 61	NOT_DECLARED
SC-6210	Transaction unresolved	Business Rule — BR-61-4: A stored preauthorized completion transaction should never initiate a connection to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:418	BR-61-4 / 61	NOT_DECLARED
SC-6211	Transaction unresolved	Business Rule — BR-61-5: If controller still connected and load request flag is yes, request load before hanging up. / business_rule	REQ-SRC-ATL105-PDF-001:419	BR-61-5 / 61	NOT_DECLARED
SC-6212	Transaction unresolved	Business Rule — BR-61-6: Prior to requesting end-of-day totals, all queued transactions including Daily Exception Log must be sent to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:420	BR-61-6 / 61	NOT_DECLARED
SC-6213	Response deferred	Business Rule — BR-61-7: Device should connect to BUYPASS 15 minutes prior to cut time if location has not processed its totals. / business_rule	REQ-SRC-ATL105-PDF-001:421	BR-61-7 / 61	NOT_DECLARED
SC-6214	Transaction unresolved	Business Rule — BR-62-1: Restaurant Credit card sales are terminal-capture, initiated as POS Authorization Only transactions. / business_rule	REQ-SRC-ATL105-PDF-001:422	BR-62-1 / 62	NOT_DECLARED
SC-6216	Transaction unresolved	Business Rule — BR-62-3: A Totals Request (999999 - Shift Read and Reset) follows successful completion of a batch upload. / business_rule	REQ-SRC-ATL105-PDF-001:424	BR-62-3 / 62	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6217	Transaction unresolved	Business Rule — BR-62-4: If communication error occurs during batch upload, terminal reconnects and follows normal TOR logic for unacknowledged s / business_rule	REQ-SRC-ATL105-PDF-001:425	BR-62-4 / 62	NOT_DECLARED
SC-6218	Transaction unresolved	Business Rule — BR-62-5: Terminal sends only remaining transactions in batch and does not resend transactions already acknowledged. / business_rule	REQ-SRC-ATL105-PDF-001:426	BR-62-5 / 62	NOT_DECLARED
SC-6219	Transaction unresolved	Business Rule — BR-62-6: An exception report prints after a successful batch upload, including declined transactions. / business_rule	REQ-SRC-ATL105-PDF-001:427	BR-62-6 / 62	NOT_DECLARED
SC-6220	Transaction unresolved	Business Rule — BR-62-7: Restaurant Debit, EBT, and gift sales are host-capture, initiated as POS Purchase/Capture transactions. / business_rule	REQ-SRC-ATL105-PDF-001:428	BR-62-7 / 62	NOT_DECLARED
SC-6221	Transaction unresolved	Business Rule — BR-62-8: Tip adjustment is not allowed with Debit, EBT, and gift card types. / business_rule	REQ-SRC-ATL105-PDF-001:429	BR-62-8 / 62	NOT_DECLARED
SC-6222	Transaction unresolved	Business Rule — BR-62-9: At end of business day, terminal sends a Totals Request (222222 - Read and Cut Settlement) after sending the last batch. / business_rule	REQ-SRC-ATL105-PDF-001:430	BR-62-9 / 62	NOT_DECLARED
SC-6223	Transaction unresolved	Business Rule — BR-64-1: Electronic journal should contain all approved transactions, excluding authorization only transactions. / business_rule	REQ-SRC-ATL105-PDF-001:431	BR-64-1 / 64	NOT_DECLARED
SC-6224	Transaction unresolved	Business Rule — BR-64-2: Local totals must accumulate transactions in the electronic journal, including authorization only transactions. / business_rule	REQ-SRC-ATL105-PDF-001:432	BR-64-2 / 64	NOT_DECLARED
SC-6225	Transaction unresolved	Business Rule — BR-64-3: Device records transaction in electronic journal immediately upon receiving host response to an approved transaction. / business_rule	REQ-SRC-ATL105-PDF-001:433	BR-64-3 / 64	NOT_DECLARED
SC-6226	Transaction unresolved	Business Rule — BR-64-4: Electronic journal is structured as a circular queue, accessible by a designated key for each device type. / business_rule	REQ-SRC-ATL105-PDF-001:434	BR-64-4 / 64	NOT_DECLARED
SC-6227	Transaction unresolved	Business Rule — BR-68-1: If no entries are present in the electronic journal, a message displays indicating no entries and device returns to idle / business_rule	REQ-SRC-ATL105-PDF-001:435	BR-68-1 / 68	NOT_DECLARED
SC-6228	Transaction unresolved	Business Rule — BR-68-2: If entire electronic journal is printed, listing begins with the most recent transaction. / business_rule	REQ-SRC-ATL105-PDF-001:436	BR-68-2 / 68	NOT_DECLARED
SC-6229	Transaction unresolved	Business Rule — BR-68-3: Some device applications print the transaction date but this feature is not supported by all device applications. / business_rule	REQ-SRC-ATL105-PDF-001:437	BR-68-3 / 68	NOT_DECLARED
SC-6239	Transaction unresolved	Business Rule — BR-74-1: If no entries are present in the electronic journal, a no-entries message displays and device returns to idle prompt. / business_rule	REQ-SRC-ATL105-PDF-001:447	BR-74-1 / 74	NOT_DECLARED
SC-6240	Transaction unresolved	Business Rule — BR-74-2: If entries are present, the device prints a local totals report with count and dollar totals per card label, including g / business_rule	REQ-SRC-ATL105-PDF-001:448	BR-74-2 / 74	NOT_DECLARED
SC-6241	Transaction unresolved	Business Rule — BR-74-3: Printout indicates OUT OF BALANCE at bottom when grand totals from local and host summaries are not equal. / business_rule	REQ-SRC-ATL105-PDF-001:449	BR-74-3 / 74	NOT_DECLARED
SC-6242	Transaction unresolved	Business Rule — BR-75-1: The device must be able to support all requests for merchant shift totals and settlement totals. / business_rule	REQ-SRC-ATL105-PDF-001:450	BR-75-1 / 75	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6243	Transaction unresolved	Business Rule — BR-75-2: requesting host totals — the device displays a prompt for entering a password and date. / business_rule	REQ-SRC-ATL105-PDF-001:451	BR-75-2 / 75	NOT_DECLARED
SC-6262	Response deferred	Business Rule — BR-77-3: Controller should connect to BUYPASS 30 minutes before cut time and forward queued trailer transactions. / business_rule	REQ-SRC-ATL105-PDF-001:470	BR-77-3 / 77	NOT_DECLARED
SC-6264	Response deferred	Business Rule — BR-77-5: If device supports table loads, Card Type value '164' enables Auto Close in a device. / business_rule	REQ-SRC-ATL105-PDF-001:472	BR-77-5 / 77	NOT_DECLARED
SC-6271	Transaction unresolved	Business Rule — BR-79-2: If device cannot read Track 2, send unaltered Track 1 before attempting manual entry. / business_rule	REQ-SRC-ATL105-PDF-001:479	BR-79-2 / 79	NOT_DECLARED
SC-6272	Transaction unresolved	Business Rule — BR-79-3: If a Pre-Auth transaction is approved offline, full track data must be sent. / business_rule	REQ-SRC-ATL105-PDF-001:480	BR-79-3 / 79	NOT_DECLARED
SC-6273	Transaction unresolved	Business Rule — BR-79-4: If a Sale transaction is approved offline, full track data must be sent. / business_rule	REQ-SRC-ATL105-PDF-001:481	BR-79-4 / 79	NOT_DECLARED
SC-6274	Transaction unresolved	Business Rule — BR-79-5: Track 1 data is mandatory for all (MSR and MSD) Amex AFD transactions, preferred for other Amex transactions. / business_rule	REQ-SRC-ATL105-PDF-001:482	BR-79-5 / 79	NOT_DECLARED
SC-6275	Transaction unresolved	Business Rule — BR-79-6: If AFD transaction contains encrypted data in TransArmor Encryption Block, Track 1 data must be present with Encryption / business_rule	REQ-SRC-ATL105-PDF-001:483	BR-79-6 / 79	NOT_DECLARED
SC-6276	Transaction unresolved	Business Rule — BR-79-7: For other card types, default track is Track 2; if unreadable, send unaltered Track 1 on initial transaction before manu / business_rule	REQ-SRC-ATL105-PDF-001:484	BR-79-7 / 79	NOT_DECLARED
SC-6277	Transaction unresolved	Business Rule — BR-79-8: All follow-up transactions should use truncated Track 2 or truncated Track 2 facsimile. / business_rule	REQ-SRC-ATL105-PDF-001:485	BR-79-8 / 79	NOT_DECLARED
SC-6280	Transaction unresolved	Business Rule — BR-81-1: Purchase/Capture is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:488	BR-81-1 / 81	NOT_DECLARED
SC-6281	Transaction unresolved	Business Rule — BR-81-2: Purchase Reversal is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:489	BR-81-2 / 81	NOT_DECLARED
SC-6282	Transaction unresolved	Business Rule — BR-81-3: Authorization Only is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:490	BR-81-3 / 81	NOT_DECLARED
SC-6283	Transaction unresolved	Business Rule — BR-81-4: Merchandise Return is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:491	BR-81-4 / 81	NOT_DECLARED
SC-6284	Transaction unresolved	Business Rule — BR-81-5: Time-out Reversal is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:492	BR-81-5 / 81	NOT_DECLARED
SC-6285	Transaction unresolved	Business Rule — BR-81-6: Mail/Phone Purchase is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:493	BR-81-6 / 81	NOT_DECLARED
SC-6286	Transaction unresolved	Business Rule — BR-81-7: Mail/Phone Authorization Only is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:494	BR-81-7 / 81	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6287	Transaction unresolved	Business Rule — BR-81-8: Mail/Phone Reversal is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:495	BR-81-8 / 81	NOT_DECLARED
SC-6288	Transaction unresolved	Business Rule — BR-81-9: Void of Merchandise Return is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:496	BR-81-9 / 81	NOT_DECLARED
SC-6289	Transaction unresolved	Business Rule — BR-81-10: Balance Inquiry is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:497	BR-81-10 / 81	NOT_DECLARED
SC-6291	Transaction unresolved	Business Rule — BR-81-12: Authorization Only Reversal is a supported point-of-sale transaction type for credit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:499	BR-81-12 / 81	NOT_DECLARED
SC-6296	Response deferred	Business Rule — BR-82-4: Card balance, if returned by issuer, is in Additional Information Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:504	BR-82-4 / 82	NOT_DECLARED
SC-6298	Transaction unresolved	Business Rule — BR-82-6: Amount in Reversal (Void) request must equal amount approved in original partially approved transaction. / business_rule	REQ-SRC-ATL105-PDF-001:506	BR-82-6 / 82	NOT_DECLARED
SC-6299	Transaction unresolved	Business Rule — BR-82-7: BUYPASS supports reversal of a partially approved original authorization but NOT a partial reversal of an original trans / business_rule	REQ-SRC-ATL105-PDF-001:507	BR-82-7 / 82	NOT_DECLARED
SC-6300	Transaction unresolved	Business Rule — BR-82-8: Amount in TOR request must equal amount requested in original partially approved transaction response. / business_rule	REQ-SRC-ATL105-PDF-001:508	BR-82-8 / 82	NOT_DECLARED
SC-6302	Transaction unresolved	Business Rule — BR-83-1: All approved and partially approved authorization transactions must be either cleared or reversed. / business_rule	REQ-SRC-ATL105-PDF-001:510	BR-83-1 / 83	NOT_DECLARED
SC-6303	Transaction unresolved	Business Rule — BR-83-2: Merchants must process authorization reversals for card-present errors/cancellations within 24 hours. / business_rule	REQ-SRC-ATL105-PDF-001:511	BR-83-2 / 83	NOT_DECLARED
SC-6304	Transaction unresolved	Business Rule — BR-83-3: Card-absent merchants are allowed up to 72 hours to process required partial or full authorization reversals. / business_rule	REQ-SRC-ATL105-PDF-001:512	BR-83-3 / 83	NOT_DECLARED
SC-6305	Transaction unresolved	Business Rule — BR-83-4: Issuers must immediately process matched reversal transactions and release holds on cardholder funds. / business_rule	REQ-SRC-ATL105-PDF-001:513	BR-83-4 / 83	NOT_DECLARED
SC-6308	Transaction unresolved	Business Rule — BR-83-7: Authorization Only Reversal enables reversal of POS Authorization Only (Transaction Type '3') and CAT Authorization Only / business_rule	REQ-SRC-ATL105-PDF-001:516	BR-83-7 / 83	NOT_DECLARED
SC-6312	Response deferred	Business Rule — BR-84-1: BUYPASS processes all Purchase/Capture transactions when Response Code is approval, regardless of AVS information. / business_rule	REQ-SRC-ATL105-PDF-001:520	BR-84-1 / 84	NOT_DECLARED
SC-6313	Response deferred	Business Rule — BR-84-2: If merchant decides not to accept purchase due to AVS value, merchant must perform a Purchase Reversal. / business_rule	REQ-SRC-ATL105-PDF-001:521	BR-84-2 / 84	NOT_DECLARED
SC-6317	Transaction unresolved	Business Rule — BR-85-1: Eligible benefit cards are identified by a 9-digit BIN. / business_rule	REQ-SRC-ATL105-PDF-001:525	BR-85-1 / 85	NOT_DECLARED
SC-6318	Transaction unresolved	Business Rule — BR-85-2: If Partial Approvals are not supported, the transaction is either approved for full amount or declined. / business_rule	REQ-SRC-ATL105-PDF-001:526	BR-85-2 / 85	NOT_DECLARED
SC-6320	Transaction unresolved	Business Rule — BR-86-1: Clinical Services amount (Code 890) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:528	BR-86-1 / 86	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6321	Transaction unresolved	Business Rule — BR-86-2: Dental Services amount (Code 891) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:529	BR-86-2 / 86	NOT_DECLARED
SC-6322	Transaction unresolved	Business Rule — BR-86-3: Prescription/Rx Only amount (Code 892) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:530	BR-86-3 / 86	NOT_DECLARED
SC-6323	Transaction unresolved	Business Rule — BR-86-4: Vision/Optical amount (Code 893) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:531	BR-86-4 / 86	NOT_DECLARED
SC-6324	Transaction unresolved	Business Rule — BR-86-5: Total QHP Amount (Code 894) is required and includes Clinical, Dental, Rx, and Vision amounts. / business_rule	REQ-SRC-ATL105-PDF-001:532	BR-86-5 / 86	NOT_DECLARED
SC-6325	Transaction unresolved	Business Rule — BR-86-6: Co-Payment amount (Code 895) is optional and identifies total co-payment amount. / business_rule	REQ-SRC-ATL105-PDF-001:533	BR-86-6 / 86	NOT_DECLARED
SC-6326	Transaction unresolved	Business Rule — BR-86-7: Transit amount (Code 896) is optional and identifies total transit purchase amount. / business_rule	REQ-SRC-ATL105-PDF-001:534	BR-86-7 / 86	NOT_DECLARED
SC-6330	Transaction unresolved	Business Rule — BR-87-4: FSA/HRA transaction responses contain standard response data with no transaction-specific data elements. / business_rule	REQ-SRC-ATL105-PDF-001:538	BR-87-4 / 87	NOT_DECLARED
SC-6342	Transaction unresolved	Business Rule — BR-88-1: FSA/HRA card transactions must follow credit card receipt requirements from section 10.1.7. / business_rule	REQ-SRC-ATL105-PDF-001:550	BR-88-1 / 88	NOT_DECLARED
SC-6343	Transaction unresolved	Business Rule — BR-88-2: Approved FSA/HRA receipts must print an indicator identifying QHP items. / business_rule	REQ-SRC-ATL105-PDF-001:551	BR-88-2 / 88	NOT_DECLARED
SC-6344	Transaction unresolved	Business Rule — BR-88-3: Approved FSA/HRA receipts must print a subtotal of QHP amount including taxes and discounts. / business_rule	REQ-SRC-ATL105-PDF-001:552	BR-88-3 / 88	NOT_DECLARED
SC-6346	Response deferred	Business Rule — BR-89-2: Card Type ID prints on all credit card receipts using specific abbreviations per card brand / business_rule	REQ-SRC-ATL105-PDF-001:554	BR-89-2 / 89	NOT_DECLARED
SC-6351	Transaction unresolved	Business Rule — BR-90-5: Transaction date prints on all credit card receipts. / business_rule	REQ-SRC-ATL105-PDF-001:559	BR-90-5 / 90	NOT_DECLARED
SC-6352	Transaction unresolved	Business Rule — BR-90-6: Transaction time prints on all credit card receipts. / business_rule	REQ-SRC-ATL105-PDF-001:560	BR-90-6 / 90	NOT_DECLARED
SC-6354	Transaction unresolved	Business Rule — BR-90-8: Fuel and nonfuel product information must appear on receipt for an approved transaction. / business_rule	REQ-SRC-ATL105-PDF-001:562	BR-90-8 / 90	NOT_DECLARED
SC-6357	Transaction unresolved	Business Rule — BR-91-2: Decline message must be on receipt for declined transaction involving a point-of-sale device that uses preprint feature. / business_rule	REQ-SRC-ATL105-PDF-001:565	BR-91-2 / 91	NOT_DECLARED
SC-6358	Transaction unresolved	Business Rule — BR-91-3: Decline message is displayed on device's screen for a customer-activated device. / business_rule	REQ-SRC-ATL105-PDF-001:566	BR-91-3 / 91	NOT_DECLARED
SC-6359	Transaction unresolved	Business Rule — BR-91-4: Signature line prints only on the merchant's copy of the credit card transaction receipt. / business_rule	REQ-SRC-ATL105-PDF-001:567	BR-91-4 / 91	NOT_DECLARED
SC-6360	Transaction unresolved	Business Rule — BR-92-1: These two items must be separated by an "=" sign, rather than a Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:568	BR-92-1 / 92	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6362	Transaction unresolved	Business Rule — BR-92-3: Merchant device must not store full magnetic stripe data. / business_rule	REQ-SRC-ATL105-PDF-001:570	BR-92-3 / 92	NOT_DECLARED
SC-6364	Transaction unresolved	Business Rule — BR-92-5: Default track sent to host should be Track 2 if device supports it; else unaltered Track 1 before manual entry. / business_rule	REQ-SRC-ATL105-PDF-001:572	BR-92-5 / 92	NOT_DECLARED
SC-6365	Transaction unresolved	Business Rule — BR-92-6: For American Express, default track should be Track 1; if unreadable, send unaltered Track 2 on initial transaction befo / business_rule	REQ-SRC-ATL105-PDF-001:573	BR-92-6 / 92	NOT_DECLARED
SC-6366	Transaction unresolved	Business Rule — BR-92-7: Card data in clearing transaction must not result from previously captured full card-read data. / business_rule	REQ-SRC-ATL105-PDF-001:574	BR-92-7 / 92	NOT_DECLARED
SC-6367	Transaction unresolved	Business Rule — BR-92-8: This full card-read data restriction does not apply to TransArmor-Verifone Edition processing. / business_rule	REQ-SRC-ATL105-PDF-001:575	BR-92-8 / 92	NOT_DECLARED
SC-6372	Transaction unresolved	Business Rule — BR-93-2: Track 2 data is kept in the In Flight Table while transaction is in process, removed when completed. / business_rule	REQ-SRC-ATL105-PDF-001:580	BR-93-2 / 93	NOT_DECLARED
SC-6373	Transaction unresolved	Business Rule — BR-93-3: All offline transactions must send full unaltered track data, including both Track 1 and Track 2 formats. / business_rule	REQ-SRC-ATL105-PDF-001:581	BR-93-3 / 93	NOT_DECLARED
SC-6375	Transaction unresolved	Business Rule — BR-94-2: Debit Card Completion transaction can only be processed one time by BUYPASS and debit networks. / business_rule	REQ-SRC-ATL105-PDF-001:583	BR-94-2 / 94	NOT_DECLARED
SC-6376	Transaction unresolved	Business Rule — BR-94-3: If no response received for Debit Card Completion, device should resend on next dial attempt or 30 minutes later, whiche / business_rule	REQ-SRC-ATL105-PDF-001:584	BR-94-3 / 94	NOT_DECLARED
SC-6377	Response deferred	Business Rule — BR-94-4: Response Code = 1 (decline) and Decline Code = 24 means transaction already captured; device updates totals as approved. / business_rule	REQ-SRC-ATL105-PDF-001:585	BR-94-4 / 94	NOT_DECLARED
SC-6378	Transaction unresolved	Business Rule — BR-94-5: Any BUYPASS response to a Debit Card Completion transaction should end retry attempts, whether approved or declined. / business_rule	REQ-SRC-ATL105-PDF-001:586	BR-94-5 / 94	NOT_DECLARED
SC-6379	Transaction unresolved	Business Rule — BR-94-6: Customer PIN entry is required on a DES-compliant entry device, encrypted using DUKPT PIN encryption method. / business_rule	REQ-SRC-ATL105-PDF-001:587	BR-94-6 / 94	NOT_DECLARED
SC-6380	Transaction unresolved	Business Rule — BR-94-7: All transactions except Purchase Reversal require PIN entry. / business_rule	REQ-SRC-ATL105-PDF-001:588	BR-94-7 / 94	NOT_DECLARED
SC-6381	Transaction unresolved	Business Rule — BR-94-8: Manual entry is not allowed on a debit card transaction. / business_rule	REQ-SRC-ATL105-PDF-001:589	BR-94-8 / 94	NOT_DECLARED
SC-6382	Transaction unresolved	Business Rule — BR-94-9: If magnetic stripe unreadable, device should prompt swipe again up to three times before ending transaction. / business_rule	REQ-SRC-ATL105-PDF-001:590	BR-94-9 / 94	NOT_DECLARED
SC-6383	Transaction unresolved	Business Rule — BR-95-1: Time-out Reversal for debit Completion transaction is not supported. / business_rule	REQ-SRC-ATL105-PDF-001:591	BR-95-1 / 95	NOT_DECLARED
SC-6390	Response deferred	Business Rule — BR-96-1: If cashback is partially approved, the partial amount applies only to purchase, not cashback. / business_rule	REQ-SRC-ATL105-PDF-001:598	BR-96-1 / 96	NOT_DECLARED
SC-6391	Response deferred	Business Rule — BR-96-2: Reversal (Void) request amount must equal the amount approved in the original transaction when partially approved. / business_rule	REQ-SRC-ATL105-PDF-001:599	BR-96-2 / 96	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6392	Response deferred	Business Rule — BR-96-3: TOR request amount must equal the amount approved in the original transaction when partially approved. / business_rule	REQ-SRC-ATL105-PDF-001:600	BR-96-3 / 96	NOT_DECLARED
SC-6394	Transaction unresolved	Business Rule — BR-97-1: All approved and partially approved authorization transactions must be either cleared or reversed. / business_rule	REQ-SRC-ATL105-PDF-001:602	BR-97-1 / 97	NOT_DECLARED
SC-6395	Transaction unresolved	Business Rule — BR-97-2: Acquirers must ensure merchants process authorization reversals for card-present transactions within 24 hours. / business_rule	REQ-SRC-ATL105-PDF-001:603	BR-97-2 / 97	NOT_DECLARED
SC-6396	Transaction unresolved	Business Rule — BR-97-3: Card-absent merchants are allowed up to 72 hours to process required partial or full authorization reversals. / business_rule	REQ-SRC-ATL105-PDF-001:604	BR-97-3 / 97	NOT_DECLARED
SC-6397	Transaction unresolved	Business Rule — BR-97-4: Issuers must immediately process matched reversal transactions, subject to risk/fraud policies, and release holds on fun / business_rule	REQ-SRC-ATL105-PDF-001:605	BR-97-4 / 97	NOT_DECLARED
SC-6398	Transaction unresolved	Business Rule — BR-97-5: Authorization Only Reversal supports POS Authorization Only (Transaction Type code 3) and CAT Authorization Only (Transa / business_rule	REQ-SRC-ATL105-PDF-001:606	BR-97-5 / 97	NOT_DECLARED
SC-6404	Transaction unresolved	Business Rule — BR-98-3: Merchant POS system must store BIN information for eligible benefit cards identified by a 9-digit BIN. / business_rule	REQ-SRC-ATL105-PDF-001:612	BR-98-3 / 98	NOT_DECLARED
SC-6405	Transaction unresolved	Business Rule — BR-99-1: Total QHP Amount (Code 894) is required; includes Clinical, Dental, Prescription/Rx, and Vision/Optical amounts. / business_rule	REQ-SRC-ATL105-PDF-001:613	BR-99-1 / 99	NOT_DECLARED
SC-6406	Transaction unresolved	Business Rule — BR-99-2: Clinical Services (Code 890) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:614	BR-99-2 / 99	NOT_DECLARED
SC-6407	Transaction unresolved	Business Rule — BR-99-3: Dental Services (Code 891) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:615	BR-99-3 / 99	NOT_DECLARED
SC-6408	Transaction unresolved	Business Rule — BR-99-4: Prescription/Rx Only (Code 892) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:616	BR-99-4 / 99	NOT_DECLARED
SC-6409	Transaction unresolved	Business Rule — BR-99-5: Vision/Optical (Code 893) is optional and included in Total QHP Amount. / business_rule	REQ-SRC-ATL105-PDF-001:617	BR-99-5 / 99	NOT_DECLARED
SC-6410	Transaction unresolved	Business Rule — BR-99-6: Co-Payment (Code 895) is optional and identifies total amount for co-payments. / business_rule	REQ-SRC-ATL105-PDF-001:618	BR-99-6 / 99	NOT_DECLARED
SC-6411	Transaction unresolved	Business Rule — BR-99-7: Transit (Code 896) is optional and identifies total amount for transit purchases. / business_rule	REQ-SRC-ATL105-PDF-001:619	BR-99-7 / 99	NOT_DECLARED
SC-6413	Transaction unresolved	Business Rule — BR-100-2: FSA/HRA transaction responses contain only standard response data; no FSA/HRA-specific fields. / business_rule	REQ-SRC-ATL105-PDF-001:621	BR-100-2 / 100	NOT_DECLARED
SC-6418	Response deferred	Business Rule — BR-100-7: Amount in a Reversal (Void) request must equal amount approved in original transaction response if partially approved. / business_rule	REQ-SRC-ATL105-PDF-001:626	BR-100-7 / 100	NOT_DECLARED
SC-6423	Response deferred	Business Rule — BR-100-12: Amount in a TOR request must be the amount approved in original transaction response if partially approved. / business_rule	REQ-SRC-ATL105-PDF-001:631	BR-100-12 / 100	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6425	Transaction unresolved	Business Rule — BR-101-1: FSA/HRA card transaction receipts must follow debit card receipt requirements in section 10.2.4. / business_rule	REQ-SRC-ATL105-PDF-001:633	BR-101-1 / 101	NOT_DECLARED
SC-6426	Transaction unresolved	Business Rule — BR-101-2: Approved FSA/HRA receipts must print an indicator identifying QHP items. / business_rule	REQ-SRC-ATL105-PDF-001:634	BR-101-2 / 101	NOT_DECLARED
SC-6427	Transaction unresolved	Business Rule — BR-101-3: Approved FSA/HRA receipts must print subtotal of QHP amount including taxes and discounts. / business_rule	REQ-SRC-ATL105-PDF-001:635	BR-101-3 / 101	NOT_DECLARED
SC-6428	Transaction unresolved	Business Rule — BR-102-1: No signature line — printing a debit receipt. / business_rule	REQ-SRC-ATL105-PDF-001:636	BR-102-1 / 102	NOT_DECLARED
SC-6429	Transaction unresolved	Business Rule — BR-102-2: Credit card receipt requirements in section 10.1.7 also apply to debit card receipts. / business_rule	REQ-SRC-ATL105-PDF-001:637	BR-102-2 / 102	NOT_DECLARED
SC-6430	Transaction unresolved	Business Rule — BR-102-3: A PIN USED message may optionally be printed on transaction receipts when a PIN is entered. / business_rule	REQ-SRC-ATL105-PDF-001:638	BR-102-3 / 102	NOT_DECLARED
SC-6431	Transaction unresolved	Business Rule — BR-102-4: No signature line is required when printing a debit receipt. / business_rule	REQ-SRC-ATL105-PDF-001:639	BR-102-4 / 102	NOT_DECLARED
SC-6432	Transaction unresolved	Business Rule — BR-102-5: A SIGNATURE NOT REQUIRED message may optionally be printed on debit receipts. / business_rule	REQ-SRC-ATL105-PDF-001:640	BR-102-5 / 102	NOT_DECLARED
SC-6433	Transaction unresolved	Business Rule — BR-103-1: These two items must be separated by an "=" sign, rather than a Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:641	BR-103-1 / 103	NOT_DECLARED
SC-6435	Transaction unresolved	Business Rule — BR-103-3: Merchant device must not store full magnetic stripe data. / business_rule	REQ-SRC-ATL105-PDF-001:643	BR-103-3 / 103	NOT_DECLARED
SC-6438	Transaction unresolved	Business Rule — BR-103-6: Default track sent to BUYPASS should be Track 2. / business_rule	REQ-SRC-ATL105-PDF-001:646	BR-103-6 / 103	NOT_DECLARED
SC-6439	Transaction unresolved	Business Rule — BR-103-7: Card data provided in a clearing transaction must not result from previously captured full card-read data. / business_rule	REQ-SRC-ATL105-PDF-001:647	BR-103-7 / 103	NOT_DECLARED
SC-6444	Transaction unresolved	Business Rule — BR-103-12: Track 2 data is kept in the In Flight Table while transaction is in process and removed when completed. / business_rule	REQ-SRC-ATL105-PDF-001:652	BR-103-12 / 103	NOT_DECLARED
SC-6445	Response deferred	Business Rule — BR-104-1: PINless POS Debit card must be issued by a supported Debit network. / business_rule	REQ-SRC-ATL105-PDF-001:653	BR-104-1 / 104	NOT_DECLARED
SC-6446	Response deferred	Business Rule — BR-104-2: For MSR, card must be swiped at a POS device for PINless POS Debit processing. / business_rule	REQ-SRC-ATL105-PDF-001:654	BR-104-2 / 104	NOT_DECLARED
SC-6447	Response deferred	Business Rule — BR-104-3: For EMV, POS PINless transactions are only eligible with US Common Debit AID as 'No CVM' and 'No PIN Block'. / business_rule	REQ-SRC-ATL105-PDF-001:655	BR-104-3 / 104	NOT_DECLARED
SC-6448	Response deferred	Business Rule — BR-104-4: Card Track Data must be Track 2 for PINless POS Debit card processing. / business_rule	REQ-SRC-ATL105-PDF-001:656	BR-104-4 / 104	NOT_DECLARED
SC-6449	Transaction unresolved	Business Rule — BR-104-5: Supported PINless POS Debit transaction types are Purchase, Merchandise Return/Refund, and Time-out Reversal (TOR). / business_rule	REQ-SRC-ATL105-PDF-001:657	BR-104-5 / 104	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6450	Transaction unresolved	Business Rule — BR-104-6: Supported PINless POS Debit transactions do not require a PIN when amount is less than or equal to \$50.00. / business_rule	REQ-SRC-ATL105-PDF-001:658	BR-104-6 / 104	NOT_DECLARED
SC-6451	Transaction unresolved	Business Rule — BR-104-7: PINless POS Plus product supports Non-PIN debit transactions over \$50.00 for specific BINs of debit networks. / business_rule	REQ-SRC-ATL105-PDF-001:659	BR-104-7 / 104	NOT_DECLARED
SC-6453	Transaction unresolved	Business Rule — BR-104-9: Healthcare (FSA) transactions are excluded from PINless POS Debit processing; HSA is not excluded. / business_rule	REQ-SRC-ATL105-PDF-001:661	BR-104-9 / 104	NOT_DECLARED
SC-6454	Transaction unresolved	Business Rule — BR-104-10: Automated Fuel Dispenser (MCC 5542) transactions are excluded from PINless POS Debit processing. / business_rule	REQ-SRC-ATL105-PDF-001:662	BR-104-10 / 104	NOT_DECLARED
SC-6455	Transaction unresolved	Business Rule — BR-104-11: Transactions where final amount is not known (restaurant tip, hotel, car rental) are excluded from PINless POS Debit. / business_rule	REQ-SRC-ATL105-PDF-001:663	BR-104-11 / 104	NOT_DECLARED
SC-6456	Response deferred	Business Rule — BR-104-12: Store and Forward transactions are excluded from PINless POS Debit processing. / business_rule	REQ-SRC-ATL105-PDF-001:664	BR-104-12 / 104	NOT_DECLARED
SC-6457	Transaction unresolved	Business Rule — BR-104-13: A Time-out Reversal (TOR) is used to reverse a transaction if the POS device fails or transaction is aborted after initi / business_rule	REQ-SRC-ATL105-PDF-001:665	BR-104-13 / 104	NOT_DECLARED
SC-6458	Transaction unresolved	Business Rule — BR-106-1: The transactions must be card present, full mag-stripe data, or full EMV chip data. / business_rule	REQ-SRC-ATL105-PDF-001:666	BR-106-1 / 106	NOT_DECLARED
SC-6459	Response deferred	Business Rule — BR-106-2: Signature Debit cards must be issued by a supported debit network. / business_rule	REQ-SRC-ATL105-PDF-001:667	BR-106-2 / 106	NOT_DECLARED
SC-6460	Response deferred	Business Rule — BR-106-3: Signature Debit cards must support manual, swiped, contact chip, and contactless chip entry modes. / business_rule	REQ-SRC-ATL105-PDF-001:668	BR-106-3 / 106	NOT_DECLARED
SC-6462	Transaction unresolved	Business Rule — BR-106-5: Time-out Reversal transaction used to reverse a transaction if POS device fails or transaction aborted after initial hos / business_rule	REQ-SRC-ATL105-PDF-001:670	BR-106-5 / 106	NOT_DECLARED
SC-6463	Transaction unresolved	Business Rule — BR-106-6: STAR Signature Debit transactions must occur within US and US territories (Guam, Puerto Rico, Virgin Islands etc.). / business_rule	REQ-SRC-ATL105-PDF-001:671	BR-106-6 / 106	NOT_DECLARED
SC-6466	Transaction unresolved	Business Rule — BR-106-9: Recharge, Activate, or Inquiry transactions are not supported for STAR Single and Dual message processing. / business_rule	REQ-SRC-ATL105-PDF-001:674	BR-106-9 / 106	NOT_DECLARED
SC-6469	Transaction unresolved	Business Rule — BR-107-1: Transactions cannot be keyed. / business_rule	REQ-SRC-ATL105-PDF-001:677	BR-107-1 / 107	NOT_DECLARED
SC-6470	Transaction unresolved	Business Rule — BR-107-2: Follow-up transaction final amount must equal the original authorization amount. / business_rule	REQ-SRC-ATL105-PDF-001:678	BR-107-2 / 107	NOT_DECLARED
SC-6471	Transaction unresolved	Business Rule — BR-107-3: Mail Order/Telephone Order (MOTO) is not supported. / business_rule	REQ-SRC-ATL105-PDF-001:679	BR-107-3 / 107	NOT_DECLARED
SC-6472	Transaction unresolved	Business Rule — BR-107-4: Transactions with excluded MCCs are not processed under these restrictions; routed to card associations instead. / business_rule	REQ-SRC-ATL105-PDF-001:680	BR-107-4 / 107	NOT_DECLARED
SC-6473	Transaction unresolved	Business Rule — BR-107-5: If transaction does not meet STAR Single/Dual Message restrictions, it is routed to card associations such as Visa, MC. / business_rule	REQ-SRC-ATL105-PDF-001:681	BR-107-5 / 107	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6474	Response deferred	Business Rule — BR-107-6: If original response has Transaction Attributes Segment with Settlement Type = 'X' (Non-traditional Signature Debit), fo / business_rule	REQ-SRC-ATL105-PDF-001:682	BR-107-6 / 107	NOT_DECLARED
SC-6476	Transaction unresolved	Business Rule — BR-108-2: AVS requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:684	BR-108-2 / 108	NOT_DECLARED
SC-6477	Transaction unresolved	Business Rule — BR-108-3: Bill Payment/Recurring Payment Transaction requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:685	BR-108-3 / 108	NOT_DECLARED
SC-6478	Transaction unresolved	Business Rule — BR-108-4: Healthcare Auto-Substantiation Service supported for credit, PIN debit, and Signature Debit cards. / business_rule	REQ-SRC-ATL105-PDF-001:686	BR-108-4 / 108	NOT_DECLARED
SC-6479	Transaction unresolved	Business Rule — BR-108-5: Eligible Benefit Cards requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:687	BR-108-5 / 108	NOT_DECLARED
SC-6481	Transaction unresolved	Business Rule — BR-108-7: Split Tender Processing requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:689	BR-108-7 / 108	NOT_DECLARED
SC-6482	Transaction unresolved	Business Rule — BR-108-8: Qualified Healthcare Products requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:690	BR-108-8 / 108	NOT_DECLARED
SC-6483	Transaction unresolved	Business Rule — BR-109-1: FSA/HRA transaction request requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:691	BR-109-1 / 109	NOT_DECLARED
SC-6484	Transaction unresolved	Business Rule — BR-109-2: FSA/HRA transaction response requirements for credit cards also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:692	BR-109-2 / 109	NOT_DECLARED
SC-6485	Transaction unresolved	Business Rule — BR-109-3: Purchase/Capture requirements for credit card also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:693	BR-109-3 / 109	NOT_DECLARED
SC-6486	Transaction unresolved	Business Rule — BR-109-4: Purchase Reversal requirements for credit card also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:694	BR-109-4 / 109	NOT_DECLARED
SC-6487	Transaction unresolved	Business Rule — BR-109-5: Merchandise Return requirements for credit card also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:695	BR-109-5 / 109	NOT_DECLARED
SC-6488	Transaction unresolved	Business Rule — BR-109-6: Time-out Reversal requirements for credit card also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:696	BR-109-6 / 109	NOT_DECLARED
SC-6489	Transaction unresolved	Business Rule — BR-109-7: FSA/HRA card transaction receipt requirements for credit card also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:697	BR-109-7 / 109	NOT_DECLARED
SC-6490	Transaction unresolved	Business Rule — BR-109-8: Credit card receipt requirements also apply to Signature Debit card. / business_rule	REQ-SRC-ATL105-PDF-001:698	BR-109-8 / 109	NOT_DECLARED
SC-6491	Transaction unresolved	Business Rule — BR-109-9: Data storage requirements for electronic credit transactions also apply to Signature Debit cards. / business_rule	REQ-SRC-ATL105-PDF-001:699	BR-109-9 / 109	NOT_DECLARED
SC-6492	Transaction unresolved	Business Rule — BR-109-10: Track support requirements for electronic credit transactions also apply to Signature Debit cards. / business_rule	REQ-SRC-ATL105-PDF-001:700	BR-109-10 / 109	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6498	Transaction unresolved	Business Rule — BR-110-6: There is no stand-in mode for EBT transactions; USDA guidelines do not allow off-line processing of EBT transactions. / business_rule	REQ-SRC-ATL105-PDF-001:706	BR-110-6 / 110	NOT_DECLARED
SC-6499	Transaction unresolved	Business Rule — BR-110-7: If retailer supports stored-and-forward EBT transactions, retailer assumes all risk once connection reestablished. / business_rule	REQ-SRC-ATL105-PDF-001:707	BR-110-7 / 110	NOT_DECLARED
SC-6501	Transaction unresolved	Business Rule — BR-110-9: The balance field must not print on the receipt; do not print zeros. / business_rule	REQ-SRC-ATL105-PDF-001:709	BR-110-9 / 110	NOT_DECLARED
SC-6503	Transaction unresolved	Business Rule — BR-111-1: Devices must support balance inquiries by tender type. / business_rule	REQ-SRC-ATL105-PDF-001:711	BR-111-1 / 111	NOT_DECLARED
SC-6510	Transaction unresolved	Business Rule — BR-113-1: No signature line — printing an EBT receipt. / business_rule	REQ-SRC-ATL105-PDF-001:718	BR-113-1 / 113	NOT_DECLARED
SC-6511	Transaction unresolved	Business Rule — BR-113-2: The food stamp dollar amount must be printed on a Food Stamp transaction receipt. / business_rule	REQ-SRC-ATL105-PDF-001:719	BR-113-2 / 113	NOT_DECLARED
SC-6512	Transaction unresolved	Business Rule — BR-113-3: Credit card receipt requirements apply to EBT receipts except Approved/Declined Message. / business_rule	REQ-SRC-ATL105-PDF-001:720	BR-113-3 / 113	NOT_DECLARED
SC-6514	Transaction unresolved	Business Rule — BR-113-5: No signature line is required on EBT receipts; optionally print SIGNATURE NOT REQUIRED message. / business_rule	REQ-SRC-ATL105-PDF-001:722	BR-113-5 / 113	NOT_DECLARED
SC-6515	Transaction unresolved	Business Rule — BR-113-6: Receipt must print whether transaction is Food Stamp or Cash Benefit, and transaction type attempted. / business_rule	REQ-SRC-ATL105-PDF-001:723	BR-113-6 / 113	NOT_DECLARED
SC-6518	Transaction unresolved	Business Rule — BR-113-9: Manually entered Voucher Number must appear on receipt for Food Stamp Electronic Voucher transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:726	BR-113-9 / 113	NOT_DECLARED
SC-6519	Transaction unresolved	Business Rule — BR-113-10: Food stamp dollar amount must be printed on Food Stamp transaction receipt. / business_rule	REQ-SRC-ATL105-PDF-001:727	BR-113-10 / 113	NOT_DECLARED
SC-6520	Transaction unresolved	Business Rule — BR-113-11: Cash benefit dollar amount(s) must be printed on Cash Benefit transaction receipt, broken down by purchase vs cash back / business_rule	REQ-SRC-ATL105-PDF-001:728	BR-113-11 / 113	NOT_DECLARED
SC-6521	Transaction unresolved	Business Rule — BR-113-12: Ending balance must be printed on receipt for both Food Stamp and Cash Benefit transactions. / business_rule	REQ-SRC-ATL105-PDF-001:729	BR-113-12 / 113	NOT_DECLARED
SC-6522	Transaction unresolved	Business Rule — BR-113-13: Beginning EBT balance may optionally be printed, calculated from ending balance and transaction amount. / business_rule	REQ-SRC-ATL105-PDF-001:730	BR-113-13 / 113	NOT_DECLARED
SC-6523	Transaction unresolved	Business Rule — BR-113-14: If a particular balance is not returned by EBT authorizer, do not print a balance of zero; omit it. / business_rule	REQ-SRC-ATL105-PDF-001:731	BR-113-14 / 113	NOT_DECLARED
SC-6525	Transaction unresolved	Business Rule — BR-114-2: When a PIN is entered, a PIN USED message prints on the transaction receipt. / business_rule	REQ-SRC-ATL105-PDF-001:733	BR-114-2 / 114	NOT_DECLARED
SC-6526	Transaction unresolved	Business Rule — BR-114-3: All declined transactions must print a receipt, indicating the reason for decline. / business_rule	REQ-SRC-ATL105-PDF-001:734	BR-114-3 / 114	NOT_DECLARED
SC-6527	Transaction unresolved	Business Rule — BR-114-4: Transactions can be declined for insufficient funds or bad PIN reasons. / business_rule	REQ-SRC-ATL105-PDF-001:735	BR-114-4 / 114	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6528	Transaction unresolved	Business Rule — BR-114-5: If decline is due to insufficient funds, the ending balance must be printed on the declined transaction receipt. / business_rule	REQ-SRC-ATL105-PDF-001:736	BR-114-5 / 114	NOT_DECLARED
SC-6529	Transaction unresolved	Business Rule — BR-114-6: If decline is due to bad PIN, a declined transaction receipt must be printed before retrying. / business_rule	REQ-SRC-ATL105-PDF-001:737	BR-114-6 / 114	NOT_DECLARED
SC-6530	Transaction unresolved	Business Rule — BR-114-7: Device may not prompt for PIN reentry without printing a receipt and retrying the transaction. / business_rule	REQ-SRC-ATL105-PDF-001:738	BR-114-7 / 114	NOT_DECLARED
SC-6531	Transaction unresolved	Business Rule — BR-114-8: EBT FOOD approved HIP transactions must print Incentive Eligible Amount, Incentive Earned/Returned, and Month to date In / business_rule	REQ-SRC-ATL105-PDF-001:739	BR-114-8 / 114	NOT_DECLARED
SC-6532	Transaction unresolved	Business Rule — BR-114-9: Incentive Earned applies to Sale transactions; Incentive Returned applies to Return transactions. / business_rule	REQ-SRC-ATL105-PDF-001:740	BR-114-9 / 114	NOT_DECLARED
SC-6533	Transaction unresolved	Business Rule — BR-115-1: eWIC specifications do not support Return transactions. / business_rule	REQ-SRC-ATL105-PDF-001:741	BR-115-1 / 115	NOT_DECLARED
SC-6534	Transaction unresolved	Business Rule — BR-115-2: If there is a time-out or the eWIC client cancels the order, an eWIC Authorization Cancellation transaction is required. / business_rule	REQ-SRC-ATL105-PDF-001:742	BR-115-2 / 115	NOT_DECLARED
SC-6535	Transaction unresolved	Business Rule — BR-115-3: eWIC Authorization transaction requires client to key PIN after swiping card at POS device. / business_rule	REQ-SRC-ATL105-PDF-001:743	BR-115-3 / 115	NOT_DECLARED
SC-6536	Transaction unresolved	Business Rule — BR-115-4: eWIC Balance Inquiry transaction requires client to key PIN; device displays/prints balance from Response. / business_rule	REQ-SRC-ATL105-PDF-001:744	BR-115-4 / 115	NOT_DECLARED
SC-6537	Transaction unresolved	Business Rule — BR-116-1: The eWIC Purchase Reversal/Void Response must be received by the device. / business_rule	REQ-SRC-ATL105-PDF-001:745	BR-116-1 / 116	NOT_DECLARED
SC-6538	Transaction unresolved	Business Rule — BR-116-2: If eWIC client cancels or times out, an eWIC Authorization Cancellation transaction is required. / business_rule	REQ-SRC-ATL105-PDF-001:746	BR-116-2 / 116	NOT_DECLARED
SC-6539	Transaction unresolved	Business Rule — BR-116-3: eWIC Purchase Reversal/Void must be completed before additional eWIC transactions can be sent from the originating devic / business_rule	REQ-SRC-ATL105-PDF-001:747	BR-116-3 / 116	NOT_DECLARED
SC-6540	Response deferred	Business Rule — BR-116-4: If eWIC host responds to Purchase Reversal/Void Request, transaction is considered processed regardless of Response Code / business_rule	REQ-SRC-ATL105-PDF-001:748	BR-116-4 / 116	NOT_DECLARED
SC-6541	Transaction unresolved	Business Rule — BR-116-5: If no Purchase Reversal/Void Response is received, merchant must repeat the process until a Response is received. / business_rule	REQ-SRC-ATL105-PDF-001:749	BR-116-5 / 116	NOT_DECLARED
SC-6542	Transaction unresolved	Business Rule — BR-116-6: eWIC Purchase Reversal/Void is initiated when Purchase Response is received late or a time-out occurs. / business_rule	REQ-SRC-ATL105-PDF-001:750	BR-116-6 / 116	NOT_DECLARED
SC-6543	Transaction unresolved	Business Rule — BR-117-1: eWIC Voucher must be electronically submitted to eWIC host within Merchant's specified time limit to receive payment. / business_rule	REQ-SRC-ATL105-PDF-001:751	BR-117-1 / 117	NOT_DECLARED
SC-6544	Transaction unresolved	Business Rule — BR-117-2: eWIC Voucher Clear is used to settle a previously authorized eWIC Voucher issued during an outage. / business_rule	REQ-SRC-ATL105-PDF-001:752	BR-117-2 / 117	NOT_DECLARED
SC-6552	Response deferred	Business Rule — BR-118-8: Supported eWIC Authorizers are eWIC Nevada (74), eWIC Kentucky (75), and ACS WIC (83). / business_rule	REQ-SRC-ATL105-PDF-001:760	BR-118-8 / 118	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6555	Response deferred	Business Rule — BR-119-2: Authorizer Code now supports eWIC data processing. / business_rule	REQ-SRC-ATL105-PDF-001:763	BR-119-2 / 119	NOT_DECLARED
SC-6558	Transaction unresolved	Business Rule — BR-119-5: Credit card receipt requirements apply to eWIC receipts except for Approved/Declined message requirement. / business_rule	REQ-SRC-ATL105-PDF-001:766	BR-119-5 / 119	NOT_DECLARED
SC-6563	Transaction unresolved	Business Rule — BR-120-4: Receipt requirements from section 10.1.7 also apply to HIP receipts. / business_rule	REQ-SRC-ATL105-PDF-001:771	BR-120-4 / 120	NOT_DECLARED
SC-6564	Transaction unresolved	Business Rule — BR-122-1: A stored value card cannot be used for transactions until it has been activated. / business_rule	REQ-SRC-ATL105-PDF-001:772	BR-122-1 / 122	NOT_DECLARED
SC-6565	Transaction unresolved	Business Rule — BR-122-2: Activation without device requires receipt of fulfillment letter confirming card shipment to client. / business_rule	REQ-SRC-ATL105-PDF-001:773	BR-122-2 / 122	NOT_DECLARED
SC-6566	Transaction unresolved	Business Rule — BR-122-3: If card's magnetic stripe is invalid during package activation, entire package is discarded. / business_rule	REQ-SRC-ATL105-PDF-001:774	BR-122-3 / 122	NOT_DECLARED
SC-6567	Response deferred	Business Rule — BR-122-4: If an approved Response is received for predefined-limit package activation, card is active up to predefined monetary li / business_rule	REQ-SRC-ATL105-PDF-001:775	BR-122-4 / 122	NOT_DECLARED
SC-6568	Response deferred	Business Rule — BR-122-5: If an approved Response is received for customer-defined activation amount, card is active up to the defined monetary li / business_rule	REQ-SRC-ATL105-PDF-001:776	BR-122-5 / 122	NOT_DECLARED
SC-6569	Transaction unresolved	Business Rule — BR-122-6: Clients can determine whether purchases can be made under a specific amount (e.g. \$1.00). / business_rule	REQ-SRC-ATL105-PDF-001:777	BR-122-6 / 122	NOT_DECLARED
SC-6570	Transaction unresolved	Business Rule — BR-122-7: If an activated card is not used within authorizer's time frame, it can be deactivated at any participating client devic / business_rule	REQ-SRC-ATL105-PDF-001:778	BR-122-7 / 122	NOT_DECLARED
SC-6571	Transaction unresolved	Business Rule — BR-123-1: an activation (Please see section 10.7.3.6 — "Activation Transaction. / business_rule	REQ-SRC-ATL105-PDF-001:779	BR-123-1 / 123	NOT_DECLARED
SC-6573	Transaction unresolved	Business Rule — BR-123-3: If magnetic stripe unreadable, POS should prompt user to swipe card again up to three times. / business_rule	REQ-SRC-ATL105-PDF-001:781	BR-123-3 / 123	NOT_DECLARED
SC-6577	Transaction unresolved	Business Rule — BR-123-7: When manual entry not allowed and stripe unreadable after 3 attempts, display message to clerk and end transaction. / business_rule	REQ-SRC-ATL105-PDF-001:785	BR-123-7 / 123	NOT_DECLARED
SC-6578	Transaction unresolved	Business Rule — BR-123-8: If manual entry is used, this is indicated on receipt and journal by an asterisk (*). / business_rule	REQ-SRC-ATL105-PDF-001:786	BR-123-8 / 123	NOT_DECLARED
SC-6580	Transaction unresolved	Business Rule — BR-123-10: Blackhawk Gift card transactions should be treated as swiped transactions with entry mode '90'. / business_rule	REQ-SRC-ATL105-PDF-001:788	BR-123-10 / 123	NOT_DECLARED
SC-6581	Transaction unresolved	Business Rule — BR-123-11: Activation, deactivation, or recharge/issue transactions require a prompt for the activated/recharged/issued amount. / business_rule	REQ-SRC-ATL105-PDF-001:789	BR-123-11 / 123	NOT_DECLARED
SC-6584	Response deferred	Business Rule — BR-124-1: If Approved Amount is a partial amount, POS device must prompt for payment of remaining balance due. / business_rule	REQ-SRC-ATL105-PDF-001:792	BR-124-1 / 124	NOT_DECLARED
SC-6586	Transaction unresolved	Business Rule — BR-124-3: For split tender transactions, device prints receipt indicating amount due and offers payment options. / business_rule	REQ-SRC-ATL105-PDF-001:794	BR-124-3 / 124	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6587	Transaction unresolved	Business Rule — BR-126-1: this transaction is received — the card issuer unlocks the SVC account. / business_rule	REQ-SRC-ATL105-PDF-001:795	BR-126-1 / 126	NOT_DECLARED
SC-6588	Transaction unresolved	Business Rule — BR-126-2: Purchase Reversal amount must equal exact amount of a previous SVC transaction done same business day. / business_rule	REQ-SRC-ATL105-PDF-001:796	BR-126-2 / 126	NOT_DECLARED
SC-6589	Transaction unresolved	Business Rule — BR-126-3: POS device must subtract reversal amount from SVC bucket and subtract transaction from SVC quantity. / business_rule	REQ-SRC-ATL105-PDF-001:797	BR-126-3 / 126	NOT_DECLARED
SC-6590	Transaction unresolved	Business Rule — BR-126-4: Purchase/Capture: if approved, card issuer deducts purchase amount from card balance; otherwise declined response sent. / business_rule	REQ-SRC-ATL105-PDF-001:798	BR-126-4 / 126	NOT_DECLARED
SC-6591	Transaction unresolved	Business Rule — BR-126-5: Authorization Only places a lock on the card; duration decided by client. / business_rule	REQ-SRC-ATL105-PDF-001:799	BR-126-5 / 126	NOT_DECLARED
SC-6593	Transaction unresolved	Business Rule — BR-126-7: Authorization Only Reversal used if device fails or communication problem occurs after approved Authorization Only Respo / business_rule	REQ-SRC-ATL105-PDF-001:801	BR-126-7 / 126	NOT_DECLARED
SC-6594	Transaction unresolved	Business Rule — BR-126-8: Authorization Only Reversal uses amount previously set by client; card issuer unlocks SVC account upon receipt. / business_rule	REQ-SRC-ATL105-PDF-001:802	BR-126-8 / 126	NOT_DECLARED
SC-6595	Transaction unresolved	Business Rule — BR-126-9: Merchandise Return adds given amount to card's balance. / business_rule	REQ-SRC-ATL105-PDF-001:803	BR-126-9 / 126	NOT_DECLARED
SC-6596	Transaction unresolved	Business Rule — BR-126-10: POS device must subtract return amount from SVC bucket and add transaction to SVC quantity. / business_rule	REQ-SRC-ATL105-PDF-001:804	BR-126-10 / 126	NOT_DECLARED
SC-6597	Transaction unresolved	Business Rule — BR-127-1: Deactivation amount in transaction request must match the account balance (non-First Data Standard Gift Card). / business_rule	REQ-SRC-ATL105-PDF-001:805	BR-127-1 / 127	NOT_DECLARED
SC-6598	Transaction unresolved	Business Rule — BR-127-2: Cash Out amount must be greater than \$0.00 and equal to or less than the account balance. / business_rule	REQ-SRC-ATL105-PDF-001:806	BR-127-2 / 127	NOT_DECLARED
SC-6599	Response deferred	Business Rule — BR-127-3: After Cash Out request, account balance is set to \$0.00 and amount used returned in Approved Amount field. / business_rule	REQ-SRC-ATL105-PDF-001:807	BR-127-3 / 127	NOT_DECLARED
SC-6601	Transaction unresolved	Business Rule — BR-127-5: POS device must add cash out count to the SV1 count total. / business_rule	REQ-SRC-ATL105-PDF-001:809	BR-127-5 / 127	NOT_DECLARED
SC-6602	Transaction unresolved	Business Rule — BR-127-6: POS device must subtract cash out amount from the SV1 amount total. / business_rule	REQ-SRC-ATL105-PDF-001:810	BR-127-6 / 127	NOT_DECLARED
SC-6603	Transaction unresolved	Business Rule — BR-127-7: Recharge/Issue Card added amount cannot cause balance to exceed the original value of the card. / business_rule	REQ-SRC-ATL105-PDF-001:811	BR-127-7 / 127	NOT_DECLARED
SC-6604	Transaction unresolved	Business Rule — BR-127-8: Maximum number of cards involved in a Balance Merge transaction is two. / business_rule	REQ-SRC-ATL105-PDF-001:812	BR-127-8 / 127	NOT_DECLARED
SC-6605	Transaction unresolved	Business Rule — BR-127-9: Balance Merge reduces remaining (merged-from) card's account balance to \$0.00. / business_rule	REQ-SRC-ATL105-PDF-001:813	BR-127-9 / 127	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6606	Transaction unresolved	Business Rule — BR-127-10: Replace Card transaction reduces balance on lost/stolen/damaged card account to \$0.00. / business_rule	REQ-SRC-ATL105-PDF-001:814	BR-127-10 / 127	NOT_DECLARED
SC-6607	Transaction unresolved	Business Rule — BR-127-11: Balance Inquiry transaction should not change the SVC quantity or amount totals. / business_rule	REQ-SRC-ATL105-PDF-001:815	BR-127-11 / 127	NOT_DECLARED
SC-6608	Transaction unresolved	Business Rule — BR-128-1: No signature line — printing a stored value card receipt. / business_rule	REQ-SRC-ATL105-PDF-001:816	BR-128-1 / 128	NOT_DECLARED
SC-6609	Transaction unresolved	Business Rule — BR-128-2: this transaction is received — the card issuer unlocks the stored value card account. / business_rule	REQ-SRC-ATL105-PDF-001:817	BR-128-2 / 128	NOT_DECLARED
SC-6610	Transaction unresolved	Business Rule — BR-128-3: Cancellation transaction amount must equal the amount of the transaction being reversed. / business_rule	REQ-SRC-ATL105-PDF-001:818	BR-128-3 / 128	NOT_DECLARED
SC-6611	Transaction unresolved	Business Rule — BR-128-4: POS device must subtract count and amount from corresponding totals impacted by original transaction upon cancellation. / business_rule	REQ-SRC-ATL105-PDF-001:819	BR-128-4 / 128	NOT_DECLARED
SC-6612	Transaction unresolved	Business Rule — BR-128-5: Cancellation (Time-out Reversal) unlocks the SVC account using amount previously set by client. / business_rule	REQ-SRC-ATL105-PDF-001:820	BR-128-5 / 128	NOT_DECLARED
SC-6613	Transaction unresolved	Business Rule — BR-128-6: Account Verification transaction is only supported for InComm cards. / business_rule	REQ-SRC-ATL105-PDF-001:821	BR-128-6 / 128	NOT_DECLARED
SC-6614	Transaction unresolved	Business Rule — BR-128-7: Recharge amount must print on all approved stored value card receipts. / business_rule	REQ-SRC-ATL105-PDF-001:822	BR-128-7 / 128	NOT_DECLARED
SC-6616	Transaction unresolved	Business Rule — BR-128-9: No signature line is required on stored value card receipts; optional SIGNATURE NOT REQUIRED message may print. / business_rule	REQ-SRC-ATL105-PDF-001:824	BR-128-9 / 128	NOT_DECLARED
SC-6621	Transaction unresolved	Business Rule — BR-128-14: Support added to allow device to capture and send customer's ZIP Code in closed loop prepaid card transaction. / business_rule	REQ-SRC-ATL105-PDF-001:829	BR-128-14 / 128	NOT_DECLARED
SC-6622	Transaction unresolved	Business Rule — BR-129-1: Premium Gift Card follow-on transactions must be full Track 2 Data. / business_rule	REQ-SRC-ATL105-PDF-001:830	BR-129-1 / 129	NOT_DECLARED
SC-6625	Transaction unresolved	Business Rule — BR-129-4: Default track sent to BUYPASS on an original electronic stored value transaction should be Track 2. / business_rule	REQ-SRC-ATL105-PDF-001:833	BR-129-4 / 129	NOT_DECLARED
SC-6626	Transaction unresolved	Business Rule — BR-129-5: SVS follow-on transaction card data can be full or partial Track 2 Data. / business_rule	REQ-SRC-ATL105-PDF-001:834	BR-129-5 / 129	NOT_DECLARED
SC-6627	Transaction unresolved	Business Rule — BR-129-6: First Data Premium Gift Card (BIN 601056) follow-on using token or 601056* number may be sent as key entered transaction / business_rule	REQ-SRC-ATL105-PDF-001:835	BR-129-6 / 129	NOT_DECLARED
SC-6628	Transaction unresolved	Business Rule — BR-129-7: All other First Data Premium Gift Card follow-on transactions must use full Track 2 Data. / business_rule	REQ-SRC-ATL105-PDF-001:836	BR-129-7 / 129	NOT_DECLARED
SC-6633	Transaction unresolved	Business Rule — BR-130-4: Only Purchase transaction type is supported for check processing. / business_rule	REQ-SRC-ATL105-PDF-001:841	BR-130-4 / 130	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6634	Transaction unresolved	Business Rule — BR-130-5: No receipt is required for non-ECA/TeleCheck service processing; Approval/Decline shown on device only. / business_rule	REQ-SRC-ATL105-PDF-001:842	BR-130-5 / 130	NOT_DECLARED
SC-6635	Transaction unresolved	Business Rule — BR-131-1: A merchant authorization and check writer copy must be printed for each approved ECA/TeleCheck transaction. / business_rule	REQ-SRC-ATL105-PDF-001:843	BR-131-1 / 131	NOT_DECLARED
SC-6636	Response deferred	Business Rule — BR-131-2: Check writer must sign merchant's copy before transaction is considered complete. / business_rule	REQ-SRC-ATL105-PDF-001:844	BR-131-2 / 131	NOT_DECLARED
SC-6637	Transaction unresolved	Business Rule — BR-131-3: Once check writer signs authorization, paper check must be voided and returned to check writer at POS. / business_rule	REQ-SRC-ATL105-PDF-001:845	BR-131-3 / 131	NOT_DECLARED
SC-6639	Transaction unresolved	Business Rule — BR-131-5: Customer signature line must be printed below the ECA/TeleCheck Authorization notice. / business_rule	REQ-SRC-ATL105-PDF-001:847	BR-131-5 / 131	NOT_DECLARED
SC-6641	Transaction unresolved	Business Rule — BR-132-1: The following information must be printed on each copy of Version 2 Denial Receipt. / business_rule	REQ-SRC-ATL105-PDF-001:849	BR-132-1 / 132	NOT_DECLARED
SC-6647	Transaction unresolved	Business Rule — BR-133-2: If device cannot read magnetic strip, prompt user to swipe card again up to three times. / business_rule	REQ-SRC-ATL105-PDF-001:855	BR-133-2 / 133	NOT_DECLARED
SC-6652	Transaction unresolved	Business Rule — BR-133-7: Loyalty card information can be included in Purchase/Capture, Purchase Reversal, and Time-out Reversal transactions. / business_rule	REQ-SRC-ATL105-PDF-001:860	BR-133-7 / 133	NOT_DECLARED
SC-6662	Transaction unresolved	Business Rule — BR-135-3: Totals Report, Loyalty transaction requests summary of loyalty transactions subtotaled by card number. / business_rule	REQ-SRC-ATL105-PDF-001:870	BR-135-3 / 135	NOT_DECLARED
SC-6663	Transaction unresolved	Business Rule — BR-135-4: Credit card receipt requirements in section 10.1.7 also apply to loyalty cards. / business_rule	REQ-SRC-ATL105-PDF-001:871	BR-135-4 / 135	NOT_DECLARED
SC-6665	Response deferred	Business Rule — BR-136-1: BUYPASS sends Download Indicator of 1 in response to next transaction request when device must request a DLL. / business_rule	REQ-SRC-ATL105-PDF-001:873	BR-136-1 / 136	NOT_DECLARED
SC-6666	Response deferred	Business Rule — BR-136-2: Device sends Table Load request to BUYPASS, which responds with Software Dial Load and Software IP Load Data Segments. / business_rule	REQ-SRC-ATL105-PDF-001:874	BR-136-2 / 136	NOT_DECLARED
SC-6667	Response deferred	Business Rule — BR-136-3: Device stores New Software Version, Software Terminal Record ID, Load Phone Number or IP/URL Address, Request Date and T / business_rule	REQ-SRC-ATL105-PDF-001:875	BR-136-3 / 136	NOT_DECLARED
SC-6668	Response deferred	Business Rule — BR-136-4: At designated date and time, device dials Software Load Phone Number or IP/URL Address to initiate full application load / business_rule	REQ-SRC-ATL105-PDF-001:876	BR-136-4 / 136	NOT_DECLARED
SC-6669	Transaction unresolved	Business Rule — BR-136-5: After full application load completes, device dials BUYPASS and requests Table Load without merchant profile bit require / business_rule	REQ-SRC-ATL105-PDF-001:877	BR-136-5 / 136	NOT_DECLARED
SC-6670	Transaction unresolved	Business Rule — BR-136-6: Device can attempt automated full application load a maximum of three times. / business_rule	REQ-SRC-ATL105-PDF-001:878	BR-136-6 / 136	NOT_DECLARED
SC-6671	Response deferred	Business Rule — BR-136-7: If load request to Software Load Phone Number/IP/URL Address is unsuccessful, device prints decline message. / business_rule	REQ-SRC-ATL105-PDF-001:879	BR-136-7 / 136	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6672	Transaction unresolved	Business Rule — BR-136-8: Vendors who support their own applications do not use software update processing. / business_rule	REQ-SRC-ATL105-PDF-001:880	BR-136-8 / 136	NOT_DECLARED
SC-6675	Transaction unresolved	Business Rule — BR-137-3: There can be up to 750 bytes of print data for each Electronic Mail Request. / business_rule	REQ-SRC-ATL105-PDF-001:883	BR-137-3 / 137	NOT_DECLARED
SC-6677	Transaction unresolved	Business Rule — BR-137-5: The Electronic Mail Request contains up to 217 bytes of data. / business_rule	REQ-SRC-ATL105-PDF-001:885	BR-137-5 / 137	NOT_DECLARED
SC-6678	Transaction unresolved	Business Rule — BR-137-6: BUYPASS sends an Electronic Mail Response to confirm receipt of the Electronic Mail Request. / business_rule	REQ-SRC-ATL105-PDF-001:886	BR-137-6 / 137	NOT_DECLARED
SC-6679	Transaction unresolved	Business Rule — BR-137-7: Electronic mail retrieval methods can be used prior to end-of-business day, up to time device ends its day. / business_rule	REQ-SRC-ATL105-PDF-001:887	BR-137-7 / 137	NOT_DECLARED
SC-6680	Transaction unresolved	Business Rule — BR-142-1: Installments must be sent for Discover. / business_rule	REQ-SRC-ATL105-PDF-001:888	BR-142-1 / 142	NOT_DECLARED
SC-6683	Transaction unresolved	Business Rule — BR-142-4: SIC Information with MCC/SIC of underlying retailer must be sent for Discover installment transactions via third-party p / business_rule	REQ-SRC-ATL105-PDF-001:891	BR-142-4 / 142	NOT_DECLARED
SC-6706	Response deferred	Business Rule — BR-148-3: Merchant receives Visa/Amex Transaction ID in Segment 112, Table ID 028 for use in subsequent recurring transactions. / business_rule	REQ-SRC-ATL105-PDF-001:914	BR-148-3 / 148	NOT_DECLARED
SC-6707	Response deferred	Business Rule — BR-148-4: Merchant receives Discover Network Reference ID in Segment 112, Table ID 012 for use in subsequent recurring transaction / business_rule	REQ-SRC-ATL105-PDF-001:915	BR-148-4 / 148	NOT_DECLARED
SC-6710	Response deferred	Business Rule — BR-148-7: Merchant receives Visa/Amex Transaction ID in Segment 112, Table ID for use later (continues on next page). / business_rule	REQ-SRC-ATL105-PDF-001:918	BR-148-7 / 148	NOT_DECLARED
SC-6711	Response deferred	Business Rule — BR-149-1: Merchant receives Discover Network Reference ID in Segment 112, Table ID 012 for later recurring transactions. / business_rule	REQ-SRC-ATL105-PDF-001:919	BR-149-1 / 149	NOT_DECLARED
SC-6722	Response deferred	Business Rule — BR-150-4: Merchant receives Transaction ID (Visa and Amex) in Segment 112, Table ID 028 for use in subsequent installment transact / business_rule	REQ-SRC-ATL105-PDF-001:930	BR-150-4 / 150	NOT_DECLARED
SC-6723	Response deferred	Business Rule — BR-150-5: Merchant receives Discover Network Reference ID in Segment 112, Table ID 012 for use in subsequent installment transacti / business_rule	REQ-SRC-ATL105-PDF-001:931	BR-150-5 / 150	NOT_DECLARED
SC-6725	Transaction unresolved	Business Rule — BR-151-1: POS Entry Mode value of '10' used by merchant with stored credential transaction. / business_rule	REQ-SRC-ATL105-PDF-001:933	BR-151-1 / 151	NOT_DECLARED
SC-6738	Response deferred	Business Rule — BR-152-5: Merchant receives Visa/Amex Transaction ID in Segment 112, Table ID 028 for use in subsequent merchant initiated transac / business_rule	REQ-SRC-ATL105-PDF-001:946	BR-152-5 / 152	NOT_DECLARED
SC-6739	Transaction unresolved	Business Rule — BR-153-1: Indicator must be 'D'. / business_rule	REQ-SRC-ATL105-PDF-001:947	BR-153-1 / 153	NOT_DECLARED
SC-6740	Transaction unresolved	Business Rule — BR-153-2: Charge Indicator must be 'N'. / business_rule	REQ-SRC-ATL105-PDF-001:948	BR-153-2 / 153	NOT_DECLARED
SC-6741	Response deferred	Business Rule — BR-153-3: Merchant receives Discover Network Reference ID in Segment 112, Table ID 012 for later use in subsequent merchant initia / business_rule	REQ-SRC-ATL105-PDF-001:949	BR-153-3 / 153	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6747	Response deferred	Business Rule — BR-153-9: Visa Tran ID, Amex Tran ID, and Discover Network Reference number from original authorization must be sent in all subseq / business_rule	REQ-SRC-ATL105-PDF-001:955	BR-153-9 / 153	NOT_DECLARED
SC-6750	Transaction unresolved	Business Rule — BR-154-1: Indicator must be 'D'. / business_rule	REQ-SRC-ATL105-PDF-001:958	BR-154-1 / 154	NOT_DECLARED
SC-6751	Transaction unresolved	Business Rule — BR-154-2: Indicator must be 'N'. / business_rule	REQ-SRC-ATL105-PDF-001:959	BR-154-2 / 154	NOT_DECLARED
SC-6762	Transaction unresolved	Business Rule — BR-157-1: Merchants should submit Visa and US Maestro Common AID transactions as credit/0100/Dual message requests / business_rule	REQ-SRC-ATL105-PDF-001:970	BR-157-1 / 157	NOT_DECLARED
SC-6763	Transaction unresolved	Business Rule — BR-157-2: If First Data receives credit transaction with cashback using these Common AIDs, it routes to single message debit netwo / business_rule	REQ-SRC-ATL105-PDF-001:971	BR-157-2 / 157	NOT_DECLARED
SC-6764	Transaction unresolved	Business Rule — BR-157-3: First Data does not support cashback for Visa or MasterCard credit / Signature Debit transactions / business_rule	REQ-SRC-ATL105-PDF-001:972	BR-157-3 / 157	NOT_DECLARED
SC-6765	Transaction unresolved	Business Rule — BR-157-4: Merchants should submit DNA Shared Debit AID transactions as debit/0200/single message requests / business_rule	REQ-SRC-ATL105-PDF-001:973	BR-157-4 / 157	NOT_DECLARED
SC-6766	Transaction unresolved	Business Rule — BR-157-5: If First Data receives debit transaction request with cashback with DNA Shared Debit AID, it routes to single message de / business_rule	REQ-SRC-ATL105-PDF-001:974	BR-157-5 / 157	NOT_DECLARED
SC-6767	Transaction unresolved	Business Rule — BR-157-6: Cards supporting DNA Shared Debit AID do not support Visa or MasterCard Signature Debit / business_rule	REQ-SRC-ATL105-PDF-001:975	BR-157-6 / 157	NOT_DECLARED
SC-6771	Transaction unresolved	Business Rule — BR-158-1: EMV data is not required on Reversal transactions. / business_rule	REQ-SRC-ATL105-PDF-001:979	BR-158-1 / 158	NOT_DECLARED
SC-6774	Transaction unresolved	Business Rule — BR-159-3: If device is EMV enabled, card is chip, and card is swiped, always send Fallback Entry Mode of '80' or spec equivalent. / business_rule	REQ-SRC-ATL105-PDF-001:982	BR-159-3 / 159	NOT_DECLARED
SC-6775	Transaction unresolved	Business Rule — BR-159-4: If card is NOT chip or device is not chip capable, and card is swiped, send as MSR Entry Mode of '90' or spec equivalent / business_rule	REQ-SRC-ATL105-PDF-001:983	BR-159-4 / 159	NOT_DECLARED
SC-6776	Transaction unresolved	Business Rule — BR-159-5: POS devices processing chip-initiated credit/signature debit transactions must support submitting a PIN in the authoriza / business_rule	REQ-SRC-ATL105-PDF-001:984	BR-159-5 / 159	NOT_DECLARED
SC-6777	Transaction unresolved	Business Rule — BR-159-6: A Fallback transaction must be properly identified as such in the authorization message. / business_rule	REQ-SRC-ATL105-PDF-001:985	BR-159-6 / 159	NOT_DECLARED
SC-6778	Transaction unresolved	Business Rule — BR-162-1: Data Segment Nos. 106 and 107 are reserved for proprietary use. / business_rule	REQ-SRC-ATL105-PDF-001:986	BR-162-1 / 162	NOT_DECLARED
SC-6798	Response deferred	Business Rule — BR-166-3: Section 12.36 determines applicability of the Incomm Market Basket Data (Response) Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1006	BR-166-3 / 166	NOT_DECLARED
SC-6800	Transaction unresolved	Business Rule — BR-167-1: Each Financial Transaction Response contains Data Section No. 1 and Data Section No. 2. / business_rule	REQ-SRC-ATL105-PDF-001:1008	BR-167-1 / 167	NOT_DECLARED
SC-6801	Response deferred	Business Rule — BR-167-2: Data Section No. 2 contains Additional Information Data Segment (112) and Print Data Segment (115). / business_rule	REQ-SRC-ATL105-PDF-001:1009	BR-167-2 / 167	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6802	Response deferred	Business Rule — BR-168-1: Element 101 (Terminal Display/Printer Message) can be repeated a maximum of three times. / business_rule	REQ-SRC-ATL105-PDF-001:1010	BR-168-1 / 168	NOT_DECLARED
SC-6803	Transaction unresolved	Business Rule — BR-168-2: Financial Transaction Response is a variable length message with no Field Separators. / business_rule	REQ-SRC-ATL105-PDF-001:1011	BR-168-2 / 168	NOT_DECLARED
SC-6804	Transaction unresolved	Business Rule — BR-168-3: All Financial Transaction Responses contain Data Section No. 1. / business_rule	REQ-SRC-ATL105-PDF-001:1012	BR-168-3 / 168	NOT_DECLARED
SC-6805	Response deferred	Business Rule — BR-168-4: Approved Amount is conditional, present when transaction is approved. / business_rule	REQ-SRC-ATL105-PDF-001:1013	BR-168-4 / 168	NOT_DECLARED
SC-6807	Transaction unresolved	Business Rule — BR-168-6: Decline Code is conditional, present identifying reason for decline. / business_rule	REQ-SRC-ATL105-PDF-001:1015	BR-168-6 / 168	NOT_DECLARED
SC-6808	Response deferred	Business Rule — BR-169-1: Additional Information Data Segment Flag indicates whether Segment No. 112 follows in Data Section No. 2. / business_rule	REQ-SRC-ATL105-PDF-001:1016	BR-169-1 / 169	NOT_DECLARED
SC-6809	Response deferred	Business Rule — BR-169-2: Terminal Display/Printer Message can be repeated up to a maximum of three times. / business_rule	REQ-SRC-ATL105-PDF-001:1017	BR-169-2 / 169	NOT_DECLARED
SC-6810	Response deferred	Business Rule — BR-170-1: If Element 115 indicates Additional Information Data Segment (112) follows, it appears in Field No. 16/17/18. / business_rule	REQ-SRC-ATL105-PDF-001:1018	BR-170-1 / 170	NOT_DECLARED
SC-6811	Response deferred	Business Rule — BR-170-2: If Element 115 indicates Print Data Segment (115) follows and loyalty Version Number in request is '2', it appears in Fi / business_rule	REQ-SRC-ATL105-PDF-001:1019	BR-170-2 / 170	NOT_DECLARED
SC-6817	Transaction unresolved	Business Rule — BR-172-3: Loyalty Card Transaction Response contains the same information and layout as Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:1025	BR-172-3 / 172	NOT_DECLARED
SC-6824	Transaction unresolved	Business Rule — BR-174-4: ECA/TeleCheck Service Financial Transaction Response contains same information/layout as Financial Transaction Response / business_rule	REQ-SRC-ATL105-PDF-001:1032	BR-174-4 / 174	NOT_DECLARED
SC-6837	Transaction unresolved	Business Rule — BR-178-1: Approved Totals Response is a single-block, fixed length message with no Field Separators and no print data. / business_rule	REQ-SRC-ATL105-PDF-001:1045	BR-178-1 / 178	NOT_DECLARED
SC-6838	Transaction unresolved	Business Rule — BR-178-2: Approved Totals Response is intended for complex systems manipulating host totals data after receipt. / business_rule	REQ-SRC-ATL105-PDF-001:1046	BR-178-2 / 178	NOT_DECLARED
SC-6843	Transaction unresolved	Business Rule — BR-180-1: Declined Totals Response is a single-block, fixed length message with no Field Separators and no print data. / business_rule	REQ-SRC-ATL105-PDF-001:1051	BR-180-1 / 180	NOT_DECLARED
SC-6851	Transaction unresolved	Business Rule — BR-184-1: Network Management Message identifies the communications test message from the device as COMMTEST / business_rule	REQ-SRC-ATL105-PDF-001:1059	BR-184-1 / 184	NOT_DECLARED
SC-6852	Response deferred	Business Rule — BR-185-1: Response Code fixed value is 1, indicating a single-message response. / business_rule	REQ-SRC-ATL105-PDF-001:1060	BR-185-1 / 185	NOT_DECLARED
SC-6853	Response deferred	Business Rule — BR-185-2: Download Indicator fixed value is 0 in Communications Test Response. / business_rule	REQ-SRC-ATL105-PDF-001:1061	BR-185-2 / 185	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6854	Transaction unresolved	Business Rule — BR-185-3: Terminal Display Communications Message displays COMM_TEST_PASSED when present. / business_rule	REQ-SRC-ATL105-PDF-001:1062	BR-185-3 / 185	NOT_DECLARED
SC-6855	Transaction unresolved	Business Rule — BR-186-1: Device application/system software should not be activated until at least one successful Table Load has been performed. / business_rule	REQ-SRC-ATL105-PDF-001:1063	BR-186-1 / 186	NOT_DECLARED
SC-6856	Transaction unresolved	Business Rule — BR-186-2: When software is not activated, all BUYPASS transactions except downline loads should be prohibited at the device. / business_rule	REQ-SRC-ATL105-PDF-001:1064	BR-186-2 / 186	NOT_DECLARED
SC-6857	Transaction unresolved	Business Rule — BR-186-3: Downloads must be requestable via manual user intervention and automatically by the device based on host response. / business_rule	REQ-SRC-ATL105-PDF-001:1065	BR-186-3 / 186	NOT_DECLARED
SC-6858	Transaction unresolved	Business Rule — BR-186-4: In dial communications, when host response indicates download requested, device receives ENQ instead of EOT and stays on / business_rule	REQ-SRC-ATL105-PDF-001:1066	BR-186-4 / 186	NOT_DECLARED
SC-6859	Transaction unresolved	Business Rule — BR-186-5: If controller queues multiple transactions, load request should not be sent until queue is cleared. / business_rule	REQ-SRC-ATL105-PDF-001:1067	BR-186-5 / 186	NOT_DECLARED
SC-6860	Transaction unresolved	Business Rule — BR-186-6: Response is a Table Load or subset containing only dial string information, used in the very next device transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1068	BR-186-6 / 186	NOT_DECLARED
SC-6861	Transaction unresolved	Business Rule — BR-187-1: Load flag in merchant's profile must be set to TABL for Table Load to take place. / business_rule	REQ-SRC-ATL105-PDF-001:1069	BR-187-1 / 187	NOT_DECLARED
SC-6862	Transaction unresolved	Business Rule — BR-187-2: If load flag is not set, Downline Load Response consists only of error message block and terminating block. / business_rule	REQ-SRC-ATL105-PDF-001:1070	BR-187-2 / 187	NOT_DECLARED
SC-6863	Transaction unresolved	Business Rule — BR-187-3: There is no Field Separator between fields in the Table Load Request message. / business_rule	REQ-SRC-ATL105-PDF-001:1071	BR-187-3 / 187	NOT_DECLARED
SC-6866	Response deferred	Business Rule — BR-188-1: Table Load Response contains four data blocks parsed based on Data Type Indicator in each block. / business_rule	REQ-SRC-ATL105-PDF-001:1074	BR-188-1 / 188	NOT_DECLARED
SC-6867	Transaction unresolved	Business Rule — BR-188-2: For TCP/IP, Start-of-Data Block Indicator is not present before Data Block Nos. 2 and 3, only before Block 1. / business_rule	REQ-SRC-ATL105-PDF-001:1075	BR-188-2 / 188	NOT_DECLARED
SC-6868	Response deferred	Business Rule — BR-188-3: Merchant Data Segment sent only on a Table Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1076	BR-188-3 / 188	NOT_DECLARED
SC-6869	Response deferred	Business Rule — BR-188-4: Dial String Data Segment sent only on a Table Load Response and a Phone Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1077	BR-188-4 / 188	NOT_DECLARED
SC-6870	Response deferred	Business Rule — BR-189-1: DL3 Date and Time Data Segment sent only on a Table Load Response or Date and Time Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1078	BR-189-1 / 189	NOT_DECLARED
SC-6871	Transaction unresolved	Business Rule — BR-189-2: If Merchant Data Segment (DL1) has Card Type = 173, Store and Forward Data Segment (DL6) follows in response. / business_rule	REQ-SRC-ATL105-PDF-001:1079	BR-189-2 / 189	NOT_DECLARED
SC-6872	Response deferred	Business Rule — BR-189-3: DL6 Store and Forward Data Segment sent only on a Table Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1080	BR-189-3 / 189	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6873	Transaction unresolved	Business Rule — BR-189-4: Start-of-Data Block Indicator fixed value '}', not present for TCP/IP, source Host. / business_rule	REQ-SRC-ATL105-PDF-001:1081	BR-189-4 / 189	NOT_DECLARED
SC-6874	Transaction unresolved	Business Rule — BR-189-5: End-of-Load Indicator is a fixed value '*' sourced from Host. / business_rule	REQ-SRC-ATL105-PDF-001:1082	BR-189-5 / 189	NOT_DECLARED
SC-6875	Transaction unresolved	Business Rule — BR-190-1: Load flag in merchant's profile must be set to PHON for phone load to take place. / business_rule	REQ-SRC-ATL105-PDF-001:1083	BR-190-1 / 190	NOT_DECLARED
SC-6876	Transaction unresolved	Business Rule — BR-190-2: There is no Field Separator between fields in the Phone Load Request message. / business_rule	REQ-SRC-ATL105-PDF-001:1084	BR-190-2 / 190	NOT_DECLARED
SC-6879	Response deferred	Business Rule — BR-191-1: Dial String Data Segment is sent only on a Table Load Response and a Phone Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1087	BR-191-1 / 191	NOT_DECLARED
SC-6882	Response deferred	Business Rule — BR-192-3: Date and Time Load is initiated by the device; merchant's load flag need not be set at BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1090	BR-192-3 / 192	NOT_DECLARED
SC-6883	Response deferred	Business Rule — BR-192-4: Date and Time Load includes adjustments for time zone of initiating device and daylight saving time. / business_rule	REQ-SRC-ATL105-PDF-001:1091	BR-192-4 / 192	NOT_DECLARED
SC-6884	Response deferred	Business Rule — BR-192-5: No Field Separator between fields in Date and Time Load Request message. / business_rule	REQ-SRC-ATL105-PDF-001:1092	BR-192-5 / 192	NOT_DECLARED
SC-6885	Response deferred	Business Rule — BR-193-1: Data Type Indicator must be a fixed value and indicates the message contains current BUYPASS day, date, and time. / business_rule	REQ-SRC-ATL105-PDF-001:1093	BR-193-1 / 193	NOT_DECLARED
SC-6886	Response deferred	Business Rule — BR-193-2: There is no Field Separator between fields in the Date and Time Load Response message. / business_rule	REQ-SRC-ATL105-PDF-001:1094	BR-193-2 / 193	NOT_DECLARED
SC-6887	Transaction unresolved	Business Rule — BR-194-1: Load flag in merchant's profile must be set to SOFT for Software Load to take place. / business_rule	REQ-SRC-ATL105-PDF-001:1095	BR-194-1 / 194	NOT_DECLARED
SC-6888	Transaction unresolved	Business Rule — BR-194-2: If load flag is not set, Download Response consists only of an error message block and a terminating block. / business_rule	REQ-SRC-ATL105-PDF-001:1096	BR-194-2 / 194	NOT_DECLARED
SC-6889	Transaction unresolved	Business Rule — BR-194-3: There is no Field Separator between fields in the Software Load Request message. / business_rule	REQ-SRC-ATL105-PDF-001:1097	BR-194-3 / 194	NOT_DECLARED
SC-6892	Response deferred	Business Rule — BR-195-1: Receiving device parses the download message based on the Data Type Indicator within each data block. / business_rule	REQ-SRC-ATL105-PDF-001:1100	BR-195-1 / 195	NOT_DECLARED
SC-6893	Response deferred	Business Rule — BR-195-2: Software Dial Load Data Segment is sent only on a Software Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1101	BR-195-2 / 195	NOT_DECLARED
SC-6894	Response deferred	Business Rule — BR-195-3: Software IP Load Data Segment is sent only on a Software Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1102	BR-195-3 / 195	NOT_DECLARED
SC-6895	Response deferred	Business Rule — BR-196-1: Response Code (Element 83) on End of Day Totals Response indicates Proprietary Data is available for loading. / business_rule	REQ-SRC-ATL105-PDF-001:1103	BR-196-1 / 196	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6896	Transaction unresolved	Business Rule — BR-196-2: Proprietary Data Load functions occur at end of day only, as part of Day Close processing. / business_rule	REQ-SRC-ATL105-PDF-001:1104	BR-196-2 / 196	NOT_DECLARED
SC-6906	Transaction unresolved	Business Rule — BR-199-1: No field separator exists between fields in the Moneris Key Load message. / business_rule	REQ-SRC-ATL105-PDF-001:1114	BR-199-1 / 199	NOT_DECLARED
SC-6907	Transaction unresolved	Business Rule — BR-199-2: No load flag needs to be set on the terminal record for a Moneris Key Load; it can be performed at any time. / business_rule	REQ-SRC-ATL105-PDF-001:1115	BR-199-2 / 199	NOT_DECLARED
SC-6910	Transaction unresolved	Business Rule — BR-199-5: Load Subtype field fixed value is M indicating Moneris Key Load. / business_rule	REQ-SRC-ATL105-PDF-001:1118	BR-199-5 / 199	NOT_DECLARED
SC-6911	Transaction unresolved	Business Rule — BR-200-1: Key Data section repeats up to 3 times based on Key Indicators field, variable length up to 48 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1119	BR-200-1 / 200	NOT_DECLARED
SC-6912	Transaction unresolved	Business Rule — BR-200-2: No Field Separator exists between fields in the Moneris Key Load Response message. / business_rule	REQ-SRC-ATL105-PDF-001:1120	BR-200-2 / 200	NOT_DECLARED
SC-6913	Response deferred	Business Rule — BR-200-3: Data Type Indicator has fixed value K for Moneris Key Information. / business_rule	REQ-SRC-ATL105-PDF-001:1121	BR-200-3 / 200	NOT_DECLARED
SC-6917	Transaction unresolved	Business Rule — BR-201-4: The maximum length of a Financial Transaction Request Message is 4,000 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1125	BR-201-4 / 201	NOT_DECLARED
SC-6931	Transaction unresolved	Business Rule — BR-204-4: Incomm Market Basket Data (Request) Segment applicability determined by section 12.35. / business_rule	REQ-SRC-ATL105-PDF-001:1139	BR-204-4 / 204	NOT_DECLARED
SC-6932	Transaction unresolved	Business Rule — BR-204-5: Incomm Market Basket Data (Response) Segment returned only when Request segment is included in the request. / business_rule	REQ-SRC-ATL105-PDF-001:1140	BR-204-5 / 204	NOT_DECLARED
SC-6933	Transaction unresolved	Business Rule — BR-205-1: EMV Financial Transaction Response Message contains Data Section No. 1 and Data Section No. 2. / business_rule	REQ-SRC-ATL105-PDF-001:1141	BR-205-1 / 205	NOT_DECLARED
SC-6934	Transaction unresolved	Business Rule — BR-205-2: Maximum length of a Financial Transaction Response Message is 4,000 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1142	BR-205-2 / 205	NOT_DECLARED
SC-6935	Response deferred	Business Rule — BR-206-1: Approved Amount is conditional, provided when transaction is approved. / business_rule	REQ-SRC-ATL105-PDF-001:1143	BR-206-1 / 206	NOT_DECLARED
SC-6937	Response deferred	Business Rule — BR-207-1: Additional Information Data Segment Flag indicates whether Segment No. 112 follows in Data Section No. 2. / business_rule	REQ-SRC-ATL105-PDF-001:1145	BR-207-1 / 207	NOT_DECLARED
SC-6938	Response deferred	Business Rule — BR-207-2: Terminal Display/Printer Message can be repeated up to a maximum of three times. / business_rule	REQ-SRC-ATL105-PDF-001:1146	BR-207-2 / 207	NOT_DECLARED
SC-6939	Transaction unresolved	Business Rule — BR-207-3: Decline Code identifies the reason for the decline; conditional field. / business_rule	REQ-SRC-ATL105-PDF-001:1147	BR-207-3 / 207	NOT_DECLARED
SC-6940	Response deferred	Business Rule — BR-208-1: If Element 115 indicates Additional Information Data Segment follows, Segment 112 follows in Field 16/17/18. / business_rule	REQ-SRC-ATL105-PDF-001:1148	BR-208-1 / 208	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-6941	Response deferred	Business Rule — BR-208-2: If Element 115 indicates Print Data Segment and Print Data 2 Segment follow, and loyalty Version Number in request is '2 / business_rule	REQ-SRC-ATL105-PDF-001:1149	BR-208-2 / 208	NOT_DECLARED
SC-6942	Response deferred	Business Rule — BR-208-3: EMV Response Data Segment follows in Field No. 17/18/19/20 for transactions requiring EMV data. / business_rule	REQ-SRC-ATL105-PDF-001:1150	BR-208-3 / 208	NOT_DECLARED
SC-6943	Response deferred	Business Rule — BR-208-4: Transaction Attributes Data Segment follows in Field No. 17/18/19/20 with info about transaction processing. / business_rule	REQ-SRC-ATL105-PDF-001:1151	BR-208-4 / 208	NOT_DECLARED
SC-6944	Transaction unresolved	Business Rule — BR-209-1: Field Separators appear between Field 1-2, 2-Data Section 2, 3-4, 4-5, 5-6; none between 6-11; one follows Field 12. / business_rule	REQ-SRC-ATL105-PDF-001:1152	BR-209-1 / 209	NOT_DECLARED
SC-6955	Response deferred	Business Rule — BR-213-4: Response Code M indicates an approved key load transaction with more load data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1163	BR-213-4 / 213	NOT_DECLARED
SC-6956	Response deferred	Business Rule — BR-213-5: Response Code L indicates an approved key load transaction, last block. / business_rule	REQ-SRC-ATL105-PDF-001:1164	BR-213-5 / 213	NOT_DECLARED
SC-6976	Transaction unresolved	Business Rule — BR-226-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:1184	BR-226-1 / 226	NOT_DECLARED
SC-6977	Transaction unresolved	Business Rule — BR-226-2: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1185	BR-226-2 / 226	NOT_DECLARED
SC-6978	Transaction unresolved	Business Rule — BR-226-3: a field is not populated — still send the Product Data Field Delimiter. / business_rule	REQ-SRC-ATL105-PDF-001:1186	BR-226-3 / 226	NOT_DECLARED
SC-6994	Transaction unresolved	Business Rule — BR-227-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:1202	BR-227-1 / 227	NOT_DECLARED
SC-7012	Transaction unresolved	Business Rule — BR-232-1: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1220	BR-232-1 / 232	NOT_DECLARED
SC-7020	Transaction unresolved	Business Rule — BR-235-1: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1228	BR-235-1 / 235	NOT_DECLARED
SC-7044	Response deferred	Business Rule — BR-244-1: Additional Information Data Segment has a maximum length of 999 alphanumeric characters (001-999/a-z/A-Z). / business_rule	REQ-SRC-ATL105-PDF-001:1252	BR-244-1 / 244	NOT_DECLARED
SC-7045	Response deferred	Business Rule — BR-244-2: This data segment appears at the end of a Financial Transaction response and is originated by BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1253	BR-244-2 / 244	NOT_DECLARED
SC-7046	Response deferred	Business Rule — BR-245-1: Additional Information section is repeated by Additional Information Indicator for a maximum length of 990 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1254	BR-245-1 / 245	NOT_DECLARED
SC-7048	Response deferred	Business Rule — BR-245-3: Additional Information Length identifies the length of Additional Information (Element No. 118). / business_rule	REQ-SRC-ATL105-PDF-001:1256	BR-245-3 / 245	NOT_DECLARED
SC-7054	Transaction unresolved	Business Rule — BR-248-1: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1262	BR-248-1 / 248	NOT_DECLARED
SC-7058	Response deferred	Business Rule — BR-249-1: Print Data Segment is only sent on Financial Transaction Response messages requiring large amounts of print data. / business_rule	REQ-SRC-ATL105-PDF-001:1266	BR-249-1 / 249	NOT_DECLARED
SC-7059	Response deferred	Business Rule — BR-249-2: Print Data Segment always appears at the end of a Financial Transaction response. / business_rule	REQ-SRC-ATL105-PDF-001:1267	BR-249-2 / 249	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7060	Response deferred	Business Rule — BR-249-3: Print Data Segment has a maximum length of 1,009 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1268	BR-249-3 / 249	NOT_DECLARED
SC-7061	Response deferred	Business Rule — BR-249-4: No other data segments are contained in the Financial Transaction Response when Print Data Segment is present. / business_rule	REQ-SRC-ATL105-PDF-001:1269	BR-249-4 / 249	NOT_DECLARED
SC-7063	Response deferred	Business Rule — BR-249-6: Print Data field contains the terms & conditions for Blackhawk phone activation and recharge receipts. / business_rule	REQ-SRC-ATL105-PDF-001:1271	BR-249-6 / 249	NOT_DECLARED
SC-7084	Transaction unresolved	Business Rule — BR-254-2: Fields are not separated by Field Separators; when a field is not populated, the next field immediately follows. / business_rule	REQ-SRC-ATL105-PDF-001:1292	BR-254-2 / 254	NOT_DECLARED
SC-7093	Response deferred	Business Rule — BR-255-8: Response Code T = Approved-Proprietary load data, no more data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1301	BR-255-8 / 255	NOT_DECLARED
SC-7094	Response deferred	Business Rule — BR-255-9: Response Code U = Declined-Proprietary load data, no more data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1302	BR-255-9 / 255	NOT_DECLARED
SC-7102	Transaction unresolved	Business Rule — BR-257-6: Fields are not separated by Field Separators; unpopulated fields are immediately followed by next field. / business_rule	REQ-SRC-ATL105-PDF-001:1310	BR-257-6 / 257	NOT_DECLARED
SC-7107	Transaction unresolved	Business Rule — BR-260-1: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1315	BR-260-1 / 260	NOT_DECLARED
SC-7121	Response deferred	Business Rule — BR-263-1: Print Data 2 Segment is only sent on Financial Transaction Response messages requiring large amounts of print data. / business_rule	REQ-SRC-ATL105-PDF-001:1329	BR-263-1 / 263	NOT_DECLARED
SC-7122	Response deferred	Business Rule — BR-263-2: Print Data 2 Segment always appears at the end of a Financial Transaction response. / business_rule	REQ-SRC-ATL105-PDF-001:1330	BR-263-2 / 263	NOT_DECLARED
SC-7123	Response deferred	Business Rule — BR-263-3: Print Data 2 Segment has a maximum length of 1,009 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1331	BR-263-3 / 263	NOT_DECLARED
SC-7124	Response deferred	Business Rule — BR-263-4: A Field Separator appears between Field Nos. 1 and 2, and between Field Nos. 2 and 3. / business_rule	REQ-SRC-ATL105-PDF-001:1332	BR-263-4 / 263	NOT_DECLARED
SC-7125	Response deferred	Business Rule — BR-263-5: Print Data field contains receipt text for Blackhawk phone activation and recharge with a "\" delimiter after each line. / business_rule	REQ-SRC-ATL105-PDF-001:1333	BR-263-5 / 263	NOT_DECLARED
SC-7141	Response deferred	Business Rule — BR-268-1: EMV Additional Information Section repeats by EMV Additional Information Indicator, max 2,000 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1349	BR-268-1 / 268	NOT_DECLARED
SC-7142	Response deferred	Business Rule — BR-268-2: Field Separator following Field No. 9 is included only with the last repetition. / business_rule	REQ-SRC-ATL105-PDF-001:1350	BR-268-2 / 268	NOT_DECLARED
SC-7143	Response deferred	Business Rule — BR-269-1: EMV Response Data Segment has a maximum length of 3834 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1351	BR-269-1 / 269	NOT_DECLARED
SC-7144	Response deferred	Business Rule — BR-269-2: Fields in the EMV Response Data Segment are not separated by Field Separators; unpopulated fields are skipped. / business_rule	REQ-SRC-ATL105-PDF-001:1352	BR-269-2 / 269	NOT_DECLARED
SC-7146	Response deferred	Business Rule — BR-270-1: EMV Additional Information Section is repeated by EMV Additional Information Indicator for a maximum length of 2,800 byt / business_rule	REQ-SRC-ATL105-PDF-001:1354	BR-270-1 / 270	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7150	Response deferred	Business Rule — BR-273-1: Transaction Attributes Data Segment has a maximum length of 19 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1358	BR-273-1 / 273	NOT_DECLARED
SC-7151	Response deferred	Business Rule — BR-273-2: Fields in this segment are not separated by Field Separators; unpopulated fields are skipped immediately. / business_rule	REQ-SRC-ATL105-PDF-001:1359	BR-273-2 / 273	NOT_DECLARED
SC-7152	Response deferred	Business Rule — BR-273-3: Settlement Type identifies disposition of transaction: D=Dual message, S=Single message, X=Non-traditional Signature Deb / business_rule	REQ-SRC-ATL105-PDF-001:1360	BR-273-3 / 273	NOT_DECLARED
SC-7153	Response deferred	Business Rule — BR-273-4: Non-traditional Signature Debit (X) availability must be checked with First Data Project/Relationship Manager. / business_rule	REQ-SRC-ATL105-PDF-001:1361	BR-273-4 / 273	NOT_DECLARED
SC-7154	Response deferred	Business Rule — BR-273-5: Signature Required field: T=Signature required, F=Not required, Space=determined by device software logic. / business_rule	REQ-SRC-ATL105-PDF-001:1362	BR-273-5 / 273	NOT_DECLARED
SC-7155	Response deferred	Business Rule — BR-273-6: Receipt Card Description contains card type description, left justified and space filled. / business_rule	REQ-SRC-ATL105-PDF-001:1363	BR-273-6 / 273	NOT_DECLARED
SC-7163	Transaction unresolved	Business Rule — BR-276-2: Purpose of segment 139 is to retrieve debit totals for previous period used in day end batch close transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1371	BR-276-2 / 276	NOT_DECLARED
SC-7165	Transaction unresolved	Business Rule — BR-277-2: Segment consists of first 6 fields from request, then text response from Moneris, then total debit transactions. / business_rule	REQ-SRC-ATL105-PDF-001:1373	BR-277-2 / 277	NOT_DECLARED
SC-7166	Transaction unresolved	Business Rule — BR-279-1: Debit Dollar Value format is +/-9(16)v99. / business_rule	REQ-SRC-ATL105-PDF-001:1374	BR-279-1 / 279	NOT_DECLARED
SC-7167	Transaction unresolved	Business Rule — BR-279-2: Segment 141 should be sent once for each pay point at day end to close out to Moneris. / business_rule	REQ-SRC-ATL105-PDF-001:1375	BR-279-2 / 279	NOT_DECLARED
SC-7169	Transaction unresolved	Business Rule — BR-281-1: Response to Moneris Day End Batch Close Request reiterates first 6 fields of request followed by text response from Mone / business_rule	REQ-SRC-ATL105-PDF-001:1377	BR-281-1 / 281	NOT_DECLARED
SC-7204	Transaction unresolved	Business Rule — BR-287-1: If no flags are present in Table Data, the field should not be included. / business_rule	REQ-SRC-ATL105-PDF-001:1412	BR-287-1 / 287	NOT_DECLARED
SC-7205	Transaction unresolved	Business Rule — BR-287-2: If a flag is not present, it can be skipped by including just the comma separator. / business_rule	REQ-SRC-ATL105-PDF-001:1413	BR-287-2 / 287	NOT_DECLARED
SC-7206	Transaction unresolved	Business Rule — BR-287-3: Flags in Table Data should be separated by commas. / business_rule	REQ-SRC-ATL105-PDF-001:1414	BR-287-3 / 287	NOT_DECLARED
SC-7207	Transaction unresolved	Business Rule — BR-287-4: Terminal is a Commercial Terminal if Flag 1 value is 'C'; any other value means not commercial. / business_rule	REQ-SRC-ATL105-PDF-001:1415	BR-287-4 / 287	NOT_DECLARED
SC-7208	Transaction unresolved	Business Rule — BR-287-5: Table Length for Non-Fuel Product Data has a maximum value of 350. / business_rule	REQ-SRC-ATL105-PDF-001:1416	BR-287-5 / 287	NOT_DECLARED
SC-7209	Transaction unresolved	Business Rule — BR-287-6: If product category not found in PRODUCTS table, use default category MERC. / business_rule	REQ-SRC-ATL105-PDF-001:1417	BR-287-6 / 287	NOT_DECLARED
SC-7210	Transaction unresolved	Business Rule — BR-287-7: If multiple products map to the same category, sum and include them in a single category. / business_rule	REQ-SRC-ATL105-PDF-001:1418	BR-287-7 / 287	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7211	Transaction unresolved	Business Rule — BR-287-8: Quantity field in Non-Fuel Product Data has a maximum length of 3 characters. / business_rule	REQ-SRC-ATL105-PDF-001:1419	BR-287-8 / 287	NOT_DECLARED
SC-7212	Transaction unresolved	Business Rule — BR-287-9: Amount field in Non-Fuel Product Data has a maximum length of 9 characters and must include decimal point. / business_rule	REQ-SRC-ATL105-PDF-001:1420	BR-287-9 / 287	NOT_DECLARED
SC-7213	Transaction unresolved	Business Rule — BR-287-10: Table ID for Non-Fuel Product Data is fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:1421	BR-287-10 / 287	NOT_DECLARED
SC-7215	Transaction unresolved	Business Rule — BR-289-1: Table Length overall value max is 200 including separator characters. / business_rule	REQ-SRC-ATL105-PDF-001:1423	BR-289-1 / 289	NOT_DECLARED
SC-7216	Transaction unresolved	Business Rule — BR-289-2: Different authorizers support different prompts; Prompt Tokens are listed based on authorizer. / business_rule	REQ-SRC-ATL105-PDF-001:1424	BR-289-2 / 289	NOT_DECLARED
SC-7217	Transaction unresolved	Business Rule — BR-289-3: Prompt Data includes as many Prompt Token/Response entries as needed, separated by ' ', with leading and ending ' '. / business_rule	REQ-SRC-ATL105-PDF-001:1425	BR-289-3 / 289	NOT_DECLARED
SC-7218	Transaction unresolved	Business Rule — BR-289-4: Voyager EMV prompt token AUID (Voyager ID) has maximum length 6. / business_rule	REQ-SRC-ATL105-PDF-001:1426	BR-289-4 / 289	NOT_DECLARED
SC-7220	Transaction unresolved	Business Rule — BR-289-6: Voyager EMV prompt token EXID (Extended Driver ID) has maximum length 20. / business_rule	REQ-SRC-ATL105-PDF-001:1428	BR-289-6 / 289	NOT_DECLARED
SC-7221	Transaction unresolved	Business Rule — BR-290-1: DF32-DF6F tags are reserved for future use; Prompt Token matches the EMV Tag, with up to 20 characters input. / business_rule	REQ-SRC-ATL105-PDF-001:1429	BR-290-1 / 290	NOT_DECLARED
SC-7223	Transaction unresolved	Business Rule — BR-291-1: SSEC (Social Security Number) prompt token should not be used. / business_rule	REQ-SRC-ATL105-PDF-001:1431	BR-291-1 / 291	NOT_DECLARED
SC-7224	Transaction unresolved	Business Rule — BR-292-1: Customer responds to prompts for Unit Number and Driver ID in format like '004020 UNIT:4321 DRID:14B ' / business_rule	REQ-SRC-ATL105-PDF-001:1432	BR-292-1 / 292	NOT_DECLARED
SC-7225	Transaction unresolved	Business Rule — BR-293-1: Table ID for Money Code Payee Name layout is fixed value 006. / business_rule	REQ-SRC-ATL105-PDF-001:1433	BR-293-1 / 293	NOT_DECLARED
SC-7227	Transaction unresolved	Business Rule — BR-294-1: Payee Name is optional for Money Code transactions. / business_rule	REQ-SRC-ATL105-PDF-001:1435	BR-294-1 / 294	NOT_DECLARED
SC-7229	Transaction unresolved	Business Rule — BR-294-3: Table Length for Payee Name has max value of 017. / business_rule	REQ-SRC-ATL105-PDF-001:1437	BR-294-3 / 294	NOT_DECLARED
SC-7231	Transaction unresolved	Business Rule — BR-294-5: Table Length for Cash Advance Limit has max value of 009. / business_rule	REQ-SRC-ATL105-PDF-001:1439	BR-294-5 / 294	NOT_DECLARED
SC-7232	Transaction unresolved	Business Rule — BR-294-6: Cash Advance Limit decimal point should be included in value. / business_rule	REQ-SRC-ATL105-PDF-001:1440	BR-294-6 / 294	NOT_DECLARED
SC-7239	Transaction unresolved	Business Rule — BR-296-1: Non-fuel product limits Table Length maximum value is 350. / business_rule	REQ-SRC-ATL105-PDF-001:1447	BR-296-1 / 296	NOT_DECLARED
SC-7240	Transaction unresolved	Business Rule — BR-296-2: Sum of all products in a category should not exceed the stated Amount. / business_rule	REQ-SRC-ATL105-PDF-001:1448	BR-296-2 / 296	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7241	Transaction unresolved	Business Rule — BR-296-3: Product Data is repeated for as many products as needed, separated by ' ' and ending with ' '. / business_rule	REQ-SRC-ATL105-PDF-001:1449	BR-296-3 / 296	NOT_DECLARED
SC-7242	Transaction unresolved	Business Rule — BR-296-4: This table will not be present in Comdata response messages. / business_rule	REQ-SRC-ATL105-PDF-001:1450	BR-296-4 / 296	NOT_DECLARED
SC-7243	Transaction unresolved	Business Rule — BR-296-5: Fuel product limits Table Length maximum value is 350. / business_rule	REQ-SRC-ATL105-PDF-001:1451	BR-296-5 / 296	NOT_DECLARED
SC-7244	Transaction unresolved	Business Rule — BR-297-1: Table Length for Prompt Formats response is variable, max 200. / business_rule	REQ-SRC-ATL105-PDF-001:1452	BR-297-1 / 297	NOT_DECLARED
SC-7246	Transaction unresolved	Business Rule — BR-297-3: Prompt Data repeats as many times as needed, separated by ' ' and ending with ' '. / business_rule	REQ-SRC-ATL105-PDF-001:1454	BR-297-3 / 297	NOT_DECLARED
SC-7247	Transaction unresolved	Business Rule — BR-297-4: Edit mask '?' indicates re-prompt using previously received formatting. / business_rule	REQ-SRC-ATL105-PDF-001:1455	BR-297-4 / 297	NOT_DECLARED
SC-7249	Transaction unresolved	Business Rule — BR-298-1: Edit mask Mn sets minimum value (numeric) or minimum length (string) depending on type T. / business_rule	REQ-SRC-ATL105-PDF-001:1457	BR-298-1 / 298	NOT_DECLARED
SC-7250	Transaction unresolved	Business Rule — BR-298-2: Edit mask Xn sets maximum value (numeric) or maximum length (string) depending on type T. / business_rule	REQ-SRC-ATL105-PDF-001:1458	BR-298-2 / 298	NOT_DECLARED
SC-7251	Transaction unresolved	Business Rule — BR-298-3: Edit mask Vn requires the data value to exactly match n. / business_rule	REQ-SRC-ATL105-PDF-001:1459	BR-298-3 / 298	NOT_DECLARED
SC-7252	Transaction unresolved	Business Rule — BR-298-4: Edit mask Pn requires the data value to match a provided pattern using @, #, *, or literal characters. / business_rule	REQ-SRC-ATL105-PDF-001:1460	BR-298-4 / 298	NOT_DECLARED
SC-7253	Transaction unresolved	Business Rule — BR-298-5: Data type Z means captured data must not be sent on subsequent transactions but must meet other formatting requirements. / business_rule	REQ-SRC-ATL105-PDF-001:1461	BR-298-5 / 298	NOT_DECLARED
SC-7254	Transaction unresolved	Business Rule — BR-298-6: Data type O means the field is prompted but response is optional. / business_rule	REQ-SRC-ATL105-PDF-001:1462	BR-298-6 / 298	NOT_DECLARED
SC-7255	Transaction unresolved	Business Rule — BR-298-7: As of 01/02/2015, edit types 'A' and 'B' (Alphanumeric) are treated the same. / business_rule	REQ-SRC-ATL105-PDF-001:1463	BR-298-7 / 298	NOT_DECLARED
SC-7257	Transaction unresolved	Business Rule — BR-299-1: Table Length for Customer Information table has variable value with max 070. / business_rule	REQ-SRC-ATL105-PDF-001:1465	BR-299-1 / 299	NOT_DECLARED
SC-7258	Transaction unresolved	Business Rule — BR-299-2: Table Length for Additional Response Data table has variable value with max 200. / business_rule	REQ-SRC-ATL105-PDF-001:1466	BR-299-2 / 299	NOT_DECLARED
SC-7259	Transaction unresolved	Business Rule — BR-299-3: Additional Response data elements separated by ' ' and repeated as needed, ending with ' '. / business_rule	REQ-SRC-ATL105-PDF-001:1467	BR-299-3 / 299	NOT_DECLARED
SC-7260	Transaction unresolved	Business Rule — BR-299-4: Customer information Table Data formatted as name(25), city(15), state(2), account code for remainder. / business_rule	REQ-SRC-ATL105-PDF-001:1468	BR-299-4 / 299	NOT_DECLARED
SC-7261	Response deferred	Business Rule — BR-301-1: This data segment appears for Financial Transaction response for WEX. / business_rule	REQ-SRC-ATL105-PDF-001:1469	BR-301-1 / 301	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7262	Response deferred	Business Rule — BR-301-2: Segment has a maximum length of 23 alphanumeric characters and special characters. / business_rule	REQ-SRC-ATL105-PDF-001:1470	BR-301-2 / 301	NOT_DECLARED
SC-7263	Transaction unresolved	Business Rule — BR-302-1: Restriction Code is a 2-3 digit alphanumeric fuel product group code limiting allowed products. / business_rule	REQ-SRC-ATL105-PDF-001:1471	BR-302-1 / 302	NOT_DECLARED
SC-7264	Transaction unresolved	Business Rule — BR-302-2: Restriction Code amount applies only if the restriction code has a length of 2. / business_rule	REQ-SRC-ATL105-PDF-001:1472	BR-302-2 / 302	NOT_DECLARED
SC-7265	Transaction unresolved	Business Rule — BR-302-3: Restriction Code Quantity applies only if the restriction code has a length of 2. / business_rule	REQ-SRC-ATL105-PDF-001:1473	BR-302-3 / 302	NOT_DECLARED
SC-7266	Transaction unresolved	Business Rule — BR-302-4: Restriction Code Unit of Measure field provides UOM for the Quantity. / business_rule	REQ-SRC-ATL105-PDF-001:1474	BR-302-4 / 302	NOT_DECLARED
SC-7267	Transaction unresolved	Business Rule — BR-303-1: Segment 149 fields 1-2, 2-3, 3-4 are separated by Field Separators; segment ends with a field separator. / business_rule	REQ-SRC-ATL105-PDF-001:1475	BR-303-1 / 303	NOT_DECLARED
SC-7268	Transaction unresolved	Business Rule — BR-303-2: Data fields contained within field 4 (Price Data) are not separated by Field Separators. / business_rule	REQ-SRC-ATL105-PDF-001:1476	BR-303-2 / 303	NOT_DECLARED
SC-7271	Transaction unresolved	Business Rule — BR-304-2: A Field Separator will follow the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1479	BR-304-2 / 304	NOT_DECLARED
SC-7276	Response deferred	Business Rule — BR-306-2: A Field Separator will follow the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1484	BR-306-2 / 306	NOT_DECLARED
SC-7281	Transaction unresolved	Business Rule — BR-308-2: Table ID 003 is fixed value 003 and Table Length is fixed value 001 for Network Token Provisional Fee Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:1489	BR-308-2 / 308	NOT_DECLARED
SC-7282	Transaction unresolved	Business Rule — BR-308-3: Table ID 004 is fixed value 004 and Table Length is fixed value 001 for Network Token Input Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:1490	BR-308-3 / 308	NOT_DECLARED
SC-7283	Transaction unresolved	Business Rule — BR-308-4: Table ID 005 is fixed value 005 and Table Length is fixed value 001 for Network Token Eligible Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:1491	BR-308-4 / 308	NOT_DECLARED
SC-7284	Transaction unresolved	Business Rule — BR-309-1: Table ID must be fixed value 006. / business_rule	REQ-SRC-ATL105-PDF-001:1492	BR-309-1 / 309	NOT_DECLARED
SC-7285	Transaction unresolved	Business Rule — BR-309-2: Table Length must be fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:1493	BR-309-2 / 309	NOT_DECLARED
SC-7286	Response deferred	Business Rule — BR-310-1: This segment can only be sent when transaction qualifies for and uses First Data Auth Optimizer service. / business_rule	REQ-SRC-ATL105-PDF-001:1494	BR-310-1 / 310	NOT_DECLARED
SC-7288	Response deferred	Business Rule — BR-310-3: Account Updater Card Number field is applicable only to Visa and MasterCard. / business_rule	REQ-SRC-ATL105-PDF-001:1496	BR-310-3 / 310	NOT_DECLARED
SC-7289	Response deferred	Business Rule — BR-310-4: Account Updater Card Number field will not be sent in response for TransArmor token-based transactions. / business_rule	REQ-SRC-ATL105-PDF-001:1497	BR-310-4 / 310	NOT_DECLARED
SC-7290	Response deferred	Business Rule — BR-310-5: Table Length for Account Updater Card Number is variable length up to 019 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1498	BR-310-5 / 310	NOT_DECLARED
SC-7291	Response deferred	Business Rule — BR-310-6: Table Length for Account Updater TransArmor Token is variable length up to 019 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1499	BR-310-6 / 310	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7299	Transaction unresolved	Business Rule — BR-312-2: Original Association Response Code field applicable only to Visa and MasterCard. / business_rule	REQ-SRC-ATL105-PDF-001:1507	BR-312-2 / 312	NOT_DECLARED
SC-7300	Transaction unresolved	Business Rule — BR-312-3: Field returned only when authorization declined by Card network then reattempted based on First Data Auth Optimizer dire / business_rule	REQ-SRC-ATL105-PDF-001:1508	BR-312-3 / 312	NOT_DECLARED
SC-7301	Transaction unresolved	Business Rule — BR-312-4: Table ID for Original Association Response Code fixed value 005. / business_rule	REQ-SRC-ATL105-PDF-001:1509	BR-312-4 / 312	NOT_DECLARED
SC-7302	Transaction unresolved	Business Rule — BR-312-5: Table ID for Account Updater Result Code fixed value 006. / business_rule	REQ-SRC-ATL105-PDF-001:1510	BR-312-5 / 312	NOT_DECLARED
SC-7303	Transaction unresolved	Business Rule — BR-312-6: Table Length for Account Updater Result Code fixed value 006. / business_rule	REQ-SRC-ATL105-PDF-001:1511	BR-312-6 / 312	NOT_DECLARED
SC-7305	Response deferred	Business Rule — BR-313-2: This field is applicable only to the card type: Visa. / business_rule	REQ-SRC-ATL105-PDF-001:1513	BR-313-2 / 313	NOT_DECLARED
SC-7306	Transaction unresolved	Business Rule — BR-313-3: VAU001: Transaction did not qualify for Real Time VAU because the transaction contains token. / business_rule	REQ-SRC-ATL105-PDF-001:1514	BR-313-3 / 313	NOT_DECLARED
SC-7307	Transaction unresolved	Business Rule — BR-313-4: VAU002: Real Time VAU supported only for Visa branded PAN. / business_rule	REQ-SRC-ATL105-PDF-001:1515	BR-313-4 / 313	NOT_DECLARED
SC-7308	Transaction unresolved	Business Rule — BR-313-5: VAU003: Real Time VAU not supported for this network. / business_rule	REQ-SRC-ATL105-PDF-001:1516	BR-313-5 / 313	NOT_DECLARED
SC-7309	Transaction unresolved	Business Rule — BR-313-6: VAU004: Transaction is not original purchase, return, bill payment, account funding, original credit. / business_rule	REQ-SRC-ATL105-PDF-001:1517	BR-313-6 / 313	NOT_DECLARED
SC-7310	Transaction unresolved	Business Rule — BR-313-7: VAU005: Transaction contains CVV2. / business_rule	REQ-SRC-ATL105-PDF-001:1518	BR-313-7 / 313	NOT_DECLARED
SC-7311	Transaction unresolved	Business Rule — BR-313-8: VAU006: Transaction is not a qualifying transaction type. / business_rule	REQ-SRC-ATL105-PDF-001:1519	BR-313-8 / 313	NOT_DECLARED
SC-7312	Transaction unresolved	Business Rule — BR-313-9: VAU007: Real Time VAU not supported for this MCC. / business_rule	REQ-SRC-ATL105-PDF-001:1520	BR-313-9 / 313	NOT_DECLARED
SC-7313	Transaction unresolved	Business Rule — BR-313-10: VAU008: Acquirer or processor is not activated for Real Time VAU. / business_rule	REQ-SRC-ATL105-PDF-001:1521	BR-313-10 / 313	NOT_DECLARED
SC-7314	Transaction unresolved	Business Rule — BR-313-11: VAU009: Issuer does not support Real Time VAU. / business_rule	REQ-SRC-ATL105-PDF-001:1522	BR-313-11 / 313	NOT_DECLARED
SC-7315	Transaction unresolved	Business Rule — BR-313-12: VAU010: Issuer or Visa blocked the merchant. / business_rule	REQ-SRC-ATL105-PDF-001:1523	BR-313-12 / 313	NOT_DECLARED
SC-7316	Transaction unresolved	Business Rule — BR-313-13: VAU011: Preauthorized Payment Cancellation Service stop-payment order for this transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1524	BR-313-13 / 313	NOT_DECLARED
SC-7317	Transaction unresolved	Business Rule — BR-313-14: VAU012: Credentials in the authorization request is the latest VAU data. / business_rule	REQ-SRC-ATL105-PDF-001:1525	BR-313-14 / 313	NOT_DECLARED
SC-7318	Transaction unresolved	Business Rule — BR-313-15: VAU013: Expiry date in the authorization request is later than VAU data. / business_rule	REQ-SRC-ATL105-PDF-001:1526	BR-313-15 / 313	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7319	Transaction unresolved	Business Rule — BR-313-16: VAU014: PAN has been opted out of VAU. / business_rule	REQ-SRC-ATL105-PDF-001:1527	BR-313-16 / 313	NOT_DECLARED
SC-7320	Transaction unresolved	Business Rule — BR-313-17: VAU016: PAN has stop advice set up. / business_rule	REQ-SRC-ATL105-PDF-001:1528	BR-313-17 / 313	NOT_DECLARED
SC-7324	Transaction unresolved	Business Rule — BR-314-4: Table Data 'Y' is mandatory for EV transaction; without it, transaction is not considered an EV transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1532	BR-314-4 / 314	NOT_DECLARED
SC-7325	Transaction unresolved	Business Rule — BR-314-5: If EV segment is sent by merchant without Table Data = 'Y', transaction will be declined by BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1533	BR-314-5 / 314	NOT_DECLARED
SC-7326	Transaction unresolved	Business Rule — BR-314-6: Table ID fixed value is 01, Table Length fixed value is 001 for EV Transaction Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:1534	BR-314-6 / 314	NOT_DECLARED
SC-7341	Transaction unresolved	Business Rule — BR-318-1: Carbon Footprint Table Data has maximum length of 12. / business_rule	REQ-SRC-ATL105-PDF-001:1549	BR-318-1 / 318	NOT_DECLARED
SC-7342	Transaction unresolved	Business Rule — BR-318-2: Estimated Vehicles KM/Miles Available Table Data has maximum length of 6. / business_rule	REQ-SRC-ATL105-PDF-001:1550	BR-318-2 / 318	NOT_DECLARED
SC-7343	Transaction unresolved	Business Rule — BR-318-3: Maximum Power Dispensed Table Data has maximum length of 6. / business_rule	REQ-SRC-ATL105-PDF-001:1551	BR-318-3 / 318	NOT_DECLARED
SC-7344	Transaction unresolved	Business Rule — BR-318-4: Connector Type Table Length is variable, range 001-003. / business_rule	REQ-SRC-ATL105-PDF-001:1552	BR-318-4 / 318	NOT_DECLARED
SC-7346	Transaction unresolved	Business Rule — BR-320-1: A unique Product Code must be sent for each type of fuel purchased. / business_rule	REQ-SRC-ATL105-PDF-001:1554	BR-320-1 / 320	NOT_DECLARED
SC-7347	Transaction unresolved	Business Rule — BR-320-2: a field is not populated — still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1555	BR-320-2 / 320	NOT_DECLARED
SC-7348	Transaction unresolved	Business Rule — BR-320-3: This segment is used exclusively and allowed for Comdata cards only. / business_rule	REQ-SRC-ATL105-PDF-001:1556	BR-320-3 / 320	NOT_DECLARED
SC-7349	Transaction unresolved	Business Rule — BR-320-4: Any transaction containing this segment that is not for a Comdata card will be declined. / business_rule	REQ-SRC-ATL105-PDF-001:1557	BR-320-4 / 320	NOT_DECLARED
SC-7352	Transaction unresolved	Business Rule — BR-320-7: Fuel products must always be the first products in the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1560	BR-320-7 / 320	NOT_DECLARED
SC-7353	Transaction unresolved	Business Rule — BR-320-8: A maximum of ten products is allowed in the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1561	BR-320-8 / 320	NOT_DECLARED
SC-7356	Transaction unresolved	Business Rule — BR-320-11: Discount, Tax, and Coupon amounts are accounted for in product amounts; no separate discount/tax/coupon codes included. / business_rule	REQ-SRC-ATL105-PDF-001:1564	BR-320-11 / 320	NOT_DECLARED
SC-7357	Transaction unresolved	Business Rule — BR-320-12: All fuel merchants must send fuel and nonfuel product data if applicable. / business_rule	REQ-SRC-ATL105-PDF-001:1565	BR-320-12 / 320	NOT_DECLARED
SC-7359	Transaction unresolved	Business Rule — BR-320-14: Merchant must send the primary fuel as the very first product code within the Adjusted Product Code Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1567	BR-320-14 / 320	NOT_DECLARED
SC-7361	Transaction unresolved	Business Rule — BR-320-16: A Field Separator follows Adjusted Product Amount when it is the very last element in the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1569	BR-320-16 / 320	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7362	Transaction unresolved	Business Rule — BR-320-17: When a field is not populated, still send the Field Separator. / business_rule	REQ-SRC-ATL105-PDF-001:1570	BR-320-17 / 320	NOT_DECLARED
SC-7364	Transaction unresolved	Business Rule — BR-320-19: A Product Data Field Delimiter follows Adjusted Product Amount when it is not the last product. / business_rule	REQ-SRC-ATL105-PDF-001:1572	BR-320-19 / 320	NOT_DECLARED
SC-7365	Transaction unresolved	Business Rule — BR-321-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:1573	BR-321-1 / 321	NOT_DECLARED
SC-7366	Transaction unresolved	Business Rule — BR-321-2: When a field is not populated, still send the Adjusted Product Data Field Delimiter. / business_rule	REQ-SRC-ATL105-PDF-001:1574	BR-321-2 / 321	NOT_DECLARED
SC-7367	Transaction unresolved	Business Rule — BR-321-3: Product Data section repeats per product for a maximum of 10 products, total variable length up to 370 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1575	BR-321-3 / 321	NOT_DECLARED
SC-7368	Transaction unresolved	Business Rule — BR-321-4: Fuel products are always listed first among the products in the segment. / business_rule	REQ-SRC-ATL105-PDF-001:1576	BR-321-4 / 321	NOT_DECLARED
SC-7379	Response deferred	Business Rule — BR-324-1: Merchant Data Segment has a maximum length of 399 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1587	BR-324-1 / 324	NOT_DECLARED
SC-7380	Response deferred	Business Rule — BR-324-2: Fields in Merchant Data Segment are not separated by Field Separators; unpopulated fields are immediately followed by ne / business_rule	REQ-SRC-ATL105-PDF-001:1588	BR-324-2 / 324	NOT_DECLARED
SC-7381	Response deferred	Business Rule — BR-324-3: Number of Card Types indicates the number of times Field No. 8 is repeated. / business_rule	REQ-SRC-ATL105-PDF-001:1589	BR-324-3 / 324	NOT_DECLARED
SC-7382	Response deferred	Business Rule — BR-325-1: Field No. 8 (Card Type) can be present from 01-99 times in the Merchant Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1590	BR-325-1 / 325	NOT_DECLARED
SC-7383	Response deferred	Business Rule — BR-325-2: End-of-Data Indicator has fixed value ~. / business_rule	REQ-SRC-ATL105-PDF-001:1591	BR-325-2 / 325	NOT_DECLARED
SC-7384	Response deferred	Business Rule — BR-326-1: Dial String Data Segment has a maximum length of 69 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:1592	BR-326-1 / 326	NOT_DECLARED
SC-7385	Response deferred	Business Rule — BR-326-2: Fields are not separated by Field Separators; unpopulated fields allow next field to immediately follow. / business_rule	REQ-SRC-ATL105-PDF-001:1593	BR-326-2 / 326	NOT_DECLARED
SC-7386	Response deferred	Business Rule — BR-326-3: Data Type Indicator has fixed value '!' indicating dial string data follows. / business_rule	REQ-SRC-ATL105-PDF-001:1594	BR-326-3 / 326	NOT_DECLARED
SC-7387	Response deferred	Business Rule — BR-326-4: Dial String Type has fixed value '1' indicating transaction dial strings. / business_rule	REQ-SRC-ATL105-PDF-001:1595	BR-326-4 / 326	NOT_DECLARED
SC-7388	Response deferred	Business Rule — BR-326-5: Pause Indicator has fixed value 'B' meaning device should pause about one second before proceeding. / business_rule	REQ-SRC-ATL105-PDF-001:1596	BR-326-5 / 326	NOT_DECLARED
SC-7389	Response deferred	Business Rule — BR-326-6: Dial String Terminator has fixed value 'A' indicating end of first dial string. / business_rule	REQ-SRC-ATL105-PDF-001:1597	BR-326-6 / 326	NOT_DECLARED
SC-7390	Response deferred	Business Rule — BR-327-1: Dial String Terminator has fixed value F, sourced from Host. / business_rule	REQ-SRC-ATL105-PDF-001:1598	BR-327-1 / 327	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7391	Response deferred	Business Rule — BR-327-2: End-of-Data Indicator has fixed value ~, sourced from Host. / business_rule	REQ-SRC-ATL105-PDF-001:1599	BR-327-2 / 327	NOT_DECLARED
SC-7392	Response deferred	Business Rule — BR-327-3: Secondary phone number is used after all attempts using the primary phone number are exhausted. / business_rule	REQ-SRC-ATL105-PDF-001:1600	BR-327-3 / 327	NOT_DECLARED
SC-7393	Response deferred	Business Rule — BR-328-1: Fields in the Date and Time Data Segment are not separated by Field Separators; unpopulated fields are immediately follo / business_rule	REQ-SRC-ATL105-PDF-001:1601	BR-328-1 / 328	NOT_DECLARED
SC-7394	Response deferred	Business Rule — BR-328-2: Data Type Indicator has fixed value ':' indicating current day, date, and time follows. / business_rule	REQ-SRC-ATL105-PDF-001:1602	BR-328-2 / 328	NOT_DECLARED
SC-7395	Response deferred	Business Rule — BR-328-3: End-of-Data Indicator has fixed value '~' marking end of segment. / business_rule	REQ-SRC-ATL105-PDF-001:1603	BR-328-3 / 328	NOT_DECLARED
SC-7396	Response deferred	Business Rule — BR-329-1: Software Dial Load Data Segment is not used by vendors who support their own applications. / business_rule	REQ-SRC-ATL105-PDF-001:1604	BR-329-1 / 329	NOT_DECLARED
SC-7397	Response deferred	Business Rule — BR-329-2: Fields in the Software Dial Load Data Segment are not separated by Field Separators; unpopulated fields are followed imm / business_rule	REQ-SRC-ATL105-PDF-001:1605	BR-329-2 / 329	NOT_DECLARED
SC-7398	Response deferred	Business Rule — BR-329-3: Data Type Indicator fixed value is '@' indicating software dial load data follows. / business_rule	REQ-SRC-ATL105-PDF-001:1606	BR-329-3 / 329	NOT_DECLARED
SC-7399	Response deferred	Business Rule — BR-329-4: End-of-Data Indicator fixed value is '~' indicating end of the data segment. / business_rule	REQ-SRC-ATL105-PDF-001:1607	BR-329-4 / 329	NOT_DECLARED
SC-7400	Response deferred	Business Rule — BR-330-1: Vendors who support their own applications do not use the Software IP Load Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1608	BR-330-1 / 330	NOT_DECLARED
SC-7401	Response deferred	Business Rule — BR-330-2: Fields in the Software IP Load Data Segment are not separated by Field Separators; unpopulated fields are immediately fo / business_rule	REQ-SRC-ATL105-PDF-001:1609	BR-330-2 / 330	NOT_DECLARED
SC-7402	Response deferred	Business Rule — BR-330-3: Data Type Indicator has fixed value \$ indicating software IP load data follows. / business_rule	REQ-SRC-ATL105-PDF-001:1610	BR-330-3 / 330	NOT_DECLARED
SC-7403	Response deferred	Business Rule — BR-330-4: End-of-Data Indicator has fixed value ~ indicating end of the data segment. / business_rule	REQ-SRC-ATL105-PDF-001:1611	BR-330-4 / 330	NOT_DECLARED
SC-7404	Response deferred	Business Rule — BR-331-1: Store and Forward Data Segment is only sent in Table Load Response when Merchant Data Segment includes Card Type value 1 / business_rule	REQ-SRC-ATL105-PDF-001:1612	BR-331-1 / 331	NOT_DECLARED
SC-7405	Response deferred	Business Rule — BR-331-2: Fields in Store and Forward Data Segment are not separated by Field Separators; unpopulated field is followed immediatel / business_rule	REQ-SRC-ATL105-PDF-001:1613	BR-331-2 / 331	NOT_DECLARED
SC-7406	Response deferred	Business Rule — BR-332-1: Data Type Indicator fixed value is '^' indicating Supplementary Terminal data follows. / business_rule	REQ-SRC-ATL105-PDF-001:1614	BR-332-1 / 332	NOT_DECLARED
SC-7408	Transaction unresolved	Business Rule — BR-332-3: Download Data is in <tag> <len> <data> format; refer to Appendix W for layout. / business_rule	REQ-SRC-ATL105-PDF-001:1616	BR-332-3 / 332	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7409	Transaction unresolved	Business Rule — BR-333-1: Inclusion of EMV Terminal Floor Limits Data Segment in a table load depends on a Special set at the terminal level. / business_rule	REQ-SRC-ATL105-PDF-001:1617	BR-333-1 / 333	NOT_DECLARED
SC-7410	Transaction unresolved	Business Rule — BR-333-2: When floor limit data changes at the Buypass Host, the table download flag is set for terminals with that special set. / business_rule	REQ-SRC-ATL105-PDF-001:1618	BR-333-2 / 333	NOT_DECLARED
SC-7411	Transaction unresolved	Business Rule — BR-333-3: Floor Limit Data section repeats by RID for a maximum of 24 RIDs, total variable length up to 624 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:1619	BR-333-3 / 333	NOT_DECLARED
SC-7427	Response deferred	Business Rule — BR-355-1: If Access Code is not necessary, dial string omits this element and the following Pause Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:1635	BR-355-1 / 355	NOT_DECLARED
SC-7428	Response deferred	Business Rule — BR-355-2: One or more 'B' characters may be used in Access Code to indicate longer pauses, each representing a 1-second pause. / business_rule	REQ-SRC-ATL105-PDF-001:1636	BR-355-2 / 355	NOT_DECLARED
SC-7465	Response deferred	Business Rule — BR-360-1: Address Line 2 is used in Data Segment No. DL1, Merchant Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1673	BR-360-1 / 360	NOT_DECLARED
SC-7467	Response deferred	Business Rule — BR-360-3: Address Line 2 positions 1-12 must be a valid city name assigned by BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1675	BR-360-3 / 360	NOT_DECLARED
SC-7468	Response deferred	Business Rule — BR-360-4: Address Line 2 positions 17-21 must be a valid ZIP Code/ZIP+4 assigned by BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1676	BR-360-4 / 360	NOT_DECLARED
SC-7472	Transaction unresolved	Business Rule — BR-361-4: Authorization Only Reversal applies to POS Authorization Only (3), POS Mail/Phone Authorization Only (B), and CAT Author / business_rule	REQ-SRC-ATL105-PDF-001:1680	BR-361-4 / 361	NOT_DECLARED
SC-7473	Response deferred	Business Rule — BR-361-5: The Approved Amount may not be the same as the requested amount. / business_rule	REQ-SRC-ATL105-PDF-001:1681	BR-361-5 / 361	NOT_DECLARED
SC-7474	Response deferred	Business Rule — BR-361-6: If the transaction is run from an AFP device, the pump should be set to pump the Approved Amount, not the requested amou / business_rule	REQ-SRC-ATL105-PDF-001:1682	BR-361-6 / 361	NOT_DECLARED
SC-7476	Response deferred	Business Rule — BR-361-8: Approved Amount valid range is 000000001-999999999. / business_rule	REQ-SRC-ATL105-PDF-001:1684	BR-361-8 / 361	NOT_DECLARED
SC-7477	Response deferred	Business Rule — BR-362-1: Authorizer Code is defined by BUYPASS; valid codes listed in Appendix C. / business_rule	REQ-SRC-ATL105-PDF-001:1685	BR-362-1 / 362	NOT_DECLARED
SC-7478	Response deferred	Business Rule — BR-362-2: Authorizer Response Code comes from BUYPASS, obtained from the authorizer; spaces are valid. / business_rule	REQ-SRC-ATL105-PDF-001:1686	BR-362-2 / 362	NOT_DECLARED
SC-7494	Transaction unresolved	Business Rule — BR-365-1: For a Retry of a Follow-on transaction, merchant should use same credentials as initial attempt. / business_rule	REQ-SRC-ATL105-PDF-001:1702	BR-365-1 / 365	NOT_DECLARED
SC-7505	Response deferred	Business Rule — BR-367-1: Card Type must be a valid Card Type code. / business_rule	REQ-SRC-ATL105-PDF-001:1713	BR-367-1 / 367	NOT_DECLARED
SC-7506	Response deferred	Business Rule — BR-367-2: In a Table Load response, host sends Card Type code multiple times instructing device which cards/features to accept. / business_rule	REQ-SRC-ATL105-PDF-001:1714	BR-367-2 / 367	NOT_DECLARED
SC-7518	Response deferred	Business Rule — BR-369-4: Current Date month value must be between 01 and 12. / business_rule	REQ-SRC-ATL105-PDF-001:1726	BR-369-4 / 369	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7519	Response deferred	Business Rule — BR-369-5: Current Date day value must be between 01 and 31. / business_rule	REQ-SRC-ATL105-PDF-001:1727	BR-369-5 / 369	NOT_DECLARED
SC-7520	Response deferred	Business Rule — BR-369-6: Current Date year value is the last two digits of year, range 00-99. / business_rule	REQ-SRC-ATL105-PDF-001:1728	BR-369-6 / 369	NOT_DECLARED
SC-7521	Response deferred	Business Rule — BR-369-7: Current Date originates at BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1729	BR-369-7 / 369	NOT_DECLARED
SC-7522	Response deferred	Business Rule — BR-370-1: Current Time originates at BUYPASS and includes adjustments for time zone and daylight saving time. / business_rule	REQ-SRC-ATL105-PDF-001:1730	BR-370-1 / 370	NOT_DECLARED
SC-7523	Response deferred	Business Rule — BR-370-2: Current Time hour must be 01-24 and minute must be 01-60. / business_rule	REQ-SRC-ATL105-PDF-001:1731	BR-370-2 / 370	NOT_DECLARED
SC-7524	Response deferred	Business Rule — BR-370-3: Cut Time hour must be 01-24 and minute must be 01-60. / business_rule	REQ-SRC-ATL105-PDF-001:1732	BR-370-3 / 370	NOT_DECLARED
SC-7525	Response deferred	Business Rule — BR-370-4: Devices with automatic cut time should start settlement 30 minutes before merchant's cut time if not completed by clerk. / business_rule	REQ-SRC-ATL105-PDF-001:1733	BR-370-4 / 370	NOT_DECLARED
SC-7526	Response deferred	Business Rule — BR-371-1: Data Type Indicator is required for TransArmor PKI Encryption and Tokenization. / business_rule	REQ-SRC-ATL105-PDF-001:1734	BR-371-1 / 371	NOT_DECLARED
SC-7527	Response deferred	Business Rule — BR-371-2: Data Type Indicator is required for EMV CA Public Key File Load. / business_rule	REQ-SRC-ATL105-PDF-001:1735	BR-371-2 / 371	NOT_DECLARED
SC-7528	Response deferred	Business Rule — BR-371-3: Code '#' identifies the Merchant Data Segment (No. DL1). / business_rule	REQ-SRC-ATL105-PDF-001:1736	BR-371-3 / 371	NOT_DECLARED
SC-7529	Response deferred	Business Rule — BR-371-4: Code '!' identifies the Dial String Data Segment (No. DL2). / business_rule	REQ-SRC-ATL105-PDF-001:1737	BR-371-4 / 371	NOT_DECLARED
SC-7530	Response deferred	Business Rule — BR-371-5: Code ':' identifies the Date and Time Data Segment (No. DL3). / business_rule	REQ-SRC-ATL105-PDF-001:1738	BR-371-5 / 371	NOT_DECLARED
SC-7531	Response deferred	Business Rule — BR-371-6: Code '@' identifies the Software Dial Load Data Segment (No. DL4). / business_rule	REQ-SRC-ATL105-PDF-001:1739	BR-371-6 / 371	NOT_DECLARED
SC-7532	Response deferred	Business Rule — BR-371-7: Code '\$' identifies the Software IP Load Data Segment (No. DL5). / business_rule	REQ-SRC-ATL105-PDF-001:1740	BR-371-7 / 371	NOT_DECLARED
SC-7533	Response deferred	Business Rule — BR-371-8: Code '\' identifies the Store and Forward Data Segment (No. DL6). / business_rule	REQ-SRC-ATL105-PDF-001:1741	BR-371-8 / 371	NOT_DECLARED
SC-7534	Response deferred	Business Rule — BR-371-9: Code '&' indicates a new Key and Key ID returned using TransArmor PKI Encryption and Tokenization. / business_rule	REQ-SRC-ATL105-PDF-001:1742	BR-371-9 / 371	NOT_DECLARED
SC-7535	Response deferred	Business Rule — BR-371-10: Code '&' for EMV indicates a block of a new CA Public Key file is being returned to the device. / business_rule	REQ-SRC-ATL105-PDF-001:1743	BR-371-10 / 371	NOT_DECLARED
SC-7536	Response deferred	Business Rule — BR-371-11: Code 'K' indicates a new Key and Key ID are being returned using TransArmor PKI Encryption and Tokenization. / business_rule	REQ-SRC-ATL105-PDF-001:1744	BR-371-11 / 371	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7537	Response deferred	Business Rule — BR-371-12: Code '^' identifies the Supplemental Terminal Data Segment (No. DL7). / business_rule	REQ-SRC-ATL105-PDF-001:1745	BR-371-12 / 371	NOT_DECLARED
SC-7538	Response deferred	Business Rule — BR-371-13: Code '%' identifies EMV Floor Limits Segment (No. DL8). / business_rule	REQ-SRC-ATL105-PDF-001:1746	BR-371-13 / 371	NOT_DECLARED
SC-7539	Transaction unresolved	Business Rule — BR-372-1: Some Decline Codes allow a device to prompt clerk/customer intervention; others display decline message and complete tra / business_rule	REQ-SRC-ATL105-PDF-001:1747	BR-372-1 / 372	NOT_DECLARED
SC-7540	Transaction unresolved	Business Rule — BR-372-2: TransArmor Token Only transaction declined when BUYPASS cannot retrieve the necessary token for associated PAN. / business_rule	REQ-SRC-ATL105-PDF-001:1748	BR-372-2 / 372	NOT_DECLARED
SC-7541	Response deferred	Business Rule — BR-373-1: Dial String Type has a fixed value of 1, representing transaction dial strings. / business_rule	REQ-SRC-ATL105-PDF-001:1749	BR-373-1 / 373	NOT_DECLARED
SC-7542	Response deferred	Business Rule — BR-373-2: BUYPASS leaves communications established so that a Load Request can be initiated. / business_rule	REQ-SRC-ATL105-PDF-001:1750	BR-373-2 / 373	NOT_DECLARED
SC-7543	Response deferred	Business Rule — BR-373-3: Download Indicator is required for TransArmor PKI Encryption and Tokenization when Key ID/Key is due to expire or expire / business_rule	REQ-SRC-ATL105-PDF-001:1751	BR-373-3 / 373	NOT_DECLARED
SC-7544	Response deferred	Business Rule — BR-373-4: Download Indicator is required for EMV Public Key loads when checksum in EMV Financial Transaction Request does not matc / business_rule	REQ-SRC-ATL105-PDF-001:1752	BR-373-4 / 373	NOT_DECLARED
SC-7545	Response deferred	Business Rule — BR-373-5: Download Indicator code 0 means No Download Request. / business_rule	REQ-SRC-ATL105-PDF-001:1753	BR-373-5 / 373	NOT_DECLARED
SC-7549	Transaction unresolved	Business Rule — BR-374-4: Value 8 indicates the device must update its Key ID and Key. / business_rule	REQ-SRC-ATL105-PDF-001:1757	BR-374-4 / 374	NOT_DECLARED
SC-7550	Transaction unresolved	Business Rule — BR-374-5: Value 9 indicates the device can update its Public Key. / business_rule	REQ-SRC-ATL105-PDF-001:1758	BR-374-5 / 374	NOT_DECLARED
SC-7556	Transaction unresolved	Business Rule — BR-376-1: End-of-Load Indicator is used in the Table Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:1764	BR-376-1 / 376	NOT_DECLARED
SC-7559	Transaction unresolved	Business Rule — BR-377-2: Fee Amount valid range is 00000000-99999999. / business_rule	REQ-SRC-ATL105-PDF-001:1767	BR-377-2 / 377	NOT_DECLARED
SC-7572	Response deferred	Business Rule — BR-380-1: Initiation Date is calculated by BUYPASS using system clock, merchant profile time zone, and daylight saving flag. / business_rule	REQ-SRC-ATL105-PDF-001:1780	BR-380-1 / 380	NOT_DECLARED
SC-7573	Response deferred	Business Rule — BR-380-2: Initiation Time is calculated by BUYPASS using system clock, merchant profile time zone, and daylight saving flag. / business_rule	REQ-SRC-ATL105-PDF-001:1781	BR-380-2 / 380	NOT_DECLARED
SC-7585	Response deferred	Business Rule — BR-383-1: Merchant Phone Number is used in Data Segment No. DL1, Merchant Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1793	BR-383-1 / 383	NOT_DECLARED
SC-7589	Response deferred	Business Rule — BR-384-4: Financial Transaction Responses can be followed by the Additional Information Data Segment (Data Segment No. 112). / business_rule	REQ-SRC-ATL105-PDF-001:1797	BR-384-4 / 384	NOT_DECLARED
SC-7594	Transaction unresolved	Business Rule — BR-385-2: Net Amount valid values range from 00000000 to 99999999. / business_rule	REQ-SRC-ATL105-PDF-001:1802	BR-385-2 / 385	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7595	Response deferred	Business Rule — BR-385-3: New Software Version is used in Software Dial Load Data Segment (DL4) and Software IP Load Data Segment (DL5). / business_rule	REQ-SRC-ATL105-PDF-001:1803	BR-385-3 / 385	NOT_DECLARED
SC-7603	Response deferred	Business Rule — BR-386-8: Number of Card Types valid values range from 01 to 99. / business_rule	REQ-SRC-ATL105-PDF-001:1811	BR-386-8 / 386	NOT_DECLARED
SC-7604	Response deferred	Business Rule — BR-386-9: Number of Card Types identifies how many times Field No. 8 repeats in the Merchant Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:1812	BR-386-9 / 386	NOT_DECLARED
SC-7606	Response deferred	Business Rule — BR-387-2: Number of Print Lines information comes from BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:1814	BR-387-2 / 387	NOT_DECLARED
SC-7607	Response deferred	Business Rule — BR-387-3: Number of Print Lines valid values are 1, 2, or 3. / business_rule	REQ-SRC-ATL105-PDF-001:1815	BR-387-3 / 387	NOT_DECLARED
SC-7623	Response deferred	Business Rule — BR-389-6: Pause Indicator causes device to pause approximately one second before proceeding. / business_rule	REQ-SRC-ATL105-PDF-001:1831	BR-389-6 / 389	NOT_DECLARED
SC-7624	Response deferred	Business Rule — BR-389-7: Pause Indicator behavior differs from loader to loader. / business_rule	REQ-SRC-ATL105-PDF-001:1832	BR-389-7 / 389	NOT_DECLARED
SC-7625	Response deferred	Business Rule — BR-390-1: A device using a Hayes-compatible modem replaces the B character with a comma in the dial string. / business_rule	REQ-SRC-ATL105-PDF-001:1833	BR-390-1 / 390	NOT_DECLARED
SC-7629	Response deferred	Business Rule — BR-392-1: Transaction dialing always begins with the primary Phone Number. / business_rule	REQ-SRC-ATL105-PDF-001:1837	BR-392-1 / 392	NOT_DECLARED
SC-7630	Response deferred	Business Rule — BR-392-2: Secondary Phone Number is used once attempts using the primary Phone Number are exhausted. / business_rule	REQ-SRC-ATL105-PDF-001:1838	BR-392-2 / 392	NOT_DECLARED
SC-7631	Response deferred	Business Rule — BR-392-3: A tertiary Phone Number is assigned to but not used by the device. / business_rule	REQ-SRC-ATL105-PDF-001:1839	BR-392-3 / 392	NOT_DECLARED
SC-7632	Response deferred	Business Rule — BR-392-4: Phone Number data consists of all data up to the following C (Log-on Indicator) or A (Delimiter) character. / business_rule	REQ-SRC-ATL105-PDF-001:1840	BR-392-4 / 392	NOT_DECLARED
SC-7658	Response deferred	Business Rule — BR-396-1: Redial Count valid codes/values are 1-3. / business_rule	REQ-SRC-ATL105-PDF-001:1866	BR-396-1 / 396	NOT_DECLARED
SC-7659	Response deferred	Business Rule — BR-396-2: For financial transactions, Response Code identifies approval with purchase/capture, approval without purchase/capture, / business_rule	REQ-SRC-ATL105-PDF-001:1867	BR-396-2 / 396	NOT_DECLARED
SC-7660	Response deferred	Business Rule — BR-396-3: For totals, Response Code identifies approval, approval/decline with mail or proprietary data pending states. / business_rule	REQ-SRC-ATL105-PDF-001:1868	BR-396-3 / 396	NOT_DECLARED
SC-7661	Response deferred	Business Rule — BR-396-4: For electronic mail, Response Code identifies approval or approval with more mail pending. / business_rule	REQ-SRC-ATL105-PDF-001:1869	BR-396-4 / 396	NOT_DECLARED
SC-7662	Response deferred	Business Rule — BR-396-5: For communications test, Response Code identifies an approval. / business_rule	REQ-SRC-ATL105-PDF-001:1870	BR-396-5 / 396	NOT_DECLARED
SC-7663	Response deferred	Business Rule — BR-396-6: For TransArmor PKI Encryption/Tokenization transaction, Response Code identifies approved, rejected, or merchant-not-Tra / business_rule	REQ-SRC-ATL105-PDF-001:1871	BR-396-6 / 396	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7664	Response deferred	Business Rule — BR-396-7: For EMV transaction, Response Code identifies approved EMV transaction or rejected EMV transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1872	BR-396-7 / 396	NOT_DECLARED
SC-7665	Response deferred	Business Rule — BR-397-1: Transaction Code 0 means Approved-Purchase/Capture. / business_rule	REQ-SRC-ATL105-PDF-001:1873	BR-397-1 / 397	NOT_DECLARED
SC-7666	Response deferred	Business Rule — BR-397-2: Transaction Code 1 means Approved-Communications Test; otherwise Declined-All other transactions. / business_rule	REQ-SRC-ATL105-PDF-001:1874	BR-397-2 / 397	NOT_DECLARED
SC-7667	Response deferred	Business Rule — BR-397-3: Transaction Code 2 means Approved-Authorization only. / business_rule	REQ-SRC-ATL105-PDF-001:1875	BR-397-3 / 397	NOT_DECLARED
SC-7668	Response deferred	Business Rule — BR-397-4: Transaction Code 3 means Approved-Authorization only with AVS. / business_rule	REQ-SRC-ATL105-PDF-001:1876	BR-397-4 / 397	NOT_DECLARED
SC-7669	Response deferred	Business Rule — BR-397-5: Transaction Code 4 means Approved-Purchase/Capture with AVS. / business_rule	REQ-SRC-ATL105-PDF-001:1877	BR-397-5 / 397	NOT_DECLARED
SC-7670	Response deferred	Business Rule — BR-397-6: Transaction Code 5 means Approved-Totals. / business_rule	REQ-SRC-ATL105-PDF-001:1878	BR-397-6 / 397	NOT_DECLARED
SC-7671	Response deferred	Business Rule — BR-397-7: Transaction Code 6 means Approved-Totals with electronic mail retrieval pending. / business_rule	REQ-SRC-ATL105-PDF-001:1879	BR-397-7 / 397	NOT_DECLARED
SC-7672	Response deferred	Business Rule — BR-397-8: Transaction Code 7 means Declined-Totals with electronic mail retrieval pending. / business_rule	REQ-SRC-ATL105-PDF-001:1880	BR-397-8 / 397	NOT_DECLARED
SC-7673	Response deferred	Business Rule — BR-397-9: Transaction Code 8 means Approved-Electronic mail. / business_rule	REQ-SRC-ATL105-PDF-001:1881	BR-397-9 / 397	NOT_DECLARED
SC-7674	Response deferred	Business Rule — BR-397-10: Transaction Code 9 means Approved-Electronic mail and more mail pending. / business_rule	REQ-SRC-ATL105-PDF-001:1882	BR-397-10 / 397	NOT_DECLARED
SC-7675	Response deferred	Business Rule — BR-397-11: Transaction Code B means Approved-Totals with electronic mail retrieval pending and proprietary data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1883	BR-397-11 / 397	NOT_DECLARED
SC-7676	Response deferred	Business Rule — BR-397-12: Transaction Code C means Declined-Totals with electronic mail retrieval pending and proprietary data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1884	BR-397-12 / 397	NOT_DECLARED
SC-7677	Response deferred	Business Rule — BR-397-13: Transaction Code D means Approved-Totals with proprietary data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1885	BR-397-13 / 397	NOT_DECLARED
SC-7678	Response deferred	Business Rule — BR-397-14: Transaction Code E means Declined-Totals with proprietary data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1886	BR-397-14 / 397	NOT_DECLARED
SC-7680	Response deferred	Business Rule — BR-397-16: Transaction Code G means Approved-Electronic mail and end of proprietary data block. / business_rule	REQ-SRC-ATL105-PDF-001:1888	BR-397-16 / 397	NOT_DECLARED
SC-7681	Response deferred	Business Rule — BR-397-17: Transaction Code H means Approved-Proprietary data retrieval, more pending. / business_rule	REQ-SRC-ATL105-PDF-001:1889	BR-397-17 / 397	NOT_DECLARED
SC-7682	Response deferred	Business Rule — BR-397-18: Transaction Code J means Approved-Electronic Mail, reset. / business_rule	REQ-SRC-ATL105-PDF-001:1890	BR-397-18 / 397	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7683	Response deferred	Business Rule — BR-397-19: Transaction Code K means Approved-TransArmor Load. / business_rule	REQ-SRC-ATL105-PDF-001:1891	BR-397-19 / 397	NOT_DECLARED
SC-7684	Response deferred	Business Rule — BR-397-20: Transaction Code L is rejected if merchant is not TransArmor enabled or signing key is invalid or outdated. / business_rule	REQ-SRC-ATL105-PDF-001:1892	BR-397-20 / 397	NOT_DECLARED
SC-7685	Response deferred	Business Rule — BR-397-21: Transaction Code L also means Approved-EMV Key Load, last block. / business_rule	REQ-SRC-ATL105-PDF-001:1893	BR-397-21 / 397	NOT_DECLARED
SC-7686	Response deferred	Business Rule — BR-397-22: Transaction Code M means Approved-EMV Key Load, more pending. / business_rule	REQ-SRC-ATL105-PDF-001:1894	BR-397-22 / 397	NOT_DECLARED
SC-7687	Response deferred	Business Rule — BR-397-23: Transaction Code M also means Declined-Totals with Proprietary Host Discount data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1895	BR-397-23 / 397	NOT_DECLARED
SC-7688	Response deferred	Business Rule — BR-397-24: Transaction Code N means Approved-Totals with Proprietary Host Discount data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1896	BR-397-24 / 397	NOT_DECLARED
SC-7689	Response deferred	Business Rule — BR-398-1: If a TransArmor Key Load (Signing/Signed/Unsigned) request is declined, the last element will be Response Code. / business_rule	REQ-SRC-ATL105-PDF-001:1897	BR-398-1 / 398	NOT_DECLARED
SC-7690	Response deferred	Business Rule — BR-398-2: Response Code 'O' means Approved-Proprietary data load, more pending. / business_rule	REQ-SRC-ATL105-PDF-001:1898	BR-398-2 / 398	NOT_DECLARED
SC-7691	Response deferred	Business Rule — BR-398-3: Response Code 'P' means Successful Signing/Signed Key Load Request. / business_rule	REQ-SRC-ATL105-PDF-001:1899	BR-398-3 / 398	NOT_DECLARED
SC-7692	Response deferred	Business Rule — BR-398-4: Response Code 'S' means Declined-Retry the transaction. / business_rule	REQ-SRC-ATL105-PDF-001:1900	BR-398-4 / 398	NOT_DECLARED
SC-7693	Response deferred	Business Rule — BR-398-5: Response Code 'T' means Approved-Proprietary data load, no more data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1901	BR-398-5 / 398	NOT_DECLARED
SC-7694	Response deferred	Business Rule — BR-398-6: Response Code 'U' means Declined-Proprietary data load, no more data pending. / business_rule	REQ-SRC-ATL105-PDF-001:1902	BR-398-6 / 398	NOT_DECLARED
SC-7696	Response deferred	Business Rule — BR-398-8: Response Code 'W' means Approved-Totals with Proprietary Custom Receipt Text pending. / business_rule	REQ-SRC-ATL105-PDF-001:1904	BR-398-8 / 398	NOT_DECLARED
SC-7712	Response deferred	Business Rule — BR-400-11: Additional Information Data Segment (No. 112) data length ranges 001-999. / business_rule	REQ-SRC-ATL105-PDF-001:1920	BR-400-11 / 400	NOT_DECLARED
SC-7715	Response deferred	Business Rule — BR-400-14: Print Data Segment (No. 115) data length ranges 001-1009. / business_rule	REQ-SRC-ATL105-PDF-001:1923	BR-400-14 / 400	NOT_DECLARED
SC-7719	Response deferred	Business Rule — BR-400-18: Print Data 2 Segment (No. 120) data length ranges 001-1009. / business_rule	REQ-SRC-ATL105-PDF-001:1927	BR-400-18 / 400	NOT_DECLARED
SC-7722	Response deferred	Business Rule — BR-400-21: EMV Response Data Segment (No. 131) data length ranges 001-3834. / business_rule	REQ-SRC-ATL105-PDF-001:1930	BR-400-21 / 400	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7724	Response deferred	Business Rule — BR-400-23: Transaction Attributes Data Segment (No. 134) data length ranges 01-19. / business_rule	REQ-SRC-ATL105-PDF-001:1932	BR-400-23 / 400	NOT_DECLARED
SC-7725	Transaction unresolved	Business Rule — BR-400-24: Adjusted Product Code Data Segment (No. 157) data length ranges 001-381. / business_rule	REQ-SRC-ATL105-PDF-001:1933	BR-400-24 / 400	NOT_DECLARED
SC-7738	Response deferred	Business Rule — BR-405-1: Software Load Phone Number is used in the Software Dial Load Data Segment (No. DL4). / business_rule	REQ-SRC-ATL105-PDF-001:1946	BR-405-1 / 405	NOT_DECLARED
SC-7739	Response deferred	Business Rule — BR-405-2: Software Load Request Date is used in Software Dial Load Data Segment (DL4) and Software IP Load Data Segment (DL5). / business_rule	REQ-SRC-ATL105-PDF-001:1947	BR-405-2 / 405	NOT_DECLARED
SC-7740	Response deferred	Business Rule — BR-406-1: Software Load Request Time is a fixed length of four digits representing HHMM. / business_rule	REQ-SRC-ATL105-PDF-001:1948	BR-406-1 / 406	NOT_DECLARED
SC-7742	Response deferred	Business Rule — BR-407-1: Software Terminal Record ID is used in Software Dial Load and Software IP Load Data Segments. / business_rule	REQ-SRC-ATL105-PDF-001:1950	BR-407-1 / 407	NOT_DECLARED
SC-7744	Transaction unresolved	Business Rule — BR-407-3: Start-of-Data Block Indicator has a fixed value of '). / business_rule	REQ-SRC-ATL105-PDF-001:1952	BR-407-3 / 407	NOT_DECLARED
SC-7747	Response deferred	Business Rule — BR-408-3: If Store Number data is masked by all asterisks, the data is neither displayed nor printed. / business_rule	REQ-SRC-ATL105-PDF-001:1955	BR-408-3 / 408	NOT_DECLARED
SC-7748	Response deferred	Business Rule — BR-408-4: Store Number valid value range is 0000000000000001-9999999999999999. / business_rule	REQ-SRC-ATL105-PDF-001:1956	BR-408-4 / 408	NOT_DECLARED
SC-7750	Transaction unresolved	Business Rule — BR-408-6: Terminal Display Communications Message value is COMM_TEST_PASSED, indicating a successful communications test. / business_rule	REQ-SRC-ATL105-PDF-001:1958	BR-408-6 / 408	NOT_DECLARED
SC-7752	Response deferred	Business Rule — BR-409-1: Terminal Display/Printer Message can repeat up to three times in a Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:1960	BR-409-1 / 409	NOT_DECLARED
SC-7753	Response deferred	Business Rule — BR-409-2: Terminal Display/Printer Message cannot be repeated in a Declined Totals Response. / business_rule	REQ-SRC-ATL105-PDF-001:1961	BR-409-2 / 409	NOT_DECLARED
SC-7754	Response deferred	Business Rule — BR-409-3: Required for TransArmor PKI Encryption/Tokenization and Token Only Financial Transaction Response when a Token has not b / business_rule	REQ-SRC-ATL105-PDF-001:1962	BR-409-3 / 409	NOT_DECLARED
SC-7755	Response deferred	Business Rule — BR-409-4: Print what is sent for this data element. / business_rule	REQ-SRC-ATL105-PDF-001:1963	BR-409-4 / 409	NOT_DECLARED
SC-7862	Response deferred	Business Rule — BR-424-8: Software Load IP/URL Address valid codes/values are 01-999, a-z, A-Z. / business_rule	REQ-SRC-ATL105-PDF-001:2070	BR-424-8 / 424	NOT_DECLARED
SC-7863	Response deferred	Business Rule — BR-424-9: Element 114 (Software Load IP/URL Address) is used in Software IP Load Data Segment (No. DL5). / business_rule	REQ-SRC-ATL105-PDF-001:2071	BR-424-9 / 424	NOT_DECLARED
SC-7864	Response deferred	Business Rule — BR-425-1: Additional Information Data Segment Flag is used in the Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:2072	BR-425-1 / 425	NOT_DECLARED
SC-7865	Response deferred	Business Rule — BR-426-1: BUYPASS initiates transmittal of balance information (001) in a Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:2073	BR-426-1 / 426	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7866	Response deferred	Business Rule — BR-426-2: A Financial Transaction Request initiates transmittal of AVS (003) and CVV (004) information in the Response. / business_rule	REQ-SRC-ATL105-PDF-001:2074	BR-426-2 / 426	NOT_DECLARED
SC-7867	Response deferred	Business Rule — BR-426-3: A Financial Transaction Request initiates transmittal of Visa product result information (009) in the Response. / business_rule	REQ-SRC-ATL105-PDF-001:2075	BR-426-3 / 426	NOT_DECLARED
SC-7868	Response deferred	Business Rule — BR-427-1: Code 001 indicates balance information for gift card, EBT card, credit card, or phone card transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2076	BR-427-1 / 427	NOT_DECLARED
SC-7869	Response deferred	Business Rule — BR-427-2: Code 003 indicates Address Verification Service (AVS) or Name Verification Service (NVS) information. / business_rule	REQ-SRC-ATL105-PDF-001:2077	BR-427-2 / 427	NOT_DECLARED
SC-7870	Response deferred	Business Rule — BR-427-3: Code 004 indicates card verification (CVV, CVV2, CVC2, CID, DTVV) information. / business_rule	REQ-SRC-ATL105-PDF-001:2078	BR-427-3 / 427	NOT_DECLARED
SC-7873	Response deferred	Business Rule — BR-427-6: Code 007 indicates ECA/TeleCheck Return Check Data. / business_rule	REQ-SRC-ATL105-PDF-001:2081	BR-427-6 / 427	NOT_DECLARED
SC-7879	Response deferred	Business Rule — BR-427-12: Code 029 indicates PAR (Payment Account Reference) Data. / business_rule	REQ-SRC-ATL105-PDF-001:2087	BR-427-12 / 427	NOT_DECLARED
SC-7880	Response deferred	Business Rule — BR-427-13: Code 036 indicates Account Type. / business_rule	REQ-SRC-ATL105-PDF-001:2088	BR-427-13 / 427	NOT_DECLARED
SC-7881	Response deferred	Business Rule — BR-427-14: Code 037 indicates Account Funding Source. / business_rule	REQ-SRC-ATL105-PDF-001:2089	BR-427-14 / 427	NOT_DECLARED
SC-7882	Response deferred	Business Rule — BR-429-1: Additional Information Length valid codes/values are 001-985. / business_rule	REQ-SRC-ATL105-PDF-001:2090	BR-429-1 / 429	NOT_DECLARED
SC-7883	Response deferred	Business Rule — BR-429-2: When Additional Information Indicator = 001, gift/EBT/credit/phone card balance information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2091	BR-429-2 / 429	NOT_DECLARED
SC-7884	Response deferred	Business Rule — BR-429-3: When Additional Information Indicator = 003, AVS information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2092	BR-429-3 / 429	NOT_DECLARED
SC-7885	Response deferred	Business Rule — BR-429-4: When Additional Information Indicator = 004, CVV/CVV2/CVC2/CID information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2093	BR-429-4 / 429	NOT_DECLARED
SC-7888	Response deferred	Business Rule — BR-429-7: When Additional Information Indicator = 007, ECA/TeleCheck Return Check Data is included. / business_rule	REQ-SRC-ATL105-PDF-001:2096	BR-429-7 / 429	NOT_DECLARED
SC-7889	Response deferred	Business Rule — BR-429-8: When Additional Information Indicator = 008, loyalty information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2097	BR-429-8 / 429	NOT_DECLARED
SC-7890	Response deferred	Business Rule — BR-430-1: Element 116 = 009 means Visa product result information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2098	BR-430-1 / 430	NOT_DECLARED
SC-7891	Response deferred	Business Rule — BR-430-2: Element 116 = 010 means loyalty information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2099	BR-430-2 / 430	NOT_DECLARED
SC-7892	Response deferred	Business Rule — BR-430-3: Element 116 = 011 means user data information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2100	BR-430-3 / 430	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7893	Response deferred	Business Rule — BR-430-4: Element 116 = 012 means Discover Network Retrieval Reference Number included, fixed alphanumeric length 15 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2101	BR-430-4 / 430	NOT_DECLARED
SC-7895	Response deferred	Business Rule — BR-430-6: Element 116 = 016 means PIN-on-Receipt Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2103	BR-430-6 / 430	NOT_DECLARED
SC-7896	Response deferred	Business Rule — BR-430-7: Element 116 = 017 means BUYPASS Host Card Type included, fixed length 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2104	BR-430-7 / 430	NOT_DECLARED
SC-7897	Response deferred	Business Rule — BR-430-8: Element 116 = 018 means PINless transaction processing information included, fixed numeric length 3. / business_rule	REQ-SRC-ATL105-PDF-001:2105	BR-430-8 / 430	NOT_DECLARED
SC-7898	Response deferred	Business Rule — BR-430-9: Element 116 = 019 means Visa Spend Qualified Indicator Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2106	BR-430-9 / 430	NOT_DECLARED
SC-7899	Response deferred	Business Rule — BR-430-10: Element 116 = 020 means Host Prompts Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2107	BR-430-10 / 430	NOT_DECLARED
SC-7900	Response deferred	Business Rule — BR-430-11: Element 116 = 021 means Re-Price Data Response Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2108	BR-430-11 / 430	NOT_DECLARED
SC-7901	Response deferred	Business Rule — BR-430-12: Element 116 = 022 means CAVV Result Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2109	BR-430-12 / 430	NOT_DECLARED
SC-7902	Response deferred	Business Rule — BR-430-13: Element 116 = 023 means MCX Reference Number Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2110	BR-430-13 / 430	NOT_DECLARED
SC-7903	Response deferred	Business Rule — BR-430-14: Element 116 = 024 means Carwash Indicator Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2111	BR-430-14 / 430	NOT_DECLARED
SC-7904	Response deferred	Business Rule — BR-430-15: Element 116 = 025 means Language Indicator Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2112	BR-430-15 / 430	NOT_DECLARED
SC-7905	Response deferred	Business Rule — BR-430-16: Element 116 = 026 means DST Response Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2113	BR-430-16 / 430	NOT_DECLARED
SC-7906	Response deferred	Business Rule — BR-430-17: Element 116 = 027 means Universal Unique Identifier is included. / business_rule	REQ-SRC-ATL105-PDF-001:2114	BR-430-17 / 430	NOT_DECLARED
SC-7907	Response deferred	Business Rule — BR-430-18: Element 116 = 028 means Transaction Identifier Information is included. / business_rule	REQ-SRC-ATL105-PDF-001:2115	BR-430-18 / 430	NOT_DECLARED
SC-7908	Response deferred	Business Rule — BR-431-1: If Element 116 = 029, PAR Data Information is included / business_rule	REQ-SRC-ATL105-PDF-001:2116	BR-431-1 / 431	NOT_DECLARED
SC-7909	Response deferred	Business Rule — BR-431-2: If Element 116 = 030, Merchant Advice code is included / business_rule	REQ-SRC-ATL105-PDF-001:2117	BR-431-2 / 431	NOT_DECLARED
SC-7910	Response deferred	Business Rule — BR-431-3: If Element 116 = 031, DAF Indicator is included / business_rule	REQ-SRC-ATL105-PDF-001:2118	BR-431-3 / 431	NOT_DECLARED
SC-7911	Response deferred	Business Rule — BR-431-4: If Element 116 = 032, Agreement ID is included / business_rule	REQ-SRC-ATL105-PDF-001:2119	BR-431-4 / 431	NOT_DECLARED
SC-7912	Response deferred	Business Rule — BR-431-5: If Element 116 = 034, Host-based Purchase Restriction is included / business_rule	REQ-SRC-ATL105-PDF-001:2120	BR-431-5 / 431	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7913	Response deferred	Business Rule — BR-431-6: If Element 116 = 035, Cardholder Additional Information Result Code is included / business_rule	REQ-SRC-ATL105-PDF-001:2121	BR-431-6 / 431	NOT_DECLARED
SC-7914	Response deferred	Business Rule — BR-431-7: If Element 116 = 036, Account Type is included / business_rule	REQ-SRC-ATL105-PDF-001:2122	BR-431-7 / 431	NOT_DECLARED
SC-7915	Response deferred	Business Rule — BR-431-8: If Element 116 = 037, Account Funding Source is included / business_rule	REQ-SRC-ATL105-PDF-001:2123	BR-431-8 / 431	NOT_DECLARED
SC-7916	Response deferred	Business Rule — BR-431-9: If Element 116 = 038, Transaction Link Identifier is included / business_rule	REQ-SRC-ATL105-PDF-001:2124	BR-431-9 / 431	NOT_DECLARED
SC-7917	Response deferred	Business Rule — BR-431-10: If Element 116 = 039, Transaction Link Action Indicator is included / business_rule	REQ-SRC-ATL105-PDF-001:2125	BR-431-10 / 431	NOT_DECLARED
SC-7918	Response deferred	Business Rule — BR-431-11: If Element 116 = 040, Fraud Score is included / business_rule	REQ-SRC-ATL105-PDF-001:2126	BR-431-11 / 431	NOT_DECLARED
SC-7919	Response deferred	Business Rule — BR-431-12: If Element 116 = 041, Fraud Score Reason Code is included / business_rule	REQ-SRC-ATL105-PDF-001:2127	BR-431-12 / 431	NOT_DECLARED
SC-7920	Response deferred	Business Rule — BR-431-13: If Element 116 = 042, Authentication Data Quality Indicator is included / business_rule	REQ-SRC-ATL105-PDF-001:2128	BR-431-13 / 431	NOT_DECLARED
SC-7921	Response deferred	Business Rule — BR-431-14: If Element 116 = 043, Token Update First Use Indicator is included / business_rule	REQ-SRC-ATL105-PDF-001:2129	BR-431-14 / 431	NOT_DECLARED
SC-7922	Response deferred	Business Rule — BR-431-15: If Element 116 = 044, Merchant Tran ID is included / business_rule	REQ-SRC-ATL105-PDF-001:2130	BR-431-15 / 431	NOT_DECLARED
SC-7923	Response deferred	Business Rule — BR-431-16: If Element 116 = 045, Applied Special Service is included / business_rule	REQ-SRC-ATL105-PDF-001:2131	BR-431-16 / 431	NOT_DECLARED
SC-7924	Response deferred	Business Rule — BR-431-17: If Element 116 = 046, Voyager Restriction Code is included / business_rule	REQ-SRC-ATL105-PDF-001:2132	BR-431-17 / 431	NOT_DECLARED
SC-7925	Response deferred	Business Rule — BR-431-18: If Element 116 = 047, Visa Category Code is included / business_rule	REQ-SRC-ATL105-PDF-001:2133	BR-431-18 / 431	NOT_DECLARED
SC-7926	Response deferred	Business Rule — BR-431-19: Valid codes/values for this field range from 001-984 and a-z / business_rule	REQ-SRC-ATL105-PDF-001:2134	BR-431-19 / 431	NOT_DECLARED
SC-7927	Response deferred	Business Rule — BR-432-1: When EMV Additional Information Indicator has a value of 001, EMV table data is included in Additional Information field / business_rule	REQ-SRC-ATL105-PDF-001:2135	BR-432-1 / 432	NOT_DECLARED
SC-7928	Response deferred	Business Rule — BR-432-2: Additional Information has variable length up to 984 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:2136	BR-432-2 / 432	NOT_DECLARED
SC-7929	Response deferred	Business Rule — BR-432-3: Settlement Date must be fixed length of 4 digits in MMDD format. / business_rule	REQ-SRC-ATL105-PDF-001:2137	BR-432-3 / 432	NOT_DECLARED
SC-7930	Transaction unresolved	Business Rule — BR-432-4: Network Management Message valid value is COMMTEST only. / business_rule	REQ-SRC-ATL105-PDF-001:2138	BR-432-4 / 432	NOT_DECLARED
SC-7962	Transaction unresolved	Business Rule — BR-446-4: WIC Prescription Balance included in eWIC Balance Inquiry Response, eWIC Authorization Response, eWIC Purchase Completio / business_rule	REQ-SRC-ATL105-PDF-001:2170	BR-446-4 / 446	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7964	Transaction unresolved	Business Rule — BR-446-6: WIC UPC Exception/Denial Information included in eWIC Purchase Completion Response and eWIC Voucher Clear Response. / business_rule	REQ-SRC-ATL105-PDF-001:2172	BR-446-6 / 446	NOT_DECLARED
SC-7966	Transaction unresolved	Business Rule — BR-447-1: Total Length subelement has a maximum value of 2997. / business_rule	REQ-SRC-ATL105-PDF-001:2174	BR-447-1 / 447	NOT_DECLARED
SC-7967	Transaction unresolved	Business Rule — BR-449-1: POS device should be prepared to receive any of the listed bit combinations. / business_rule	REQ-SRC-ATL105-PDF-001:2175	BR-449-1 / 449	NOT_DECLARED
SC-7968	Transaction unresolved	Business Rule — BR-449-2: If Item Action Code (Bit No. 8) is '00', product was approved but maximum price exceeded; item price field contains the / business_rule	REQ-SRC-ATL105-PDF-001:2176	BR-449-2 / 449	NOT_DECLARED
SC-7969	Transaction unresolved	Business Rule — BR-449-3: UPC/PLU data first position indicates UPC (0) or PLU (1); exact length specified by data length Bit No. 11. / business_rule	REQ-SRC-ATL105-PDF-001:2177	BR-449-3 / 449	NOT_DECLARED
SC-7970	Transaction unresolved	Business Rule — BR-450-1: Item Action Code value 00 means Approved. / business_rule	REQ-SRC-ATL105-PDF-001:2178	BR-450-1 / 450	NOT_DECLARED
SC-7971	Transaction unresolved	Business Rule — BR-450-2: Item Action Code value 01 means Category not prescribed. / business_rule	REQ-SRC-ATL105-PDF-001:2179	BR-450-2 / 450	NOT_DECLARED
SC-7972	Transaction unresolved	Business Rule — BR-450-3: Item Action Code value 02 means Sub-category not prescribed. / business_rule	REQ-SRC-ATL105-PDF-001:2180	BR-450-3 / 450	NOT_DECLARED
SC-7973	Transaction unresolved	Business Rule — BR-450-4: Item Action Code value 03 means Insufficient units. / business_rule	REQ-SRC-ATL105-PDF-001:2181	BR-450-4 / 450	NOT_DECLARED
SC-7974	Transaction unresolved	Business Rule — BR-450-5: Item Action Code value 04 means UPC/PLU not prescribed. / business_rule	REQ-SRC-ATL105-PDF-001:2182	BR-450-5 / 450	NOT_DECLARED
SC-7975	Transaction unresolved	Business Rule — BR-450-6: Item Action Code value 05 means Add record. / business_rule	REQ-SRC-ATL105-PDF-001:2183	BR-450-6 / 450	NOT_DECLARED
SC-7976	Transaction unresolved	Business Rule — BR-450-7: Item Action Code value 06 means Delete record. / business_rule	REQ-SRC-ATL105-PDF-001:2184	BR-450-7 / 450	NOT_DECLARED
SC-7977	Transaction unresolved	Business Rule — BR-450-8: Item Action Code value 26 means approved for a lower price due to max price exceeded. / business_rule	REQ-SRC-ATL105-PDF-001:2185	BR-450-8 / 450	NOT_DECLARED
SC-7978	Transaction unresolved	Business Rule — BR-450-9: Item Action Code 27 means approved for lower price and fewer units due to insufficient units. / business_rule	REQ-SRC-ATL105-PDF-001:2186	BR-450-9 / 450	NOT_DECLARED
SC-7979	Transaction unresolved	Business Rule — BR-450-10: Item Action Code values 28-99 are reserved for later use. / business_rule	REQ-SRC-ATL105-PDF-001:2187	BR-450-10 / 450	NOT_DECLARED
SC-7980	Transaction unresolved	Business Rule — BR-450-11: UPC/PLU data length field counts starting from the right-most digit. / business_rule	REQ-SRC-ATL105-PDF-001:2188	BR-450-11 / 450	NOT_DECLARED
SC-7981	Transaction unresolved	Business Rule — BR-451-1: If Item Action Code (Bit No. 8) is '00', product was approved but maximum price was exceeded; field contains price. / business_rule	REQ-SRC-ATL105-PDF-001:2189	BR-451-1 / 451	NOT_DECLARED
SC-7982	Transaction unresolved	Business Rule — BR-451-2: UPC/PLU data first position indicates UPC (0) or PLU (1), with exact length specified in Bit No. 11. / business_rule	REQ-SRC-ATL105-PDF-001:2190	BR-451-2 / 451	NOT_DECLARED
SC-7983	Transaction unresolved	Business Rule — BR-452-1: Key ID is required in the TransArmor Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:2191	BR-452-1 / 452	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-7984	Transaction unresolved	Business Rule — BR-452-2: Once requested and approved, Key ID must be used for all subsequent TransArmor transactions from this device. / business_rule	REQ-SRC-ATL105-PDF-001:2192	BR-452-2 / 452	NOT_DECLARED
SC-7985	Transaction unresolved	Business Rule — BR-452-3: Key Data Length is required in the TransArmor Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:2193	BR-452-3 / 452	NOT_DECLARED
SC-7986	Transaction unresolved	Business Rule — BR-452-4: Key Data Length valid values range from 000 to 999. / business_rule	REQ-SRC-ATL105-PDF-001:2194	BR-452-4 / 452	NOT_DECLARED
SC-7987	Transaction unresolved	Business Rule — BR-453-1: Key Data is required in the TransArmor Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:2195	BR-453-1 / 453	NOT_DECLARED
SC-7988	Transaction unresolved	Business Rule — BR-453-2: For approved TransArmor transaction, maximum length of Signing and Signed Keys can be 999 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2196	BR-453-2 / 453	NOT_DECLARED
SC-7989	Transaction unresolved	Business Rule — BR-453-3: For a declined TransArmor transaction, a message is returned in Key Data field and displays at the device. / business_rule	REQ-SRC-ATL105-PDF-001:2197	BR-453-3 / 453	NOT_DECLARED
SC-8001	Transaction unresolved	Business Rule — BR-457-1: Total Length subelement has a maximum value of 264. / business_rule	REQ-SRC-ATL105-PDF-001:2209	BR-457-1 / 457	NOT_DECLARED
SC-8002	Transaction unresolved	Business Rule — BR-457-2: Total Length is a fixed length of 3 digits, right-aligned, and padded with zeroes. / business_rule	REQ-SRC-ATL105-PDF-001:2210	BR-457-2 / 457	NOT_DECLARED
SC-8011	Transaction unresolved	Business Rule — BR-459-5: AMOUNT DESCRIPTOR is fixed value 0/C/D indicating credit/credit/debit amount to follow. / business_rule	REQ-SRC-ATL105-PDF-001:2219	BR-459-5 / 459	NOT_DECLARED
SC-8012	Transaction unresolved	Business Rule — BR-459-6: When TAG = 50, 51, or 52, DETAIL is a HIP dollar amount, 12 digits right-aligned, zero-padded, 2 decimal places. / business_rule	REQ-SRC-ATL105-PDF-001:2220	BR-459-6 / 459	NOT_DECLARED
SC-8013	Transaction unresolved	Business Rule — BR-459-7: When TAG = IT, DETAIL is a shipping address, fixed length 37 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:2221	BR-459-7 / 459	NOT_DECLARED
SC-8014	Transaction unresolved	Business Rule — BR-459-8: Address portion of shipping address has fixed length of 28 alphanumeric characters, left-aligned, space-filled. / business_rule	REQ-SRC-ATL105-PDF-001:2222	BR-459-8 / 459	NOT_DECLARED
SC-8015	Transaction unresolved	Business Rule — BR-459-9: Zip Code portion has maximum variable length of 9 digits, left-aligned, space-filled. / business_rule	REQ-SRC-ATL105-PDF-001:2223	BR-459-9 / 459	NOT_DECLARED
SC-8021	Response deferred	Business Rule — BR-460-6: Valid values for Element 166 (Start/End Time) are 0000-2359. / business_rule	REQ-SRC-ATL105-PDF-001:2229	BR-460-6 / 460	NOT_DECLARED
SC-8047	Transaction unresolved	Business Rule — BR-469-1: Card BIN Range, Ending appears in Proprietary Load Response Data, Prompt Code 904 (Host Discount Data). / business_rule	REQ-SRC-ATL105-PDF-001:2255	BR-469-1 / 469	NOT_DECLARED
SC-8048	Transaction unresolved	Business Rule — BR-469-2: Discount Quantity Limit appears in Proprietary Load Response Data, Prompt Code 904 (Host Discount Data). / business_rule	REQ-SRC-ATL105-PDF-001:2256	BR-469-2 / 469	NOT_DECLARED
SC-8049	Transaction unresolved	Business Rule — BR-469-3: Discount Program Description appears in Proprietary Load Response Data, Prompt Code 904 (Host Discount Data). / business_rule	REQ-SRC-ATL105-PDF-001:2257	BR-469-3 / 469	NOT_DECLARED
SC-8066	Response deferred	Business Rule — BR-472-1: EMV Additional Information Indicator is a fixed length of 3 digits, numeric type. / business_rule	REQ-SRC-ATL105-PDF-001:2274	BR-472-1 / 472	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8067	Response deferred	Business Rule — BR-473-1: EMV Additional Information Length valid codes/values are 001-985. / business_rule	REQ-SRC-ATL105-PDF-001:2275	BR-473-1 / 473	NOT_DECLARED
SC-8084	Response deferred	Business Rule — BR-476-2: Settlement Type is required in the Common AID EMV and non-traditional Signature Debit Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:2292	BR-476-2 / 476	NOT_DECLARED
SC-8087	Response deferred	Business Rule — BR-477-1: Signature Required is required in the Common AID EMV and non-traditional Signature Debit Financial Transaction Response. / business_rule	REQ-SRC-ATL105-PDF-001:2295	BR-477-1 / 477	NOT_DECLARED
SC-8088	Response deferred	Business Rule — BR-477-2: Receipt Card Description is required in the Common AID EMV and non-traditional Signature Debit Financial Transaction Res / business_rule	REQ-SRC-ATL105-PDF-001:2296	BR-477-2 / 477	NOT_DECLARED
SC-8095	Transaction unresolved	Business Rule — BR-479-1: eCommerce Indicator 25 or 26 requires Mandatory AEVV and Optional AESK, both 28 bytes, prefixed SK. / business_rule	REQ-SRC-ATL105-PDF-001:2303	BR-479-1 / 479	NOT_DECLARED
SC-8096	Transaction unresolved	Business Rule — BR-479-2: eCommerce Indicator 27 requires Optional AEVV and Optional AESK, both 28 bytes, prefixed SK. / business_rule	REQ-SRC-ATL105-PDF-001:2304	BR-479-2 / 479	NOT_DECLARED
SC-8097	Transaction unresolved	Business Rule — BR-479-3: If Optional data is received as spaces from merchants, AEVV and AESK values will be in Base 64 format. / business_rule	REQ-SRC-ATL105-PDF-001:2305	BR-479-3 / 479	NOT_DECLARED
SC-8099	Transaction unresolved	Business Rule — BR-480-1: Load Subtype appears in Moneris Key Load Request with value M = Moneris Key Load. / business_rule	REQ-SRC-ATL105-PDF-001:2307	BR-480-1 / 480	NOT_DECLARED
SC-8100	Transaction unresolved	Business Rule — BR-480-2: SPDH Header appears in both Moneris Key Load request and response messages. / business_rule	REQ-SRC-ATL105-PDF-001:2308	BR-480-2 / 480	NOT_DECLARED
SC-8101	Transaction unresolved	Business Rule — BR-480-3: Moneris Terminal Identifier is obtained from Moneris during terminal initialization. / business_rule	REQ-SRC-ATL105-PDF-001:2309	BR-480-3 / 480	NOT_DECLARED
SC-8102	Transaction unresolved	Business Rule — BR-481-1: Moneris Merchant ID obtained from Moneris during terminal initialization. / business_rule	REQ-SRC-ATL105-PDF-001:2310	BR-481-1 / 481	NOT_DECLARED
SC-8103	Transaction unresolved	Business Rule — BR-481-2: Moneris Response Code is obtained from Moneris in transaction response. / business_rule	REQ-SRC-ATL105-PDF-001:2311	BR-481-2 / 481	NOT_DECLARED
SC-8104	Transaction unresolved	Business Rule — BR-481-3: MAC is sent in the transaction request and received in the transaction response for Moneris debit transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2312	BR-481-3 / 481	NOT_DECLARED
SC-8105	Transaction unresolved	Business Rule — BR-481-4: Moneris Key Indicators character 1 is 'Y' if MAC Encryption key is present. / business_rule	REQ-SRC-ATL105-PDF-001:2313	BR-481-4 / 481	NOT_DECLARED
SC-8106	Transaction unresolved	Business Rule — BR-482-1: Character 2 of Moneris Key Indicators is 'Y' if Data Encryption Key is present. / business_rule	REQ-SRC-ATL105-PDF-001:2314	BR-482-1 / 482	NOT_DECLARED
SC-8107	Transaction unresolved	Business Rule — BR-482-2: Character 3 of Moneris Key Indicators is 'Y' if PIN Encryption Key is present. / business_rule	REQ-SRC-ATL105-PDF-001:2315	BR-482-2 / 482	NOT_DECLARED
SC-8108	Transaction unresolved	Business Rule — BR-482-3: One iteration of Moneris Key Data is included for each 'Y' in Moneris Key Indicators. / business_rule	REQ-SRC-ATL105-PDF-001:2316	BR-482-3 / 482	NOT_DECLARED
SC-8110	Transaction unresolved	Business Rule — BR-482-5: Batch Number must be a number from 000 to 999. / business_rule	REQ-SRC-ATL105-PDF-001:2318	BR-482-5 / 482	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8111	Transaction unresolved	Business Rule — BR-483-1: Number of Debits valid codes/values range from 0001 to 9999. / business_rule	REQ-SRC-ATL105-PDF-001:2319	BR-483-1 / 483	NOT_DECLARED
SC-8112	Transaction unresolved	Business Rule — BR-483-2: Debit Dollar Value ranges from (+/-)000000000000000000 to (+/-)999999999999999999. / business_rule	REQ-SRC-ATL105-PDF-001:2320	BR-483-2 / 483	NOT_DECLARED
SC-8113	Transaction unresolved	Business Rule — BR-483-3: Language Indicator is required to identify language in Moneris's format. / business_rule	REQ-SRC-ATL105-PDF-001:2321	BR-483-3 / 483	NOT_DECLARED
SC-8114	Transaction unresolved	Business Rule — BR-483-4: Response Display is supplied by Moneris in the batch close response. / business_rule	REQ-SRC-ATL105-PDF-001:2322	BR-483-4 / 483	NOT_DECLARED
SC-8115	Transaction unresolved	Business Rule — BR-484-1: Number of Credits valid values are 0001-9999. / business_rule	REQ-SRC-ATL105-PDF-001:2323	BR-484-1 / 484	NOT_DECLARED
SC-8116	Transaction unresolved	Business Rule — BR-484-2: Credit Dollar Value valid values range from -999999999999999999 to +999999999999999999. / business_rule	REQ-SRC-ATL105-PDF-001:2324	BR-484-2 / 484	NOT_DECLARED
SC-8117	Transaction unresolved	Business Rule — BR-484-3: Number of Corrections valid values are 0001-9999. / business_rule	REQ-SRC-ATL105-PDF-001:2325	BR-484-3 / 484	NOT_DECLARED
SC-8132	Transaction unresolved	Business Rule — BR-488-3: Stand-in Indicator value 1 means No Stand-in, 2 means Domestic only, 3 means Domestic & Foreign. / business_rule	REQ-SRC-ATL105-PDF-001:2340	BR-488-3 / 488	NOT_DECLARED
SC-8133	Transaction unresolved	Business Rule — BR-489-1: Floor Limit valid values range from 000000000000 to 999999999999. / business_rule	REQ-SRC-ATL105-PDF-001:2341	BR-489-1 / 489	NOT_DECLARED
SC-8134	Transaction unresolved	Business Rule — BR-489-2: BUYPASS RID Card Type appears in Data Segment No. DL8, EMV Terminal Floor Limits Data Segment. / business_rule	REQ-SRC-ATL105-PDF-001:2342	BR-489-2 / 489	NOT_DECLARED
SC-8142	Response deferred	Business Rule — BR-491-1: If WEX Available Product Fleet Indicator is set to '4' during request, Available Product Information segment is returned / business_rule	REQ-SRC-ATL105-PDF-001:2350	BR-491-1 / 491	NOT_DECLARED
SC-8143	Transaction unresolved	Business Rule — BR-491-2: Price Data element is unique to the Fuel Price Update Request Segment (No 149) and contains Cash and Credit unit prices / business_rule	REQ-SRC-ATL105-PDF-001:2351	BR-491-2 / 491	NOT_DECLARED
SC-8144	Response deferred	Business Rule — BR-491-3: MasterCard Enhanced transactions functionality not enabled in First Data production before June 2026; not for live produ / business_rule	REQ-SRC-ATL105-PDF-001:2352	BR-491-3 / 491	NOT_DECLARED
SC-8149	Transaction unresolved	Business Rule — BR-496-1: TCP/IP is a streaming protocol; received data may consist of parts of one or more messages. / business_rule	REQ-SRC-ATL105-PDF-001:2357	BR-496-1 / 496	NOT_DECLARED
SC-8150	Transaction unresolved	Business Rule — BR-496-2: TPDU Protocol ID must always be set to 0x60. / business_rule	REQ-SRC-ATL105-PDF-001:2358	BR-496-2 / 496	NOT_DECLARED
SC-8151	Transaction unresolved	Business Rule — BR-497-1: Message length excludes the two length bytes themselves but includes TPDU area and all subsequent data. / business_rule	REQ-SRC-ATL105-PDF-001:2359	BR-497-1 / 497	NOT_DECLARED
SC-8152	Transaction unresolved	Business Rule — BR-497-2: Message length is binary data represented in network (little-endian) byte order. / business_rule	REQ-SRC-ATL105-PDF-001:2360	BR-497-2 / 497	NOT_DECLARED
SC-8153	Transaction unresolved	Business Rule — BR-497-3: TPDU area is reserved for internal use; all four bytes must be set to 0x00 in messages to BUYPASS. / business_rule	REQ-SRC-ATL105-PDF-001:2361	BR-497-3 / 497	NOT_DECLARED
SC-8154	Transaction unresolved	Business Rule — BR-497-4: TCP/IP socket aborts without notification. / business_rule	REQ-SRC-ATL105-PDF-001:2362	BR-497-4 / 497	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8155	Transaction unresolved	Business Rule — BR-497-5: Due to TCP streaming, application may receive only one byte of the length field initially; actual next message length un / business_rule	REQ-SRC-ATL105-PDF-001:2363	BR-497-5 / 497	NOT_DECLARED
SC-8156	Transaction unresolved	Business Rule — BR-498-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:2364	BR-498-1 / 498	NOT_DECLARED
SC-8177	Response deferred	Business Rule — BR-504-1: Some listed Authorizer Codes are not yet in Production as of publication date. / business_rule	REQ-SRC-ATL105-PDF-001:2385	BR-504-1 / 504	NOT_DECLARED
SC-8178	Response deferred	Business Rule — BR-506-1: AUTHFILE in Production updated with authorizer code info, but feature not available as of release date. / business_rule	REQ-SRC-ATL105-PDF-001:2386	BR-506-1 / 506	NOT_DECLARED
SC-8183	Transaction unresolved	Business Rule — BR-511-1: Card Type code must be used. / business_rule	REQ-SRC-ATL105-PDF-001:2391	BR-511-1 / 511	NOT_DECLARED
SC-8184	Response deferred	Business Rule — BR-511-2: Follow-up Signature Debit transactions are processed as Debit/Signature Debit Single Message when Settlement Type = 'S'. / business_rule	REQ-SRC-ATL105-PDF-001:2392	BR-511-2 / 511	NOT_DECLARED
SC-8185	Response deferred	Business Rule — BR-511-3: Original Signature Debit Dual and/or Single Message transactions are always processed as Credit/Signature Debit Dual Mes / business_rule	REQ-SRC-ATL105-PDF-001:2393	BR-511-3 / 511	NOT_DECLARED
SC-8186	Response deferred	Business Rule — BR-511-4: For bill payment/recurring payment transactions, Card Type code 020 must be used. / business_rule	REQ-SRC-ATL105-PDF-001:2394	BR-511-4 / 511	NOT_DECLARED
SC-8189	Response deferred	Business Rule — BR-512-1: Code 127 configures device to prompt for cardholder's ZIP Code/ZIP+4 for manually keyed credit card sales transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2397	BR-512-1 / 512	NOT_DECLARED
SC-8203	Response deferred	Business Rule — BR-515-1: Conoco Card Type internal code is '89', used only for BUYPASS backend processing. / business_rule	REQ-SRC-ATL105-PDF-001:2411	BR-515-1 / 515	NOT_DECLARED
SC-8210	Transaction unresolved	Business Rule — BR-517-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:2418	BR-517-1 / 517	NOT_DECLARED
SC-8212	Transaction unresolved	Business Rule — BR-522-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:2420	BR-522-1 / 522	NOT_DECLARED
SC-8214	Transaction unresolved	Business Rule — BR-525-1: A unique Product Code must be sent for each type of fuel purchase. / business_rule	REQ-SRC-ATL105-PDF-001:2422	BR-525-1 / 525	NOT_DECLARED
SC-8223	Transaction unresolved	Business Rule — BR-538-3: Chargeback protection period is 30 calendar days for authorizations properly identified as preauthorization. / business_rule	REQ-SRC-ATL105-PDF-001:2431	BR-538-3 / 538	NOT_DECLARED
SC-8224	Transaction unresolved	Business Rule — BR-538-4: Chargeback protection period is 7 calendar days for all other MasterCard authorizations. / business_rule	REQ-SRC-ATL105-PDF-001:2432	BR-538-4 / 538	NOT_DECLARED
SC-8225	Transaction unresolved	Business Rule — BR-538-5: Authorization holds must not exceed 30 or 7 calendar days as applicable. / business_rule	REQ-SRC-ATL105-PDF-001:2433	BR-538-5 / 538	NOT_DECLARED
SC-8229	Transaction unresolved	Business Rule — BR-538-9: Transaction Type code 0 (POS Purchase/Capture) is also used to complete an AFP prepay transaction initiated from an insi / business_rule	REQ-SRC-ATL105-PDF-001:2437	BR-538-9 / 538	NOT_DECLARED
SC-8230	Transaction unresolved	Business Rule — BR-540-1: A device can be programmed to display a decline message prompting clerk/customer intervention based on Decline Code. / business_rule	REQ-SRC-ATL105-PDF-001:2438	BR-540-1 / 540	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8231	Transaction unresolved	Business Rule — BR-541-1: Decline Code 'I3' (EBT) indicates invalid PIN; clerk/customer must retry entry. / business_rule	REQ-SRC-ATL105-PDF-001:2439	BR-541-1 / 541	NOT_DECLARED
SC-8232	Transaction unresolved	Business Rule — BR-541-2: Decline Code 'IW' (EBT) indicates invalid voucher/authorization number. / business_rule	REQ-SRC-ATL105-PDF-001:2440	BR-541-2 / 541	NOT_DECLARED
SC-8233	Transaction unresolved	Business Rule — BR-541-3: Decline Code 'H' (GASC) indicates invalid person identifier number. / business_rule	REQ-SRC-ATL105-PDF-001:2441	BR-541-3 / 541	NOT_DECLARED
SC-8234	Transaction unresolved	Business Rule — BR-541-4: Decline Code '2D' (HOST) indicates invalid PIN. / business_rule	REQ-SRC-ATL105-PDF-001:2442	BR-541-4 / 541	NOT_DECLARED
SC-8236	Transaction unresolved	Business Rule — BR-541-6: Decline Code '3F' (FLT) indicates bad PIN requiring reentry. / business_rule	REQ-SRC-ATL105-PDF-001:2444	BR-541-6 / 541	NOT_DECLARED
SC-8237	Transaction unresolved	Business Rule — BR-541-7: Decline Code 'CB' (TEXC) indicates invalid PIN. / business_rule	REQ-SRC-ATL105-PDF-001:2445	BR-541-7 / 541	NOT_DECLARED
SC-8238	Transaction unresolved	Business Rule — BR-541-8: Decline Code 'FZ' (DSCV) indicates incorrect PIN. / business_rule	REQ-SRC-ATL105-PDF-001:2446	BR-541-8 / 541	NOT_DECLARED
SC-8239	Transaction unresolved	Business Rule — BR-541-9: Decline Code 'I1' (INAS) indicates invalid ID number. / business_rule	REQ-SRC-ATL105-PDF-001:2447	BR-541-9 / 541	NOT_DECLARED
SC-8242	Transaction unresolved	Business Rule — BR-541-12: Decline Code 'KS' (BASE) indicates incorrect PIN. / business_rule	REQ-SRC-ATL105-PDF-001:2450	BR-541-12 / 541	NOT_DECLARED
SC-8246	Transaction unresolved	Business Rule — BR-542-1: Decline codes 4I and 6C indicate transaction timed out and should be resubmitted. / business_rule	REQ-SRC-ATL105-PDF-001:2454	BR-542-1 / 542	NOT_DECLARED
SC-8247	Transaction unresolved	Business Rule — BR-542-2: Decline code K= indicates declined Visa recurring payment; merchant must stop recurring payments. / business_rule	REQ-SRC-ATL105-PDF-001:2455	BR-542-2 / 542	NOT_DECLARED
SC-8248	Transaction unresolved	Business Rule — BR-542-3: Decline code K# indicates declined Visa recurring payment; merchant must not resubmit same transaction. / business_rule	REQ-SRC-ATL105-PDF-001:2456	BR-542-3 / 542	NOT_DECLARED
SC-8249	Transaction unresolved	Business Rule — BR-542-4: Decline code 4M indicates BUYPASS could not retrieve a token for the PAN in a TransArmor transaction. / business_rule	REQ-SRC-ATL105-PDF-001:2457	BR-542-4 / 542	NOT_DECLARED
SC-8254	Transaction unresolved	Business Rule — BR-545-5: Before implementing Program Identifier Information, contact BUYPASS representative to discuss requirements. / business_rule	REQ-SRC-ATL105-PDF-001:2462	BR-545-5 / 545	NOT_DECLARED
SC-8256	Transaction unresolved	Business Rule — BR-547-2: Card Verification Table Data length varies by brand: Amex 4 bytes, Discover 3 bytes, Visa 3 bytes, MasterCard 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2464	BR-547-2 / 547	NOT_DECLARED
SC-8257	Transaction unresolved	Business Rule — BR-547-3: For Visa, this field also carries a three-digit DTVV cryptogram for web browser auto-fill transactions, alongside CVV2 d / business_rule	REQ-SRC-ATL105-PDF-001:2465	BR-547-3 / 547	NOT_DECLARED
SC-8258	Transaction unresolved	Business Rule — BR-548-1: DTVV is a three-digit cryptogram collected by merchants that support CVV2, sent like CVV2. / business_rule	REQ-SRC-ATL105-PDF-001:2466	BR-548-1 / 548	NOT_DECLARED
SC-8259	Transaction unresolved	Business Rule — BR-548-2: Transactions without a token cryptogram are supported when merchant does not collect/submit CVV2. / business_rule	REQ-SRC-ATL105-PDF-001:2467	BR-548-2 / 548	NOT_DECLARED
SC-8260	Transaction unresolved	Business Rule — BR-548-3: When a DTVV is present in the authorization request, Visa will validate it and decline the transaction if invalid. / business_rule	REQ-SRC-ATL105-PDF-001:2468	BR-548-3 / 548	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8261	Transaction unresolved	Business Rule — BR-548-4: When a DTVV is not present, Visa sends the transaction to the issuer without cryptogram validation result. / business_rule	REQ-SRC-ATL105-PDF-001:2469	BR-548-4 / 548	NOT_DECLARED
SC-8262	Transaction unresolved	Business Rule — BR-548-5: POS Entry Mode field must be populated for all transactions including EMV, Magstripe, and Key Entered from all POS device / business_rule	REQ-SRC-ATL105-PDF-001:2470	BR-548-5 / 548	NOT_DECLARED
SC-8263	Transaction unresolved	Business Rule — BR-548-6: Table Data for Point-of-Service Entry Mode has a fixed length of 3. / business_rule	REQ-SRC-ATL105-PDF-001:2471	BR-548-6 / 548	NOT_DECLARED
SC-8264	Transaction unresolved	Business Rule — BR-548-7: Currency Code Table Data has a fixed length of 3 and defaults to 840 (United States). / business_rule	REQ-SRC-ATL105-PDF-001:2472	BR-548-7 / 548	NOT_DECLARED
SC-8265	Transaction unresolved	Business Rule — BR-548-8: SIC Information Table Length is variable: 4, 5, or 6; Table Data max length 6. / business_rule	REQ-SRC-ATL105-PDF-001:2473	BR-548-8 / 548	NOT_DECLARED
SC-8267	Transaction unresolved	Business Rule — BR-549-2: Table ID is fixed value 008 for Balance Information. / business_rule	REQ-SRC-ATL105-PDF-001:2475	BR-549-2 / 549	NOT_DECLARED
SC-8268	Transaction unresolved	Business Rule — BR-549-3: Table Data has maximum length of 19 characters. / business_rule	REQ-SRC-ATL105-PDF-001:2476	BR-549-3 / 549	NOT_DECLARED
SC-8269	Transaction unresolved	Business Rule — BR-549-4: For Discover Third Party Installments, the field represents the MCC/SIC code of third-party payment provider's underlying / business_rule	REQ-SRC-ATL105-PDF-001:2477	BR-549-4 / 549	NOT_DECLARED
SC-8283	Response deferred	Business Rule — BR-552-1: R (Recurring payment) is valid only if Card Type is "credit" (020) and BIN is Visa, MasterCard, Discover, or Amex. / business_rule	REQ-SRC-ATL105-PDF-001:2491	BR-552-1 / 552	NOT_DECLARED
SC-8284	Transaction unresolved	Business Rule — BR-552-2: User Data Information Table Data is not forwarded to the issuer but is echoed back in the response. / business_rule	REQ-SRC-ATL105-PDF-001:2492	BR-552-2 / 552	NOT_DECLARED
SC-8285	Transaction unresolved	Business Rule — BR-552-3: Discover Network Retrieval Reference Number Table Data is required for all subsequent merchant initiated Discover Creden / business_rule	REQ-SRC-ATL105-PDF-001:2493	BR-552-3 / 552	NOT_DECLARED
SC-8286	Transaction unresolved	Business Rule — BR-553-1: Table ID fixed value is 016 for Visa payWave Card Information table. / business_rule	REQ-SRC-ATL105-PDF-001:2494	BR-553-1 / 553	NOT_DECLARED
SC-8287	Transaction unresolved	Business Rule — BR-553-2: Table Length is variable up to 230. / business_rule	REQ-SRC-ATL105-PDF-001:2495	BR-553-2 / 553	NOT_DECLARED
SC-8288	Transaction unresolved	Business Rule — BR-553-3: Dataset ID value is fixed at 01. / business_rule	REQ-SRC-ATL105-PDF-001:2496	BR-553-3 / 553	NOT_DECLARED
SC-8289	Transaction unresolved	Business Rule — BR-553-4: Dataset Length equals Length of Tags minus 5. / business_rule	REQ-SRC-ATL105-PDF-001:2497	BR-553-4 / 553	NOT_DECLARED
SC-8290	Transaction unresolved	Business Rule — BR-553-5: Amount Authorized Tag fixed value is 9F02. / business_rule	REQ-SRC-ATL105-PDF-001:2498	BR-553-5 / 553	NOT_DECLARED
SC-8291	Transaction unresolved	Business Rule — BR-553-6: Amount Authorized Len fixed length is 12. / business_rule	REQ-SRC-ATL105-PDF-001:2499	BR-553-6 / 553	NOT_DECLARED
SC-8292	Transaction unresolved	Business Rule — BR-553-7: Application Cryptogram Tag fixed value is 9F26. / business_rule	REQ-SRC-ATL105-PDF-001:2500	BR-553-7 / 553	NOT_DECLARED
SC-8293	Transaction unresolved	Business Rule — BR-553-8: Application Cryptogram Len fixed length is 16. / business_rule	REQ-SRC-ATL105-PDF-001:2501	BR-553-8 / 553	NOT_DECLARED
SC-8294	Transaction unresolved	Business Rule — BR-553-9: Application Transaction Counter Tag fixed value is 9F36. / business_rule	REQ-SRC-ATL105-PDF-001:2502	BR-553-9 / 553	NOT_DECLARED
SC-8295	Transaction unresolved	Business Rule — BR-553-10: Application Transaction Counter Len fixed length is 04. / business_rule	REQ-SRC-ATL105-PDF-001:2503	BR-553-10 / 553	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8296	Transaction unresolved	Business Rule — BR-554-1: Table Data value 34 (Suspected Fraud Reversal Indicator) is sent only in a purchase reversal transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:2504	BR-554-1 / 554	NOT_DECLARED
SC-8297	Transaction unresolved	Business Rule — BR-554-2: Suspected Fraud Reversal Indicator is required by MasterCard. / business_rule	REQ-SRC-ATL105-PDF-001:2505	BR-554-2 / 554	NOT_DECLARED
SC-8298	Transaction unresolved	Business Rule — BR-554-3: Form Factor Indicator Length is fixed at 08. / business_rule	REQ-SRC-ATL105-PDF-001:2506	BR-554-3 / 554	NOT_DECLARED
SC-8299	Transaction unresolved	Business Rule — BR-554-4: Unpredictable Number Length is fixed at 08. / business_rule	REQ-SRC-ATL105-PDF-001:2507	BR-554-4 / 554	NOT_DECLARED
SC-8300	Transaction unresolved	Business Rule — BR-554-5: Table ID fixed value is 017 for Suspected Fraud Reversal Indicator. / business_rule	REQ-SRC-ATL105-PDF-001:2508	BR-554-5 / 554	NOT_DECLARED
SC-8305	Response deferred	Business Rule — BR-556-1: Table Data (Top Up Phone Number) required for Top Up transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2513	BR-556-1 / 556	NOT_DECLARED
SC-8307	Transaction unresolved	Business Rule — BR-556-3: Settlement Data Acceptance Flag is mandatory for requests where POS device accepts PINless debit and Settlement Data in / business_rule	REQ-SRC-ATL105-PDF-001:2515	BR-556-3 / 556	NOT_DECLARED
SC-8308	Transaction unresolved	Business Rule — BR-556-4: Settlement Data Acceptance Flag valid values are 0, 1, 2, or X. / business_rule	REQ-SRC-ATL105-PDF-001:2516	BR-556-4 / 556	NOT_DECLARED
SC-8309	Transaction unresolved	Business Rule — BR-556-5: Value X indicates original transaction was processed as non-traditional Signature Debit, for follow up transactions only / business_rule	REQ-SRC-ATL105-PDF-001:2517	BR-556-5 / 556	NOT_DECLARED
SC-8310	Transaction unresolved	Business Rule — BR-556-6: Table Length for Settlement Data Acceptance Flag table is fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:2518	BR-556-6 / 556	NOT_DECLARED
SC-8311	Response deferred	Business Rule — BR-556-7: Table ID for Top Up Phone Number Information fixed value is 020. / business_rule	REQ-SRC-ATL105-PDF-001:2519	BR-556-7 / 556	NOT_DECLARED
SC-8312	Transaction unresolved	Business Rule — BR-556-8: Table ID for Settlement Data Acceptance Flag fixed value is 021. / business_rule	REQ-SRC-ATL105-PDF-001:2520	BR-556-8 / 556	NOT_DECLARED
SC-8313	Transaction unresolved	Business Rule — BR-557-1: Table ID for Originating Device Type Indicator Information is fixed value 022. / business_rule	REQ-SRC-ATL105-PDF-001:2521	BR-557-1 / 557	NOT_DECLARED
SC-8314	Transaction unresolved	Business Rule — BR-557-2: Table Data default value is 00 (Card) if not otherwise specified. / business_rule	REQ-SRC-ATL105-PDF-001:2522	BR-557-2 / 557	NOT_DECLARED
SC-8315	Transaction unresolved	Business Rule — BR-558-1: Table ID for Manual Check MICR Type is fixed value 024. / business_rule	REQ-SRC-ATL105-PDF-001:2523	BR-558-1 / 558	NOT_DECLARED
SC-8316	Transaction unresolved	Business Rule — BR-558-2: Table Length for Manual Check MICR Type is fixed length 2. / business_rule	REQ-SRC-ATL105-PDF-001:2524	BR-558-2 / 558	NOT_DECLARED
SC-8317	Transaction unresolved	Business Rule — BR-558-3: Originating Device Type Indicator values 35-99 are reserved for future device types. / business_rule	REQ-SRC-ATL105-PDF-001:2525	BR-558-3 / 558	NOT_DECLARED
SC-8318	Transaction unresolved	Business Rule — BR-559-1: Gift Card Number Table Data is variable length up to 19 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2526	BR-559-1 / 559	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8319	Transaction unresolved	Business Rule — BR-559-2: Order ID Table Data is variable length up to 12 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2527	BR-559-2 / 559	NOT_DECLARED
SC-8320	Transaction unresolved	Business Rule — BR-559-3: Customer Name Table Data is variable length up to 50 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2528	BR-559-3 / 559	NOT_DECLARED
SC-8321	Transaction unresolved	Business Rule — BR-559-4: Table ID for Gift Card Number is fixed value 025. / business_rule	REQ-SRC-ATL105-PDF-001:2529	BR-559-4 / 559	NOT_DECLARED
SC-8322	Transaction unresolved	Business Rule — BR-559-5: Table ID for Order ID is fixed value 026. / business_rule	REQ-SRC-ATL105-PDF-001:2530	BR-559-5 / 559	NOT_DECLARED
SC-8323	Transaction unresolved	Business Rule — BR-559-6: Table ID for Customer Name is fixed value 027. / business_rule	REQ-SRC-ATL105-PDF-001:2531	BR-559-6 / 559	NOT_DECLARED
SC-8324	Transaction unresolved	Business Rule — BR-559-7: Table ID for Use Unique ID is fixed value 028. / business_rule	REQ-SRC-ATL105-PDF-001:2532	BR-559-7 / 559	NOT_DECLARED
SC-8325	Response deferred	Business Rule — BR-560-1: Universal Unique Identifier table must be sent on subsequent transactions only if original transaction received a UUID i / business_rule	REQ-SRC-ATL105-PDF-001:2533	BR-560-1 / 560	NOT_DECLARED
SC-8326	Response deferred	Business Rule — BR-560-2: The Universal Unique Identifier is returned in the response if a merchant sends Use Unique Identifier with value 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:2534	BR-560-2 / 560	NOT_DECLARED
SC-8327	Response deferred	Business Rule — BR-560-3: Table Length for Use Unique Identifier is a fixed length of 001. / business_rule	REQ-SRC-ATL105-PDF-001:2535	BR-560-3 / 560	NOT_DECLARED
SC-8328	Response deferred	Business Rule — BR-560-4: Table Length for Universal Unique Identifier is variable, up to 41 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2536	BR-560-4 / 560	NOT_DECLARED
SC-8329	Transaction unresolved	Business Rule — BR-561-1: POS Condition Code required for all EMV transactions, internet based transactions, and Credential on File transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2537	BR-561-1 / 561	NOT_DECLARED
SC-8330	Transaction unresolved	Business Rule — BR-561-2: POS Condition Code is optional for all other transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2538	BR-561-2 / 561	NOT_DECLARED
SC-8332	Transaction unresolved	Business Rule — BR-561-4: POS Condition Code table ID fixed value is 030, length 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2540	BR-561-4 / 561	NOT_DECLARED
SC-8333	Transaction unresolved	Business Rule — BR-562-1: Terminal Capability values must be populated for all EMV, Magstripe, and Key Entered transactions from all POS devices. / business_rule	REQ-SRC-ATL105-PDF-001:2541	BR-562-1 / 562	NOT_DECLARED
SC-8334	Transaction unresolved	Business Rule — BR-562-2: Once certified, respective terminal capability values do not change regardless of POS Entry Mode. / business_rule	REQ-SRC-ATL105-PDF-001:2542	BR-562-2 / 562	NOT_DECLARED
SC-8335	Transaction unresolved	Business Rule — BR-563-1: Terminal Type sub-table value 'M' (mPOS) applicable only to Amex, MasterCard, Maestro, and Discover. / business_rule	REQ-SRC-ATL105-PDF-001:2543	BR-563-1 / 563	NOT_DECLARED
SC-8336	Transaction unresolved	Business Rule — BR-563-2: Mobile POS devices are always attended devices and not cardholder activated. / business_rule	REQ-SRC-ATL105-PDF-001:2544	BR-563-2 / 563	NOT_DECLARED
SC-8337	Response deferred	Business Rule — BR-563-3: POS Additional Information Indicator data has variable length up to 100 digits, maximum length 100. / business_rule	REQ-SRC-ATL105-PDF-001:2545	BR-563-3 / 563	NOT_DECLARED
SC-8338	Transaction unresolved	Business Rule — BR-564-1: If transaction amount includes a Gift Card purchase, merchant must send value '1000' in this field. / business_rule	REQ-SRC-ATL105-PDF-001:2546	BR-564-1 / 564	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8339	Transaction unresolved	Business Rule — BR-565-1: Sub-Table Data value '1' means FD uComm Gateway for Sub Table ID 04. / business_rule	REQ-SRC-ATL105-PDF-001:2547	BR-565-1 / 565	NOT_DECLARED
SC-8340	Transaction unresolved	Business Rule — BR-565-2: Sub-Table Data value '1' means Host Prompts supported; '0' means not supported for Sub Table ID 05. / business_rule	REQ-SRC-ATL105-PDF-001:2548	BR-565-2 / 565	NOT_DECLARED
SC-8341	Transaction unresolved	Business Rule — BR-565-3: Sub Table ID 06 identifies if NFC Tokenization is supported. / business_rule	REQ-SRC-ATL105-PDF-001:2549	BR-565-3 / 565	NOT_DECLARED
SC-8342	Transaction unresolved	Business Rule — BR-566-1: Payment Tokenization Support sub-table value must be '1' (supported) or '2' (not supported). / business_rule	REQ-SRC-ATL105-PDF-001:2550	BR-566-1 / 566	NOT_DECLARED
SC-8349	Transaction unresolved	Business Rule — BR-568-5: For MIT transactions based on stand-in instructions, merchants should store original transaction identifier for subseque / business_rule	REQ-SRC-ATL105-PDF-001:2557	BR-568-5 / 568	NOT_DECLARED
SC-8350	Transaction unresolved	Business Rule — BR-568-6: POS Entry Mode 10 should be used for all subsequent COF transactions when the COF indicator is 'C'. / business_rule	REQ-SRC-ATL105-PDF-001:2558	BR-568-6 / 568	NOT_DECLARED
SC-8352	Transaction unresolved	Business Rule — BR-569-1: Sub Table ID 10 has Fixed Value 10 and Fixed Length 001. / business_rule	REQ-SRC-ATL105-PDF-001:2560	BR-569-1 / 569	NOT_DECLARED
SC-8353	Transaction unresolved	Business Rule — BR-569-2: Sub Table ID 11 has Fixed Value 11 and Fixed Length 001. / business_rule	REQ-SRC-ATL105-PDF-001:2561	BR-569-2 / 569	NOT_DECLARED
SC-8354	Transaction unresolved	Business Rule — BR-569-3: Wallet Method Indicator valid codes are S (Staged Digital Wallet) or P (Pass-through Wallet). / business_rule	REQ-SRC-ATL105-PDF-001:2562	BR-569-3 / 569	NOT_DECLARED
SC-8355	Transaction unresolved	Business Rule — BR-569-4: Online refund/refund authorization indicator valid value is Y. / business_rule	REQ-SRC-ATL105-PDF-001:2563	BR-569-4 / 569	NOT_DECLARED
SC-8356	Transaction unresolved	Business Rule — BR-570-1: Field is optional with value 'Y' if merchant allows routing to credit when debit unavailable. / business_rule	REQ-SRC-ATL105-PDF-001:2564	BR-570-1 / 570	NOT_DECLARED
SC-8357	Transaction unresolved	Business Rule — BR-570-2: If transaction must be debit-only and not eligible for credit fallback, merchant must send 'N'. / business_rule	REQ-SRC-ATL105-PDF-001:2565	BR-570-2 / 570	NOT_DECLARED
SC-8358	Transaction unresolved	Business Rule — BR-570-3: If debit routing unavailable, transaction rerouted to credit or declined based on indicator value. / business_rule	REQ-SRC-ATL105-PDF-001:2566	BR-570-3 / 570	NOT_DECLARED
SC-8359	Transaction unresolved	Business Rule — BR-570-4: When 'N' is sent, transaction should not be routed to credit and should be declined if no debit routes available. / business_rule	REQ-SRC-ATL105-PDF-001:2567	BR-570-4 / 570	NOT_DECLARED
SC-8360	Transaction unresolved	Business Rule — BR-570-5: When merchant does not send the indicator, value 'Y' is assumed by default. / business_rule	REQ-SRC-ATL105-PDF-001:2568	BR-570-5 / 570	NOT_DECLARED
SC-8361	Transaction unresolved	Business Rule — BR-571-1: Value 'Y' in Sub Table 13 data indicates cryptocurrency purchase; only MCC 6051 applicable. / business_rule	REQ-SRC-ATL105-PDF-001:2569	BR-571-1 / 571	NOT_DECLARED
SC-8362	Transaction unresolved	Business Rule — BR-571-2: Value 'H' in Sub Table 13 data indicates high risk security; only MCC 6211 applicable. / business_rule	REQ-SRC-ATL105-PDF-001:2570	BR-571-2 / 571	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8363	Transaction unresolved	Business Rule — BR-571-3: Visa and MasterCard mandate cryptocurrency purchase attribute in all related transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2571	BR-571-3 / 571	NOT_DECLARED
SC-8364	Transaction unresolved	Business Rule — BR-571-4: MasterCard mandates high risk security attribute in all related transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2572	BR-571-4 / 571	NOT_DECLARED
SC-8365	Transaction unresolved	Business Rule — BR-571-5: Value 'Y' in Sub Table 14 data indicates PAR data request. / business_rule	REQ-SRC-ATL105-PDF-001:2573	BR-571-5 / 571	NOT_DECLARED
SC-8366	Transaction unresolved	Business Rule — BR-572-1: A maximum of 8 products can be sent in the Re-Price Data Request Information table data. / business_rule	REQ-SRC-ATL105-PDF-001:2574	BR-572-1 / 572	NOT_DECLARED
SC-8367	Transaction unresolved	Business Rule — BR-572-2: Table ID for Re-Price Data Request Information is fixed value 033. / business_rule	REQ-SRC-ATL105-PDF-001:2575	BR-572-2 / 572	NOT_DECLARED
SC-8368	Transaction unresolved	Business Rule — BR-572-3: Table Length is variable, up to 133 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:2576	BR-572-3 / 572	NOT_DECLARED
SC-8370	Transaction unresolved	Business Rule — BR-572-5: Product Code Set valid value 001 indicates NACS. / business_rule	REQ-SRC-ATL105-PDF-001:2578	BR-572-5 / 572	NOT_DECLARED
SC-8371	Transaction unresolved	Business Rule — BR-572-6: Re-Price Type valid values include RP, RM, CM, CP, BO, OD, RT, FP; additional values may be added. / business_rule	REQ-SRC-ATL105-PDF-001:2579	BR-572-6 / 572	NOT_DECLARED
SC-8372	Transaction unresolved	Business Rule — BR-573-1: For Discover Card Type, NVS data is variable length up to 70 digits with first and last name only. / business_rule	REQ-SRC-ATL105-PDF-001:2580	BR-573-1 / 573	NOT_DECLARED
SC-8373	Transaction unresolved	Business Rule — BR-573-2: For Visa Card Type, NVS data is variable length up to 105 digits including Middle Name. / business_rule	REQ-SRC-ATL105-PDF-001:2581	BR-573-2 / 573	NOT_DECLARED
SC-8374	Transaction unresolved	Business Rule — BR-573-3: NVS Table ID has fixed value 034 and length 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2582	BR-573-3 / 573	NOT_DECLARED
SC-8375	Transaction unresolved	Business Rule — BR-573-4: Verified By Visa Table ID has fixed value 035 and length 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2583	BR-573-4 / 573	NOT_DECLARED
SC-8377	Transaction unresolved	Business Rule — BR-575-1: MasterCard UCAF Data table ID is fixed value 036 with length of 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2585	BR-575-1 / 575	NOT_DECLARED
SC-8378	Transaction unresolved	Business Rule — BR-575-2: UCAF Data field is variable length, either 3 or 35 characters, maximum length 35. / business_rule	REQ-SRC-ATL105-PDF-001:2586	BR-575-2 / 575	NOT_DECLARED
SC-8379	Transaction unresolved	Business Rule — BR-575-3: UCAF Security Level positions 1-2 valid values are 21 (channel encryption, preferred) or 24 (digital secure remote payme / business_rule	REQ-SRC-ATL105-PDF-001:2587	BR-575-3 / 575	NOT_DECLARED
SC-8380	Transaction unresolved	Business Rule — BR-575-4: UCAF Security Level position 3 valid values are 0-7, each denoting a distinct UCAF data collection/authentication scenar / business_rule	REQ-SRC-ATL105-PDF-001:2588	BR-575-4 / 575	NOT_DECLARED
SC-8381	Transaction unresolved	Business Rule — BR-575-5: No fraud liability shift to issuer occurs in an Identity Check Insight transaction because issuer does not receive auth / business_rule	REQ-SRC-ATL105-PDF-001:2589	BR-575-5 / 575	NOT_DECLARED
SC-8382	Transaction unresolved	Business Rule — BR-576-1: Merchant must send UCAF data with subfield ID 43 and subfield length 28 within 32 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2590	BR-576-1 / 576	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8383	Transaction unresolved	Business Rule — BR-576-2: UCAF field must only be used for MasterCard AAV; merchant must not send Identity Check values 'h' or 'j'. / business_rule	REQ-SRC-ATL105-PDF-001:2591	BR-576-2 / 576	NOT_DECLARED
SC-8388	Transaction unresolved	Business Rule — BR-577-1: Final Amount Indicator value 1 allowed only on EMV initial transactions where final Settlement Amount may differ. / business_rule	REQ-SRC-ATL105-PDF-001:2596	BR-577-1 / 577	NOT_DECLARED
SC-8389	Transaction unresolved	Business Rule — BR-577-2: Final Amount Indicator should NOT be sent when final Settlement Amount will be same as original Authorization Amount. / business_rule	REQ-SRC-ATL105-PDF-001:2597	BR-577-2 / 577	NOT_DECLARED
SC-8391	Transaction unresolved	Business Rule — BR-577-4: Country Subdivision max length is 3 characters. / business_rule	REQ-SRC-ATL105-PDF-001:2599	BR-577-4 / 577	NOT_DECLARED
SC-8392	Transaction unresolved	Business Rule — BR-578-1: Original Transaction Identifier is required for all merchant-initiated Visa and Amex Credential On File transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2600	BR-578-1 / 578	NOT_DECLARED
SC-8393	Transaction unresolved	Business Rule — BR-578-2: Merchant should send original/previous Visa/Amex Transaction Identifier for merchant-initiated Credential on File transa / business_rule	REQ-SRC-ATL105-PDF-001:2601	BR-578-2 / 578	NOT_DECLARED
SC-8394	Transaction unresolved	Business Rule — BR-578-3: Cardholder Postal Code is sent with international transactions formatted as the authorizer expects; AVS address info goe / business_rule	REQ-SRC-ATL105-PDF-001:2602	BR-578-3 / 578	NOT_DECLARED
SC-8395	Transaction unresolved	Business Rule — BR-579-1: For initial installment/recurring transaction, Transaction identifier will not be present; Indicator is I (Initial). / business_rule	REQ-SRC-ATL105-PDF-001:2603	BR-579-1 / 579	NOT_DECLARED
SC-8396	Transaction unresolved	Business Rule — BR-579-2: For Installment/Recurring follow-up transactions, Indicator is C (Credential on File) and transaction identifier is reta / business_rule	REQ-SRC-ATL105-PDF-001:2604	BR-579-2 / 579	NOT_DECLARED
SC-8397	Transaction unresolved	Business Rule — BR-579-3: Table Data (Previous Transaction ID) has maximum length of 16 characters. / business_rule	REQ-SRC-ATL105-PDF-001:2605	BR-579-3 / 579	NOT_DECLARED
SC-8398	Transaction unresolved	Business Rule — BR-579-4: Table ID 046 Table Data can be used to contain information terminal must include in follow-up transactions for certain b / business_rule	REQ-SRC-ATL105-PDF-001:2606	BR-579-4 / 579	NOT_DECLARED
SC-8399	Transaction unresolved	Business Rule — BR-580-1: For Discover recurring/installment transactions, merchant must capture original approved amount and present it as First / business_rule	REQ-SRC-ATL105-PDF-001:2607	BR-580-1 / 580	NOT_DECLARED
SC-8400	Response deferred	Business Rule — BR-580-2: For Discover Third Party Installment transactions, Merchant Name field must include provider name and underlying retaile / business_rule	REQ-SRC-ATL105-PDF-001:2608	BR-580-2 / 580	NOT_DECLARED
SC-8401	Transaction unresolved	Business Rule — BR-580-3: Table length for Table ID 048 should be '1' when sending only Program Protocol, or '37' when sending both Program Protoc / business_rule	REQ-SRC-ATL105-PDF-001:2609	BR-580-3 / 580	NOT_DECLARED
SC-8402	Transaction unresolved	Business Rule — BR-580-4: Program Protocol field applies to merchants sending e-Commerce transactions with 3D Secure version or EMV 3D Secure auth / business_rule	REQ-SRC-ATL105-PDF-001:2610	BR-580-4 / 580	NOT_DECLARED
SC-8403	Transaction unresolved	Business Rule — BR-581-1: If Directory Server Transaction ID field is present, merchant must include the Program Protocol field. / business_rule	REQ-SRC-ATL105-PDF-001:2611	BR-581-1 / 581	NOT_DECLARED
SC-8404	Transaction unresolved	Business Rule — BR-581-2: Merchant Supplementary Data Table ID is fixed value 049 and is 3 bytes long. / business_rule	REQ-SRC-ATL105-PDF-001:2612	BR-581-2 / 581	NOT_DECLARED
SC-8405	Transaction unresolved	Business Rule — BR-581-3: Merchant Supplementary Data Table Data has a maximum length of 500 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2613	BR-581-3 / 581	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8406	Transaction unresolved	Business Rule — BR-581-4: Sub-Table ID valid values are 01 through 99. / business_rule	REQ-SRC-ATL105-PDF-001:2614	BR-581-4 / 581	NOT_DECLARED
SC-8407	Transaction unresolved	Business Rule — BR-581-5: Sub-Table Length valid values are 1 through 9. / business_rule	REQ-SRC-ATL105-PDF-001:2615	BR-581-5 / 581	NOT_DECLARED
SC-8408	Transaction unresolved	Business Rule — BR-581-6: Sub-Table Data maximum length is 9 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2616	BR-581-6 / 581	NOT_DECLARED
SC-8409	Transaction unresolved	Business Rule — BR-581-7: Valid code values for EMV 3-D Secure Version field range from 1 to 9 representing versions 2.1 through 2.9. / business_rule	REQ-SRC-ATL105-PDF-001:2617	BR-581-7 / 581	NOT_DECLARED
SC-8410	Transaction unresolved	Business Rule — BR-582-1: Deferred Transaction Indicator should be present in the transaction sent once connectivity is restored. / business_rule	REQ-SRC-ATL105-PDF-001:2618	BR-582-1 / 582	NOT_DECLARED
SC-8411	Transaction unresolved	Business Rule — BR-582-2: Deferred Transaction Indicator is currently supported only for Visa, MasterCard, and Blackhawk deferred transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2619	BR-582-2 / 582	NOT_DECLARED
SC-8412	Transaction unresolved	Business Rule — BR-582-3: Sub-Table ID for deferred transaction indicator fixed value is 01. / business_rule	REQ-SRC-ATL105-PDF-001:2620	BR-582-3 / 582	NOT_DECLARED
SC-8413	Transaction unresolved	Business Rule — BR-582-4: Sub-Table Length fixed value is 1 for deferred transaction indicator. / business_rule	REQ-SRC-ATL105-PDF-001:2621	BR-582-4 / 582	NOT_DECLARED
SC-8414	Transaction unresolved	Business Rule — BR-582-5: Valid value for Deferred Transaction indicator is 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:2622	BR-582-5 / 582	NOT_DECLARED
SC-8415	Transaction unresolved	Business Rule — BR-582-6: Sub-Table ID 02 fixed value identifies the entity initiating the transaction. / business_rule	REQ-SRC-ATL105-PDF-001:2623	BR-582-6 / 582	NOT_DECLARED
SC-8416	Transaction unresolved	Business Rule — BR-583-1: Transaction Initiation Indicator is required for all subsequent Credential on File transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2624	BR-583-1 / 583	NOT_DECLARED
SC-8417	Transaction unresolved	Business Rule — BR-583-2: Transaction Initiation Indicator valid values are 'M' (Merchant initiated) or 'C' (Cardholder initiated). / business_rule	REQ-SRC-ATL105-PDF-001:2625	BR-583-2 / 583	NOT_DECLARED
SC-8418	Transaction unresolved	Business Rule — BR-583-3: Sub-Table ID 03 Sub-Table Data value 0 means not supported, 4 means supported for WEX products. / business_rule	REQ-SRC-ATL105-PDF-001:2626	BR-583-3 / 583	NOT_DECLARED
SC-8419	Transaction unresolved	Business Rule — BR-583-4: Sub-Table ID 03 Sub-Table Length fixed value is 1. / business_rule	REQ-SRC-ATL105-PDF-001:2627	BR-583-4 / 583	NOT_DECLARED
SC-8420	Transaction unresolved	Business Rule — BR-583-5: Sub-Table ID 04 Sub-Table Length fixed value is 2. / business_rule	REQ-SRC-ATL105-PDF-001:2628	BR-583-5 / 583	NOT_DECLARED
SC-8431	Transaction unresolved	Business Rule — BR-586-1: Merchants should include acceptance indicator if they opt to receive Merchant Advice Code from authorizer network. / business_rule	REQ-SRC-ATL105-PDF-001:2639	BR-586-1 / 586	NOT_DECLARED
SC-8432	Transaction unresolved	Business Rule — BR-586-2: Sub-Table ID 07 field is fixed value 07, length fixed at 1. / business_rule	REQ-SRC-ATL105-PDF-001:2640	BR-586-2 / 586	NOT_DECLARED
SC-8433	Transaction unresolved	Business Rule — BR-586-3: Sub-Table ID 09 field is fixed value 09, length fixed at 3. / business_rule	REQ-SRC-ATL105-PDF-001:2641	BR-586-3 / 586	NOT_DECLARED
SC-8434	Transaction unresolved	Business Rule — BR-586-4: InComm OTC Transaction Code value 310 indicates Benefit Eligibility & Balance Lookup. / business_rule	REQ-SRC-ATL105-PDF-001:2642	BR-586-4 / 586	NOT_DECLARED
SC-8435	Transaction unresolved	Business Rule — BR-586-5: InComm OTC Transaction Code value 910 indicates Item Qualification. / business_rule	REQ-SRC-ATL105-PDF-001:2643	BR-586-5 / 586	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8436	Transaction unresolved	Business Rule — BR-586-6: InComm OTC Transaction Code value 920 indicates Limited Spend. / business_rule	REQ-SRC-ATL105-PDF-001:2644	BR-586-6 / 586	NOT_DECLARED
SC-8437	Transaction unresolved	Business Rule — BR-586-7: InComm OTC Transaction Code value 200 indicates Limited Spend Refund. / business_rule	REQ-SRC-ATL105-PDF-001:2645	BR-586-7 / 586	NOT_DECLARED
SC-8438	Transaction unresolved	Business Rule — BR-587-1: Merchant receives the DAF Indicator only if sent in Authorizer network's response and merchant sent the DAF Indicator ac / business_rule	REQ-SRC-ATL105-PDF-001:2646	BR-587-1 / 587	NOT_DECLARED
SC-8439	Transaction unresolved	Business Rule — BR-587-2: DAF Indicator Acceptance Flag field is currently supported for Visa transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2647	BR-587-2 / 587	NOT_DECLARED
SC-8440	Transaction unresolved	Business Rule — BR-587-3: Sub-Table ID value is fixed at 10 for DAF Indicator Acceptance Flag sub-table. / business_rule	REQ-SRC-ATL105-PDF-001:2648	BR-587-3 / 587	NOT_DECLARED
SC-8441	Transaction unresolved	Business Rule — BR-587-4: Sub-Table ID value is fixed at 11 for Agreement ID Acceptance Indicator sub-table. / business_rule	REQ-SRC-ATL105-PDF-001:2649	BR-587-4 / 587	NOT_DECLARED
SC-8442	Transaction unresolved	Business Rule — BR-587-5: Valid value for DAF Indicator Acceptance Flag is "Y". / business_rule	REQ-SRC-ATL105-PDF-001:2650	BR-587-5 / 587	NOT_DECLARED
SC-8443	Transaction unresolved	Business Rule — BR-588-1: Merchant receives the Agreement ID only if sent in Authorizer's response and Merchant sent the acceptance flag. / business_rule	REQ-SRC-ATL105-PDF-001:2651	BR-588-1 / 588	NOT_DECLARED
SC-8444	Transaction unresolved	Business Rule — BR-588-2: Agreement ID acceptance flag field is currently supported for Visa transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2652	BR-588-2 / 588	NOT_DECLARED
SC-8445	Transaction unresolved	Business Rule — BR-588-3: Installment Payment Type sub-table is currently applicable to Discover card type only. / business_rule	REQ-SRC-ATL105-PDF-001:2653	BR-588-3 / 588	NOT_DECLARED
SC-8446	Transaction unresolved	Business Rule — BR-588-4: Sub-Table ID 13 Installment Payment Type values: S=Merchant, T=Third Party, V=Issuer Installment Payment. / business_rule	REQ-SRC-ATL105-PDF-001:2654	BR-588-4 / 588	NOT_DECLARED
SC-8447	Transaction unresolved	Business Rule — BR-588-5: Sub-Table ID 16 Delayed Card Sale Indicator valid value is 'D' - Delayed Card Sale. / business_rule	REQ-SRC-ATL105-PDF-001:2655	BR-588-5 / 588	NOT_DECLARED
SC-8448	Transaction unresolved	Business Rule — BR-589-1: No Show Charges Indicator field is currently applicable only to Discover card type. / business_rule	REQ-SRC-ATL105-PDF-001:2656	BR-589-1 / 589	NOT_DECLARED
SC-8449	Transaction unresolved	Business Rule — BR-589-2: No Show Charges valid value is 'N' - No Show Charges. / business_rule	REQ-SRC-ATL105-PDF-001:2657	BR-589-2 / 589	NOT_DECLARED
SC-8450	Transaction unresolved	Business Rule — BR-589-3: Purchase Restriction Method valid values: 0-Neither, 1-Chip-Based Only, 2-Host-Based Only, 3-Both. / business_rule	REQ-SRC-ATL105-PDF-001:2658	BR-589-3 / 589	NOT_DECLARED
SC-8451	Transaction unresolved	Business Rule — BR-589-4: Purchase Restriction Method applies only to Visa Fleet EMV 2.0 and MasterCard Enhanced Fleet EMV transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2659	BR-589-4 / 589	NOT_DECLARED
SC-8452	Transaction unresolved	Business Rule — BR-589-5: Purchase Restriction Method MUST be present for all MasterCard Enhanced EMV Fleet transactions (Product IDs MCF and MGF) / business_rule	REQ-SRC-ATL105-PDF-001:2660	BR-589-5 / 589	NOT_DECLARED
SC-8453	Transaction unresolved	Business Rule — BR-589-6: If the transaction is not MC Enhanced Fleet, this indicator should not be sent to acquirers. / business_rule	REQ-SRC-ATL105-PDF-001:2661	BR-589-6 / 589	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8454	Transaction unresolved	Business Rule — BR-589-7: If Purchase Restriction Method is not sent, Buypass defaults the value to Visa as No Restrictions supported. / business_rule	REQ-SRC-ATL105-PDF-001:2662	BR-589-7 / 589	NOT_DECLARED
SC-8455	Transaction unresolved	Business Rule — BR-590-1: MasterCard Enhanced transactions functionality expected enabled in First Data production no earlier than June 2026; unti / business_rule	REQ-SRC-ATL105-PDF-001:2663	BR-590-1 / 590	NOT_DECLARED
SC-8456	Transaction unresolved	Business Rule — BR-590-2: Sub-Table Data value 'Y' means merchant accepts account type or account funding source information. / business_rule	REQ-SRC-ATL105-PDF-001:2664	BR-590-2 / 590	NOT_DECLARED
SC-8457	Transaction unresolved	Business Rule — BR-590-3: This field (Sub-Table ID 20) is currently supported for Visa transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2665	BR-590-3 / 590	NOT_DECLARED
SC-8458	Transaction unresolved	Business Rule — BR-590-4: Sub-Table ID 21 used to indicate Recurring ('R') or Installment ('I') payment for card types excluding Visa, MasterCard, / business_rule	REQ-SRC-ATL105-PDF-001:2666	BR-590-4 / 590	NOT_DECLARED
SC-8459	Transaction unresolved	Business Rule — BR-591-1: Transaction Link Support Indicator is currently supported for MasterCard and Maestro transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2667	BR-591-1 / 591	NOT_DECLARED
SC-8460	Transaction unresolved	Business Rule — BR-591-2: Transaction Link Support Indicator valid value is 'Y' only. / business_rule	REQ-SRC-ATL105-PDF-001:2668	BR-591-2 / 591	NOT_DECLARED
SC-8461	Transaction unresolved	Business Rule — BR-591-3: Merchant receives Authentication Data Quality Indicator only if sent by network and merchant sent Acceptance Flag. / business_rule	REQ-SRC-ATL105-PDF-001:2669	BR-591-3 / 591	NOT_DECLARED
SC-8462	Transaction unresolved	Business Rule — BR-591-4: Authentication Data Quality Program Acceptance Flag is currently supported for Visa transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2670	BR-591-4 / 591	NOT_DECLARED
SC-8463	Transaction unresolved	Business Rule — BR-591-5: Authentication Data Quality Program Acceptance Flag valid value is 'Y' only. / business_rule	REQ-SRC-ATL105-PDF-001:2671	BR-591-5 / 591	NOT_DECLARED
SC-8464	Transaction unresolved	Business Rule — BR-591-6: Sub Table ID 23 fixed length is 1 byte and value is fixed at 23. / business_rule	REQ-SRC-ATL105-PDF-001:2672	BR-591-6 / 591	NOT_DECLARED
SC-8465	Transaction unresolved	Business Rule — BR-592-1: Merchant receives Token Update First Use Indicator only if sent by Authorizer network and merchant sent the Acceptance F / business_rule	REQ-SRC-ATL105-PDF-001:2673	BR-592-1 / 592	NOT_DECLARED
SC-8466	Transaction unresolved	Business Rule — BR-592-2: Token Update First Use Acceptance Flag is currently supported for Visa transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2674	BR-592-2 / 592	NOT_DECLARED
SC-8467	Transaction unresolved	Business Rule — BR-592-3: Sub-Table ID 24 Length field is fixed value 1. / business_rule	REQ-SRC-ATL105-PDF-001:2675	BR-592-3 / 592	NOT_DECLARED
SC-8468	Transaction unresolved	Business Rule — BR-592-4: Sub-Table ID 25 Length field is fixed value 1. / business_rule	REQ-SRC-ATL105-PDF-001:2676	BR-592-4 / 592	NOT_DECLARED
SC-8469	Transaction unresolved	Business Rule — BR-592-5: Value 'Y' indicates Merchant Tran ID acceptance; no other values documented on this page. / business_rule	REQ-SRC-ATL105-PDF-001:2677	BR-592-5 / 592	NOT_DECLARED
SC-8470	Transaction unresolved	Business Rule — BR-593-1: Sub-Table Data = 'Y' indicates Transaction Link Action Indicator will be returned for MasterCard/Maestro. / business_rule	REQ-SRC-ATL105-PDF-001:2678	BR-593-1 / 593	NOT_DECLARED
SC-8471	Transaction unresolved	Business Rule — BR-593-2: Sub-Table Data = 'Y' indicates merchant accepts Applied Special Service Data from Visa. / business_rule	REQ-SRC-ATL105-PDF-001:2679	BR-593-2 / 593	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8472	Transaction unresolved	Business Rule — BR-593-3: Sub-Table Data = 'Y' indicates merchant accepts Voyager Restriction Codes from Voyager in response. / business_rule	REQ-SRC-ATL105-PDF-001:2680	BR-593-3 / 593	NOT_DECLARED
SC-8473	Transaction unresolved	Business Rule — BR-593-4: Sub-Table Length is fixed at 1 byte for these sub-table entries. / business_rule	REQ-SRC-ATL105-PDF-001:2681	BR-593-4 / 593	NOT_DECLARED
SC-8474	Transaction unresolved	Business Rule — BR-594-1: For SVS card transactions, the Additional Security Code field must be 4 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2682	BR-594-1 / 594	NOT_DECLARED
SC-8475	Transaction unresolved	Business Rule — BR-594-2: For SVS card transactions, the Additional Card ID field must be 4 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2683	BR-594-2 / 594	NOT_DECLARED
SC-8476	Transaction unresolved	Business Rule — BR-594-3: Security Code has variable length up to maximum length 16 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2684	BR-594-3 / 594	NOT_DECLARED
SC-8477	Transaction unresolved	Business Rule — BR-594-4: Card ID has variable length up to maximum length 16 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2685	BR-594-4 / 594	NOT_DECLARED
SC-8478	Transaction unresolved	Business Rule — BR-594-5: Sub-Table Data valid code 'Y' indicates Visa Category Code returned in transaction response. / business_rule	REQ-SRC-ATL105-PDF-001:2686	BR-594-5 / 594	NOT_DECLARED
SC-8479	Transaction unresolved	Business Rule — BR-594-6: Remaining bytes after Sub-Table Data are reserved for future use. / business_rule	REQ-SRC-ATL105-PDF-001:2687	BR-594-6 / 594	NOT_DECLARED
SC-8486	Transaction unresolved	Business Rule — BR-596-2: For Moneris, Merchant Tran ID is mandatory with max length 15, mapping to Moneris field Client Request ID 7b. / business_rule	REQ-SRC-ATL105-PDF-001:2694	BR-596-2 / 596	NOT_DECLARED
SC-8487	Transaction unresolved	Business Rule — BR-597-1: Sub-Table ID valid values are 01 through 24. / business_rule	REQ-SRC-ATL105-PDF-001:2695	BR-597-1 / 597	NOT_DECLARED
SC-8488	Transaction unresolved	Business Rule — BR-597-2: Sub-Table Length valid values are 01 through 35. / business_rule	REQ-SRC-ATL105-PDF-001:2696	BR-597-2 / 597	NOT_DECLARED
SC-8489	Transaction unresolved	Business Rule — BR-597-3: Sub-Table Data maximum length is 35 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2697	BR-597-3 / 597	NOT_DECLARED
SC-8490	Transaction unresolved	Business Rule — BR-597-4: Not all sub-tables need to be populated; only those required for the transaction. / business_rule	REQ-SRC-ATL105-PDF-001:2698	BR-597-4 / 597	NOT_DECLARED
SC-8491	Transaction unresolved	Business Rule — BR-597-5: Table 056 Data field has a maximum length of 200 bytes, variable. / business_rule	REQ-SRC-ATL105-PDF-001:2699	BR-597-5 / 597	NOT_DECLARED
SC-8497	Transaction unresolved	Business Rule — BR-599-1: Payment Type field is only used in the first payment transaction for Discover recurring/installment types. / business_rule	REQ-SRC-ATL105-PDF-001:2705	BR-599-1 / 599	NOT_DECLARED
SC-8498	Transaction unresolved	Business Rule — BR-599-2: Payment Type is required and should be sent only for recurring payments for Visa cards issued in India. / business_rule	REQ-SRC-ATL105-PDF-001:2706	BR-599-2 / 599	NOT_DECLARED
SC-8499	Transaction unresolved	Business Rule — BR-599-3: If Payment Type is in initial transaction, it must appear in all subsequent transactions with same or last-modified valu / business_rule	REQ-SRC-ATL105-PDF-001:2707	BR-599-3 / 599	NOT_DECLARED
SC-8500	Transaction unresolved	Business Rule — BR-599-4: Payment Type valid codes are F (Fixed) or V (Variable) for both Discover and Visa. / business_rule	REQ-SRC-ATL105-PDF-001:2708	BR-599-4 / 599	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8501	Transaction unresolved	Business Rule — BR-599-5: Sub-Table ID fixed value is 03 for MIT Amount sub-table. / business_rule	REQ-SRC-ATL105-PDF-001:2709	BR-599-5 / 599	NOT_DECLARED
SC-8502	Transaction unresolved	Business Rule — BR-599-6: MIT Amount may differ from Transaction Amount but uses same currency. / business_rule	REQ-SRC-ATL105-PDF-001:2710	BR-599-6 / 599	NOT_DECLARED
SC-8508	Transaction unresolved	Business Rule — BR-601-1: Recurring Payment Type field only used in first payment transaction for specific payment types. / business_rule	REQ-SRC-ATL105-PDF-001:2716	BR-601-1 / 601	NOT_DECLARED
SC-8509	Transaction unresolved	Business Rule — BR-601-2: Field required only for recurring payments for Visa cards issued in India. / business_rule	REQ-SRC-ATL105-PDF-001:2717	BR-601-2 / 601	NOT_DECLARED
SC-8510	Transaction unresolved	Business Rule — BR-601-3: If field provided in initial transaction, it must be provided in all subsequent transactions with same or last-modified / business_rule	REQ-SRC-ATL105-PDF-001:2718	BR-601-3 / 601	NOT_DECLARED
SC-8511	Transaction unresolved	Business Rule — BR-601-4: Sub-Table ID has fixed value 06, length n2. / business_rule	REQ-SRC-ATL105-PDF-001:2719	BR-601-4 / 601	NOT_DECLARED
SC-8512	Transaction unresolved	Business Rule — BR-601-5: Sub-Table Length has fixed value 01, length n2. / business_rule	REQ-SRC-ATL105-PDF-001:2720	BR-601-5 / 601	NOT_DECLARED
SC-8519	Transaction unresolved	Business Rule — BR-603-1: Sequence Indicator sub-table is applicable only to Discover. / business_rule	REQ-SRC-ATL105-PDF-001:2727	BR-603-1 / 603	NOT_DECLARED
SC-8520	Transaction unresolved	Business Rule — BR-603-2: Sub-Table ID for sequence indicator fixed value is 08. / business_rule	REQ-SRC-ATL105-PDF-001:2728	BR-603-2 / 603	NOT_DECLARED
SC-8521	Transaction unresolved	Business Rule — BR-603-3: Sub-Table Length for sequence indicator fixed value is 02. / business_rule	REQ-SRC-ATL105-PDF-001:2729	BR-603-3 / 603	NOT_DECLARED
SC-8522	Transaction unresolved	Business Rule — BR-603-4: Sub-Table ID for MIT/CIT category data fixed value is 09. / business_rule	REQ-SRC-ATL105-PDF-001:2730	BR-603-4 / 603	NOT_DECLARED
SC-8523	Transaction unresolved	Business Rule — BR-603-5: Sub-Table Length for MIT/CIT category data fixed value is 04. / business_rule	REQ-SRC-ATL105-PDF-001:2731	BR-603-5 / 603	NOT_DECLARED
SC-8524	Transaction unresolved	Business Rule — BR-603-6: Cardholder-initiated Credential-on-file (adhoc) has valid value C101. / business_rule	REQ-SRC-ATL105-PDF-001:2732	BR-603-6 / 603	NOT_DECLARED
SC-8525	Transaction unresolved	Business Rule — BR-603-7: Cardholder-initiated Standing Order (variable amount, fixed frequency) has valid value C102. / business_rule	REQ-SRC-ATL105-PDF-001:2733	BR-603-7 / 603	NOT_DECLARED
SC-8526	Transaction unresolved	Business Rule — BR-603-8: Cardholder-initiated Subscription (fixed amount, fixed frequency) has valid value C103. / business_rule	REQ-SRC-ATL105-PDF-001:2734	BR-603-8 / 603	NOT_DECLARED
SC-8527	Transaction unresolved	Business Rule — BR-603-9: Cardholder-initiated Installment has valid value C104. / business_rule	REQ-SRC-ATL105-PDF-001:2735	BR-603-9 / 603	NOT_DECLARED
SC-8528	Transaction unresolved	Business Rule — BR-603-10: Merchant-initiated Unscheduled Credential on File has valid value M101. / business_rule	REQ-SRC-ATL105-PDF-001:2736	BR-603-10 / 603	NOT_DECLARED
SC-8529	Transaction unresolved	Business Rule — BR-603-11: Merchant-initiated Standing Order (variable amount, fixed frequency) has valid value M102. / business_rule	REQ-SRC-ATL105-PDF-001:2737	BR-603-11 / 603	NOT_DECLARED
SC-8530	Transaction unresolved	Business Rule — BR-603-12: Merchant-initiated Subscription (fixed amount, fixed frequency) has valid value M103. / business_rule	REQ-SRC-ATL105-PDF-001:2738	BR-603-12 / 603	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8531	Transaction unresolved	Business Rule — BR-603-13: Merchant-initiated Installment has valid value M104. / business_rule	REQ-SRC-ATL105-PDF-001:2739	BR-603-13 / 603	NOT_DECLARED
SC-8546	Transaction unresolved	Business Rule — BR-606-1: For Discover, Merchant City field holds the underlying retailer's city for Third Party Payment providers. / business_rule	REQ-SRC-ATL105-PDF-001:2754	BR-606-1 / 606	NOT_DECLARED
SC-8547	Transaction unresolved	Business Rule — BR-606-2: For Discover, Merchant State field holds the underlying retailer's state for Third Party Payment providers. / business_rule	REQ-SRC-ATL105-PDF-001:2755	BR-606-2 / 606	NOT_DECLARED
SC-8548	Transaction unresolved	Business Rule — BR-607-1: Table Data for Real Time Account Updater Request has maximum length of 100 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2756	BR-607-1 / 607	NOT_DECLARED
SC-8549	Transaction unresolved	Business Rule — BR-607-2: Sub-Table Data has maximum length of 25 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2757	BR-607-2 / 607	NOT_DECLARED
SC-8550	Transaction unresolved	Business Rule — BR-607-3: Sub-table IDs 01 and 02 are mutually exclusive; merchant sends only one based on request type. / business_rule	REQ-SRC-ATL105-PDF-001:2758	BR-607-3 / 607	NOT_DECLARED
SC-8551	Transaction unresolved	Business Rule — BR-607-4: Merchant should send only the applicable indicator in the request message, based on request type. / business_rule	REQ-SRC-ATL105-PDF-001:2759	BR-607-4 / 607	NOT_DECLARED
SC-8552	Transaction unresolved	Business Rule — BR-607-5: Sub-Table ID 01 has fixed length value of 01. / business_rule	REQ-SRC-ATL105-PDF-001:2760	BR-607-5 / 607	NOT_DECLARED
SC-8553	Transaction unresolved	Business Rule — BR-608-1: If Account Updater Request Indicator field not provided, no information sent back even if First Data Auth Optimization p / business_rule	REQ-SRC-ATL105-PDF-001:2761	BR-608-1 / 608	NOT_DECLARED
SC-8554	Transaction unresolved	Business Rule — BR-608-2: Account Updater Request Indicator applicable only to Visa and MasterCard. / business_rule	REQ-SRC-ATL105-PDF-001:2762	BR-608-2 / 608	NOT_DECLARED
SC-8555	Transaction unresolved	Business Rule — BR-608-3: Account Updater Request Indicator applicable only to Card Not Present transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2763	BR-608-3 / 608	NOT_DECLARED
SC-8556	Transaction unresolved	Business Rule — BR-608-4: Account Updater Request Indicator applicable only to Auth, Sale, and Refund transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2764	BR-608-4 / 608	NOT_DECLARED
SC-8557	Transaction unresolved	Business Rule — BR-608-5: When Account Updater Request Indicator is sent, Auth Optimization Override Indicator (table 060, sub-table 02) should no / business_rule	REQ-SRC-ATL105-PDF-001:2765	BR-608-5 / 608	NOT_DECLARED
SC-8558	Transaction unresolved	Business Rule — BR-608-6: Auth Optimization Override Indicator applicable only to Visa and MasterCard. / business_rule	REQ-SRC-ATL105-PDF-001:2766	BR-608-6 / 608	NOT_DECLARED
SC-8559	Transaction unresolved	Business Rule — BR-608-7: Auth Optimization Override Indicator applicable only to Card Not Present transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2767	BR-608-7 / 608	NOT_DECLARED
SC-8560	Transaction unresolved	Business Rule — BR-608-8: Auth Optimization Override Indicator applicable only to Auth, Sale, and Refund transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2768	BR-608-8 / 608	NOT_DECLARED
SC-8561	Transaction unresolved	Business Rule — BR-608-9: When Auth Optimization Override Indicator is sent, Account Updater Request Indicator (table 060, sub-table 01) should no / business_rule	REQ-SRC-ATL105-PDF-001:2769	BR-608-9 / 608	NOT_DECLARED
SC-8562	Transaction unresolved	Business Rule — BR-608-10: Customer Additional Information Data table has variable length of up to 150 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2770	BR-608-10 / 608	NOT_DECLARED
SC-8563	Transaction unresolved	Business Rule — BR-609-1: This field must be spaces if not used by merchant. / business_rule	REQ-SRC-ATL105-PDF-001:2771	BR-609-1 / 609	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8564	Response deferred	Business Rule — BR-609-2: Cardholder Phone Number sub-table applicable only to Visa. / business_rule	REQ-SRC-ATL105-PDF-001:2772	BR-609-2 / 609	NOT_DECLARED
SC-8565	Transaction unresolved	Business Rule — BR-609-3: Cardholder Email Address sub-table applicable only to Visa. / business_rule	REQ-SRC-ATL105-PDF-001:2773	BR-609-3 / 609	NOT_DECLARED
SC-8566	Response deferred	Business Rule — BR-609-4: Sub-Table Length for Cardholder Phone Number has max length of up to 16 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2774	BR-609-4 / 609	NOT_DECLARED
SC-8567	Transaction unresolved	Business Rule — BR-609-5: Sub-Table Length for Cardholder Email Address has max length of up to 99 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2775	BR-609-5 / 609	NOT_DECLARED
SC-8568	Transaction unresolved	Business Rule — BR-609-6: Arrival Date must be spaces if not used by merchant. / business_rule	REQ-SRC-ATL105-PDF-001:2776	BR-609-6 / 609	NOT_DECLARED
SC-8569	Transaction unresolved	Business Rule — BR-609-7: Duration must be spaces if not used by merchant. / business_rule	REQ-SRC-ATL105-PDF-001:2777	BR-609-7 / 609	NOT_DECLARED
SC-8570	Transaction unresolved	Business Rule — BR-609-8: Terminal Transaction Number is mandatory for Lodging, Incremental Auth, and EV transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2778	BR-609-8 / 609	NOT_DECLARED
SC-8571	Transaction unresolved	Business Rule — BR-609-9: When using same card for Incremental Auth, Terminal Transaction Number should be unique/consistent across transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2779	BR-609-9 / 609	NOT_DECLARED
SC-8572	Transaction unresolved	Business Rule — BR-609-10: Table ID for Visa Incremental Auth Lodging Data fixed value 063. / business_rule	REQ-SRC-ATL105-PDF-001:2780	BR-609-10 / 609	NOT_DECLARED
SC-8573	Transaction unresolved	Business Rule — BR-609-11: Table Length for Visa Incremental Auth Lodging Data fixed value 011. / business_rule	REQ-SRC-ATL105-PDF-001:2781	BR-609-11 / 609	NOT_DECLARED
SC-8574	Transaction unresolved	Business Rule — BR-610-1: Original Auth/Estimated Auth transaction with PAN 4005XXXXXX1114 includes Table ID, Table length, MMDD, days, terminal / business_rule	REQ-SRC-ATL105-PDF-001:2782	BR-610-1 / 610	NOT_DECLARED
SC-8575	Transaction unresolved	Business Rule — BR-610-2: Original Auth/Estimated Auth transaction has no applicable response. / business_rule	REQ-SRC-ATL105-PDF-001:2783	BR-610-2 / 610	NOT_DECLARED
SC-8576	Transaction unresolved	Business Rule — BR-610-3: Non Travel & Entertainment example uses Table ID 063, Table length 011, with blank spaces instead of date/days fields. / business_rule	REQ-SRC-ATL105-PDF-001:2784	BR-610-3 / 610	NOT_DECLARED
SC-8577	Transaction unresolved	Business Rule — BR-614-1: Service Location Information is applicable to MasterCard and Maestro Debit transactions only. / business_rule	REQ-SRC-ATL105-PDF-001:2785	BR-614-1 / 614	NOT_DECLARED
SC-8578	Transaction unresolved	Business Rule — BR-614-2: Field is applicable to card type MasterCard when Payment Type is Credit. / business_rule	REQ-SRC-ATL105-PDF-001:2786	BR-614-2 / 614	NOT_DECLARED
SC-8579	Transaction unresolved	Business Rule — BR-614-3: If present in the original transaction, this field must be present in subsequent transactions (Voids/Full Reversals, Com / business_rule	REQ-SRC-ATL105-PDF-001:2787	BR-614-3 / 614	NOT_DECLARED
SC-8580	Transaction unresolved	Business Rule — BR-614-4: Service Location Information must be present for all transactions when different from location identified in Acceptor Lo / business_rule	REQ-SRC-ATL105-PDF-001:2788	BR-614-4 / 614	NOT_DECLARED
SC-8581	Transaction unresolved	Business Rule — BR-614-5: Table Data length is variable up to 49 bytes, maximum length 49. / business_rule	REQ-SRC-ATL105-PDF-001:2789	BR-614-5 / 614	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8582	Transaction unresolved	Business Rule — BR-615-1: Service Location City Name must be present for all transactions when different from Acceptor City Name. / business_rule	REQ-SRC-ATL105-PDF-001:2790	BR-615-1 / 615	NOT_DECLARED
SC-8583	Transaction unresolved	Business Rule — BR-615-2: For U.S. region, Service Location City Name must match USPS list of acceptable cities and spellings. / business_rule	REQ-SRC-ATL105-PDF-001:2791	BR-615-2 / 615	NOT_DECLARED
SC-8584	Transaction unresolved	Business Rule — BR-615-3: Service Location Subdivision Code must be present for all transactions when different from Acceptor Subdivision Code. / business_rule	REQ-SRC-ATL105-PDF-001:2792	BR-615-3 / 615	NOT_DECLARED
SC-8585	Transaction unresolved	Business Rule — BR-615-4: Service Location City Name maximum length is 13 characters. / business_rule	REQ-SRC-ATL105-PDF-001:2793	BR-615-4 / 615	NOT_DECLARED
SC-8586	Transaction unresolved	Business Rule — BR-615-5: Service Location Subdivision Code fixed length of 3 bytes, left justified filled with spaces. / business_rule	REQ-SRC-ATL105-PDF-001:2794	BR-615-5 / 615	NOT_DECLARED
SC-8587	Transaction unresolved	Business Rule — BR-616-1: Service Location Country Code must be present when different from the Acceptor Country Code. / business_rule	REQ-SRC-ATL105-PDF-001:2795	BR-616-1 / 616	NOT_DECLARED
SC-8588	Transaction unresolved	Business Rule — BR-616-2: Service Location Postal Code must be present when different from the Acceptor Postal Code and country uses postal codes. / business_rule	REQ-SRC-ATL105-PDF-001:2796	BR-616-2 / 616	NOT_DECLARED
SC-8589	Transaction unresolved	Business Rule — BR-616-3: Merchant Payment Gateway ID applies only to MasterCard and Maestro as Merchant Payment Gateway. / business_rule	REQ-SRC-ATL105-PDF-001:2797	BR-616-3 / 616	NOT_DECLARED
SC-8590	Transaction unresolved	Business Rule — BR-616-4: If a payment gateway is involved, merchant must send the Merchant Payment Gateway ID to the acquirer. / business_rule	REQ-SRC-ATL105-PDF-001:2798	BR-616-4 / 616	NOT_DECLARED
SC-8591	Transaction unresolved	Business Rule — BR-616-5: If no Merchant Payment Gateway ID is found in the request, First Data defaults to "00000999997" when sending to the netw / business_rule	REQ-SRC-ATL105-PDF-001:2799	BR-616-5 / 616	NOT_DECLARED
SC-8592	Transaction unresolved	Business Rule — BR-616-6: If an external payment gateway is involved, the corresponding merchant gateway ID has to be sent. / business_rule	REQ-SRC-ATL105-PDF-001:2800	BR-616-6 / 616	NOT_DECLARED
SC-8593	Transaction unresolved	Business Rule — BR-617-1: Enabler Verification Value field should no longer be populated here; use Sub Table 64 instead. / business_rule	REQ-SRC-ATL105-PDF-001:2801	BR-617-1 / 617	NOT_DECLARED
SC-8594	Transaction unresolved	Business Rule — BR-617-2: Digital Commerce Table Data has minimum length 006 and maximum length 200. / business_rule	REQ-SRC-ATL105-PDF-001:2802	BR-617-2 / 617	NOT_DECLARED
SC-8595	Transaction unresolved	Business Rule — BR-617-3: Sub-Table ID 01 Digital Commerce Domain Identifier applies only to MasterCard and Maestro card types. / business_rule	REQ-SRC-ATL105-PDF-001:2803	BR-617-3 / 617	NOT_DECLARED
SC-8596	Transaction unresolved	Business Rule — BR-618-1: If this field is sent in Auth, it should also be sent in its completion. / business_rule	REQ-SRC-ATL105-PDF-001:2804	BR-618-1 / 618	NOT_DECLARED
SC-8597	Transaction unresolved	Business Rule — BR-618-2: Value "2" (Acquirer) is expected when sub-table ID 02 contains value 4, 5, or 6. / business_rule	REQ-SRC-ATL105-PDF-001:2805	BR-618-2 / 618	NOT_DECLARED
SC-8598	Transaction unresolved	Business Rule — BR-618-3: Value "0" (Multi-Domain) is expected when sub-table ID 02 contains value 0 (Multi-Program). / business_rule	REQ-SRC-ATL105-PDF-001:2806	BR-618-3 / 618	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8599	Transaction unresolved	Business Rule — BR-618-4: This field is applicable to the MasterCard and Maestro card types only. / business_rule	REQ-SRC-ATL105-PDF-001:2807	BR-618-4 / 618	NOT_DECLARED
SC-8600	Transaction unresolved	Business Rule — BR-618-5: Field is expected for NextGen POI, Multi-Program, In-Store biometric, Pay by Link, or X QR transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2808	BR-618-5 / 618	NOT_DECLARED
SC-8601	Transaction unresolved	Business Rule — BR-619-1: This field must be present for the NextGen POI transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2809	BR-619-1 / 619	NOT_DECLARED
SC-8602	Transaction unresolved	Business Rule — BR-619-2: Digital Commerce Check-in Details field must be present for NextGen POI transactions; applicable to MasterCard and Maest / business_rule	REQ-SRC-ATL105-PDF-001:2810	BR-619-2 / 619	NOT_DECLARED
SC-8603	Transaction unresolved	Business Rule — BR-619-3: If this field is sent in Auth, it must also be sent in its completion. / business_rule	REQ-SRC-ATL105-PDF-001:2811	BR-619-3 / 619	NOT_DECLARED
SC-8604	Transaction unresolved	Business Rule — BR-619-4: Anticipated Amount field is applicable to Visa only. / business_rule	REQ-SRC-ATL105-PDF-001:2812	BR-619-4 / 619	NOT_DECLARED
SC-8605	Transaction unresolved	Business Rule — BR-619-5: Anticipated Amount is a 12-character amount, right justified with leading zeros, implied decimal per currency code. / business_rule	REQ-SRC-ATL105-PDF-001:2813	BR-619-5 / 619	NOT_DECLARED
SC-8606	Transaction unresolved	Business Rule — BR-620-1: In debit authorization requests, terminal should send anticipated completion amount; BUYPASS uses it to choose an author / business_rule	REQ-SRC-ATL105-PDF-001:2814	BR-620-1 / 620	NOT_DECLARED
SC-8607	Transaction unresolved	Business Rule — BR-620-2: EV-Additional Transaction Fee 1 data field has variable length up to 12 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2815	BR-620-2 / 620	NOT_DECLARED
SC-8608	Transaction unresolved	Business Rule — BR-620-3: EV-Additional Transaction Fee 2 data field has variable length up to 12 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2816	BR-620-3 / 620	NOT_DECLARED
SC-8609	Transaction unresolved	Business Rule — BR-620-4: Enabler Verification Value Table Length field has fixed value '005'. / business_rule	REQ-SRC-ATL105-PDF-001:2817	BR-620-4 / 620	NOT_DECLARED
SC-8610	Transaction unresolved	Business Rule — BR-621-1: Visa Enabler Verification Value field is applicable to Visa and Interlink only. / business_rule	REQ-SRC-ATL105-PDF-001:2818	BR-621-1 / 621	NOT_DECLARED
SC-8611	Response deferred	Business Rule — BR-621-2: Transaction Link Identifier value is provided by MasterCard in original response (Segment 112, table ID 038) and must be / business_rule	REQ-SRC-ATL105-PDF-001:2819	BR-621-2 / 621	NOT_DECLARED
SC-8612	Transaction unresolved	Business Rule — BR-621-3: For Moneris, Transaction Link Identifier field maps to Moneris field Real Time Unique ID 9e. / business_rule	REQ-SRC-ATL105-PDF-001:2820	BR-621-3 / 621	NOT_DECLARED
SC-8613	Transaction unresolved	Business Rule — BR-621-4: Future Transaction Amount is used by MasterCard to prevent future declines for insufficient amount and other errors. / business_rule	REQ-SRC-ATL105-PDF-001:2821	BR-621-4 / 621	NOT_DECLARED
SC-8614	Transaction unresolved	Business Rule — BR-621-5: Transaction Link Identifier special characters are allowed. / business_rule	REQ-SRC-ATL105-PDF-001:2822	BR-621-5 / 621	NOT_DECLARED
SC-8615	Transaction unresolved	Business Rule — BR-622-1: Merchants set up for Visa Merchant Discount Program should send discount related data to be passed to Visa. / business_rule	REQ-SRC-ATL105-PDF-001:2823	BR-622-1 / 622	NOT_DECLARED
SC-8616	Transaction unresolved	Business Rule — BR-622-2: Table ID fixed value is 075 for Discount Program Data. / business_rule	REQ-SRC-ATL105-PDF-001:2824	BR-622-2 / 622	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8617	Transaction unresolved	Business Rule — BR-622-3: Table Length is variable, 53 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2825	BR-622-3 / 622	NOT_DECLARED
SC-8618	Transaction unresolved	Business Rule — BR-622-4: Tag 01 Discount Method value must be 1, 2, or 3. / business_rule	REQ-SRC-ATL105-PDF-001:2826	BR-622-4 / 622	NOT_DECLARED
SC-8619	Transaction unresolved	Business Rule — BR-622-5: Tag 02 Discount Agent value must be M (Merchant) or V (Visa). / business_rule	REQ-SRC-ATL105-PDF-001:2827	BR-622-5 / 622	NOT_DECLARED
SC-8620	Transaction unresolved	Business Rule — BR-622-6: Tag 03 Discount Plan ID is a 4-length value identifying discount plan applied to a transaction. / business_rule	REQ-SRC-ATL105-PDF-001:2828	BR-622-6 / 622	NOT_DECLARED
SC-8621	Transaction unresolved	Business Rule — BR-622-7: Tag 04 Discount Client ID is a 15-length value identifying fleet clients. / business_rule	REQ-SRC-ATL105-PDF-001:2829	BR-622-7 / 622	NOT_DECLARED
SC-8622	Transaction unresolved	Business Rule — BR-622-8: Tag 05 Net Fuel Price is 12-length value with four decimal places implied. / business_rule	REQ-SRC-ATL105-PDF-001:2830	BR-622-8 / 622	NOT_DECLARED
SC-8623	Transaction unresolved	Business Rule — BR-623-1: Number of Line Items has a numeric value range of 0-5. / business_rule	REQ-SRC-ATL105-PDF-001:2831	BR-623-1 / 623	NOT_DECLARED
SC-8624	Transaction unresolved	Business Rule — BR-623-2: Table ID 076 contains line-item level data if merchant participates in the Visa Merchant Discount Program. / business_rule	REQ-SRC-ATL105-PDF-001:2832	BR-623-2 / 623	NOT_DECLARED
SC-8626	Transaction unresolved	Business Rule — BR-624-1: Table 078 serves as primary table for Visa fleet line-item details for Fuel/Electric Vehicle transactions, excluding pre / business_rule	REQ-SRC-ATL105-PDF-001:2834	BR-624-1 / 624	NOT_DECLARED
SC-8627	Transaction unresolved	Business Rule — BR-624-2: Table 078 is also used for Non Fuel products for MasterCard Enhanced Fleet Transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2835	BR-624-2 / 624	NOT_DECLARED
SC-8630	Transaction unresolved	Business Rule — BR-624-5: Table 078 length is variable up to a maximum of 999 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2838	BR-624-5 / 624	NOT_DECLARED
SC-8631	Transaction unresolved	Business Rule — BR-625-1: Sub-Table ID value 01 indicates Service Type sub-table with fixed length 04. / business_rule	REQ-SRC-ATL105-PDF-001:2839	BR-625-1 / 625	NOT_DECLARED
SC-8632	Transaction unresolved	Business Rule — BR-625-2: Product Category/Description tag (Sub-Table ID 02) is optional for fuel transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2840	BR-625-2 / 625	NOT_DECLARED
SC-8633	Transaction unresolved	Business Rule — BR-625-3: Sub-Table ID 02 Sub-Table Length fixed value is 35. / business_rule	REQ-SRC-ATL105-PDF-001:2841	BR-625-3 / 625	NOT_DECLARED
SC-8635	Transaction unresolved	Business Rule — BR-626-2: Taxable Indicator valid codes are 0 = False and 1 = True. / business_rule	REQ-SRC-ATL105-PDF-001:2843	BR-626-2 / 626	NOT_DECLARED
SC-8636	Transaction unresolved	Business Rule — BR-626-3: Local Tax Included Indicator valid value is 1 = True. / business_rule	REQ-SRC-ATL105-PDF-001:2844	BR-626-3 / 626	NOT_DECLARED
SC-8639	Transaction unresolved	Business Rule — BR-627-2: Other Tax Included Indicator valid codes: 1 = True. / business_rule	REQ-SRC-ATL105-PDF-001:2847	BR-627-2 / 627	NOT_DECLARED
SC-8642	Transaction unresolved	Business Rule — BR-628-2: Extended Unit of Measure functionality is not expected enabled in First Data production before June 2026. / business_rule	REQ-SRC-ATL105-PDF-001:2850	BR-628-2 / 628	NOT_DECLARED
SC-8643	Transaction unresolved	Business Rule — BR-628-3: Visa Commercial Card Data Table Data has maximum length of 999 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2851	BR-628-3 / 628	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8646	Transaction unresolved	Business Rule — BR-629-3: Other Tax Rate assumes two decimal places implied for percentage. / business_rule	REQ-SRC-ATL105-PDF-001:2854	BR-629-3 / 629	NOT_DECLARED
SC-8648	Transaction unresolved	Business Rule — BR-630-1: Gateway Provider Indicator field is mandatory for transactions submitted by a gateway service provider acting on behalf / business_rule	REQ-SRC-ATL105-PDF-001:2856	BR-630-1 / 630	NOT_DECLARED
SC-8649	Transaction unresolved	Business Rule — BR-630-2: Table 080 has fixed length 11 and fixed value 080 for Table ID. / business_rule	REQ-SRC-ATL105-PDF-001:2857	BR-630-2 / 630	NOT_DECLARED
SC-8650	Transaction unresolved	Business Rule — BR-630-3: Table 081 has fixed value 11 for Table Length and fixed value 081 for Table ID. / business_rule	REQ-SRC-ATL105-PDF-001:2858	BR-630-3 / 630	NOT_DECLARED
SC-8651	Transaction unresolved	Business Rule — BR-630-4: Remaining bytes after the described fields are reserved for future use. / business_rule	REQ-SRC-ATL105-PDF-001:2859	BR-630-4 / 630	NOT_DECLARED
SC-8661	Transaction unresolved	Business Rule — BR-632-1: If a Contactless MSR is attached with no chip capability, all transactions use Terminal PIN Entry Capability Mode code 8 / business_rule	REQ-SRC-ATL105-PDF-001:2869	BR-632-1 / 632	NOT_DECLARED
SC-8662	Transaction unresolved	Business Rule — BR-632-2: For EMV Contact and Contactless, valid PIN Entry Capability Mode code is 1, not 8. / business_rule	REQ-SRC-ATL105-PDF-001:2870	BR-632-2 / 632	NOT_DECLARED
SC-8663	Transaction unresolved	Business Rule — BR-632-3: Code 8 is reserved only for Contactless MSR. / business_rule	REQ-SRC-ATL105-PDF-001:2871	BR-632-3 / 632	NOT_DECLARED
SC-8664	Transaction unresolved	Business Rule — BR-632-4: If no Contactless MSR attached and PIN debit feature enabled, transactions use code 1. / business_rule	REQ-SRC-ATL105-PDF-001:2872	BR-632-4 / 632	NOT_DECLARED
SC-8665	Transaction unresolved	Business Rule — BR-632-5: If no Contactless MSR attached and PIN debit feature disabled, transactions use code 2. / business_rule	REQ-SRC-ATL105-PDF-001:2873	BR-632-5 / 632	NOT_DECLARED
SC-8666	Transaction unresolved	Business Rule — BR-632-6: PIN entry capability mode code 3 applies only to MasterCard Mobile POS transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2874	BR-632-6 / 632	NOT_DECLARED
SC-8667	Transaction unresolved	Business Rule — BR-632-7: mPOS Devices Phone/Tablet + Dongle with PIN Pad should have PIN Entry Capability Mode code 1. / business_rule	REQ-SRC-ATL105-PDF-001:2875	BR-632-7 / 632	NOT_DECLARED
SC-8668	Transaction unresolved	Business Rule — BR-632-8: mPOS Devices Phone/Tablet + Dongle without PIN Pad should have PIN Entry Capability Mode code 3. / business_rule	REQ-SRC-ATL105-PDF-001:2876	BR-632-8 / 632	NOT_DECLARED
SC-8669	Response deferred	Business Rule — BR-633-1: Additional Information data layouts are used with Element No. 116 and Element No. 118 for specific codes. / business_rule	REQ-SRC-ATL105-PDF-001:2877	BR-633-1 / 633	NOT_DECLARED
SC-8670	Response deferred	Business Rule — BR-633-2: Code 001 indicates balance information for gift, EBT, phone, or credit/debit cards. / business_rule	REQ-SRC-ATL105-PDF-001:2878	BR-633-2 / 633	NOT_DECLARED
SC-8671	Response deferred	Business Rule — BR-633-3: Code 003 indicates AVS or NVS or both information. / business_rule	REQ-SRC-ATL105-PDF-001:2879	BR-633-3 / 633	NOT_DECLARED
SC-8672	Response deferred	Business Rule — BR-633-4: Code 004 indicates card verification value information (CVV, CVV2, CVC2, CID, DTVV). / business_rule	REQ-SRC-ATL105-PDF-001:2880	BR-633-4 / 633	NOT_DECLARED
SC-8680	Transaction unresolved	Business Rule — BR-635-1: Balance Information Maximum Length is 6, identifying gift/EBT/phone/credit/debit card balance in Financial Transaction r / business_rule	REQ-SRC-ATL105-PDF-001:2888	BR-635-1 / 635	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8681	Transaction unresolved	Business Rule — BR-635-2: Balance Information Table ID is fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:2889	BR-635-2 / 635	NOT_DECLARED
SC-8682	Transaction unresolved	Business Rule — BR-635-3: Reserved Indicator Information Table ID is fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:2890	BR-635-3 / 635	NOT_DECLARED
SC-8683	Transaction unresolved	Business Rule — BR-636-1: Maximum Length field is variable up to 10 digits, maximum length 10. / business_rule	REQ-SRC-ATL105-PDF-001:2891	BR-636-1 / 636	NOT_DECLARED
SC-8684	Transaction unresolved	Business Rule — BR-636-2: AVS value format is AVScr where c is + or - indicating positive or negative response from card issuer. / business_rule	REQ-SRC-ATL105-PDF-001:2892	BR-636-2 / 636	NOT_DECLARED
SC-8685	Transaction unresolved	Business Rule — BR-636-3: NVS value format is NVScr where c is + or - indicating positive or negative response from card issuer. / business_rule	REQ-SRC-ATL105-PDF-001:2893	BR-636-3 / 636	NOT_DECLARED
SC-8686	Transaction unresolved	Business Rule — BR-636-4: BOTH value contains both AVS and NVS responses concatenated together. / business_rule	REQ-SRC-ATL105-PDF-001:2894	BR-636-4 / 636	NOT_DECLARED
SC-8687	Transaction unresolved	Business Rule — BR-636-5: Table ID is fixed value 003. / business_rule	REQ-SRC-ATL105-PDF-001:2895	BR-636-5 / 636	NOT_DECLARED
SC-8688	Response deferred	Business Rule — BR-641-1: Table ID for CVV Information is a fixed value: 004. / business_rule	REQ-SRC-ATL105-PDF-001:2896	BR-641-1 / 641	NOT_DECLARED
SC-8689	Response deferred	Business Rule — BR-641-2: CVV Response Code has maximum length of 1 character. / business_rule	REQ-SRC-ATL105-PDF-001:2897	BR-641-2 / 641	NOT_DECLARED
SC-8690	Response deferred	Business Rule — BR-641-3: American Express CVV response Y means Card Identifier (CID) match. / business_rule	REQ-SRC-ATL105-PDF-001:2898	BR-641-3 / 641	NOT_DECLARED
SC-8691	Response deferred	Business Rule — BR-641-4: American Express CVV response N means CID nonmatch; U means CID not checked. / business_rule	REQ-SRC-ATL105-PDF-001:2899	BR-641-4 / 641	NOT_DECLARED
SC-8692	Response deferred	Business Rule — BR-641-5: Discover Network CVV response M means CID match, N means nonmatch, P means not processed. / business_rule	REQ-SRC-ATL105-PDF-001:2900	BR-641-5 / 641	NOT_DECLARED
SC-8693	Response deferred	Business Rule — BR-641-6: Discover Network CVV response S means CID should be on card but merchant indicated not present. / business_rule	REQ-SRC-ATL105-PDF-001:2901	BR-641-6 / 641	NOT_DECLARED
SC-8694	Response deferred	Business Rule — BR-641-7: Discover Network CVV response U means issuer is not certified. / business_rule	REQ-SRC-ATL105-PDF-001:2902	BR-641-7 / 641	NOT_DECLARED
SC-8695	Response deferred	Business Rule — BR-641-8: MasterCard CVV response M means valid/matched CVC2, N means invalid, P means not processed, U means issuer unregistered. / business_rule	REQ-SRC-ATL105-PDF-001:2903	BR-641-8 / 641	NOT_DECLARED
SC-8696	Response deferred	Business Rule — BR-641-9: Visa CVV response M means CVV2 and dCVV2 Match, confirming value matched. / business_rule	REQ-SRC-ATL105-PDF-001:2904	BR-641-9 / 641	NOT_DECLARED
SC-8697	Response deferred	Business Rule — BR-641-10: Visa CVV response N means CVV2 and dCVV2 No Match, indicating verification failed. / business_rule	REQ-SRC-ATL105-PDF-001:2905	BR-641-10 / 641	NOT_DECLARED
SC-8698	Transaction unresolved	Business Rule — BR-642-1: CVV2/dCVV2 result 'P' means not performed due to system settings, decline, or stand-in processing. / business_rule	REQ-SRC-ATL105-PDF-001:2906	BR-642-1 / 642	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8699	Transaction unresolved	Business Rule — BR-642-2: CVV2/dCVV2 result 'S' indicates system error retry due to missing required info in request. / business_rule	REQ-SRC-ATL105-PDF-001:2907	BR-642-2 / 642	NOT_DECLARED
SC-8700	Transaction unresolved	Business Rule — BR-642-3: CVV2/dCVV2 result 'U' indicates issuer not participating or missing encryption keys. / business_rule	REQ-SRC-ATL105-PDF-001:2908	BR-642-3 / 642	NOT_DECLARED
SC-8701	Transaction unresolved	Business Rule — BR-642-4: Same CVV2 result codes apply to validation result for Web browser based Auto fill transactions with DTVV. / business_rule	REQ-SRC-ATL105-PDF-001:2909	BR-642-4 / 642	NOT_DECLARED
SC-8707	Transaction unresolved	Business Rule — BR-643-6: CVV2/CVC2/CID verification result codes include P, M, N, S, U with distinct meanings. / business_rule	REQ-SRC-ATL105-PDF-001:2915	BR-643-6 / 643	NOT_DECLARED
SC-8708	Transaction unresolved	Business Rule — BR-643-7: NYCE CVV2/CVC2/CID codes include P, M, N, S, U with separate meanings from standard codes. / business_rule	REQ-SRC-ATL105-PDF-001:2916	BR-643-7 / 643	NOT_DECLARED
SC-8709	Response deferred	Business Rule — BR-644-1: Additional Information Data maximum length is 106. / business_rule	REQ-SRC-ATL105-PDF-001:2917	BR-644-1 / 644	NOT_DECLARED
SC-8712	Transaction unresolved	Business Rule — BR-645-3: Loyalty Processing Status code 010 indicates Failed loyalty processing. / business_rule	REQ-SRC-ATL105-PDF-001:2920	BR-645-3 / 645	NOT_DECLARED
SC-8713	Transaction unresolved	Business Rule — BR-645-4: Loyalty Processing Status code 900 indicates System failure. / business_rule	REQ-SRC-ATL105-PDF-001:2921	BR-645-4 / 645	NOT_DECLARED
SC-8714	Transaction unresolved	Business Rule — BR-645-5: Loyalty Processing Status code 320 indicates transaction found but data does not match. / business_rule	REQ-SRC-ATL105-PDF-001:2922	BR-645-5 / 645	NOT_DECLARED
SC-8715	Transaction unresolved	Business Rule — BR-646-1: Visa Product Result Information Table ID is fixed value 009. / business_rule	REQ-SRC-ATL105-PDF-001:2923	BR-646-1 / 646	NOT_DECLARED
SC-8716	Transaction unresolved	Business Rule — BR-646-2: Visa Product Result Information Maximum Length is 2. / business_rule	REQ-SRC-ATL105-PDF-001:2924	BR-646-2 / 646	NOT_DECLARED
SC-8717	Transaction unresolved	Business Rule — BR-646-3: Loyalty Information Table ID is fixed value 010. / business_rule	REQ-SRC-ATL105-PDF-001:2925	BR-646-3 / 646	NOT_DECLARED
SC-8718	Transaction unresolved	Business Rule — BR-646-4: Loyalty Information Maximum Length is 60. / business_rule	REQ-SRC-ATL105-PDF-001:2926	BR-646-4 / 646	NOT_DECLARED
SC-8719	Transaction unresolved	Business Rule — BR-646-5: Loyalty Processing Status Code 000 indicates Success. / business_rule	REQ-SRC-ATL105-PDF-001:2927	BR-646-5 / 646	NOT_DECLARED
SC-8720	Transaction unresolved	Business Rule — BR-646-6: Loyalty Processing Status Code 010 indicates Failed. / business_rule	REQ-SRC-ATL105-PDF-001:2928	BR-646-6 / 646	NOT_DECLARED
SC-8721	Transaction unresolved	Business Rule — BR-646-7: Loyalty Processing Status Code 100 indicates Account not found. / business_rule	REQ-SRC-ATL105-PDF-001:2929	BR-646-7 / 646	NOT_DECLARED
SC-8722	Transaction unresolved	Business Rule — BR-646-8: Loyalty Processing Status Code 110 indicates Account add failed. / business_rule	REQ-SRC-ATL105-PDF-001:2930	BR-646-8 / 646	NOT_DECLARED
SC-8723	Transaction unresolved	Business Rule — BR-646-9: Loyalty Processing Status Code 120 indicates Duplicate card. / business_rule	REQ-SRC-ATL105-PDF-001:2931	BR-646-9 / 646	NOT_DECLARED
SC-8724	Transaction unresolved	Business Rule — BR-646-10: Loyalty Processing Status Code 130 indicates Account already exists. / business_rule	REQ-SRC-ATL105-PDF-001:2932	BR-646-10 / 646	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8725	Transaction unresolved	Business Rule — BR-646-11: Loyalty Processing Status Code 140 indicates Loyalty card is expired. / business_rule	REQ-SRC-ATL105-PDF-001:2933	BR-646-11 / 646	NOT_DECLARED
SC-8726	Transaction unresolved	Business Rule — BR-646-12: Loyalty Processing Status Code 150 indicates Invalid loyalty request. / business_rule	REQ-SRC-ATL105-PDF-001:2934	BR-646-12 / 646	NOT_DECLARED
SC-8727	Transaction unresolved	Business Rule — BR-646-13: Loyalty Processing Status Code 160 indicates Invalid merchant. / business_rule	REQ-SRC-ATL105-PDF-001:2935	BR-646-13 / 646	NOT_DECLARED
SC-8728	Transaction unresolved	Business Rule — BR-646-14: Loyalty Processing Status Code 200 indicates Loyalty processing failed. / business_rule	REQ-SRC-ATL105-PDF-001:2936	BR-646-14 / 646	NOT_DECLARED
SC-8729	Transaction unresolved	Business Rule — BR-646-15: Loyalty Processing Status Code 210 indicates Insufficient points in account. / business_rule	REQ-SRC-ATL105-PDF-001:2937	BR-646-15 / 646	NOT_DECLARED
SC-8730	Transaction unresolved	Business Rule — BR-646-16: Loyalty Processing Status Code 300 indicates Transaction not found. / business_rule	REQ-SRC-ATL105-PDF-001:2938	BR-646-16 / 646	NOT_DECLARED
SC-8731	Transaction unresolved	Business Rule — BR-646-17: Loyalty Processing Status Code 310 indicates Transaction already reversed. / business_rule	REQ-SRC-ATL105-PDF-001:2939	BR-646-17 / 646	NOT_DECLARED
SC-8732	Transaction unresolved	Business Rule — BR-646-18: Loyalty Processing Status Code 320 indicates Transaction found, but data does not match. / business_rule	REQ-SRC-ATL105-PDF-001:2940	BR-646-18 / 646	NOT_DECLARED
SC-8733	Transaction unresolved	Business Rule — BR-646-19: Loyalty Processing Status Code 330 indicates Reversal failed. / business_rule	REQ-SRC-ATL105-PDF-001:2941	BR-646-19 / 646	NOT_DECLARED
SC-8734	Transaction unresolved	Business Rule — BR-646-20: Loyalty Processing Status Code 340 indicates Credit service failed. / business_rule	REQ-SRC-ATL105-PDF-001:2942	BR-646-20 / 646	NOT_DECLARED
SC-8735	Transaction unresolved	Business Rule — BR-646-21: Loyalty Processing Status Code 900 indicates System failure. / business_rule	REQ-SRC-ATL105-PDF-001:2943	BR-646-21 / 646	NOT_DECLARED
SC-8736	Response deferred	Business Rule — BR-647-1: User Data Table ID has fixed value 011; data is not forwarded to the issuer. / business_rule	REQ-SRC-ATL105-PDF-001:2944	BR-647-1 / 647	NOT_DECLARED
SC-8737	Response deferred	Business Rule — BR-647-2: Discover Network Retrieval Reference Number Table ID has fixed value 012. / business_rule	REQ-SRC-ATL105-PDF-001:2945	BR-647-2 / 647	NOT_DECLARED
SC-8742	Response deferred	Business Rule — BR-649-3: Value 020 in Card Accepted As indicates transaction processed as credit card or Signature Debit routed to Credit Authori / business_rule	REQ-SRC-ATL105-PDF-001:2950	BR-649-3 / 649	NOT_DECLARED
SC-8743	Response deferred	Business Rule — BR-649-4: Value 011 in Card Accepted As indicates transaction processed as debit card or Signature Debit routed to Debit Authorize / business_rule	REQ-SRC-ATL105-PDF-001:2951	BR-649-4 / 649	NOT_DECLARED
SC-8744	Response deferred	Business Rule — BR-649-5: BUYPASS Card Type Code Table Length field is fixed length and not present. / business_rule	REQ-SRC-ATL105-PDF-001:2952	BR-649-5 / 649	NOT_DECLARED
SC-8745	Response deferred	Business Rule — BR-650-1: Response code 025 means transaction was processed via Signature Debit Dual message Authorizer. / business_rule	REQ-SRC-ATL105-PDF-001:2953	BR-650-1 / 650	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8746	Response deferred	Business Rule — BR-650-2: Field is Conditional in response to Card Not Present Pinless eComm/Mobile Commerce transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2954	BR-650-2 / 650	NOT_DECLARED
SC-8747	Response deferred	Business Rule — BR-650-3: When transaction presented as credit and processed as debit, response value will be 011, indicating Debit Authorizer app / business_rule	REQ-SRC-ATL105-PDF-001:2955	BR-650-3 / 650	NOT_DECLARED
SC-8748	Response deferred	Business Rule — BR-650-4: Merchant must send subsequent completions/reversals as Debit since original transaction processed as Debit. / business_rule	REQ-SRC-ATL105-PDF-001:2956	BR-650-4 / 650	NOT_DECLARED
SC-8749	Transaction unresolved	Business Rule — BR-650-5: Visa Spend Qualified Indicator Table ID has fixed value 019 and fixed length 001. / business_rule	REQ-SRC-ATL105-PDF-001:2957	BR-650-5 / 650	NOT_DECLARED
SC-8750	Transaction unresolved	Business Rule — BR-650-6: Host Prompts Table ID has fixed value 020; Table Length is variable up to 15 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:2958	BR-650-6 / 650	NOT_DECLARED
SC-8751	Transaction unresolved	Business Rule — BR-651-1: Host Prompts data can have max of 5 prompts, each prompt represented by 3 bytes. / business_rule	REQ-SRC-ATL105-PDF-001:2959	BR-651-1 / 651	NOT_DECLARED
SC-8752	Transaction unresolved	Business Rule — BR-652-1: Table Data lists products available at pump for re-pricing, max 8 products can be sent. / business_rule	REQ-SRC-ATL105-PDF-001:2960	BR-652-1 / 652	NOT_DECLARED
SC-8753	Transaction unresolved	Business Rule — BR-652-2: Table Length is variable, up to 133 alphanumeric characters. / business_rule	REQ-SRC-ATL105-PDF-001:2961	BR-652-2 / 652	NOT_DECLARED
SC-8754	Transaction unresolved	Business Rule — BR-652-3: Table ID must be fixed value 021 for Re-Price Data Response Information. / business_rule	REQ-SRC-ATL105-PDF-001:2962	BR-652-3 / 652	NOT_DECLARED
SC-8755	Transaction unresolved	Business Rule — BR-652-4: Additional Re-Price Type values may be added beyond those listed. / business_rule	REQ-SRC-ATL105-PDF-001:2963	BR-652-4 / 652	NOT_DECLARED
SC-8756	Transaction unresolved	Business Rule — BR-652-5: Product Code Set value 001 indicates NACS code set. / business_rule	REQ-SRC-ATL105-PDF-001:2964	BR-652-5 / 652	NOT_DECLARED
SC-8757	Response deferred	Business Rule — BR-653-1: CAVV Result field has a fixed length of 1 byte. / business_rule	REQ-SRC-ATL105-PDF-001:2965	BR-653-1 / 653	NOT_DECLARED
SC-8758	Response deferred	Business Rule — BR-653-2: Blank CAVV Result means CAVV not verified. / business_rule	REQ-SRC-ATL105-PDF-001:2966	BR-653-2 / 653	NOT_DECLARED
SC-8759	Response deferred	Business Rule — BR-653-3: CAVV Result 0 means CAVV not verified due to erroneous data or missing CAVV when expected. / business_rule	REQ-SRC-ATL105-PDF-001:2967	BR-653-3 / 653	NOT_DECLARED
SC-8760	Response deferred	Business Rule — BR-653-4: Discover supports CAVV Result values 0, 1, and 2 only. / business_rule	REQ-SRC-ATL105-PDF-001:2968	BR-653-4 / 653	NOT_DECLARED
SC-8761	Response deferred	Business Rule — BR-653-5: Visa supports all listed CAVV Result values. / business_rule	REQ-SRC-ATL105-PDF-001:2969	BR-653-5 / 653	NOT_DECLARED
SC-8762	Response deferred	Business Rule — BR-653-6: CAVV Result Table ID is fixed value 022. / business_rule	REQ-SRC-ATL105-PDF-001:2970	BR-653-6 / 653	NOT_DECLARED
SC-8763	Response deferred	Business Rule — BR-653-7: MCX Reference Number Table ID is fixed value 023. / business_rule	REQ-SRC-ATL105-PDF-001:2971	BR-653-7 / 653	NOT_DECLARED
SC-8764	Response deferred	Business Rule — BR-654-1: Additional Information Data Table ID 024 (Carwash Indicator) has fixed length 001. / business_rule	REQ-SRC-ATL105-PDF-001:2972	BR-654-1 / 654	NOT_DECLARED
SC-8765	Transaction unresolved	Business Rule — BR-654-2: Additional Information Data Table ID 025 (Language Indicator) has fixed length 001. / business_rule	REQ-SRC-ATL105-PDF-001:2973	BR-654-2 / 654	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8766	Response deferred	Business Rule — BR-654-3: Additional Information Data Table ID 026 (DST Response) has fixed length 016. / business_rule	REQ-SRC-ATL105-PDF-001:2974	BR-654-3 / 654	NOT_DECLARED
SC-8767	Response deferred	Business Rule — BR-654-4: Additional Information Data Table ID 027 (Universal Unique Identifier) has variable length up to 41 characters. / business_rule	REQ-SRC-ATL105-PDF-001:2975	BR-654-4 / 654	NOT_DECLARED
SC-8768	Response deferred	Business Rule — BR-654-5: Additional Information Data Table ID 012 has fixed length 012 and length an12 referencing MCX ISO DE37. / business_rule	REQ-SRC-ATL105-PDF-001:2976	BR-654-5 / 654	NOT_DECLARED
SC-8769	Transaction unresolved	Business Rule — BR-655-1: Universal Unique Identifier is returned in response only when merchant requested it via Use Unique Identifier = 'Y' in r / business_rule	REQ-SRC-ATL105-PDF-001:2977	BR-655-1 / 655	NOT_DECLARED
SC-8770	Transaction unresolved	Business Rule — BR-655-2: Transaction Identifier is sent in response only for requests with Credential on File Indicator as 'I' or 'C'. / business_rule	REQ-SRC-ATL105-PDF-001:2978	BR-655-2 / 655	NOT_DECLARED
SC-8771	Transaction unresolved	Business Rule — BR-655-3: Merchant should store Transaction Identifier data for Visa/Amex merchant-initiated Credential on File transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2979	BR-655-3 / 655	NOT_DECLARED
SC-8772	Transaction unresolved	Business Rule — BR-655-4: Merchants receive PAR data only if requested via POS Additional Data table ID '32' sub table ID '14' with value 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:2980	BR-655-4 / 655	NOT_DECLARED
SC-8773	Transaction unresolved	Business Rule — BR-656-1: Merchant Advice Code is currently supported only for MasterCard network. / business_rule	REQ-SRC-ATL105-PDF-001:2981	BR-656-1 / 656	NOT_DECLARED
SC-8774	Transaction unresolved	Business Rule — BR-656-2: Merchant should NOT retry if Merchant Advice Code is 03 (Do not try again). / business_rule	REQ-SRC-ATL105-PDF-001:2982	BR-656-2 / 656	NOT_DECLARED
SC-8775	Transaction unresolved	Business Rule — BR-656-3: Merchant should NOT retry if Merchant Advice Code is 21 (Payment Cancellation). / business_rule	REQ-SRC-ATL105-PDF-001:2983	BR-656-3 / 656	NOT_DECLARED
SC-8776	Transaction unresolved	Business Rule — BR-656-4: Merchant should NOT retry if Merchant Advice Code is 22 (Merchant does not qualify for product code). / business_rule	REQ-SRC-ATL105-PDF-001:2984	BR-656-4 / 656	NOT_DECLARED
SC-8777	Transaction unresolved	Business Rule — BR-656-5: Merchants will receive Merchant Advice Code only if they send [condition cut off on page]. / business_rule	REQ-SRC-ATL105-PDF-001:2985	BR-656-5 / 656	NOT_DECLARED
SC-8778	Transaction unresolved	Business Rule — BR-656-6: Table ID fixed value is 030 and Table Length fixed value is 002. / business_rule	REQ-SRC-ATL105-PDF-001:2986	BR-656-6 / 656	NOT_DECLARED
SC-8779	Response deferred	Business Rule — BR-657-1: Merchant receives DAF Indicator only if sent by authorizer network and merchant sent DAF Indicator acceptance flag in su / business_rule	REQ-SRC-ATL105-PDF-001:2987	BR-657-1 / 657	NOT_DECLARED
SC-8780	Transaction unresolved	Business Rule — BR-657-2: 'Merchant does not qualify for product code' returned on declines when merchant not registered for Purchase repayment pr / business_rule	REQ-SRC-ATL105-PDF-001:2988	BR-657-2 / 657	NOT_DECLARED
SC-8781	Transaction unresolved	Business Rule — BR-657-3: Merchant Advice Code acceptance indicator in supplementary Data table ID '049' sub table ID '07' with value 'Y' required / business_rule	REQ-SRC-ATL105-PDF-001:2989	BR-657-3 / 657	NOT_DECLARED
SC-8782	Transaction unresolved	Business Rule — BR-657-4: MasterCard may add new merchant advice codes at any time; merchant must accept new values. / business_rule	REQ-SRC-ATL105-PDF-001:2990	BR-657-4 / 657	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8783	Response deferred	Business Rule — BR-657-5: DAF Indicator Table ID fixed value is 031 and Table Length fixed value is 002. / business_rule	REQ-SRC-ATL105-PDF-001:2991	BR-657-5 / 657	NOT_DECLARED
SC-8784	Transaction unresolved	Business Rule — BR-658-1: Merchant receives Agreement ID only if sent in authorizer response and Merchant sent acceptance flag table 049 sub table / business_rule	REQ-SRC-ATL105-PDF-001:2992	BR-658-1 / 658	NOT_DECLARED
SC-8785	Transaction unresolved	Business Rule — BR-658-2: Agreement ID is currently supported only for VISA network. / business_rule	REQ-SRC-ATL105-PDF-001:2993	BR-658-2 / 658	NOT_DECLARED
SC-8786	Transaction unresolved	Business Rule — BR-658-3: Merchant receives Host-based Purchase Restrictions only if sent Purchase Restriction Method '2' or '3' in sub table ID 1 / business_rule	REQ-SRC-ATL105-PDF-001:2994	BR-658-3 / 658	NOT_DECLARED
SC-8787	Transaction unresolved	Business Rule — BR-658-4: Host-based Purchase Restrictions apply only to Visa Fleet EMV 2.0 and MasterCard Enhanced Fleet EMV transactions. / business_rule	REQ-SRC-ATL105-PDF-001:2995	BR-658-4 / 658	NOT_DECLARED
SC-8788	Transaction unresolved	Business Rule — BR-658-5: DAF Indicator is currently supported only for Visa network. / business_rule	REQ-SRC-ATL105-PDF-001:2996	BR-658-5 / 658	NOT_DECLARED
SC-8790	Response deferred	Business Rule — BR-659-2: First byte of Sub-Table Data refers to First Name match decision; second to Last Name; third to Middle Name. / business_rule	REQ-SRC-ATL105-PDF-001:2998	BR-659-2 / 659	NOT_DECLARED
SC-8791	Response deferred	Business Rule — BR-659-3: Valid values for Sub-Table Data bytes are M (Match), P (Partial Match), N (No Match), or SPACES (not applicable/not rece / business_rule	REQ-SRC-ATL105-PDF-001:2999	BR-659-3 / 659	NOT_DECLARED
SC-8792	Response deferred	Business Rule — BR-659-4: Table ID for Cardholder Additional Information Result Code has fixed value 035, length 3 bytes, max data length 50 bytes / business_rule	REQ-SRC-ATL105-PDF-001:3000	BR-659-4 / 659	NOT_DECLARED
SC-8793	Response deferred	Business Rule — BR-659-5: Sub-Table ID fixed value is 01 for Cardholder Account Name result codes with Sub-Table Length fixed value 03. / business_rule	REQ-SRC-ATL105-PDF-001:3001	BR-659-5 / 659	NOT_DECLARED
SC-8794	Transaction unresolved	Business Rule — BR-660-1: Cardholder Phone result code applicable only to Visa; valid values 1-Verified, 2-Failed, 3-Not performed. / business_rule	REQ-SRC-ATL105-PDF-001:3002	BR-660-1 / 660	NOT_DECLARED
SC-8795	Transaction unresolved	Business Rule — BR-660-2: Cardholder Email result code valid values are 1-Verified, 2-Failed, 3-Not performed. / business_rule	REQ-SRC-ATL105-PDF-001:3003	BR-660-2 / 660	NOT_DECLARED
SC-8796	Transaction unresolved	Business Rule — BR-660-3: Sub-Table Length is a fixed value of 01 for Sub Table IDs 02 and 03. / business_rule	REQ-SRC-ATL105-PDF-001:3004	BR-660-3 / 660	NOT_DECLARED
SC-8797	Transaction unresolved	Business Rule — BR-661-1: Merchant receives Account Type only if sent in Authorizer network's response and merchant sent Merchant Supplementary Da / business_rule	REQ-SRC-ATL105-PDF-001:3005	BR-661-1 / 661	NOT_DECLARED
SC-8798	Transaction unresolved	Business Rule — BR-661-2: Account Type applicable only to Visa card type. / business_rule	REQ-SRC-ATL105-PDF-001:3006	BR-661-2 / 661	NOT_DECLARED
SC-8799	Transaction unresolved	Business Rule — BR-661-3: Account Type Table ID fixed value is 036 with Table Length fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:3007	BR-661-3 / 661	NOT_DECLARED
SC-8800	Transaction unresolved	Business Rule — BR-661-4: Account Funding Source Table ID fixed value is 037 with Table Length fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:3008	BR-661-4 / 661	NOT_DECLARED
SC-8801	Transaction unresolved	Business Rule — BR-661-5: Account Type valid values are 00, 20, 30, 35, 36, 60 representing account types or not applicable. / business_rule	REQ-SRC-ATL105-PDF-001:3009	BR-661-5 / 661	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8802	Response deferred	Business Rule — BR-662-1: A merchant receives Account Funding Source only if sent in Authorizer network's response and if Visa Account Flag sub-ta / business_rule	REQ-SRC-ATL105-PDF-001:3010	BR-662-1 / 662	NOT_DECLARED
SC-8803	Response deferred	Business Rule — BR-662-2: Transaction Link Identifier only included if sub-table 22 of Merchant Supplementary Data contains value Y. / business_rule	REQ-SRC-ATL105-PDF-001:3011	BR-662-2 / 662	NOT_DECLARED
SC-8804	Response deferred	Business Rule — BR-662-3: Account Funding Source valid values are C (Credit), D (Debit), P (Prepaid). / business_rule	REQ-SRC-ATL105-PDF-001:3012	BR-662-3 / 662	NOT_DECLARED
SC-8805	Response deferred	Business Rule — BR-662-4: Transaction Link Action Indicator value 1 means the customer did not provide the TLID. / business_rule	REQ-SRC-ATL105-PDF-001:3013	BR-662-4 / 662	NOT_DECLARED
SC-8806	Response deferred	Business Rule — BR-662-5: Transaction Link Identifier for Moneris maps to Moneris field Real Time Unique ID 9e. / business_rule	REQ-SRC-ATL105-PDF-001:3014	BR-662-5 / 662	NOT_DECLARED
SC-8807	Response deferred	Business Rule — BR-662-6: Special characters are allowed in the Transaction Link Identifier field. / business_rule	REQ-SRC-ATL105-PDF-001:3015	BR-662-6 / 662	NOT_DECLARED
SC-8808	Response deferred	Business Rule — BR-663-1: Fraud Score (table ID 040) is included only if Future Transaction Amount was included in the transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:3016	BR-663-1 / 663	NOT_DECLARED
SC-8809	Response deferred	Business Rule — BR-663-2: Fraud Score Reason Code (table ID 041) is included only if Future Transaction Amount was included in the transaction req / business_rule	REQ-SRC-ATL105-PDF-001:3017	BR-663-2 / 663	NOT_DECLARED
SC-8811	Response deferred	Business Rule — BR-663-4: Code 2: TLID provided by customer is unmatched; Mastercard/Maestro responds with corresponding TLID in segment 112, tabl / business_rule	REQ-SRC-ATL105-PDF-001:3019	BR-663-4 / 663	NOT_DECLARED
SC-8812	Response deferred	Business Rule — BR-663-5: Code 3: Mastercard/Maestro unable to match lifecycle message to any original message; responds with TLID in segment 112, / business_rule	REQ-SRC-ATL105-PDF-001:3020	BR-663-5 / 663	NOT_DECLARED
SC-8813	Transaction unresolved	Business Rule — BR-664-1: Value 1 means transaction does not meet Visa Secure authentication data quality requirements. / business_rule	REQ-SRC-ATL105-PDF-001:3021	BR-664-1 / 664	NOT_DECLARED
SC-8814	Transaction unresolved	Business Rule — BR-664-2: Value 2 means transaction meets Visa Secure authentication data quality requirements. / business_rule	REQ-SRC-ATL105-PDF-001:3022	BR-664-2 / 664	NOT_DECLARED
SC-8815	Transaction unresolved	Business Rule — BR-664-3: Merchant receives Authentication Data Quality Indicator only if sent by Authorizer network and merchant sent Data Qualit / business_rule	REQ-SRC-ATL105-PDF-001:3023	BR-664-3 / 664	NOT_DECLARED
SC-8816	Transaction unresolved	Business Rule — BR-664-4: Authentication Data Quality Indicator is currently supported for the Visa network only. / business_rule	REQ-SRC-ATL105-PDF-001:3024	BR-664-4 / 664	NOT_DECLARED
SC-8817	Transaction unresolved	Business Rule — BR-664-5: Token Update First Use Indicator has fixed Table ID value 043 and fixed length 001. / business_rule	REQ-SRC-ATL105-PDF-001:3025	BR-664-5 / 664	NOT_DECLARED
SC-8818	Transaction unresolved	Business Rule — BR-664-6: Value Y indicates first use since PAN/expiration update; field absent otherwise. / business_rule	REQ-SRC-ATL105-PDF-001:3026	BR-664-6 / 664	NOT_DECLARED
SC-8819	Transaction unresolved	Business Rule — BR-664-7: Merchant receives Token Update First Use Indicator only if sent by Authorizer network and merchant sent Token Update Fir / business_rule	REQ-SRC-ATL105-PDF-001:3027	BR-664-7 / 664	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8820	Transaction unresolved	Business Rule — BR-665-1: BUYPASS echoes Merchant Tran ID in responses only if Merchant Supplementary Data subfield 25 = 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:3028	BR-665-1 / 665	NOT_DECLARED
SC-8821	Transaction unresolved	Business Rule — BR-665-2: For Moneris, Merchant Tran ID has a max length of 15 and maps to Moneris field Client Request ID 7b. / business_rule	REQ-SRC-ATL105-PDF-001:3029	BR-665-2 / 665	NOT_DECLARED
SC-8822	Transaction unresolved	Business Rule — BR-665-3: Applied Special Service is included only if subfield 27 of Merchant Supplementary Data is populated with 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:3030	BR-665-3 / 665	NOT_DECLARED
SC-8823	Transaction unresolved	Business Rule — BR-665-4: Voyager Restriction Code is included only if subfield 28 of Merchant Supplementary Data is populated with 'Y'. / business_rule	REQ-SRC-ATL105-PDF-001:3031	BR-665-4 / 665	NOT_DECLARED
SC-8824	Response deferred	Business Rule — BR-666-1: This field can be returned in a response message only when card type is Visa and merchant sends Visa Category Code Suppo / business_rule	REQ-SRC-ATL105-PDF-001:3032	BR-666-1 / 666	NOT_DECLARED
SC-8825	Response deferred	Business Rule — BR-666-2: Table Data values are 1 (Issuer never approves), 2 (Issuer cannot approve at this time), 3 (Data quality/revalidate paym / business_rule	REQ-SRC-ATL105-PDF-001:3033	BR-666-2 / 666	NOT_DECLARED
SC-8826	Response deferred	Business Rule — BR-666-3: Table ID fixed value is 047 with fixed length 001. / business_rule	REQ-SRC-ATL105-PDF-001:3034	BR-666-3 / 666	NOT_DECLARED
SC-8834	Transaction unresolved	Business Rule — BR-677-1: ACCOUNT TYPE valid value is 98 for HIP Account Type. / business_rule	REQ-SRC-ATL105-PDF-001:3042	BR-677-1 / 677	NOT_DECLARED
SC-8835	Transaction unresolved	Business Rule — BR-677-2: AMOUNT TYPE valid value is 40 for HIP Amount Type. / business_rule	REQ-SRC-ATL105-PDF-001:3043	BR-677-2 / 677	NOT_DECLARED
SC-8837	Transaction unresolved	Business Rule — BR-677-4: AMOUNT DESCRIPTOR must be 0, C, or D; 0 or C = credit amount, D = debit amount. / business_rule	REQ-SRC-ATL105-PDF-001:3045	BR-677-4 / 677	NOT_DECLARED
SC-8838	Transaction unresolved	Business Rule — BR-677-5: DETAIL field holds HIP purchase/return amount with two assumed decimal places, right-aligned, zero-padded. / business_rule	REQ-SRC-ATL105-PDF-001:3046	BR-677-5 / 677	NOT_DECLARED
SC-8839	Transaction unresolved	Business Rule — BR-678-1: Total Length subelement value '065' indicates 65 characters follow, format n3 right-aligned zero-filled. / business_rule	REQ-SRC-ATL105-PDF-001:3047	BR-678-1 / 678	NOT_DECLARED
SC-8840	Transaction unresolved	Business Rule — BR-678-2: TAG value '50' indicates a HIP purchase/return amount subelement follows. / business_rule	REQ-SRC-ATL105-PDF-001:3048	BR-678-2 / 678	NOT_DECLARED
SC-8841	Transaction unresolved	Business Rule — BR-678-3: LEN value '020' indicates that 20 characters of Detail data follow. / business_rule	REQ-SRC-ATL105-PDF-001:3049	BR-678-3 / 678	NOT_DECLARED
SC-8842	Transaction unresolved	Business Rule — BR-678-4: Account Type valid value is '98' for HIP Account Type. / business_rule	REQ-SRC-ATL105-PDF-001:3050	BR-678-4 / 678	NOT_DECLARED
SC-8847	Response deferred	Business Rule — BR-679-5: TAG value IT indicates HIP Internet purchase shipping address/zip code follows / business_rule	REQ-SRC-ATL105-PDF-001:3055	BR-679-5 / 679	NOT_DECLARED
SC-8848	Response deferred	Business Rule — BR-679-6: LEN value 37 indicates 37 characters of shipping address follow / business_rule	REQ-SRC-ATL105-PDF-001:3056	BR-679-6 / 679	NOT_DECLARED
SC-8852	Transaction unresolved	Business Rule — BR-680-3: PVKI is not currently used by the First Data Premium Gift Card system. / business_rule	REQ-SRC-ATL105-PDF-001:3060	BR-680-3 / 680	NOT_DECLARED
SC-8853	Transaction unresolved	Business Rule — BR-680-4: Start Sentinel character is not displayed as part of Track data and is cut from the packet. / business_rule	REQ-SRC-ATL105-PDF-001:3061	BR-680-4 / 680	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8854	Transaction unresolved	Business Rule — BR-680-5: End Sentinel character is not included in the packet transmitted to the host application. / business_rule	REQ-SRC-ATL105-PDF-001:3062	BR-680-5 / 680	NOT_DECLARED
SC-8859	Transaction unresolved	Business Rule — BR-681-5: Payment tokens must not have the same value as a cardholder PAN. / business_rule	REQ-SRC-ATL105-PDF-001:3067	BR-681-5 / 681	NOT_DECLARED
SC-8860	Transaction unresolved	Business Rule — BR-681-6: Payment tokens are generated within a BIN range designated and flagged as a token BIN range in BIN tables. / business_rule	REQ-SRC-ATL105-PDF-001:3068	BR-681-6 / 681	NOT_DECLARED
SC-8864	Transaction unresolved	Business Rule — BR-689-1: Position Nos. 4-7 value 0000 means Customer and card present. / business_rule	REQ-SRC-ATL105-PDF-001:3072	BR-689-1 / 689	NOT_DECLARED
SC-8865	Transaction unresolved	Business Rule — BR-689-2: Security Condition value 3 indicates electronic commerce transaction with digital signature. / business_rule	REQ-SRC-ATL105-PDF-001:3073	BR-689-2 / 689	NOT_DECLARED
SC-8866	Transaction unresolved	Business Rule — BR-689-3: Security Condition values 4-7 are reserved for national use. / business_rule	REQ-SRC-ATL105-PDF-001:3074	BR-689-3 / 689	NOT_DECLARED
SC-8867	Transaction unresolved	Business Rule — BR-689-4: Security Condition values 8-9 are reserved for private use. / business_rule	REQ-SRC-ATL105-PDF-001:3075	BR-689-4 / 689	NOT_DECLARED
SC-8868	Transaction unresolved	Business Rule — BR-691-1: Certification Authority Hash Algorithm Indicator only supports value 01 (SHA-1) at present. / business_rule	REQ-SRC-ATL105-PDF-001:3076	BR-691-1 / 691	NOT_DECLARED
SC-8869	Transaction unresolved	Business Rule — BR-691-2: Certification Authority Hash Public Key Algorithm Indicator only supports value 01 (RSA) at present. / business_rule	REQ-SRC-ATL105-PDF-001:3077	BR-691-2 / 691	NOT_DECLARED
SC-8870	Transaction unresolved	Business Rule — BR-691-3: All CA Public Key File records are ASCII, comma-separated, and terminated with CRLF (Hex 0D0A). / business_rule	REQ-SRC-ATL105-PDF-001:3078	BR-691-3 / 691	NOT_DECLARED
SC-8871	Transaction unresolved	Business Rule — BR-691-4: File Name field has fixed value CA_KEYS identifying the file type. / business_rule	REQ-SRC-ATL105-PDF-001:3079	BR-691-4 / 691	NOT_DECLARED
SC-8872	Transaction unresolved	Business Rule — BR-691-5: Key Records section repeats for each Public Key sent in the Key Load. / business_rule	REQ-SRC-ATL105-PDF-001:3080	BR-691-5 / 691	NOT_DECLARED
SC-8873	Transaction unresolved	Business Rule — BR-691-6: Expiry Date format is MMDDYYYY. / business_rule	REQ-SRC-ATL105-PDF-001:3081	BR-691-6 / 691	NOT_DECLARED
SC-8874	Transaction unresolved	Business Rule — BR-692-1: Exponent value must be 03 or 216+1. / business_rule	REQ-SRC-ATL105-PDF-001:3082	BR-692-1 / 692	NOT_DECLARED
SC-8875	Transaction unresolved	Business Rule — BR-692-2: Certification Authority Public Key Check Sum is calculated using SHA-1 over RID, Index, Modulus, and Exponent. / business_rule	REQ-SRC-ATL105-PDF-001:3083	BR-692-2 / 692	NOT_DECLARED
SC-8876	Transaction unresolved	Business Rule — BR-692-3: All fields in the Key Records section are comma-separated and the record is terminated with a CRLF. / business_rule	REQ-SRC-ATL105-PDF-001:3084	BR-692-3 / 692	NOT_DECLARED
SC-8877	Transaction unresolved	Business Rule — BR-692-4: Key Records section repeats for each Public Key sent in the Key Load. / business_rule	REQ-SRC-ATL105-PDF-001:3085	BR-692-4 / 692	NOT_DECLARED
SC-8878	Transaction unresolved	Business Rule — BR-694-1: EMVYES indicates device is able to receive EMV Table Data; sent only in an EMV Transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:3086	BR-694-1 / 694	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8879	Transaction unresolved	Business Rule — BR-694-2: EMVNOT indicates device is unable to receive EMV Table Data; sent only in an EMV Transaction request. / business_rule	REQ-SRC-ATL105-PDF-001:3087	BR-694-2 / 694	NOT_DECLARED
SC-8880	Transaction unresolved	Business Rule — BR-694-3: If this field is included in an authorization response, the device echoes it back on any subsequent advice or batch uplo / business_rule	REQ-SRC-ATL105-PDF-001:3088	BR-694-3 / 694	NOT_DECLARED
SC-8881	Transaction unresolved	Business Rule — BR-695-1: Maximum Length field identifies the CARC value returned by Visa in Bit No. 44.8 of the response. / business_rule	REQ-SRC-ATL105-PDF-001:3089	BR-695-1 / 695	NOT_DECLARED
SC-8882	Transaction unresolved	Business Rule — BR-697-1: SPDH Header Table ID is fixed value 001 with Table Length fixed value 048. / business_rule	REQ-SRC-ATL105-PDF-001:3090	BR-697-1 / 697	NOT_DECLARED
SC-8883	Transaction unresolved	Business Rule — BR-697-2: Moneris Terminal ID table entry has Table ID fixed value 002 and Table Length fixed value 008. / business_rule	REQ-SRC-ATL105-PDF-001:3091	BR-697-2 / 697	NOT_DECLARED
SC-8884	Transaction unresolved	Business Rule — BR-697-3: Moneris Merchant ID table entry has Table ID fixed value 003 and Table Length fixed value 013. / business_rule	REQ-SRC-ATL105-PDF-001:3092	BR-697-3 / 697	NOT_DECLARED
SC-8890	Transaction unresolved	Business Rule — BR-698-6: MAC is calculated via algorithm supplied by Moneris for this transaction. / business_rule	REQ-SRC-ATL105-PDF-001:3098	BR-698-6 / 698	NOT_DECLARED
SC-8891	Transaction unresolved	Business Rule — BR-699-1: Table ID for Terminal Capabilities and Contactless Processing table is fixed value 009. / business_rule	REQ-SRC-ATL105-PDF-001:3099	BR-699-1 / 699	NOT_DECLARED
SC-8892	Transaction unresolved	Business Rule — BR-699-2: Table Length for Terminal Capabilities and Contactless Processing table is fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:3100	BR-699-2 / 699	NOT_DECLARED
SC-8893	Transaction unresolved	Business Rule — BR-699-3: SPDH Header Table ID is fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:3101	BR-699-3 / 699	NOT_DECLARED
SC-8894	Transaction unresolved	Business Rule — BR-699-4: SPDH Header Table Length is fixed value 048. / business_rule	REQ-SRC-ATL105-PDF-001:3102	BR-699-4 / 699	NOT_DECLARED
SC-8895	Transaction unresolved	Business Rule — BR-699-5: Moneris Terminal ID Table ID is fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:3103	BR-699-5 / 699	NOT_DECLARED
SC-8896	Transaction unresolved	Business Rule — BR-699-6: Moneris Terminal ID Table Length is fixed value 008. / business_rule	REQ-SRC-ATL105-PDF-001:3104	BR-699-6 / 699	NOT_DECLARED
SC-8897	Transaction unresolved	Business Rule — BR-700-1: Character 1 of Encryption Key is 'Y' if MAC Encryption key is present. / business_rule	REQ-SRC-ATL105-PDF-001:3105	BR-700-1 / 700	NOT_DECLARED
SC-8898	Transaction unresolved	Business Rule — BR-700-2: Character 2 of Encryption Key is 'Y' if Data Encryption Key is present. / business_rule	REQ-SRC-ATL105-PDF-001:3106	BR-700-2 / 700	NOT_DECLARED
SC-8899	Transaction unresolved	Business Rule — BR-700-3: Character 3 of Encryption Key is 'Y' if PIN Encryption Key is present. / business_rule	REQ-SRC-ATL105-PDF-001:3107	BR-700-3 / 700	NOT_DECLARED
SC-8900	Transaction unresolved	Business Rule — BR-700-4: Characters 4 to end of Encryption Key data contain the relevant keys in indicator order. / business_rule	REQ-SRC-ATL105-PDF-001:3108	BR-700-4 / 700	NOT_DECLARED
SC-8901	Transaction unresolved	Business Rule — BR-700-5: Encryption Key Table Length is variable with a maximum of 51. / business_rule	REQ-SRC-ATL105-PDF-001:3109	BR-700-5 / 700	NOT_DECLARED
SC-8902	Transaction unresolved	Business Rule — BR-701-1: Site Language Table ID must be fixed value 001. / business_rule	REQ-SRC-ATL105-PDF-001:3110	BR-701-1 / 701	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8903	Transaction unresolved	Business Rule — BR-701-2: Site Language Table Length must be fixed value 003. / business_rule	REQ-SRC-ATL105-PDF-001:3111	BR-701-2 / 701	NOT_DECLARED
SC-8904	Transaction unresolved	Business Rule — BR-701-3: Postal Code Table ID must be fixed value 002. / business_rule	REQ-SRC-ATL105-PDF-001:3112	BR-701-3 / 701	NOT_DECLARED
SC-8905	Transaction unresolved	Business Rule — BR-701-4: Postal Code Table Length must be fixed value 013, a 13-character postal code. / business_rule	REQ-SRC-ATL105-PDF-001:3113	BR-701-4 / 701	NOT_DECLARED
SC-8906	Transaction unresolved	Business Rule — BR-702-1: Merchants must send Online Refund/Refund Authorization Indicator in Sub-table ID 11, Table ID 32 when participating in p / business_rule	REQ-SRC-ATL105-PDF-001:3114	BR-702-1 / 702	NOT_DECLARED
SC-8907	Transaction unresolved	Business Rule — BR-702-2: Merchants who do not want Merchandise Return approved online must not send this field. / business_rule	REQ-SRC-ATL105-PDF-001:3115	BR-702-2 / 702	NOT_DECLARED
SC-8908	Transaction unresolved	Business Rule — BR-702-3: Online Refund/Refund Authorization Indicator value should be 'Y' for Visa, MasterCard, Amex, and Discover. / business_rule	REQ-SRC-ATL105-PDF-001:3116	BR-702-3 / 702	NOT_DECLARED
SC-8909	Transaction unresolved	Business Rule — BR-702-4: If indicator included in Merchandise Return transaction, it should also be included in subsequent reversal/follow-up and / business_rule	REQ-SRC-ATL105-PDF-001:3117	BR-702-4 / 702	NOT_DECLARED
SC-8910	Transaction unresolved	Business Rule — BR-702-5: Starting October 2018, certain Visa merchants require real-time Authorization message prior to existing Settlement Syste / business_rule	REQ-SRC-ATL105-PDF-001:3118	BR-702-5 / 702	NOT_DECLARED
SC-8911	Transaction unresolved	Business Rule — BR-702-6: All other merchants are expected to perform Visa online authorization effective April 2020. / business_rule	REQ-SRC-ATL105-PDF-001:3119	BR-702-6 / 702	NOT_DECLARED
SC-8912	Transaction unresolved	Business Rule — BR-702-7: Online Refund/Refund Authorization expected to be declined only if Issuer unreachable or cardholder account invalid. / business_rule	REQ-SRC-ATL105-PDF-001:3120	BR-702-7 / 702	NOT_DECLARED
SC-8913	Transaction unresolved	Business Rule — BR-703-1: Issuer Authorization Response contains cryptographic value and ECI/Terminal Type values 25, 26, 27, 28, or 29 as applica / business_rule	REQ-SRC-ATL105-PDF-001:3121	BR-703-1 / 703	NOT_DECLARED
SC-8914	Transaction unresolved	Business Rule — BR-703-2: Card Brand determines which cryptographic value is returned: Visa=CAVV, MasterCard=AAV, Amex=AEVV. / business_rule	REQ-SRC-ATL105-PDF-001:3122	BR-703-2 / 703	NOT_DECLARED
SC-8915	Transaction unresolved	Business Rule — BR-704-1: For Verified-by-Visa only scenario, CAVV (Table ID 035, Appendix I) is used; TAVV not applicable. / business_rule	REQ-SRC-ATL105-PDF-001:3123	BR-704-1 / 704	NOT_DECLARED
SC-8924	Transaction unresolved	Business Rule — BR-705-4: MasterCard SecureCode requires merchants to install 3-D Secure v1.0.2 (or better) compliant Merchant Server Plug-In soft / business_rule	REQ-SRC-ATL105-PDF-001:3132	BR-705-4 / 705	NOT_DECLARED
SC-8929	Transaction unresolved	Business Rule — BR-706-4: Original POS Entry mode (e.g. 02, 90) will be sent as defined in Appendix J. / business_rule	REQ-SRC-ATL105-PDF-001:3137	BR-706-4 / 706	NOT_DECLARED
SC-8930	Transaction unresolved	Business Rule — BR-706-5: No recurring or installment indicators required for Unscheduled Merchant Initiated or Cardholder initiated Credential-on / business_rule	REQ-SRC-ATL105-PDF-001:3138	BR-706-5 / 706	NOT_DECLARED
SC-8931	Transaction unresolved	Business Rule — BR-706-6: Visa/Amex Transaction ID (DE 112, Table ID 28) and Discover Network Reference number (DE 112, Table ID 12) from response / business_rule	REQ-SRC-ATL105-PDF-001:3139	BR-706-6 / 706	NOT_DECLARED
SC-8932	Transaction unresolved	Business Rule — BR-706-7: Authorization amount should be stored for Discover transactions for later subsequent merchant-initiated transactions. / business_rule	REQ-SRC-ATL105-PDF-001:3140	BR-706-7 / 706	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-8934	Transaction unresolved	Business Rule — BR-706-9: Recurring MIT transaction must be identified as 'R' (Recurring). / business_rule	REQ-SRC-ATL105-PDF-001:3142	BR-706-9 / 706	NOT_DECLARED
SC-8937	Transaction unresolved	Business Rule — BR-706-12: For stand-in based MIT transactions, merchants should store original transaction identifier for subsequent transactions. / business_rule	REQ-SRC-ATL105-PDF-001:3145	BR-706-12 / 706	NOT_DECLARED
SC-8939	Transaction unresolved	Business Rule — BR-706-14: CVV2 Data must not be sent for recurring MIT transactions. / business_rule	REQ-SRC-ATL105-PDF-001:3147	BR-706-14 / 706	NOT_DECLARED
SC-8945	Transaction unresolved	Business Rule — BR-707-5: Installment MIT transaction must be identified as 'I' (Installment) / business_rule	REQ-SRC-ATL105-PDF-001:3153	BR-707-5 / 707	NOT_DECLARED
SC-8949	Transaction unresolved	Business Rule — BR-707-9: CVV2 Data must not be sent for merchant initiated COF/installment MIT transactions / business_rule	REQ-SRC-ATL105-PDF-001:3157	BR-707-9 / 707	NOT_DECLARED
SC-8956	Transaction unresolved	Business Rule — BR-708-1: Table ID 16 Delayed Card Sale Indicator must be 'D'. / business_rule	REQ-SRC-ATL105-PDF-001:3164	BR-708-1 / 708	NOT_DECLARED
SC-8957	Transaction unresolved	Business Rule — BR-708-2: Table ID 17 No Show Charge Indicator must be 'N'. / business_rule	REQ-SRC-ATL105-PDF-001:3165	BR-708-2 / 708	NOT_DECLARED
SC-8970	Transaction unresolved	Business Rule — BR-708-15: CVV2 Data must not be sent for recurring CIT transactions. / business_rule	REQ-SRC-ATL105-PDF-001:3178	BR-708-15 / 708	NOT_DECLARED
SC-8976	Transaction unresolved	Business Rule — BR-709-2: When initiating installment CIT transaction, transaction must be identified as 'I' (Installment). / business_rule	REQ-SRC-ATL105-PDF-001:3184	BR-709-2 / 709	NOT_DECLARED
SC-8977	Transaction unresolved	Business Rule — BR-709-3: When initiating installment CIT transaction, CVV2 Data must not be sent. / business_rule	REQ-SRC-ATL105-PDF-001:3185	BR-709-3 / 709	NOT_DECLARED
SC-8985	Transaction unresolved	Business Rule — BR-709-11: CVV2 Data is optional for CIT stored credential transaction. / business_rule	REQ-SRC-ATL105-PDF-001:3193	BR-709-11 / 709	NOT_DECLARED
SC-8995	Transaction unresolved	Business Rule — BR-711-2: For PKI, Key ID is as received in TransArmor Key and KeyID Load Response. / business_rule	REQ-SRC-ATL105-PDF-001:3203	BR-711-2 / 711	NOT_DECLARED
SC-8996	Transaction unresolved	Business Rule — BR-711-3: For TDES/DUKPT, OnGuard FPE, and AES DUKPT, Key ID is 00000000000, sent in Additional TransArmor Data. / business_rule	REQ-SRC-ATL105-PDF-001:3204	BR-711-3 / 711	NOT_DECLARED
SC-8998	Transaction unresolved	Business Rule — BR-711-5: EDATA identifier 4 (Token Only) contains unencrypted Data (Track1, Track2, or manually-keyed PAN). / business_rule	REQ-SRC-ATL105-PDF-001:3206	BR-711-5 / 711	NOT_DECLARED
SC-8999	Transaction unresolved	Business Rule — BR-711-6: For EDATA identifier 6, PIN Pad is identified via Bypass terminal number; includes Merchant Domain and Brand provided b / business_rule	REQ-SRC-ATL105-PDF-001:3207	BR-711-6 / 711	NOT_DECLARED
SC-9001	Transaction unresolved	Business Rule — BR-711-8: For EDATA identifier M, Multi-Controller TA-VE applies but PIN pad is identified via the Card (text cut off). / business_rule	REQ-SRC-ATL105-PDF-001:3209	BR-711-8 / 711	NOT_DECLARED
SC-9003	Transaction unresolved	Business Rule — BR-712-2: Decline code 4M returned to POS when BUYPASS cannot retrieve token for associated PAN in TransArmor Token Only transacti / business_rule	REQ-SRC-ATL105-PDF-001:3211	BR-712-2 / 712	NOT_DECLARED
SC-9004	Response deferred	Business Rule — BR-712-3: Download Indicator value of 8 indicates terminal needs to update Key ID and Key because current Key ID is due to expire / business_rule	REQ-SRC-ATL105-PDF-001:3212	BR-712-3 / 712	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9006	Response deferred	Business Rule — BR-712-5: Response Code K means Approved-TransArmor Load. / business_rule	REQ-SRC-ATL105-PDF-001:3214	BR-712-5 / 712	NOT_DECLARED
SC-9007	Response deferred	Business Rule — BR-712-6: Response Code L means Rejected because merchant is not TransArmor enabled or signing key is invalid/outdated. / business_rule	REQ-SRC-ATL105-PDF-001:3215	BR-712-6 / 712	NOT_DECLARED
SC-9009	Transaction unresolved	Business Rule — BR-712-8: A longer Key ID and/or Special device type can be specified using Segment 111, Table ID 52 in some TransArmor implementa / business_rule	REQ-SRC-ATL105-PDF-001:3217	BR-712-8 / 712	NOT_DECLARED
SC-9010	Transaction unresolved	Business Rule — BR-712-9: Acceptor Terminal ID (Segment 111, Table ID 18) value 0 indicates Token Subsequent, 0 filled per initial transaction, to / business_rule	REQ-SRC-ATL105-PDF-001:3218	BR-712-9 / 712	NOT_DECLARED
SC-9011	Transaction unresolved	Business Rule — BR-721-1: Transaction must be from a participating acquirer and a card not present transaction (credential on file, instalment, or / business_rule	REQ-SRC-ATL105-PDF-001:3219	BR-721-1 / 721	NOT_DECLARED
SC-9012	Transaction unresolved	Business Rule — BR-721-2: Merchant must register and certify with First Data to participate in Real Time Account Updater process. / business_rule	REQ-SRC-ATL105-PDF-001:3220	BR-721-2 / 721	NOT_DECLARED
SC-9014	Transaction unresolved	Business Rule — BR-721-4: First Data determines whether transaction qualifies for Real Time Account Updater before requesting account info update / business_rule	REQ-SRC-ATL105-PDF-001:3222	BR-721-4 / 721	NOT_DECLARED
SC-9016	Transaction unresolved	Business Rule — BR-722-1: Estimated/incremental authorizations allowed for Card Not Present transactions only for MCC 4121, 5411. / business_rule	REQ-SRC-ATL105-PDF-001:3224	BR-722-1 / 722	NOT_DECLARED
SC-9017	Transaction unresolved	Business Rule — BR-722-2: MCC 5552 permits estimated and incremental authorizations for EV transactions. / business_rule	REQ-SRC-ATL105-PDF-001:3225	BR-722-2 / 722	NOT_DECLARED
SC-9018	Transaction unresolved	Business Rule — BR-722-3: Estimated or initial authorization must be included when the final amount is unknown, for permitted merchants. / business_rule	REQ-SRC-ATL105-PDF-001:3226	BR-722-3 / 722	NOT_DECLARED
SC-9019	Transaction unresolved	Business Rule — BR-722-4: Incremental authorization request must only follow an estimated/initial authorization. / business_rule	REQ-SRC-ATL105-PDF-001:3227	BR-722-4 / 722	NOT_DECLARED
SC-9021	Transaction unresolved	Business Rule — BR-722-6: Incremental authorization request must contain same Transaction Identifier in Segment as estimated/initial transaction r / business_rule	REQ-SRC-ATL105-PDF-001:3229	BR-722-6 / 722	NOT_DECLARED
SC-9023	Transaction unresolved	Business Rule — BR-722-8: BUYPASS Host identifies incremental authorization transaction by the approval code returned in Authorization Identificat / business_rule	REQ-SRC-ATL105-PDF-001:3231	BR-722-8 / 722	NOT_DECLARED
SC-9024	Transaction unresolved	Business Rule — BR-722-9: Subsequent transactions must not carry the estimated authorization indicator in Sub Table ID 09. / business_rule	REQ-SRC-ATL105-PDF-001:3232	BR-722-9 / 722	NOT_DECLARED
SC-9025	Transaction unresolved	Business Rule — BR-722-10: Merchants must send the final amount in the completion transaction message. / business_rule	REQ-SRC-ATL105-PDF-001:3233	BR-722-10 / 722	NOT_DECLARED
SC-9026	Transaction unresolved	Business Rule — BR-722-11: For cruise lines, lodging, and Car/Vehicle Rental merchants, approval expires 14 days after initial estimated authorizat / business_rule	REQ-SRC-ATL105-PDF-001:3234	BR-722-11 / 722	NOT_DECLARED
SC-9027	Transaction unresolved	Business Rule — BR-722-12: For other rental merchants (trailer parks, campgrounds), approval expires 7 days after initial estimated authorization. / business_rule	REQ-SRC-ATL105-PDF-001:3235	BR-722-12 / 722	NOT_DECLARED
SC-9028	Transaction unresolved	Business Rule — BR-722-13: Merchants exceeding the 14/7 day period are subject to chargebacks unless they complete first transaction and initiate s / business_rule	REQ-SRC-ATL105-PDF-001:3236	BR-722-13 / 722	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9167	Response deferred	Field Constraint — ENT-FIELD-112-3: In Additional Information Data Segment (Data Segment No. 112), field 3 (Additional Information Indicator) is required an / field_constraint	REQ-SRC-ATL105-PDF-001:3375	ENT-FIELD-112-3 / 245	NOT_DECLARED
SC-9168	Response deferred	Field Constraint — ENT-FIELD-112-4: In Additional Information Data Segment (Data Segment No. 112), field 4 (Additional Information Length) is required and m / field_constraint	REQ-SRC-ATL105-PDF-001:3376	ENT-FIELD-112-4 / 245	NOT_DECLARED
SC-9169	Response deferred	Field Constraint — ENT-FIELD-112-5: In Additional Information Data Segment (Data Segment No. 112), field 5 (Additional Information) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3377	ENT-FIELD-112-5 / 245	NOT_DECLARED
SC-9186	Response deferred	Field Constraint — ENT-FIELD-115-3: In Print Data Segment (Data Segment No. 115), field 3 (Print Data) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3394	ENT-FIELD-115-3 / 249	NOT_DECLARED
SC-9225	Response deferred	Field Constraint — ENT-FIELD-120-3: In Print Data 2 Segment (Data Segment No. 120), field 3 (Print Data) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3433	ENT-FIELD-120-3 / 263	NOT_DECLARED
SC-9265	Response deferred	Field Constraint — ENT-FIELD-134-3: In Transaction Attributes Segment (Data Segment No. 134), field 3 (Settlement Type) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3473	ENT-FIELD-134-3 / 273	NOT_DECLARED
SC-9266	Response deferred	Field Constraint — ENT-FIELD-134-4: In Transaction Attributes Segment (Data Segment No. 134), field 4 (Signature Required) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3474	ENT-FIELD-134-4 / 273	NOT_DECLARED
SC-9267	Response deferred	Field Constraint — ENT-FIELD-134-5: In Transaction Attributes Segment (Data Segment No. 134), field 5 (Receipt Card Description) is required and must be pre / field_constraint	REQ-SRC-ATL105-PDF-001:3475	ENT-FIELD-134-5 / 273	NOT_DECLARED
SC-9280	Transaction unresolved	Field Constraint — ENT-FIELD-139-4: In Moneris Day End Batch Balance Segment Format (Request) (Data Segment No. 139), field 4 (SPDH Header) is required and / field_constraint	REQ-SRC-ATL105-PDF-001:3488	ENT-FIELD-139-4 / 276	NOT_DECLARED
SC-9281	Transaction unresolved	Field Constraint — ENT-FIELD-139-5: In Moneris Day End Batch Balance Segment Format (Request) (Data Segment No. 139), field 5 (Moneris Terminal Identifier) / field_constraint	REQ-SRC-ATL105-PDF-001:3489	ENT-FIELD-139-5 / 276	NOT_DECLARED
SC-9282	Transaction unresolved	Field Constraint — ENT-FIELD-139-6: In Moneris Day End Batch Balance Segment Format (Request) (Data Segment No. 139), field 6 (Moneris Merchant ID) is requi / field_constraint	REQ-SRC-ATL105-PDF-001:3490	ENT-FIELD-139-6 / 276	NOT_DECLARED
SC-9283	Transaction unresolved	Field Constraint — ENT-FIELD-139-7: In Moneris Day End Batch Balance Segment Format (Request) (Data Segment No. 139), field 7 (Batch Number) is required and / field_constraint	REQ-SRC-ATL105-PDF-001:3491	ENT-FIELD-139-7 / 276	NOT_DECLARED
SC-9284	Transaction unresolved	Field Constraint — ENT-FIELD-139-8: In Moneris Day End Batch Balance Segment Format (Request) (Data Segment No. 139), field 8 (Language Indicator) is requir / field_constraint	REQ-SRC-ATL105-PDF-001:3492	ENT-FIELD-139-8 / 276	NOT_DECLARED
SC-9289	Transaction unresolved	Field Constraint — ENT-FIELD-140-4: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 4 (SPDH Header) is required and / field_constraint	REQ-SRC-ATL105-PDF-001:3497	ENT-FIELD-140-4 / 277	NOT_DECLARED
SC-9290	Transaction unresolved	Field Constraint — ENT-FIELD-140-5: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 5 (Moneris Terminal Identifier) / field_constraint	REQ-SRC-ATL105-PDF-001:3498	ENT-FIELD-140-5 / 277	NOT_DECLARED
SC-9291	Transaction unresolved	Field Constraint — ENT-FIELD-140-6: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 6 (Moneris Merchant ID) is requ / field_constraint	REQ-SRC-ATL105-PDF-001:3499	ENT-FIELD-140-6 / 277	NOT_DECLARED
SC-9292	Transaction unresolved	Field Constraint — ENT-FIELD-140-7: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 7 (Batch Number) is required an / field_constraint	REQ-SRC-ATL105-PDF-001:3500	ENT-FIELD-140-7 / 277	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9293	Transaction unresolved	Field Constraint — ENT-FIELD-140-8: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 8 (Response Display) is require / field_constraint	REQ-SRC-ATL105-PDF-001:3501	ENT-FIELD-140-8 / 277	NOT_DECLARED
SC-9294	Transaction unresolved	Field Constraint — ENT-FIELD-140-9: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 9 (Number of Debits) is require / field_constraint	REQ-SRC-ATL105-PDF-001:3502	ENT-FIELD-140-9 / 277	NOT_DECLARED
SC-9295	Transaction unresolved	Field Constraint — ENT-FIELD-140-10: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 10 (Debit Dollar Value) is requ / field_constraint	REQ-SRC-ATL105-PDF-001:3503	ENT-FIELD-140-10 / 278	NOT_DECLARED
SC-9296	Transaction unresolved	Field Constraint — ENT-FIELD-140-11: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 11 (Number of Credits) is requi / field_constraint	REQ-SRC-ATL105-PDF-001:3504	ENT-FIELD-140-11 / 278	NOT_DECLARED
SC-9297	Transaction unresolved	Field Constraint — ENT-FIELD-140-12: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 12 (Credit Dollar Value) is req / field_constraint	REQ-SRC-ATL105-PDF-001:3505	ENT-FIELD-140-12 / 278	NOT_DECLARED
SC-9298	Transaction unresolved	Field Constraint — ENT-FIELD-140-13: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 13 (Number of Corrections) is r / field_constraint	REQ-SRC-ATL105-PDF-001:3506	ENT-FIELD-140-13 / 278	NOT_DECLARED
SC-9299	Transaction unresolved	Field Constraint — ENT-FIELD-140-14: In Moneris Day End Batch Balance Segment Format (Response) (Data Segment No. 140), field 14 (Corrections Dollar Value) i / field_constraint	REQ-SRC-ATL105-PDF-001:3507	ENT-FIELD-140-14 / 278	NOT_DECLARED
SC-9304	Transaction unresolved	Field Constraint — ENT-FIELD-141-4: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 4 (SPDH Header) is required and mus / field_constraint	REQ-SRC-ATL105-PDF-001:3512	ENT-FIELD-141-4 / 279	NOT_DECLARED
SC-9305	Transaction unresolved	Field Constraint — ENT-FIELD-141-5: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 5 (Moneris Terminal Identifier) is / field_constraint	REQ-SRC-ATL105-PDF-001:3513	ENT-FIELD-141-5 / 279	NOT_DECLARED
SC-9306	Transaction unresolved	Field Constraint — ENT-FIELD-141-6: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 6 (Moneris Merchant ID) is required / field_constraint	REQ-SRC-ATL105-PDF-001:3514	ENT-FIELD-141-6 / 279	NOT_DECLARED
SC-9307	Transaction unresolved	Field Constraint — ENT-FIELD-141-7: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 7 (Batch Number) is required and mu / field_constraint	REQ-SRC-ATL105-PDF-001:3515	ENT-FIELD-141-7 / 279	NOT_DECLARED
SC-9308	Transaction unresolved	Field Constraint — ENT-FIELD-141-8: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 8 (Language Indicator) is required / field_constraint	REQ-SRC-ATL105-PDF-001:3516	ENT-FIELD-141-8 / 279	NOT_DECLARED
SC-9309	Transaction unresolved	Field Constraint — ENT-FIELD-141-9: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 9 (Number of Debits) is required an / field_constraint	REQ-SRC-ATL105-PDF-001:3517	ENT-FIELD-141-9 / 279	NOT_DECLARED
SC-9310	Transaction unresolved	Field Constraint — ENT-FIELD-141-10: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 10 (Debit Dollar Value) is required / field_constraint	REQ-SRC-ATL105-PDF-001:3518	ENT-FIELD-141-10 / 279	NOT_DECLARED
SC-9311	Transaction unresolved	Field Constraint — ENT-FIELD-141-11: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 11 (Number of Credits) is required / field_constraint	REQ-SRC-ATL105-PDF-001:3519	ENT-FIELD-141-11 / 280	NOT_DECLARED
SC-9312	Transaction unresolved	Field Constraint — ENT-FIELD-141-12: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 12 (Credit Dollar Value) is require / field_constraint	REQ-SRC-ATL105-PDF-001:3520	ENT-FIELD-141-12 / 280	NOT_DECLARED
SC-9313	Transaction unresolved	Field Constraint — ENT-FIELD-141-13: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 13 (Number of Corrections) is requi / field_constraint	REQ-SRC-ATL105-PDF-001:3521	ENT-FIELD-141-13 / 280	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9314	Transaction unresolved	Field Constraint — ENT-FIELD-141-14: In Moneris Day End Bath Close Segment Format (Request) (Data Segment No. 141), field 14 (Corrections Dollar Value) is re / field_constraint	REQ-SRC-ATL105-PDF-001:3522	ENT-FIELD-141-14 / 280	NOT_DECLARED
SC-9319	Transaction unresolved	Field Constraint — ENT-FIELD-142-4: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 4 (SPDH Header) is required and must be p / field_constraint	REQ-SRC-ATL105-PDF-001:3527	ENT-FIELD-142-4 / 281	NOT_DECLARED
SC-9320	Transaction unresolved	Field Constraint — ENT-FIELD-142-5: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 5 (Moneris Terminal Identifier) is requir / field_constraint	REQ-SRC-ATL105-PDF-001:3528	ENT-FIELD-142-5 / 281	NOT_DECLARED
SC-9321	Transaction unresolved	Field Constraint — ENT-FIELD-142-6: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 6 (Moneris Merchant ID) is required and m / field_constraint	REQ-SRC-ATL105-PDF-001:3529	ENT-FIELD-142-6 / 281	NOT_DECLARED
SC-9322	Transaction unresolved	Field Constraint — ENT-FIELD-142-7: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 7 (Batch Number) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3530	ENT-FIELD-142-7 / 281	NOT_DECLARED
SC-9323	Transaction unresolved	Field Constraint — ENT-FIELD-142-8: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 8 (Response Display) is required and must / field_constraint	REQ-SRC-ATL105-PDF-001:3531	ENT-FIELD-142-8 / 281	NOT_DECLARED
SC-9324	Transaction unresolved	Field Constraint — ENT-FIELD-142-9: In Moneris Batch Close Segment Format (Response) (Data Segment No. 142), field 9 (MAC) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3532	ENT-FIELD-142-9 / 281	NOT_DECLARED
SC-9350	Response deferred	Field Constraint — ENT-FIELD-148-3: In WEX Available Product Fleet Information (Data Segment No. 148), field 3 (Availab le Produc t informa tion) is require / field_constraint	REQ-SRC-ATL105-PDF-001:3558	ENT-FIELD-148-3 / 302	NOT_DECLARED
SC-9355	Transaction unresolved	Field Constraint — ENT-FIELD-149-4: In Fuel Price Update Request Segment (Data Segment No. 149), field 4 (Price Data) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3563	ENT-FIELD-149-4 / 303	NOT_DECLARED
SC-9360	Transaction unresolved	Field Constraint — ENT-FIELD-150-4: In Fuel Price Update Response Segment (Data Segment No. 150), field 4 (Decline Code) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3568	ENT-FIELD-150-4 / 304	NOT_DECLARED
SC-9368	Response deferred	Field Constraint — ENT-FIELD-152-3: In Response InComm OTC Market Basket Data (Data Segment No. 152), field 3 (Market Basket Data) is required and must be p / field_constraint	REQ-SRC-ATL105-PDF-001:3576	ENT-FIELD-152-3 / 306	NOT_DECLARED
SC-9390	Response deferred	Field Constraint — ENT-FIELD-DL1-1: In Merchant Data Segment (Data Segment No. DL1), field 1 (Data Type Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3598	ENT-FIELD-DL1-1 / 324	NOT_DECLARED
SC-9391	Response deferred	Field Constraint — ENT-FIELD-DL1-2: In Merchant Data Segment (Data Segment No. DL1), field 2 (Merchant Name) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3599	ENT-FIELD-DL1-2 / 324	NOT_DECLARED
SC-9392	Response deferred	Field Constraint — ENT-FIELD-DL1-3: In Merchant Data Segment (Data Segment No. DL1), field 3 (Store Number) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3600	ENT-FIELD-DL1-3 / 324	NOT_DECLARED
SC-9393	Response deferred	Field Constraint — ENT-FIELD-DL1-4: In Merchant Data Segment (Data Segment No. DL1), field 4 (Address Line 1) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3601	ENT-FIELD-DL1-4 / 324	NOT_DECLARED
SC-9394	Response deferred	Field Constraint — ENT-FIELD-DL1-5: In Merchant Data Segment (Data Segment No. DL1), field 5 (Address Line 2) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3602	ENT-FIELD-DL1-5 / 324	NOT_DECLARED
SC-9395	Response deferred	Field Constraint — ENT-FIELD-DL1-6: In Merchant Data Segment (Data Segment No. DL1), field 6 (Merchant Phone Number) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3603	ENT-FIELD-DL1-6 / 324	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9396	Response deferred	Field Constraint — ENT-FIELD-DL1-7: In Merchant Data Segment (Data Segment No. DL1), field 7 (Number of Card Types) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3604	ENT-FIELD-DL1-7 / 324	NOT_DECLARED
SC-9397	Response deferred	Field Constraint — ENT-FIELD-DL2-1: In Dial String Data Segment (Data Segment No. DL2), field 1 (Data Type Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3605	ENT-FIELD-DL2-1 / 326	NOT_DECLARED
SC-9398	Response deferred	Field Constraint — ENT-FIELD-DL2-2: In Dial String Data Segment (Data Segment No. DL2), field 2 (Dial String Type) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3606	ENT-FIELD-DL2-2 / 326	NOT_DECLARED
SC-9399	Response deferred	Field Fixed Value — ENT-FIELD-DL2-2: In Dial String Data Segment (Data Segment No. DL2), field 2 (Dial String Type) must equal the fixed value 1. / field_fixed_value	REQ-SRC-ATL105-PDF-001:3607	ENT-FIELD-DL2-2 / 326	NOT_DECLARED
SC-9400	Response deferred	Field Constraint — ENT-FIELD-DL2-3: In Dial String Data Segment (Data Segment No. DL2), field 3 (Redial Count) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3608	ENT-FIELD-DL2-3 / 326	NOT_DECLARED
SC-9401	Response deferred	Field Constraint — ENT-FIELD-DL2-4: In Dial String Data Segment (Data Segment No. DL2), field 4 (Access Code) is conditional and must be present only when i / field_constraint	REQ-SRC-ATL105-PDF-001:3609	ENT-FIELD-DL2-4 / 326	NOT_DECLARED
SC-9402	Response deferred	Field Constraint — ENT-FIELD-DL2-5: In Dial String Data Segment (Data Segment No. DL2), field 5 (Pause Indicator) is conditional and must be present only wh / field_constraint	REQ-SRC-ATL105-PDF-001:3610	ENT-FIELD-DL2-5 / 326	NOT_DECLARED
SC-9403	Response deferred	Field Fixed Value — ENT-FIELD-DL2-5: In Dial String Data Segment (Data Segment No. DL2), field 5 (Pause Indicator) must equal the fixed value B. / field_fixed_value	REQ-SRC-ATL105-PDF-001:3611	ENT-FIELD-DL2-5 / 326	NOT_DECLARED
SC-9404	Response deferred	Field Constraint — ENT-FIELD-DL2-6: In Dial String Data Segment (Data Segment No. DL2), field 6 (Phone Number) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3612	ENT-FIELD-DL2-6 / 326	NOT_DECLARED
SC-9405	Response deferred	Field Constraint — ENT-FIELD-DL2-7: In Dial String Data Segment (Data Segment No. DL2), field 7 (Dial String Terminator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3613	ENT-FIELD-DL2-7 / 326	NOT_DECLARED
SC-9406	Response deferred	Field Fixed Value — ENT-FIELD-DL2-7: In Dial String Data Segment (Data Segment No. DL2), field 7 (Dial String Terminator) must equal the fixed value A. / field_fixed_value	REQ-SRC-ATL105-PDF-001:3614	ENT-FIELD-DL2-7 / 326	NOT_DECLARED
SC-9407	Response deferred	Field Constraint — ENT-FIELD-DL3-1: In Date and Time Data Segment (Data Segment No. DL3), field 1 (Data Type Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3615	ENT-FIELD-DL3-1 / 328	NOT_DECLARED
SC-9408	Response deferred	Field Constraint — ENT-FIELD-DL3-2: In Date and Time Data Segment (Data Segment No. DL3), field 2 (Day of the Week) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3616	ENT-FIELD-DL3-2 / 328	NOT_DECLARED
SC-9409	Response deferred	Field Constraint — ENT-FIELD-DL3-3: In Date and Time Data Segment (Data Segment No. DL3), field 3 (Current Date) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3617	ENT-FIELD-DL3-3 / 328	NOT_DECLARED
SC-9410	Response deferred	Field Constraint — ENT-FIELD-DL3-4: In Date and Time Data Segment (Data Segment No. DL3), field 4 (Current Time) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3618	ENT-FIELD-DL3-4 / 328	NOT_DECLARED
SC-9411	Response deferred	Field Constraint — ENT-FIELD-DL3-5: In Date and Time Data Segment (Data Segment No. DL3), field 5 (Cut Time) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3619	ENT-FIELD-DL3-5 / 328	NOT_DECLARED
SC-9413	Response deferred	Field Constraint — ENT-FIELD-DL3-7: In Date and Time Data Segment (Data Segment No. DL3), field 7 (End-of-Data Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3621	ENT-FIELD-DL3-7 / 328	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9414	Response deferred	Field Constraint — ENT-FIELD-DL4-1: In Software Dial Load Data Segment (Data Segment No. DL4), field 1 (Data Type Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3622	ENT-FIELD-DL4-1 / 329	NOT_DECLARED
SC-9415	Response deferred	Field Constraint — ENT-FIELD-DL4-2: In Software Dial Load Data Segment (Data Segment No. DL4), field 2 (New Software Version) is required and must be presen / field_constraint	REQ-SRC-ATL105-PDF-001:3623	ENT-FIELD-DL4-2 / 329	NOT_DECLARED
SC-9416	Response deferred	Field Constraint — ENT-FIELD-DL4-3: In Software Dial Load Data Segment (Data Segment No. DL4), field 3 (Software Terminal Record ID) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3624	ENT-FIELD-DL4-3 / 329	NOT_DECLARED
SC-9417	Response deferred	Field Constraint — ENT-FIELD-DL4-4: In Software Dial Load Data Segment (Data Segment No. DL4), field 4 (Software Load Phone Number) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3625	ENT-FIELD-DL4-4 / 329	NOT_DECLARED
SC-9418	Response deferred	Field Constraint — ENT-FIELD-DL4-5: In Software Dial Load Data Segment (Data Segment No. DL4), field 5 (Software Load Request Date) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3626	ENT-FIELD-DL4-5 / 329	NOT_DECLARED
SC-9419	Response deferred	Field Constraint — ENT-FIELD-DL4-6: In Software Dial Load Data Segment (Data Segment No. DL4), field 6 (Software Load Request Time) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3627	ENT-FIELD-DL4-6 / 329	NOT_DECLARED
SC-9420	Response deferred	Field Constraint — ENT-FIELD-DL4-7: In Software Dial Load Data Segment (Data Segment No. DL4), field 7 (Software Load Type) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3628	ENT-FIELD-DL4-7 / 329	NOT_DECLARED
SC-9421	Response deferred	Field Constraint — ENT-FIELD-DL4-8: In Software Dial Load Data Segment (Data Segment No. DL4), field 8 (End-of-Data Indicator) is required and must be prese / field_constraint	REQ-SRC-ATL105-PDF-001:3629	ENT-FIELD-DL4-8 / 329	NOT_DECLARED
SC-9422	Response deferred	Field Constraint — ENT-FIELD-DL5-1: In Software IP Load Data Segment (Data Segment No. DL5), field 1 (Data Type Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3630	ENT-FIELD-DL5-1 / 330	NOT_DECLARED
SC-9423	Response deferred	Field Constraint — ENT-FIELD-DL5-2: In Software IP Load Data Segment (Data Segment No. DL5), field 2 (New Software Version) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3631	ENT-FIELD-DL5-2 / 330	NOT_DECLARED
SC-9424	Response deferred	Field Constraint — ENT-FIELD-DL5-3: In Software IP Load Data Segment (Data Segment No. DL5), field 3 (Software Terminal Record ID) is required and must be p / field_constraint	REQ-SRC-ATL105-PDF-001:3632	ENT-FIELD-DL5-3 / 330	NOT_DECLARED
SC-9425	Response deferred	Field Constraint — ENT-FIELD-DL5-4: In Software IP Load Data Segment (Data Segment No. DL5), field 4 (Software Load IP/URL Address) is required and must be / field_constraint	REQ-SRC-ATL105-PDF-001:3633	ENT-FIELD-DL5-4 / 330	NOT_DECLARED
SC-9426	Response deferred	Field Constraint — ENT-FIELD-DL5-5: In Software IP Load Data Segment (Data Segment No. DL5), field 5 (Software Load Request Date) is required and must be pr / field_constraint	REQ-SRC-ATL105-PDF-001:3634	ENT-FIELD-DL5-5 / 330	NOT_DECLARED
SC-9427	Response deferred	Field Constraint — ENT-FIELD-DL5-6: In Software IP Load Data Segment (Data Segment No. DL5), field 6 (Software Load Request Time) is required and must be pr / field_constraint	REQ-SRC-ATL105-PDF-001:3635	ENT-FIELD-DL5-6 / 330	NOT_DECLARED
SC-9428	Response deferred	Field Constraint — ENT-FIELD-DL5-7: In Software IP Load Data Segment (Data Segment No. DL5), field 7 (Software Load Type) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3636	ENT-FIELD-DL5-7 / 330	NOT_DECLARED
SC-9429	Response deferred	Field Constraint — ENT-FIELD-DL5-8: In Software IP Load Data Segment (Data Segment No. DL5), field 8 (End-of-Data Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3637	ENT-FIELD-DL5-8 / 330	NOT_DECLARED
SC-9430	Response deferred	Field Constraint — ENT-FIELD-DL6-1: In Store and Forward Data Segment (Data Segment No. DL6), field 1 (Data Type Indicator) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3638	ENT-FIELD-DL6-1 / 331	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9431	Response deferred	Field Constraint — ENT-FIELD-DL6-2: In Store and Forward Data Segment (Data Segment No. DL6), field 2 (Start Time) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3639	ENT-FIELD-DL6-2 / 331	NOT_DECLARED
SC-9432	Response deferred	Field Constraint — ENT-FIELD-DL6-3: In Store and Forward Data Segment (Data Segment No. DL6), field 3 (End Time) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3640	ENT-FIELD-DL6-3 / 331	NOT_DECLARED
SC-9433	Response deferred	Field Constraint — ENT-FIELD-DL6-4: In Store and Forward Data Segment (Data Segment No. DL6), field 4 (End-of-Data Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3641	ENT-FIELD-DL6-4 / 331	NOT_DECLARED
SC-9434	Response deferred	Field Constraint — ENT-FIELD-DL7-1: In Supplemental Terminal Data Segment (Data Segment No. DL7), field 1 (Data Type Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3642	ENT-FIELD-DL7-1 / 332	NOT_DECLARED
SC-9435	Response deferred	Field Fixed Value — ENT-FIELD-DL7-1: In Supplemental Terminal Data Segment (Data Segment No. DL7), field 1 (Data Type Indicator) must equal the fixed value ^ / field_fixed_value	REQ-SRC-ATL105-PDF-001:3643	ENT-FIELD-DL7-1 / 332	NOT_DECLARED
SC-9437	Transaction unresolved	Field Constraint — ENT-FIELD-DL7-3: In Supplemental Terminal Data Segment (Data Segment No. DL7), field 3 (Download Data) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3645	ENT-FIELD-DL7-3 / 332	NOT_DECLARED
SC-9438	Response deferred	Field Constraint — ENT-FIELD-DL8-1: In EMV Terminal Floor Limits Data Segment (Data Segment No. DL8), field 1 (Data Type Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3646	ENT-FIELD-DL8-1 / 333	NOT_DECLARED
SC-9440	Transaction unresolved	Field Constraint — ENT-FIELD-DL8-3: In EMV Terminal Floor Limits Data Segment (Data Segment No. DL8), field 3 (RID) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3648	ENT-FIELD-DL8-3 / 333	NOT_DECLARED
SC-9441	Transaction unresolved	Field Constraint — ENT-FIELD-DL8-4: In EMV Terminal Floor Limits Data Segment (Data Segment No. DL8), field 4 (Stand-in Indicator) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3649	ENT-FIELD-DL8-4 / 333	NOT_DECLARED
SC-9442	Transaction unresolved	Field Constraint — ENT-FIELD-DL8-5: In EMV Terminal Floor Limits Data Segment (Data Segment No. DL8), field 5 (Floor Limit) is required and must be present. / field_constraint	REQ-SRC-ATL105-PDF-001:3650	ENT-FIELD-DL8-5 / 333	NOT_DECLARED
SC-9443	Transaction unresolved	Field Constraint — ENT-FIELD-DL8-6: In EMV Terminal Floor Limits Data Segment (Data Segment No. DL8), field 6 (BUYPASS RID Card Type) is required and must be present / field_constraint	REQ-SRC-ATL105-PDF-001:3651	ENT-FIELD-DL8-6 / 333	NOT_DECLARED
SC-9460	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-1: In the Financial Transaction Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3668	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-1 / 168	NOT_DECLARED
SC-9461	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-2: In the Financial Transaction Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3669	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-2 / 168	NOT_DECLARED
SC-9462	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-3: In the Financial Transaction Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3670	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-3 / 168	NOT_DECLARED
SC-9463	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-4: In the Financial Transaction Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3671	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-4 / 168	NOT_DECLARED
SC-9464	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-5: In the Financial Transaction Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3672	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-5 / 168	NOT_DECLARED
SC-9465	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-6: In the Financial Transaction Response message, field 6 is conditional and must be present only when its documented condition is met / message_field_constraint	REQ-SRC-ATL105-PDF-001:3673	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-6 / 168	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9466	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-7: In the Financial Transaction Response message, field 7 is conditional and must be present only when its documented condi / message_field_constraint	REQ-SRC-ATL105-PDF-001:3674	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-7 / 168	NOT_DECLARED
SC-9467	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-8: In the Financial Transaction Response message, field 8 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3675	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-8 / 168	NOT_DECLARED
SC-9468	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-9: In the Financial Transaction Response message, field 9 is conditional and must be present only when its documented condi / message_field_constraint	REQ-SRC-ATL105-PDF-001:3676	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-9 / 168	NOT_DECLARED
SC-9469	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-10: In the Financial Transaction Response message, field 10 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3677	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-10 / 168	NOT_DECLARED
SC-9470	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-11: In the Financial Transaction Response message, field 11 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3678	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-11 / 169	NOT_DECLARED
SC-9471	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-12: In the Financial Transaction Response message, field 12 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3679	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-12 / 169	NOT_DECLARED
SC-9472	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-13: In the Financial Transaction Response message, field 13 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3680	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-13 / 169	NOT_DECLARED
SC-9473	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-14: In the Financial Transaction Response message, field 14 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3681	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-14 / 169	NOT_DECLARED
SC-9474	Response deferred	Message Field Constraint — ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-15: In the Financial Transaction Response message, field 15 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3682	ENT-FIELD-FINANCIAL_TRANSACTION_RESPONSE-15 / 169	NOT_DECLARED
SC-9475	Response deferred	Message Field Constraint — ENT-MSG-FINANCIAL_TRANSACTION_RESPONSE: In the Financial Transaction Response message, Data Segment No. 112 (Additional Information Data Segment) is conditional / message_field_constraint	REQ-SRC-ATL105-PDF-001:3683	ENT-MSG-FINANCIAL_TRANSACTION_RESPONSE / 170	NOT_DECLARED
SC-9476	Response deferred	Message Field Constraint — ENT-MSG-FINANCIAL_TRANSACTION_RESPONSE: In the Financial Transaction Response message, Data Segment No. 115 (Print Data Segment) is conditional and must be pres / message_field_constraint	REQ-SRC-ATL105-PDF-001:3684	ENT-MSG-FINANCIAL_TRANSACTION_RESPONSE / 170	NOT_DECLARED
SC-9494	Response deferred	Message Field Constraint — ENT-FIELD-APPROVED_TOTALS_RESPONSE-1: In the Approved Totals Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3702	ENT-FIELD-APPROVED_TOTALS_RESPONSE-1 / 178	NOT_DECLARED
SC-9498	Transaction unresolved	Message Field Constraint — ENT-FIELD-APPROVED_TOTALS_RESPONSE-5: In the Approved Totals Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3706	ENT-FIELD-APPROVED_TOTALS_RESPONSE-5 / 179	NOT_DECLARED
SC-9499	Transaction unresolved	Message Field Constraint — ENT-FIELD-APPROVED_TOTALS_RESPONSE-6: In the Approved Totals Response message, field 6 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3707	ENT-FIELD-APPROVED_TOTALS_RESPONSE-6 / 179	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9503	Response deferred	Message Field Constraint — ENT-FIELD-DECLINED_TOTALS_RESPONSE-1: In the Declined Totals Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3711	ENT-FIELD-DECLINED_TOTALS_RESPON SE-1 / 180	NOT_DECLARED
SC-9506	Response deferred	Message Field Constraint — ENT-FIELD-DECLINED_TOTALS_RESPONSE-4: In the Declined Totals Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3714	ENT-FIELD-DECLINED_TOTALS_RESPON SE-4 / 180	NOT_DECLARED
SC-9510	Response deferred	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-1: In the Electronic Mail Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3718	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-1 / 183	NOT_DECLARED
SC-9511	Response deferred	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-2: In the Electronic Mail Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3719	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-2 / 183	NOT_DECLARED
SC-9512	Response deferred	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-3: In the Electronic Mail Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3720	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-3 / 183	NOT_DECLARED
SC-9513	Response deferred	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-4: In the Electronic Mail Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3721	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-4 / 183	NOT_DECLARED
SC-9516	Transaction unresolved	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-7: In the Electronic Mail Response message, field 7 is conditional and must be present only when its documented condition h / message_field_constraint	REQ-SRC-ATL105-PDF-001:3724	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-7 / 183	NOT_DECLARED
SC-9517	Transaction unresolved	Message Field Constraint — ENT-FIELD-ELECTRONIC_MAIL_RESPONSE-8: In the Electronic Mail Response message, field 8 is conditional and must be present only when its documented condition h / message_field_constraint	REQ-SRC-ATL105-PDF-001:3725	ENT-FIELD-ELECTRONIC_MAIL_RESPON SE-8 / 183	NOT_DECLARED
SC-9519	Transaction unresolved	Message Field Constraint — ENT-FIELD-COMMUNICATIONS_TEST_REQUEST-2: In the Communications Test Request message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3727	ENT-FIELD-COMMUNICATIONS_TEST_R EQUEST-2 / 184	NOT_DECLARED
SC-9520	Response deferred	Message Field Constraint — ENT-FIELD-COMMUNICATIONS_TEST_RESPONSE-1: In the Communications Test Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3728	ENT-FIELD-COMMUNICATIONS_TEST_R ESPONSE-1 / 185	NOT_DECLARED
SC-9521	Response deferred	Message Field Constraint — ENT-FIELD-COMMUNICATIONS_TEST_RESPONSE-2: In the Communications Test Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3729	ENT-FIELD-COMMUNICATIONS_TEST_R ESPONSE-2 / 185	NOT_DECLARED
SC-9522	Transaction unresolved	Message Field Constraint — ENT-FIELD-COMMUNICATIONS_TEST_RESPONSE-3: In the Communications Test Response message, field 3 is conditional and must be present only when its documented conditi / message_field_constraint	REQ-SRC-ATL105-PDF-001:3730	ENT-FIELD-COMMUNICATIONS_TEST_R ESPONSE-3 / 185	NOT_DECLARED
SC-9529	Response deferred	Message Field Constraint — ENT-FIELD-TABLE_LOAD_RESPONSE-1: In the Table Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3737	ENT-FIELD-TABLE_LOAD_RESPONSE-1 / 188	NOT_DECLARED
SC-9530	Response deferred	Message Field Constraint — ENT-FIELD-TABLE_LOAD_RESPONSE-3: In the Table Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3738	ENT-FIELD-TABLE_LOAD_RESPONSE-3 / 188	NOT_DECLARED
SC-9531	Response deferred	Message Field Constraint — ENT-FIELD-TABLE_LOAD_RESPONSE-5: In the Table Load Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3739	ENT-FIELD-TABLE_LOAD_RESPONSE-5 / 189	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9532	Response deferred	Message Field Constraint — ENT-FIELD-TABLE_LOAD_RESPONSE-7: In the Table Load Response message, field 7 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3740	ENT-FIELD-TABLE_LOAD_RESPONSE-7 / 189	NOT_DECLARED
SC-9533	Response deferred	Message Field Constraint — ENT-FIELD-TABLE_LOAD_RESPONSE-9: In the Table Load Response message, field 9 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3741	ENT-FIELD-TABLE_LOAD_RESPONSE-9 / 189	NOT_DECLARED
SC-9534	Response deferred	Message Field Constraint — ENT-MSG-TABLE_LOAD_RESPONSE: In the Table Load Response message, Data Segment No. DL1 (Merchant Data Segment) is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3742	ENT-MSG-TABLE_LOAD_RESPONSE / 188	NOT_DECLARED
SC-9535	Response deferred	Message Field Constraint — ENT-MSG-TABLE_LOAD_RESPONSE: In the Table Load Response message, Data Segment No. DL2 (Dial String Data Segment) is conditional and must be present o / message_field_constraint	REQ-SRC-ATL105-PDF-001:3743	ENT-MSG-TABLE_LOAD_RESPONSE / 188	NOT_DECLARED
SC-9536	Response deferred	Message Field Constraint — ENT-MSG-TABLE_LOAD_RESPONSE: In the Table Load Response message, Data Segment No. DL3 (Date and Time Data Segment) is conditional and must be present / message_field_constraint	REQ-SRC-ATL105-PDF-001:3744	ENT-MSG-TABLE_LOAD_RESPONSE / 189	NOT_DECLARED
SC-9537	Response deferred	Message Field Constraint — ENT-MSG-TABLE_LOAD_RESPONSE: In the Table Load Response message, Data Segment No. DL6 (Store and Forward Data segment) is conditional and must be pre / message_field_constraint	REQ-SRC-ATL105-PDF-001:3745	ENT-MSG-TABLE_LOAD_RESPONSE / 189	NOT_DECLARED
SC-9541	Response deferred	Message Field Constraint — ENT-FIELD-PHONE_LOAD_RESPONSE-1: In the Phone Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3749	ENT-FIELD-PHONE_LOAD_RESPONSE-1 / 191	NOT_DECLARED
SC-9542	Response deferred	Message Field Constraint — ENT-MSG-PHONE_LOAD_RESPONSE: In the Phone Load Response message, Data Segment No. DL2 (Dial String Data Segment) is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3750	ENT-MSG-PHONE_LOAD_RESPONSE / 191	NOT_DECLARED
SC-9546	Response deferred	Message Field Constraint — ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-1: In the Date and Time Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3754	ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-1 / 193	NOT_DECLARED
SC-9547	Response deferred	Message Field Constraint — ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-2: In the Date and Time Load Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3755	ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-2 / 193	NOT_DECLARED
SC-9548	Response deferred	Message Field Constraint — ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-3: In the Date and Time Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3756	ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-3 / 193	NOT_DECLARED
SC-9549	Response deferred	Message Field Constraint — ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-4: In the Date and Time Load Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3757	ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-4 / 193	NOT_DECLARED
SC-9550	Response deferred	Message Field Constraint — ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-5: In the Date and Time Load Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3758	ENT-FIELD-DATE_AND_TIME_LOAD_RESPONSE-5 / 193	NOT_DECLARED
SC-9558	Response deferred	Message Field Constraint — ENT-FIELD-SOFTWARE_LOAD_RESPONSE-1: In the Software Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3766	ENT-FIELD-SOFTWARE_LOAD_RESPONSE-1 / 195	NOT_DECLARED
SC-9559	Response deferred	Message Field Constraint — ENT-MSG-SOFTWARE_LOAD_RESPONSE: In the Software Load Response message, Data Segment No. DL4 (Software Dial Load Data Segment) is required and must be pr / message_field_constraint	REQ-SRC-ATL105-PDF-001:3767	ENT-MSG-SOFTWARE_LOAD_RESPONSE / 195	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9560	Response deferred	Message Field Constraint — ENT-MSG-SOFTWARE_LOAD_RESPONSE: In the Software Load Response message, Data Segment No. DL5 (Software IP Load Data Segment) is required and must be pres / message_field_constraint	REQ-SRC-ATL105-PDF-001:3768	ENT-MSG-SOFTWARE_LOAD_RESPONSE / 195	NOT_DECLARED
SC-9564	Response deferred	Message Field Constraint — ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-1: In the Proprietary Data Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3772	ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-1 / 198	NOT_DECLARED
SC-9565	Response deferred	Message Field Constraint — ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-2: In the Proprietary Data Load Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3773	ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-2 / 198	NOT_DECLARED
SC-9566	Response deferred	Message Field Constraint — ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-3: In the Proprietary Data Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3774	ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-3 / 198	NOT_DECLARED
SC-9567	Response deferred	Message Field Constraint — ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-4: In the Proprietary Data Load Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3775	ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-4 / 198	NOT_DECLARED
SC-9568	Response deferred	Message Field Constraint — ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-5: In the Proprietary Data Load Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3776	ENT-FIELD-PROPRIETARY_DATA_LOAD_RESPONSE-5 / 198	NOT_DECLARED
SC-9569	Response deferred	Message Field Constraint — ENT-MSG-PROPRIETARY_DATA_LOAD_RESPONSE: In the Proprietary Data Load Response message, Data Segment No. 118 (Proprietary Data Load Segment) is required and must / message_field_constraint	REQ-SRC-ATL105-PDF-001:3777	ENT-MSG-PROPRIETARY_DATA_LOAD_RESPONSE / 198	NOT_DECLARED
SC-9573	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-4: In the Moneris Key Load Request message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3781	ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-4 / 199	NOT_DECLARED
SC-9574	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-5: In the Moneris Key Load Request message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3782	ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-5 / 199	NOT_DECLARED
SC-9575	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-6: In the Moneris Key Load Request message, field 6 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3783	ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-6 / 199	NOT_DECLARED
SC-9576	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-7: In the Moneris Key Load Request message, field 7 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3784	ENT-FIELD-MONERIS_KEY_LOAD_REQUEST-7 / 199	NOT_DECLARED
SC-9577	Response deferred	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-1: In the Moneris Key Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3785	ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-1 / 200	NOT_DECLARED
SC-9578	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-2: In the Moneris Key Load Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3786	ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-2 / 200	NOT_DECLARED
SC-9579	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-3: In the Moneris Key Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3787	ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-3 / 200	NOT_DECLARED
SC-9580	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-3-dup2: In the Moneris Key Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3788	ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-3-dup2 / 200	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9581	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-4: In the Moneris Key Load Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3789	ENT-FIELD-MONERIS_KEY_LOAD_RESPO NSE-4 / 200	NOT_DECLARED
SC-9582	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-5: In the Moneris Key Load Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3790	ENT-FIELD-MONERIS_KEY_LOAD_RESPO NSE-5 / 200	NOT_DECLARED
SC-9583	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-6: In the Moneris Key Load Response message, field 6 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3791	ENT-FIELD-MONERIS_KEY_LOAD_RESPO NSE-6 / 200	NOT_DECLARED
SC-9584	Transaction unresolved	Message Field Constraint — ENT-FIELD-MONERIS_KEY_LOAD_RESPONSE-7: In the Moneris Key Load Response message, field 7 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3792	ENT-FIELD-MONERIS_KEY_LOAD_RESPO NSE-7 / 200	NOT_DECLARED
SC-9602	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-1: In the EMV Financial Transaction Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3810	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-1 / 206	NOT_DECLARED
SC-9603	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-2: In the EMV Financial Transaction Response message, field 2 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3811	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-2 / 206	NOT_DECLARED
SC-9604	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-3: In the EMV Financial Transaction Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3812	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-3 / 206	NOT_DECLARED
SC-9605	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-4: In the EMV Financial Transaction Response message, field 4 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3813	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-4 / 206	NOT_DECLARED
SC-9606	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-5: In the EMV Financial Transaction Response message, field 5 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3814	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-5 / 206	NOT_DECLARED
SC-9607	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-6: In the EMV Financial Transaction Response message, field 6 is conditional and must be present only when its documented c / message_field_constraint	REQ-SRC-ATL105-PDF-001:3815	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-6 / 206	NOT_DECLARED
SC-9608	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-7: In the EMV Financial Transaction Response message, field 7 is conditional and must be present only when its documented c / message_field_constraint	REQ-SRC-ATL105-PDF-001:3816	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-7 / 206	NOT_DECLARED
SC-9609	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-8: In the EMV Financial Transaction Response message, field 8 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3817	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-8 / 206	NOT_DECLARED
SC-9610	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-9: In the EMV Financial Transaction Response message, field 9 is conditional and must be present only when its documented c / message_field_constraint	REQ-SRC-ATL105-PDF-001:3818	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-9 / 207	NOT_DECLARED
SC-9611	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-10: In the EMV Financial Transaction Response message, field 10 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3819	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-10 / 207	NOT_DECLARED

Scenario	Generation cause	Description / type	BR IDs	Source rule / page	Producer verdict
SC-9612	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-11: In the EMV Financial Transaction Response message, field 11 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3820	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-11 / 207	NOT_DECLARED
SC-9613	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-12: In the EMV Financial Transaction Response message, field 12 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3821	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-12 / 207	NOT_DECLARED
SC-9614	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-13: In the EMV Financial Transaction Response message, field 13 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3822	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-13 / 207	NOT_DECLARED
SC-9615	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-14: In the EMV Financial Transaction Response message, field 14 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3823	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-14 / 207	NOT_DECLARED
SC-9616	Response deferred	Message Field Constraint — ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-15: In the EMV Financial Transaction Response message, field 15 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3824	ENT-FIELD-EMV_FINANCIAL_TRANSACTION_RESPONSE-15 / 207	NOT_DECLARED
SC-9617	Response deferred	Message Field Constraint — ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE: In the EMV Financial Transaction Response message, Data Segment No. 112 (Additional Information Data Segment) is conditional and must be / message_field_constraint	REQ-SRC-ATL105-PDF-001:3825	ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE / 208	NOT_DECLARED
SC-9618	Response deferred	Message Field Constraint — ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE: In the EMV Financial Transaction Response message, Data Segment No. 115 (Print Data Segment) is conditional and must be / message_field_constraint	REQ-SRC-ATL105-PDF-001:3826	ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE / 208	NOT_DECLARED
SC-9619	Response deferred	Message Field Constraint — ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE: In the EMV Financial Transaction Response message, Data Segment No. 120 (Print Data 2 Segment) is conditional and must be / message_field_constraint	REQ-SRC-ATL105-PDF-001:3827	ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE / 208	NOT_DECLARED
SC-9620	Response deferred	Message Field Constraint — ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE: In the EMV Financial Transaction Response message, Data Segment No. 131 (EMV Response Data Segment) is conditional and must be / message_field_constraint	REQ-SRC-ATL105-PDF-001:3828	ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE / 208	NOT_DECLARED
SC-9621	Response deferred	Message Field Constraint — ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE: In the EMV Financial Transaction Response message, Data Segment No. 134 (Transaction Attributes Data Segment) is conditional and must be / message_field_constraint	REQ-SRC-ATL105-PDF-001:3829	ENT-MSG-EMV_FINANCIAL_TRANSACTION_RESPONSE / 208	NOT_DECLARED
SC-9634	Response deferred	Message Field Constraint — ENT-FIELD-CA_PUBLIC_KEY_FILE_LOAD_RESPONSE-1: In the CA Public Key File Load Response message, field 1 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3842	ENT-FIELD-CA_PUBLIC_KEY_FILE_LOAD_RESPONSE-1 / 213	NOT_DECLARED
SC-9636	Response deferred	Message Field Constraint — ENT-FIELD-CA_PUBLIC_KEY_FILE_LOAD_RESPONSE-3: In the CA Public Key File Load Response message, field 3 is required and must be present. / message_field_constraint	REQ-SRC-ATL105-PDF-001:3844	ENT-FIELD-CA_PUBLIC_KEY_FILE_LOAD_RESPONSE-3 / 213	NOT_DECLARED

Appendix B | Failed negative-case payload writes

27 candidate TCs without a base payload or metadata. The 89 flow candidates have step-specific files and are not included here.

Test case	Scenario	Type	Payload	Metadata
TC-002954	SC-3197	negative	Missing	Missing
TC-002964	SC-3207	negative	Missing	Missing
TC-002966	SC-3209	negative	Missing	Missing
TC-003075	SC-3318	negative	Missing	Missing
TC-003085	SC-3328	negative	Missing	Missing
TC-003087	SC-3330	negative	Missing	Missing
TC-003325	SC-3568	negative	Missing	Missing
TC-003350	SC-3593	negative	Missing	Missing
TC-003352	SC-3595	negative	Missing	Missing
TC-003500	SC-3797	negative	Missing	Missing
TC-003510	SC-3807	negative	Missing	Missing
TC-003512	SC-3809	negative	Missing	Missing
TC-003574	SC-3871	negative	Missing	Missing
TC-003629	SC-3926	negative	Missing	Missing
TC-003694	SC-3991	negative	Missing	Missing
TC-003696	SC-3993	negative	Missing	Missing
TC-004073	SC-4370	negative	Missing	Missing
TC-004102	SC-4399	negative	Missing	Missing
TC-004104	SC-4401	negative	Missing	Missing
TC-004115	SC-4412	negative	Missing	Missing
TC-004361	SC-4730	negative	Missing	Missing
TC-004498	SC-4867	negative	Missing	Missing
TC-004603	SC-4972	negative	Missing	Missing

Test case	Scenario	Type	Payload	Metadata
TC-004667	SC-5036	negative	Missing	Missing
TC-004704	SC-5085	negative	Missing	Missing
TC-004772	SC-5239	negative	Missing	Missing
TC-004844	SC-5325	negative	Missing	Missing

Evidence binding

approved_scenarios.json | SHA-256 43977811953d1a3a2ddf0043c8d2affec86e3b7af4116441f54bafd200e20c78
requirement_catalog.json | SHA-256 28f5e1360bc79a0e4ce39c7c68226b6da2cbe55719f35359b656601dc75fee35
test_case_candidates.json | SHA-256 f1d39308520e41eee82656a786f98463977409a9e84050cf52d4ba884aac3560
composer_skips.json | SHA-256 8cdaed0038722c7b3865fd266a513f5f7cb1aac9520b2438558759aff4e69f2d
unresolved_scenarios.json | SHA-256 b77624cd19ef89848cfcd19002ef1290bde74f99f44860e75a7870099dba10e6
write_failures.json | SHA-256 3a16042485d9520b13d985944c126c3e02fec10d69389053ff655c2ec6a7f475