

index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Place Order</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="container">
    <div class="navbar">
      <a href="index.html">Place Order</a>
      <a href="view.php">View Orders</a>
    </div>
    <h2>Place a New Order</h2>
    <form method="POST" action="insert.php">
      <div class="form-group">
        <label for="customer_name">Customer Name</label>
        <input type="text" id="customer_name" name="customer_name" required>
      </div>
      <div class="form-group">
        <label for="product_name">Product Name</label>
        <input type="text" id="product_name" name="product_name" required>
      </div>
      <div class="form-group">
        <label for="quantity">Quantity</label>
        <input type="number" id="quantity" name="quantity" required min="1">
      </div>
      <div class="form-group">
        <label for="total_price">Total Price ($)</label>
        <input type="number" id="total_price" step="0.01" name="total_price" required min="0.01">
      </div>
      <button type="submit">Place Order</button>
    </form>
  </div>
</body>
</html>
```

style.css:

```
body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #f9f9f9;
  color: #333;
  margin: 0;
  padding: 20px;
}
.navbar {
  background-color: #007bff;
  padding: 15px;
  margin-bottom: 30px;
  border-radius: 4px;
}
.navbar a {
```

```

    color: white;
    text-decoration: none;
    margin-right: 20px;
    font-weight: bold;
}
.navbar a:hover { text-decoration: underline; }
.container {
    max-width: 800px;
    margin: auto;
    background: white;
    padding: 30px;
    border-radius: 8px;
    box-shadow: 0 2px 10px rgba(0,0,0,0.05);
}
h2 { color: #444; border-bottom: 2px solid #eee; padding-bottom: 10px; }
.form-group { margin-bottom: 15px; }
label { display: block; margin-bottom: 5px; font-weight: bold; }
input[type="text"], input[type="number"] {
    width: 100%; padding: 10px; border: 1px solid #ccc;
    border-radius: 4px; box-sizing: border-box;
}
button {
    background-color: #007bff; color: white; padding: 10px 20px;
    border: none; border-radius: 4px; cursor: pointer; font-size: 16px;
}
button:hover { background-color: #0056b3; }
table { width: 100%; border-collapse: collapse; margin-top: 20px; }
th, td { border: 1px solid #ddd; padding: 12px; text-align: left; }
th { background-color: #f4f4f4; }
.msg { color: #28a745; font-weight: bold; margin-bottom: 15px; }
.err { color: #dc3545; font-weight: bold; margin-bottom: 15px; }

```

insert.php:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Order Status</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <div class="container">
        <div class="navbar">
            <a href="index.html">Place Order</a>
            <a href="view.php">View Orders</a>
        </div>
        <h2>Order Status</h2>
        <?php
            require 'config.php';

            if ($_SERVER["REQUEST_METHOD"] == "POST") {
                $customer_name = $conn->real_escape_string($_POST['customer_name']);
                $product_name = $conn->real_escape_string($_POST['product_name']);
                $quantity = (int)$_POST['quantity'];
                $total_price = (float)$_POST['total_price'];

                $sql = "INSERT INTO orders (customer_name, product_name, quantity, t
otal_price)

```

```

VALUES ('$customer_name', '$product_name', $quantity, $total
_price)";

    if ($conn->query($sql) === TRUE) {
        echo "<p class='msg'>Order placed successfully!</p>";
    } else {
        echo "<p class='err'>Error: " . $conn->error . "</p>";
    }
}
$conn->close();
?>
</div>
</body>
</html>

```

view.php:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>View Orders</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <div class="container">
        <div class="navbar">
            <a href="index.html">Place Order</a>
            <a href="view.php">View Orders</a>
        </div>
        <h2>Order History</h2>
        <table>
            <tr>
                <th>Order ID</th>
                <th>Customer Name</th>
                <th>Product Name</th>
                <th>Qty</th>
                <th>Total Price</th>
                <th>Date</th>
            </tr>
            <?php
            require 'config.php';
            $result = $conn->query("SELECT * FROM orders ORDER BY order_date DES
C");

            if ($result && $result->num_rows > 0) {
                while($row = $result->fetch_assoc()) {
                    echo "<tr>";
                    echo "<td>" . $row["id"] . "</td>";
                    echo "<td>" . htmlspecialchars($row["customer_name"]) . "</td>";
                    echo "<td>" . htmlspecialchars($row["product_name"]) . "</td>";
                    echo "<td>" . $row["quantity"] . "</td>";
                    echo "<td>$" . number_format($row["total_price"], 2) . "</td>";
                    echo "<td>" . $row["order_date"] . "</td>";
                    echo "</tr>";
                }
            }
        </table>
    </div>
</body>
</html>

```

```

        } else {
            echo "<tr><td colspan='6'>No orders found.</td></tr>";
        }
        $conn->close();
    ?>
</table>
</div>
</body>
</html>

```

config.php:

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "shopping_app";

$conn = new mysqli($servername, $username, $password);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$sql = "CREATE DATABASE IF NOT EXISTS $dbname";
if ($conn->query($sql) === TRUE) {
    $conn->select_db($dbname);

    $tableSql = "CREATE TABLE IF NOT EXISTS orders (
        id INT AUTO_INCREMENT PRIMARY KEY,
        customer_name VARCHAR(100) NOT NULL,
        product_name VARCHAR(100) NOT NULL,
        quantity INT NOT NULL,
        total_price DECIMAL(10, 2) NOT NULL,
        order_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP
    )";
    $conn->query($tableSql);
} else {
    die("Error creating database: " . $conn->error);
}
?>

```